

December 6, 2016

CN: 15279

**'16 DEC -6 P3:11**

Ms. Cher Snyder  
 Assistant Deputy Executive Officer  
 Office of Engineering and Compliance  
 South Coast Air Quality Management District  
 21865 Copley Drive  
 Diamond Bar, CA 91765

**PROJECT: EXIDE TECHNOLOGIES FACILITY ID NO. 124838,  
 ORDER FOR ABATEMENT CASE NO. 3151-32**  
**RE: WEEKLY STATUS REPORT # 114 (11/10/16 – 11/16/16)**

Dear Ms. Snyder,

Tetra Tech Inc. is pleased to present the following Weekly Status Report for the above referenced project. This report covers the period of November 10, 2016 through November 16, 2016.

**CURRENT ACTIVITIES WHERE PREVIOUSLY APPROVED MITIGATION  
 MEASURES WERE FULLY IMPLEMENTED**

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) during this reporting period where mitigation measures were observed to be implemented in full compliance with the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD, at the site during this period include:

TASK ID	Major Work Item	Mitigation Measure(s)
EX83/4	RCRA RFI Soil Sampling	Temporary Enclosure Under Negative Pressure*
EX115	Sediment Removal from Equalization Tanks	Maintain Wetted Surfaces

\* Dust Trak monitoring performed for this work item.

**RCRA RFI Soil Sampling**

RCRA RFI Soil Sampling continued on November 10, 2016 in the surface water impoundment area. Advanced Geoscience and their subcontractors Cascade Drilling, and Avocet mobilized to the site to continued RCRA RFI Soil Sampling. On Thursday, November 10, 2016 Cascade Drilling and Avocet completed drilling in the surface water impoundment area and demobilized the limited access geo-probe rig from the site after using a crane to lift it out of the surface water impoundment. Advanced Geoscience mobilized their contractor FML to the site on Friday, November 11, 2016 to repair the liner at each of the boring locations. A temporary enclosure erected adjacent to the

**Tetra Tech BAS, Inc.**

storm water impoundment was maintained by Castlerock under negative pressure and vented to an SCAQMD permitted HEPA filtration systems while soil sampling activities were ongoing in the surface water impoundment. Activities within the enclosure included the logging and processing of samples collected at each boring location.

On Monday, November 14, 2016, Rice Environmental mobilized to the site to begin concrete coring at boring locations in the Finished Lead portion of the Total Enclosure Building. Rice Environmental completed concrete coring in the Finished Lead Warehouse on Tuesday, November 15, 2016. On Wednesday, November 16, 2016, Rice Environmental began concrete coring activities in the Blue Lead Warehouse. Castlerock constructed a temporary enclosure at each coring location prior to the start of work. The temporary enclosure was maintained under negative pressure and vented to an SCAQMD permitted HEPA filtration systems while concrete coring activities were ongoing.

Tetra Tech personnel were onsite to verify that RCRA RFI Soil Sampling activities were completed in accordance with the SCAQMD approved mitigation plans and the DTSC approved work plan. RCRA RFI Soil Sampling will continue into the next reporting period.

Verification activities included:

- Upwind and Downwind Dust Trak monitoring when activities were conducted outside of the Total Enclosure Building to monitor for fugitive dust emissions. Review of Dust Trak data did not indicate that work associated with the RCRA RFI Soil Sampling was generating fugitive dust emissions.
- Confirmation that negative pressure was maintained by checking the gauge on the temporary enclosures, or the Total Enclosure Building depending on the location of RCRA RFI Soil Sampling activities.
- Periodic visual inspection of the temporary enclosures to confirm that no visible leaks or tears were present, that the structural integrity of the enclosures were maintained and that they were under negative pressure and vented to a SCAQMD permitted HEPA filtration system. Any noted areas where seams needed to be re-taped were repaired by Castlerock prior to resuming work within the enclosures. Any observed conditions requiring repair were addressed immediately.

#### Sediment Removal from Equalization Tanks

No work occurred related to the sediment removal from the Equalization Tanks. Removal of sediment from Equalization Tank #1 will occur during a future reporting period when it will not impact water treatment activities.

**CURRENT ACTIVITIES WHERE A DEVIATION FROM PREVIOUSLY APPROVED MITIGATION MEASURES WERE OBSERVED AND THE CORRECTIVE ACTIONS TAKEN**

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where for each of the activities described below, mitigation measures were implemented which to some extent deviated from the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD:

TASK ID	Major Work Item	Deviation(s)	CORRECTIVE ACTION
None			

In general accordance with the Order for Abatement Case No. 3151-32 Findings and Decision, air monitoring, if required, was conducted during a portion of all repair work performed within the temporary enclosures on a daily basis. If the results of continuous Dust Trak air monitoring detected excessive dust, additional suppression activities are required to be implemented. For this reporting period, Dust Trak monitoring did not detect excessive dust being generated from repair activities.

Activity Which Resulted in Excessive Dust	Additional Suppression Activity
None	None

**ACTUAL vs. FORECAST PROGRESS:**

Exide Technologies submitted a schedule which outlines the tasks needed to be completed in response to this abatement order. The attached Gant Chart shows scheduled progress for all activities planned for the upcoming two week period. The following table shows the status of these activities.

TASK	STATUS
None	None

**WORK SCHEDULED DURING THE UPCOMING PERIOD:**

The following activities are anticipated for the upcoming weeks:

Week	Anticipated Activities
Nov. 17 – Nov. 23	<ul style="list-style-type: none"> <li>• RCRA RFI Soil Sampling</li> </ul>

Week	Anticipated Activities
Nov. 24 - Nov. 30	<ul style="list-style-type: none"> <li>• RCRA RFI Soil Sampling</li> </ul>

**KEY MILESTONES:**

The following key milestones were achieved during this reporting period:

- o None at this time.

**WORKER SAFETY CONCERNS:**

The following Health and Safety issues, as they apply to Tetra Tech employees, were observed during this reporting period:

- o None.

**POTENTIAL CHANGES AND ACTION ITEMS REQUIRING RESOLUTION:**

The following items require resolution:

- o None at this time.

**SUMMARY:**

The summary provided herein covers the activities for the period of November 10, 2016 through November 16, 2016. Tetra Tech personnel were onsite to attend routine weekly meetings on Thursday, November 10, 2016 and Monday, November 14, 2016, and to observe mitigation plan work. Please find attached a copy of Exide's upcoming two weeks schedule and site map identifying the location of the activities on the upcoming two weeks schedule.

Should you have questions regarding this report, or require additional information, please contact me at your earliest convenience.

Sincerely,



Nick Somogyi  
Project Engineer

**ATTACHMENTS:**


- Gant Chart Schedule
- Site Map
- Field Data Sheets

## **Gant Chart Schedule**

# Project Schedule

## Week of 11/10/16 – 12/01/16

*Rev: 11/17/2016*

 Recycling Division, Vernon, CA							11/12/2016							11/19/16							11/26/16							12/03/16						
							10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	01						
Mitigation Plan Risks	Task Name	Plant Location	Duration	Start Date	Finish Date	%																												
Ex 72	Cleaning of Assorted Materials in Total Enclosure	Total Enclosure	772 days	11/20/14	12/31/16	80%																												
Ex 76	Various Work Methods in Total Enclosure	Total Enclosure	771 days	11/21/14	12/31/16	80%																												
4	RCRA RFI Soil Sampling	General	13 days	11/07/16	11/23/16	97%																												
Ex 83	RFI Soil Sampling Supplemental	General	13 days	11/07/16	11/23/16	97%																												
Ex 115	Sediment Removal from EQ Tanks	WWTP	-	3/7/16	12/31/16	50%																												

*Numbering system correlates with Mitigation plan document.  
Ex refers to additional work part of Sec. 6b in the Mitigation plan document.*

## **Site Map**



## Mitigation Project Map Layout

Week 11/10/16 – 12/01/16

Rev: 11/17/2016


4. RCRA RFI Soil Sampling

Ex 83. RFI Soil Sampling Supplemental

Ex 72. Cleaning of Assorted Materials in Total Encl.

Ex 76. Various Work Methods in Total Enclosure

Ex 115. Sediment Removal from EQ Tanks



Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.

Mitigation Schedule and Map\_11/17/2016.pptx



**Monitoring Results / Reports**  
**(Thursday, November 10, 2016)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
EX 83/4 – RCRA RFI Soil Sampling	8533132408	Upwind
EX 83/4 – RCRA RFI Soil Sampling	8533113401	Downwind



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

11/10/2016 EX-83 Drilling in the  
Retention Pond

# Test 004

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/10/2016
Instrument S/N	8533132408	Start Time	05:49:15
		Stop Date	11/10/2016
		Stop Time	10:49:15
		Total Time	0:05:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	11/10/2016	06:04:15	0.025	0.025	0.027	0.033	0.035
2	11/10/2016	06:19:15	0.020	0.021	0.022	0.024	0.024
3	11/10/2016	06:34:15	0.024	0.024	0.025	0.028	0.028
4	11/10/2016	06:49:15	0.022	0.022	0.023	0.024	0.025
5	11/10/2016	07:04:15	0.022	0.022	0.023	0.024	0.025
6	11/10/2016	07:19:15	0.023	0.024	0.025	0.027	0.028
7	11/10/2016	07:34:15	0.022	0.022	0.023	0.025	0.025
8	11/10/2016	07:49:15	0.023	0.023	0.024	0.026	0.026
9	11/10/2016	08:04:15	0.023	0.024	0.024	0.027	0.027
10	11/10/2016	08:19:15	0.022	0.022	0.023	0.025	0.025
11	11/10/2016	08:34:15	0.022	0.022	0.023	0.025	0.026
12	11/10/2016	08:49:15	0.023	0.023	0.024	0.025	0.026
13	11/10/2016	09:04:15	0.023	0.023	0.023	0.025	0.025
14	11/10/2016	09:19:15	0.024	0.024	0.025	0.026	0.026
15	11/10/2016	09:34:15	0.025	0.025	0.026	0.028	0.028
16	11/10/2016	09:49:15	0.027	0.027	0.027	0.029	0.030
17	11/10/2016	10:04:15	0.027	0.027	0.028	0.030	0.030
18	11/10/2016	10:19:15	0.028	0.028	0.029	0.030	0.030
19	11/10/2016	10:34:15	0.028	0.029	0.029	0.031	0.031
20	11/10/2016	10:49:15	0.028	0.029	0.029	0.030	0.031

# Test 005

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/10/2016
Instrument S/N	8533132408	Start Time	11:32:02
		Stop Date	11/10/2016
		Stop Time	15:17:02
		Total Time	0:03:45:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	11/10/2016	11:47:02	0.067	0.067	0.068	0.070	0.071
2	11/10/2016	12:02:02	0.068	0.068	0.069	0.070	0.071
3	11/10/2016	12:17:02	0.069	0.069	0.070	0.071	0.071
4	11/10/2016	12:32:02	0.069	0.069	0.069	0.070	0.070
5	11/10/2016	12:47:02	0.071	0.071	0.072	0.073	0.073
6	11/10/2016	13:02:02	0.062	0.062	0.063	0.064	0.064
7	11/10/2016	13:17:02	0.063	0.063	0.063	0.065	0.065
8	11/10/2016	13:32:02	0.063	0.063	0.063	0.064	0.064
9	11/10/2016	13:47:02	0.063	0.064	0.064	0.065	0.065
10	11/10/2016	14:02:02	0.071	0.071	0.072	0.073	0.073
11	11/10/2016	14:17:02	0.073	0.073	0.074	0.076	0.076
12	11/10/2016	14:32:02	0.076	0.077	0.077	0.079	0.080
13	11/10/2016	14:47:02	0.073	0.073	0.074	0.076	0.076
14	11/10/2016	15:02:02	0.074	0.075	0.075	0.077	0.078
15	11/10/2016	15:17:02	0.073	0.074	0.074	0.076	0.076

# Test 004

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/10/2016
Instrument S/N	8533113401	Start Time	05:57:02
		Stop Date	11/10/2016
		Stop Time	10:12:02
		Total Time	0:04:15:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	11/10/2016	06:12:02	0.015	0.015	0.016	0.019	0.019
2	11/10/2016	06:27:02	0.019	0.020	0.021	0.026	0.027
3	11/10/2016	06:42:02	0.016	0.016	0.017	0.020	0.021
4	11/10/2016	06:57:02	0.014	0.014	0.015	0.017	0.017
5	11/10/2016	07:12:02	0.017	0.017	0.018	0.020	0.021
6	11/10/2016	07:27:02	0.019	0.020	0.021	0.026	0.026
7	11/10/2016	07:42:02	0.013	0.013	0.014	0.016	0.016
8	11/10/2016	07:57:02	0.013	0.013	0.014	0.016	0.017
9	11/10/2016	08:12:02	0.012	0.012	0.013	0.016	0.016
10	11/10/2016	08:27:02	0.011	0.011	0.012	0.014	0.014
11	11/10/2016	08:42:02	0.010	0.010	0.011	0.013	0.013
12	11/10/2016	08:57:02	0.009	0.009	0.010	0.012	0.012
13	11/10/2016	09:12:02	0.010	0.010	0.010	0.012	0.012
14	11/10/2016	09:27:02	0.010	0.010	0.011	0.012	0.013
15	11/10/2016	09:42:02	0.011	0.011	0.012	0.014	0.014
16	11/10/2016	09:57:02	0.011	0.011	0.012	0.014	0.014
17	11/10/2016	10:12:02	0.011	0.011	0.012	0.014	0.014


# Test 005

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/10/2016
Instrument S/N	8533113401	Start Time	11:03:13
		Stop Date	11/10/2016
		Stop Time	15:18:13
		Total Time	0:04:15:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	11/10/2016	11:18:13	0.010	0.010	0.011	0.013	0.013
2	11/10/2016	11:33:13	0.010	0.010	0.010	0.012	0.013
3	11/10/2016	11:48:13	0.010	0.010	0.011	0.013	0.013
4	11/10/2016	12:03:13	0.010	0.010	0.011	0.013	0.013
5	11/10/2016	12:18:13	0.009	0.010	0.010	0.012	0.012
6	11/10/2016	12:33:13	0.009	0.009	0.009	0.011	0.011
7	11/10/2016	12:48:13	0.010	0.010	0.010	0.012	0.012
8	11/10/2016	13:03:13	0.009	0.009	0.010	0.011	0.011
9	11/10/2016	13:18:13	0.010	0.010	0.011	0.012	0.012
10	11/10/2016	13:33:13	0.010	0.010	0.011	0.012	0.012
11	11/10/2016	13:48:13	0.009	0.010	0.010	0.012	0.012
12	11/10/2016	14:03:13	0.009	0.010	0.010	0.011	0.011
13	11/10/2016	14:18:13	0.010	0.011	0.011	0.013	0.013
14	11/10/2016	14:33:13	0.013	0.013	0.014	0.016	0.016
15	11/10/2016	14:48:13	0.011	0.011	0.012	0.014	0.014
16	11/10/2016	15:03:13	0.011	0.012	0.012	0.015	0.015
17	11/10/2016	15:18:13	0.012	0.012	0.013	0.015	0.015

**Monitoring Results / Reports**  
**(Friday, November 11, 2016)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
EX 83/4 – RCRA RFI Soil Sampling	8533132408	Upwind
EX 83/4 – RCRA RFI Soil Sampling	8533113401	Downwind



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

11/11/2016 EX-83 Drilling in the  
Retention Pond



# Test 006

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/11/2016
Instrument S/N	8533132408	Start Time	07:21:26
		Stop Date	11/11/2016
		Stop Time	11:21:26
		Total Time	0:04:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	11/11/2016	07:36:26	0.027	0.027	0.027	0.030	0.030
2	11/11/2016	07:51:26	0.027	0.028	0.028	0.031	0.032
3	11/11/2016	08:06:26	0.026	0.027	0.027	0.030	0.030
4	11/11/2016	08:21:26	0.026	0.027	0.027	0.029	0.030
5	11/11/2016	08:36:26	0.026	0.026	0.027	0.029	0.029
6	11/11/2016	08:51:26	0.027	0.027	0.028	0.030	0.030
7	11/11/2016	09:06:26	0.028	0.028	0.029	0.031	0.032
8	11/11/2016	09:21:26	0.029	0.029	0.030	0.032	0.033
9	11/11/2016	09:36:26	0.028	0.028	0.029	0.031	0.032
10	11/11/2016	09:51:26	0.029	0.029	0.030	0.032	0.032
11	11/11/2016	10:06:26	0.030	0.031	0.031	0.033	0.034
12	11/11/2016	10:21:26	0.032	0.032	0.033	0.035	0.036
13	11/11/2016	10:36:26	0.027	0.027	0.028	0.030	0.031
14	11/11/2016	10:51:26	0.027	0.027	0.028	0.030	0.031
15	11/11/2016	11:06:26	0.017	0.017	0.017	0.020	0.021
16	11/11/2016	11:21:26	0.010	0.011	0.011	0.014	0.014

# Test 006

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/11/2016
Instrument S/N	8533113401	Start Time	07:17:52
		Stop Date	11/11/2016
		Stop Time	11:17:52
		Total Time	0:04:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	11/11/2016	07:32:52	0.012	0.012	0.013	0.015	0.016
2	11/11/2016	07:47:52	0.012	0.012	0.013	0.014	0.014
3	11/11/2016	08:02:52	0.012	0.012	0.013	0.014	0.014
4	11/11/2016	08:17:52	0.011	0.012	0.012	0.013	0.013
5	11/11/2016	08:32:52	0.010	0.010	0.011	0.012	0.012
6	11/11/2016	08:47:52	0.011	0.011	0.012	0.013	0.013
7	11/11/2016	09:02:52	0.010	0.011	0.011	0.013	0.013
8	11/11/2016	09:17:52	0.010	0.010	0.011	0.012	0.012
9	11/11/2016	09:32:52	0.009	0.009	0.010	0.011	0.011
10	11/11/2016	09:47:52	0.008	0.008	0.009	0.010	0.010
11	11/11/2016	10:02:52	0.009	0.009	0.009	0.011	0.011
12	11/11/2016	10:17:52	0.010	0.010	0.011	0.013	0.013
13	11/11/2016	10:32:52	0.010	0.010	0.011	0.012	0.012
14	11/11/2016	10:47:52	0.009	0.009	0.009	0.011	0.011
15	11/11/2016	11:02:52	0.008	0.009	0.009	0.011	0.011
16	11/11/2016	11:17:52	0.009	0.009	0.010	0.012	0.012

**Monitoring Results / Reports**  
**(Wednesday, November 16, 2016)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
EX 83/4 – RCRA RFI Soil Sampling	8533132408	Upwind
EX 83/4 – RCRA RFI Soil Sampling	8533113401	Downwind



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

11/16/2016 EX-83/4 Coring/Sampling  
in Blue Lead Warehouse

# Test 007

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/16/2016
Instrument S/N	8533132408	Start Time	06:44:29
		Stop Date	11/16/2016
		Stop Time	13:29:29
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	11/16/2016	06:59:29	0.081	0.082	0.083	0.087	0.090
2	11/16/2016	07:14:29	0.084	0.084	0.085	0.086	0.086
3	11/16/2016	07:29:29	0.080	0.081	0.081	0.082	0.082
4	11/16/2016	07:44:29	0.075	0.076	0.077	0.077	0.077
5	11/16/2016	07:59:29	0.065	0.066	0.066	0.067	0.067
6	11/16/2016	08:14:29	0.060	0.061	0.061	0.061	0.061
7	11/16/2016	08:29:29	0.059	0.059	0.060	0.060	0.060
8	11/16/2016	08:44:29	0.070	0.071	0.071	0.071	0.071
9	11/16/2016	08:59:29	0.078	0.079	0.079	0.079	0.079
10	11/16/2016	09:14:29	0.075	0.076	0.076	0.077	0.077
11	11/16/2016	09:29:29	0.072	0.073	0.074	0.076	0.077
12	11/16/2016	09:44:29	0.068	0.069	0.069	0.070	0.070
13	11/16/2016	09:59:29	0.073	0.073	0.074	0.074	0.074
14	11/16/2016	10:14:29	0.080	0.080	0.081	0.081	0.081
15	11/16/2016	10:29:29	0.081	0.082	0.082	0.083	0.083
16	11/16/2016	10:44:29	0.081	0.082	0.082	0.083	0.083
17	11/16/2016	10:59:29	0.077	0.078	0.079	0.081	0.082
18	11/16/2016	11:14:29	0.078	0.079	0.079	0.081	0.081
19	11/16/2016	11:29:29	0.080	0.081	0.081	0.082	0.083
20	11/16/2016	11:44:29	0.075	0.076	0.076	0.077	0.077
21	11/16/2016	11:59:29	0.075	0.076	0.076	0.077	0.077
22	11/16/2016	12:14:29	0.077	0.078	0.078	0.079	0.079
23	11/16/2016	12:29:29	0.078	0.079	0.079	0.081	0.081
24	11/16/2016	12:44:29	0.073	0.074	0.074	0.076	0.076
25	11/16/2016	12:59:29	0.059	0.059	0.060	0.060	0.061
26	11/16/2016	13:14:29	0.049	0.050	0.050	0.051	0.051
27	11/16/2016	13:29:29	0.036	0.037	0.037	0.038	0.039

# Test 007

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/16/2016
Instrument S/N	8533113401	Start Time	06:53:11
		Stop Date	11/16/2016
		Stop Time	13:38:11
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	11/16/2016	07:08:11	0.078	0.079	0.079	0.080	0.080
2	11/16/2016	07:23:11	0.078	0.078	0.079	0.079	0.079
3	11/16/2016	07:38:11	0.073	0.074	0.074	0.075	0.075
4	11/16/2016	07:53:11	0.068	0.069	0.069	0.070	0.070
5	11/16/2016	08:08:11	0.060	0.060	0.061	0.061	0.061
6	11/16/2016	08:23:11	0.054	0.054	0.055	0.055	0.055
7	11/16/2016	08:38:11	0.061	0.062	0.062	0.062	0.062
8	11/16/2016	08:53:11	0.076	0.076	0.077	0.077	0.077
9	11/16/2016	09:08:11	0.074	0.075	0.075	0.076	0.076
10	11/16/2016	09:23:11	0.074	0.075	0.075	0.076	0.076
11	11/16/2016	09:38:11	0.074	0.074	0.075	0.076	0.076
12	11/16/2016	09:53:11	0.076	0.076	0.077	0.078	0.078
13	11/16/2016	10:08:11	0.084	0.084	0.085	0.085	0.085
14	11/16/2016	10:23:11	0.085	0.085	0.086	0.086	0.086
15	11/16/2016	10:38:11	0.086	0.086	0.087	0.087	0.087
16	11/16/2016	10:53:11	0.083	0.084	0.084	0.086	0.086
17	11/16/2016	11:08:11	0.078	0.079	0.079	0.080	0.081
18	11/16/2016	11:23:11	0.082	0.082	0.083	0.084	0.084
19	11/16/2016	11:38:11	0.074	0.075	0.075	0.076	0.076
20	11/16/2016	11:53:11	0.074	0.074	0.075	0.075	0.075
21	11/16/2016	12:08:11	0.076	0.076	0.077	0.077	0.078
22	11/16/2016	12:23:11	0.074	0.074	0.075	0.075	0.076
23	11/16/2016	12:38:11	0.076	0.076	0.077	0.078	0.078
24	11/16/2016	12:53:11	0.064	0.064	0.065	0.066	0.066
25	11/16/2016	13:08:11	0.056	0.057	0.057	0.058	0.058
26	11/16/2016	13:23:11	0.044	0.045	0.045	0.047	0.047
27	11/16/2016	13:38:11	0.032	0.033	0.033	0.035	0.035