

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Dr., Diamond Bar, CA 91765-4182

MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS

TO: Jason Low, Ph.D.
Atmospheric Measurements Manager
Science and Technology Advancement

LABORATORY NO: 1620210

REFERENCE NO: GC6-121-105

SAMPLE DESCRIPTION:
24 hr Sample
Canister # 54718

DATE SAMPLED: 07/20/16

DATE RECEIVED: 07/21/16

DATE ANALYZED: 07/22/16

SAMPLE LOCATION:
Castlebay Elementary School

ANALYZED BY: Yang Song

REQUESTED BY: Sumner Wilson


ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Volatile Organic Compounds (VOC) by Gas Chromatography(GC)
and Flame Ionization Detection (FID)

Note: See attached for speciated results.

Date Approved: 8/14/16

Approved By: _____


Solomon Teffera, Acting Sr. Manager
Laboratory Services Branch
(909) 396-2199

LAB NO: 1620210

Location: Castlebay Elementary School

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date 07/20/16
Canister 54718
Sampling Location Castlebay Elementary School Ambient Air
Total NMOC, ppbC 72 100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
ethylene	0.7	0.7-4.1
acetylene	0.5	
propane	2.1	0.4-5.0
propylene	0.1	0.2-0.7
isobutane	0.5	0.2-0.9
n-butane	0.7	0.3-1.7
1-butene	<0.1	0.1-0.3
trans-2-butene	<0.1	
cis-2-butene	<0.1	
isopentane	1.5	
1-pentene	<0.1	
n-pentane	0.3	0.1-0.6
isoprene	0.4	
trans-2-pentene	<0.1	
cis-2-pentene	<0.1	
2,2-dimethylbutane	<0.1	
cyclopentane	<0.1	
2,3-dimethylbutane	<0.1	
2-methylpentane	0.2	
3-methylpentane	0.1	
1-hexene	<0.1	<0.1-0.1
n-hexane	0.1	0.1-0.2
methylcyclopentane	0.1	
2,4-dimethylpentane	<0.1	
benzene	0.2	0.1-0.5
cyclohexane	0.1	
2-methylhexane	<0.1	
2,3-dimethylpentane	<0.1	
3-methylhexane	<0.1	
2,2,4-trimethylpentane	0.1	
n-heptane	<0.1	0.1-0.2
methylcyclohexane	0.1	

LAB NO: 1620210**Location: Castlebay Elementary School****ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS**

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	07/20/16	
Canister	54718	
Sampling Location	Castlebay Elementary School	Ambient Air
Total NMOC, ppbC	72	100-700 ppbC
<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	
toluene	0.3	0.1-0.6
2-methylheptane	<0.1	
3-methylheptane	<0.1	
n-octane	<0.1	<0.1-0.3
ethylbenzene	<0.1	0.1-0.2
m+p-xylenes	0.1	0.1-0.2
styrene	<0.1	<0.1-0.2
o-xylene	<0.1	0.1-0.2
n-nonane	<0.1	<0.1-0.1
isopropylbenzene	<0.1	
n-propylbenzene	<0.1	
m-ethyltoluene	<0.1	
p-ethyltoluene	<0.1	
1,3,5-trimethylbenzene	<0.1	
o-ethyltoluene	<0.1	
1,2,4-trimethylbenzene	<0.1	
n-decane	<0.1	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	
m-diethylbenzene	<0.1	
p-diethylbenzene	<0.1	
n-undecane	<0.1	<0.1
n-dodecane	<0.1	<0.1

NMOC = Non-Methane Organic Compounds

N.D. = Not Detected

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

WO #: 1620210



TO: SCAQMD LAB: OTHER:

SOURCE NAME: Southern California Gas Co. I.D. No. _____

Source Address: 12801 Tampa Ave City: Porter Ranch

Mailing Address: _____ City: _____ Zip: 91326

Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 7/21/16

Approved by: Jason Low Office: _____ Budget #: 44716

REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill

Suspected Violation Rule(s) _____ Other

Sample Collected by: Qian Zhou Date: 7/21/16 Time: 11:00am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End Press
Porter Ranch / Castlebay Elem	54718	7/20/16 / 00:00 / 24 hours	-30"	+15

Relinquished by	Received by	Firm/Agency	Date	Time
<i>Zhou Qian</i>	<i>[Signature]</i>	SCAQMD Lab	7-21-16	13:12

Remarks: 1:3 scheduled samples from trailer at Castlebay
 Castlebay Lane Charter School – 19010 Castlebay Ln, Porter Ranch, CA
 Right sampler, sn 4671