

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Dr., Diamond Bar, CA 91765-4182**

**MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS**

TO: Cher Snyder
Assistant DEO
Engineering and Compliance

LABORATORY NO: 1604113

REFERENCE NO: GC6-3-74

SAMPLE DESCRIPTION:
24 hour Sample
Canister: E3724

DATE SAMPLED: 02/06/16

DATE RECEIVED: 02/10/16

DATE ANALYZED: 02/11/16

SAMPLE LOCATION:
Highlands Community
Pool Parking Lot


ANALYZED BY: Yang Song

REQUESTED BY: Sumner Wilson

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Volatile Organic Compounds (VOC) by Gas Chromatography(GC)
and Flame Ionization Detection (FID)

Note: See attached for speciated results.

Date Approved: 3/24/16 Approved By: 
Rudy Eden, Sr. Manager
Laboratory Services Branch
(909) 396-2391

LAB NO: 1604113

Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date 02/06/16
Canister E3724
Sampling Location **Highlands Community** **Ambient Air**
Pool Parking Lot
Total NMOC, ppbC 242 100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
ethylene	0.3	0.7-4.1
acetylene	0.4	
propane	3.3	0.4-5.0
propylene	<0.1	0.2-0.7
isobutane	0.4	0.2-0.9
n-butane	0.6	0.3-1.7
1-butene	<0.1	0.1-0.3
trans-2-butene	<0.1	
cis-2-butene	<0.1	
isopentane	2.8	
1-pentene	<0.1	
n-pentane	14	0.1-0.6
isoprene	<0.1	
trans-2-pentene	N.D.	
cis-2-pentene	N.D.	
2,2-dimethylbutane	<0.1	
cyclopentane	<0.1	
2,3-dimethylbutane	<0.1	
2-methylpentane	<0.1	
3-methylpentane	<0.1	
1-hexene	<0.1	<0.1-0.1
n-hexane	0.1	0.1-0.2
methylcyclopentane	<0.1	
2,4-dimethylpentane	<0.1	
benzene	0.1	0.1-0.5
cyclohexane	<0.1	
2-methylhexane	<0.1	
2,3-dimethylpentane	<0.1	
3-methylhexane	<0.1	
2,2,4-trimethylpentane	<0.1	
n-heptane	<0.1	0.1-0.2
methylcyclohexane	<0.1	

LAB NO: 1604113

Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	02/06/16	
Canister	E3724	
Sampling Location	Highlands Community Pool Parking Lot	Ambient Air
Total NMOC, ppbC	242	100-700 ppbC
<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	
toluene	2.7	0.1-0.6
2-methylheptane	0.1	
3-methylheptane	<0.1	
n-octane	<0.1	<0.1-0.3
ethylbenzene	<0.1	0.1-0.2
m+p-xylenes	<0.1	0.1-0.2
styrene	0.2	<0.1-0.2
o-xylene	<0.1	0.1-0.2
n-nonane	<0.1	<0.1-0.1
isopropylbenzene	<0.1	
n-propylbenzene	<0.1	
m-ethyltoluene	<0.1	
p-ethyltoluene	<0.1	
1,3,5-trimethylbenzene	0.2	
o-ethyltoluene	<0.1	
1,2,4-trimethylbenzene	<0.1	
n-decane	<0.1	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	
m-diethylbenzene	<0.1	
p-diethylbenzene	<0.1	
n-undecane	<0.1	<0.1
n-dodecane	<0.1	<0.1

NMOC = Non-Methane Organic Compounds

N.D. = Not Detected

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DISTRICT
 INVENTORY
 LABORATORY
LABOR

WO #: 1604113



TO: SCAQMD LAB: OTHER:

SOURCE NAME: Southern California Gas Co. I.D. No. _____

Source Address: 12801 Tampa Ave City: Porter Ranch

Mailing Address: _____ City: _____ Zip: 91326

Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 2/10/2016

Approved by: Jason Low Office: _____ Budget #: 44716

REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill

Suspected Violation Rule(s) _____ Other

Sample Collected by: R Wimmer/ Q Zhou Date: 2/9/2016 Time: 11:30am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End vac
Highlands Community	E3724	2-6-16 / 00:00 / 24 hours	-30	-1"

Relinquished by	Received by	Firm/Agency	Date	Time
		SCAQMD Lab	2/10/16	11:44

Remarks: 3 scheduled samples from trailer

Highlands community pool parking lot. Address: 12378 High Glen Way, Northridge CA 91326 (across from 12377)