

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS

Page 1 of 2

TO	Jason Low Atmospheric Measurements Manager Science and Technology Advancement	LABORATORY NO	<u>1617211</u>
SAMPLE DESCRIBED AS	24 hour sample Canister 54037	DATE RECEIVED	<u>06/21/2016</u>
SAMPLING LOCATION	Highlands Community Center	FACILITY ID NO	<u>NA</u>
		REQUESTED BY	<u>Sumner Wilson</u>
		ST NO / PROJECT	<u>NA</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

Type	Canister
Number	<u>54037</u>
Pressure (Torr)	760
CO, ppm	< 3
CH ₄ , ppm	2
CO ₂ , ppm	410
Ethane, ppmvC	< 1
NM/NEOC, ppmvC	< 1

Date Approved: 6/24/16

Approved By: 
Solomon Teffera, Acting Senior Manager
Laboratory Services
909-396-2199

114
0-2-3-06

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
QUALITY CONTROL SUMMARY

Page 2 of 2

SAMPLE DESCRIBED AS	LABORATORY NO	<u>1617211</u>
24 hour sample Canister 54037	REQUESTED BY	<u>Sumner Wilson</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

QUALITY CONTROL -- End of run control recovery

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC106783	MDL				
CO, ppmvC	0.4	1.92	1.98	2.80	PASS
CH ₄ , ppmvC	0.3	2.02	1.90	-6.24	PASS
CO ₂ , ppmvC	0.4	1.57	1.94	23.85	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.4	2.03	1.76	-13.13	PASS
NM/NEOC, ppmvC	0.5	2.03	1.97	-2.82	PASS

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC12628	MDL				
CO, ppmvC	0.4	1036	1059	2.18	PASS
CH ₄ , ppmvC	0.3	1068	1058	-0.98	PASS
CO ₂ , ppmvC	0.4	1022	1041	1.90	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.4	1044	1039	-0.53	PASS
NM/NEOC, ppmvC	0.5	1024	1024	0.02	PASS

DATE ANALYZED 06/22/2016
REFERENCE NO: 16QM2AD
 QM2-101-112

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DIST
 INV
 LAF
LABOR...

WO #: 1617211



TO: SCAQMD LAB: OTHER:

SOURCE NAME: Southern California Gas Co. I.D. No. _____

Source Address: 12801 Tampa Ave City: Porter Ranch

Mailing Address: _____ City: _____ Zip: 91326

Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 6/21/16

Approved by: Jason Low Office: _____ Budget #: 44716

REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill

Suspected Violation Rule(s) _____ Other

Sample Collected by: Qian Zhou Date: 6/21/16 Time: 11:00am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End vac
Highlands Community	54037	6-20-16 / 00:00 / 24 hours	-30"	+13.5

Relinquished by	Received by	Firm/Agency	Date	Time
<i>zhongqian</i>	<i>JR</i>	SCAQMD Lab	6/21/16	14:42

Remarks 1:3 scheduled samples from trailer
Highlands community pool parking lot. Address: 12378 High Glen Way, Northridge CA 91326 (across from 12377)
Right sampler, sn 5323