

## South Coast Air Quality Management District 21865 COPLEY DRIVE, DIAMOND BAR, CA 91765-4178

## **NOTICE OF VIOLATION**

P 69521

DA	DATE OF VIOLATION				
Month:	Day:	Year:			
6	26	19			

ARA Ready Mixed Concrete	INC	Facility ID#: 21665	Sector: LE
134 W Redondo Beach Blvd	Gordena		70247
134 W Redondo Beach Blvd	Gardena	10.1	90247

YOU ARE HEREBY NOTIFIED THAT YOU HAVE BEEN CITED FOR ONE OR MORE VIOLATIONS OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT (SCAQMD) RULES, STATE LAW OR FEDERAL LAW. IF PROVEN, SUCH VIOLATION(S) MAY RESULT IN THE IMPOSITION OF CIVIL OR

EACH DAY A VIOLATION OCCURS MAY BE HANDLED AS A SEPARATE OFFENSE REGARDLESS OF WHETHER OR NOT ADDITIONAL NOTICES OF VIOLATION ARE ISSUED.

DESCRIPTION OF VIOLATIONS									
#	Authority*	Code Section or Rule No.	SCAQMD Permit to Operate or CARB Registration No.	Condition No. (If Applicable)			Descrip	otion of Violation	
1		403 (1)X41)			Tra	n Z5 fi	t Ext eet fra	ends gr om facili	eater tg.
2	□ SCAQMD □ CH&SC □ CCR □ CFR								
3	☐ SCAQMD ☐ CH&SC ☐ CCR ☐ CFR								
4	SCAQMD CH&SC CCR CFR								
5	SCAQMD CH&SC CCR CFR	4							
Manuel Pellegrin 310,515,0933 Te					Served By: Tung Phone No:	Allen	Vu	Date Notice Served: 6, Z 6. 19	
Plant Manager					909-396 310-233	2673	tallenv	( @ aqmd.gov	
*Key to Authority Abbreviations:  SCAQMD - South Coast Air Quality Management District  CCR - California Code of Regulations  CFR - Code of Federal Regulations  Method of Service:  Method of Service:  Method of Service:  In Person  Certified Mail									

CCR - California Code of Regulations