

SOUTH COAST AGMO CLERK OF THE BOARDS

January 6, 2016

16 JAN -6 P3:20

CN: 15279

Ms. Cher Snyder
Assistant Deputy Executive Officer
Office of Engineering and Compliance
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765

PROJECT: EXIDE TECHNOLOGIES FACILITY ID NO. 124868,

ORDER OF ABATEMENT CASE NO. 3151-32

RE: WEEKLY STATUS REPORT # 68 (12/24/15 – 12/30/15)

Dear Ms. Snyder,

Tetra Tech Inc. is pleased to present the following Weekly Status Report for the above referenced project. This report covers the period of December 24, 2015 through December 30, 2015.

<u>CURRENT ACTIVITIES WHERE PREVIOUSLY APPROVED MITIGATION</u> MEASURES WERE FULLY IMPLEMENTED

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) during this reporting period where mitigation measures were observed to be implemented in full compliance with the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD, at the site during this period include:

TASK ID	Major Work Item	Mitigation Measure(s)
EX83/4	RCRA RFI Soil Sampling	Temporary Enclosure Under Negative Pressure
EX107	Install Risers on Stormwater Sensor Covers	Pre-cleaning and Wet Methods
EX110	Replace Sand Filter Inlet Pipe	Temporary Enclosure Under Negative Pressure*

Dust Trak monitoring performed for this work item.

RCRA RFI Soil Sampling

No work occurred related to the RCRA RFI Soil Sampling. RCRA RFI Soil Sampling activities on the Exide property will continue once a revised scope of work to address changed field conditions is developed and approved by the regulatory agencies.

Install Risers on Stormwater Sensor Covers

No work occurred related to the installation of risers on the storm water manhole sensor covers. Exide personnel had previously installed the first riser and completed testing the riser to ensure that the repair method is appropriate. Additional risers are being manufactured offsite, and installation activities will resume once fabrication is complete.

Replace Sand Filter Inlet Pipe

On Monday December 28, 2015, Castlerock began constructing a temporary enclosure over the sand filter tanks at the wastewater treatment plant. Castlerock completed installation of the temporary enclosure on Tuesday, December 29, 2015 and Exide completed repair activities by replacing the inlet pipe to the sand filter. Exide operated the wastewater treatment plant on Wednesday December 30, 2015 to confirm the repairs, after which Castlerock removed the temporary enclosure. The repair activities were completed in accordance with the approved mitigation plan.

Verification activities included:

- Periodic visual inspection of the temporary enclosure to confirm that no visible leaks or tears were present, that the structural integrity of the enclosure was maintained and that it was under negative pressure and vented to a SCAQMD permitted HEPA filtration system. Any noted areas where seams needed to be re-taped were repaired by Castlerock prior to resuming work within the enclosure. Seams that needed re-taping were identified during the periodic inspection by Tetra Tech personnel or when a drop in negative pressure was noted. Any observed conditions requiring repair were addressed immediately.
- Downwind Dust Trak monitoring of the repair areas when activities were conducted, to monitor for fugitive dust emissions. Review of Dust Trak data did not indicate that work associated with replacing the sand filter inlet pipe was generating fugitive dust emissions.

CURRENT ACTIVITIES WHERE A DEVIATION FROM PREVIOUSLY APPROVED MITIGATION MEASURES WERE OBSERVED AND THE CORRECTIVE ACTIONS TAKEN

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where for each of the activities described below, mitigation measures were implemented which to some extent deviated from the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD:

TASK ID	Major Work Item	Deviation(s)	CORRECTIVE ACTION
		None	

In general accordance with the Order for Abatement Case No. 3151-32 Findings and Decision, air monitoring, if required, was conducted during a portion of all repair work performed within the temporary enclosures on a daily basis. If the results of continuous Dust Trak air monitoring detected excessive dust, additional suppression activities are required to be implemented. For this reporting period, Dust Trak monitoring did not detect excessive dust being generated from repair activities.

Activity Which Resulted in Excessive Dust	Additional Suppression Activity
None	None

ACTUAL vs. FORECAST PROGRESS:

Exide Technologies submitted a schedule which outlines the tasks needed to be completed in response to this abatement order. The attached Gant Chart shows scheduled progress for all activities planned for the upcoming two week period. The following table shows the status of these activities.

TASK	STATUS
None	None

WORK SCHEDULED DURING THE UPCOMING PERIOD:

The following activities are anticipated for the upcoming weeks:

Week	Anticipated Activities
Dec. 31 – Jan. 6	 Install Riser on Stormwater Sensor Covers Resumes Secure Hi-Vol Propane Tanks Begins

Week	Anticipated Activities
Jan. 7 - Jan. 13	 Install Riser on Stormwater Sensor Covers Continues Secure Hi-Vol Propane Tanks Continues

KEY MILESTONES:

The following key milestones were achieved during this reporting period:

Replace Sand Filter Tank Inlet Piping: COMPLETE

WORKER SAFETY CONCERNS:

The following Health and Safety issues, as they apply to Tetra Tech employees, were observed during this reporting period:

o None.

POTENTIAL CHANGES AND ACTION ITEMS REQUIRING RESOLUTION:

The following items require resolution:

O None at this time.

SUMMARY:

The summary provided herein covers the activities for the period of December 24, 2015 through December 30, 2015. Please note that no Mitigation Plan related activities took place on Thursday, December 24, 2015, and Friday, December 25, 2015, therefore Tetra Tech was not on-site. Please find attached a copy of Exide's upcoming two weeks schedule and site map identifying the location of the activities on the upcoming two weeks schedule.

Should you have questions regarding this report, or require additional information, please contact me at your earliest convenience.

Sincerely,

Nick Somogyi Project Engineer

ATTACHMENTS: Gant Chart Schedule Site Map Field Monitoring Data




Project Schedule Week of 12/24/15 - 01/13/16

Rev: 12/28/2015

£Χ	DE
TECHNO	LOGIES

TECHN	OLOGIES Recycling	Division, Vernon, CA					12/26/	15	01/02/16	01/09/16	01
Mitigation Plan Risks	Task Name	Plant Location	Duration	Start Date	Finish Date	%	24 25	26 27	28 29 30 31 01 02 03	04 05 06 07 08 09 10	11 12 13
Ex 72	Cleaning of Assorted Materials in Total Enclosure	Total Enclosure	406 days	11/20/14	12/31/15	80%					
Ex 76	Various Work Methods in Total Enclosure	Total Enclosure	405 days	11/21/14	12/31/15	80%					
4	RCRA RFI Soil Sampling	General	316 days	2/18/15	12/31/15	97%					
Ex 83	RFI Soil Sampling Supplemental	General	316 days	02/18/15	12/31/15	97%					
Ex 107	Install Riser on Storm Water Sensor Covers	General	30 days	12/01/15	01/15/16	1%					
Ex 109	Secure HiVol Propane Tanks	General	15 days	01/04/16	01/22/16	0%					
Ex 110	Replace Sand Filter Tank Inlet Pipe	WWTP	3 days	12/28/15	12/30/15	0%					

Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.





Mitigation Project Map Layout Week 12/24/15 - 01/13/16 Rev: 12/28/15

4. RCRA RFI Soil Sampling

Ex 83. RFI Soil Sampling Supplemental

Ex 72. Cleaning of Assorted Materials in Total Encl.

Ex 76. Various Work Methods in Total Enclosure

Ex 107. Install Risers on Storm Water Sensor Covers

Ex 109. Secure Hi-Vol Propane Tanks

Ex 110. Replace Sand Filter Inlet Pipe


INDIANA STREET Ex 109 ENG. BLDG. PAC CENTER FINISHED LEAD Ex 110 BANDINI STREET 26th STREET JUNK BATTERY STORAGE BLDG. JUNK BATTERY STORAGE BLDGS LA FLOOD CONTROL CHANNEL LA FLOOD CONTROL CHANNEL (UNDERGROUND) VICINITY & SITE PLAN (SCALE : 1"=50') VEHICLE WASH ELEC. SHOP SITE SIZE: 15 ACRES
TOTAL BUILDING AREA: 220,000 S.F. **EXIDE** Technologies Automotive Recycling Division 2700 S. Indiana St., Vernon, CA 90058 Occurring at multiple *locations throughout the* Ex 107 site at the Storm Water Manholes/Sumps.

Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.

Mitigation Schedule and Map 12/28/15.pptx

Monitoring Results / Reports (Monday, December 28, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
EX-110 Replace Sand Filter Pipe Inlet	8533113401	Downwind



Exide Technologies 2700 Indiana Street Vernon, CA 90058

12/28/2015 EX-110

TrackPro Report Page 1 of 3

Test 017

Instrument		Data Properties		
Model	DustTrak DRX	Start Date	12/28/2015	
Instrument S/N	8533113401	Start Time	09:14:46	
		Stop Date	12/28/2015	
		Stop Time	16:59:46	
		Total Time	0:07:45:00	
		Logging Interval	300 seconds	

	Test Data							
Data Point	Date	Time	PM1 mg/m^3	PM2.5 mg/m^3	RESP mg/m^3	PM10 mg/m^3	TOTAL mg/m^3	
1	12/28/2015	09:19:46	0.029	0.029	0.030	0.030	0.030	
2	12/28/2015	09:24:46	0.030	0.030	0.031	0.031	0.031	
3	12/28/2015	09:29:46	0.031	0.032	0.032	0.033	0.033	
4	12/28/2015	09:34:46	0.032	0.033	0.033	0.034	0.034	
5	12/28/2015	09:39:46	0.033	0.033	0.033	0.034	0.034	
6	12/28/2015	09:44:46	0.032	0.032	0.032	0.033	0.033	
7	12/28/2015	09:49:46	0.031	0.031	0.032	0.032	0.032	
8	12/28/2015	09:54:46	0.029	0.029	0.030	0.030	0.030	
9	12/28/2015	09:59:46	0.028	0.029	0.029	0.030	0.030	
10	12/28/2015	10:04:46	0.027	0.028	0.028	0.028	0.028	
11	12/28/2015	10:09:46	0.026	0.026	0.027	0.027	0.027	
12	12/28/2015	10:14:46	0.023	0.024	0.024	0.025	0.025	
13	12/28/2015	10:19:46	0.022	0.023	0.023	0.024	0.024	
14	12/28/2015	10:24:46	0.020	0.021	0.021	0.022	0.022	
15	12/28/2015	10:29:46	0.017	0.017	0.017	0.018	0.018	
16	12/28/2015	10:34:46	0.019	0.019	0.020	0.020	0.020	
17	12/28/2015	10:39:46	0.018	0.018	0.018	0.019	0.019	
18	12/28/2015	10:44:46	0.017	0.017	0.018	0.018	0.018	
19	12/28/2015	10:49:46	0.018	0.018	0.018	0.019	0.019	
20	12/28/2015	10:54:46	0.015	0.015	0.016	0.016	0.016	
21	12/28/2015	10:59:46	0.013	0.013	0.013	0.013	0.013	
22	12/28/2015	11:04:46	0.012	0.012	0.012	0.013	0.013	
23	12/28/2015	11:09:46	0.010	0.010	0.010	0.010	0.010	
24	12/28/2015	11:14:46	0.007	0.007	0.008	0.008	0.008	
25	12/28/2015	11:19:46	0.008	0.008	0.008	0.008	0.008	
26	12/28/2015	11:24:46	0.008	0.009	0.009	0.009	0.009	
27	12/28/2015	11:29:46	0.008	0.009	0.009	0.009	0.009	
28	12/28/2015	11:34:46	0.009	0.009	0.009	0.009	0.009	
29	12/28/2015	11:39:46	0.007	0.007	0.007	0.008	0.008	
30	12/28/2015	11:44:46	0.009	0.009	0.009	0.009	0.009	
31	12/28/2015	11:49:46	0.009	0.010	0.010	0.010	0.010	
32	12/28/2015	11:54:46	0.009	0.009	0.009	0.009	0.009	
33	12/28/2015	11:59:46	0.008	0.009	0.009	0.009	0.009	
34	12/28/2015	12:04:46	0.009	0.009	0.009	0.009	0.009	
35	12/28/2015	12:09:46	0.010	0.011	0.011	0.011	0.011	

TrackPro Report Page 2 of 3


Test Data							
Data Point	Date	Time	PM1 mg/m^3	PM2.5 mg/m^3	RESP mg/m^3	PM10 mg/m^3	TOTAL mg/m^3
36	12/28/2015	12:14:46	0.010	0.010	0.010	0.011	0.011
37	12/28/2015	12:19:46	0.011	0.011	0.011	0.011	0.011
38	12/28/2015	12:24:46	0.012	0.012	0.012	0.012	0.012
39	12/28/2015	12:29:46	0.011	0.011	0.011	0.012	0.012
40	12/28/2015	12:34:46	0.011	0.011	0.011	0.012	0.012
41	12/28/2015	12:39:46	0.011	0.012	0.012	0.012	0.012
42	12/28/2015	12:44:46	0.012	0.012	0.013	0.013	0.013
43	12/28/2015	12:49:46	0.012	0.012	0.012	0.012	0.012
44	12/28/2015	12:54:46	0.012	0.012	0.012	0.012	0.012
45	12/28/2015	12:59:46	0.012	0.013	0.013	0.013	0.013
46	12/28/2015	13:04:46	0.013	0.013	0.013	0.013	0.013
47	12/28/2015	13:09:46	0.013	0.013	0.014	0.014	0.014
48	12/28/2015	13:14:46	0.013	0.013	0.014	0.014	0.014
49	12/28/2015	13:19:46	0.014	0.014	0.014	0.015	0.015
50	12/28/2015	13:24:46	0.013	0.013	0.013	0.013	0.013
51	12/28/2015	13:29:46	0.015	0.015	0.016	0.016	0.016
52	12/28/2015	13:34:46	0.013	0.013	0.013	0.013	0.013
53	12/28/2015	13:39:46	0.013	0.013	0.013	0.014	0.014
54	12/28/2015	13:44:46	0.014	0.014	0.015	0.015	0.015
55	12/28/2015	13:49:46	0.013	0.013	0.013	0.014	0.014
56	12/28/2015	13:54:46	0.013	0.013	0.013	0.013	0.013
57	12/28/2015	13:59:46	0.013	0.013	0.013	0.014	0.014
58	12/28/2015	14:04:46	0.013	0.013	0.013	0.013	0.013
59	12/28/2015	14:09:46	0.011	0.011	0.012	0.012	0.012
60	12/28/2015	14:14:46	0.011	0.012	0.012	0.012	0.012
61	12/28/2015	14:19:46	0.013	0.014	0.014	0.014	0.014
62	12/28/2015	14:24:46	0.014	0.015	0.015	0.015	0.015
63	12/28/2015	14:29:46	0.013	0.014	0.014	0.014	0.014
64	12/28/2015	14:34:46	0.015	0.016	0.016	0.016	0.016
65	12/28/2015	14:39:46	0.017	0.017	0.017	0.017	0.017
66	12/28/2015	14:44:46	0.020	0.021	0.021	0.021	0.021
67	12/28/2015	14:49:46	0.016	0.017	0.017	0.017	0.017
68	12/28/2015	14:54:46	0.016	0.016	0.016	0.017	0.017
69	12/28/2015	14:59:46	0.019	0.019	0.020	0.022	0.023
70	12/28/2015	15:04:46	0.016	0.016	0.016	0.016	0.016
71	12/28/2015	15:09:46	0.016	0.016	0.016	0.017	0.017
72	12/28/2015	15:14:46	0.019	0.019	0.020	0.020	0.020
73	12/28/2015	15:19:46	0.018	0.018	0.018	0.018	0.019
74	12/28/2015	15:24:46	0.018	0.018	0.018	0.018	0.018
75	12/28/2015	15:29:46	0.016	0.017	0.017	0.017	0.017
76	12/28/2015	15:34:46	0.016	0.017	0.017	0.017	0.017
77	12/28/2015	15:39:46	0.016	0.016	0.016	0.017	0.017
78	12/28/2015	15:44:46	0.017	0.018	0.018	0.018	0.018
79	12/28/2015		0.019	0.019	0.019	0.019	0.019
80	12/28/2015		0.019	0.020	0.020	0.020	0.020
81	12/28/2015		0.019	0.019	0.019	0.020	0.020

TrackPro Report Page 3 of 3

Test Data							
Data Point	Date	Time	PM1 mg/m^3	PM2.5 mg/m^3	RESP mg/m^3	PM10 mg/m^3	TOTAL mg/m^3
82	12/28/2015	16:04:46	0.020	0.020	0.020	0.020	0.020
83	12/28/2015	16:09:46	0.020	0.020	0.020	0.020	0.020
84	12/28/2015	16:14:46	0.019	0.019	0.019	0.020	0.020
85	12/28/2015	16:19:46	0.017	0.017	0.017	0.017	0.018
86	12/28/2015	16:24:46	0.013	0.013	0.013	0.014	0.014
87	12/28/2015	16:29:46	0.013	0.013	0.013	0.013	0.013
88	12/28/2015	16:34:46	0.013	0.013	0.014	0.014	0.014
89	12/28/2015	16:39:46	0.014	0.014	0.014	0.014	0.014
90	12/28/2015	16:44:46	0.015	0.016	0.016	0.016	0.016
91	12/28/2015	16:49:46	0.016	0.016	0.016	0.017	0.017
92	12/28/2015	16:54:46	0.015	0.015	0.015	0.015	0.016
93	12/28/2015	16:59:46	0.019	0.020	0.020	0.020	0.020

Monitoring Results / Reports (Tuesday, December 29, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
EX-110 Replace Sand Filter Pipe Inlet	8533113401	Downwind



Exide Technologies 2700 Indiana Street Vernon, CA 90058

12/29/2015 EX-110

TrackPro Report Page 1 of 2

Test 018

Instr	ument	Data Properties		
Model	DustTrak DRX	Start Date	12/29/2015	
Instrument S/N	8533113401	Start Time	07:33:03	
		Stop Date	12/29/2015	
		Stop Time	12:03:03	
		Total Time	0:04:30:00	
		Logging Interval	300 seconds	


Test Data							
Data Point	Date	Time	PM1 mg/m^3	PM2.5 mg/m^3	RESP mg/m^3	PM10 mg/m^3	TOTAL mg/m^3
1	12/29/2015	07:38:03	0.035	0.036	0.036	0.036	0.036
2	12/29/2015	07:43:03	0.034	0.035	0.035	0.035	0.035
3	12/29/2015	07:48:03	0.033	0.033	0.033	0.033	0.033
4	12/29/2015	07:53:03	0.033	0.034	0.034	0.034	0.034
5	12/29/2015	07:58:03	0.035	0.035	0.036	0.036	0.036
6	12/29/2015	08:03:03	0.036	0.036	0.036	0.036	0.037
7	12/29/2015	08:08:03	0.034	0.034	0.035	0.035	0.035
8	12/29/2015	08:13:03	0.035	0.036	0.036	0.036	0.036
9	12/29/2015	08:18:03	0.031	0.032	0.032	0.032	0.032
10	12/29/2015	08:23:03	0.030	0.030	0.031	0.031	0.031
11	12/29/2015	08:28:03	0.029	0.029	0.029	0.030	0.030
12	12/29/2015	08:33:03	0.026	0.026	0.026	0.027	0.027
13	12/29/2015	08:38:03	0.023	0.023	0.023	0.024	0.024
14	12/29/2015	08:43:03	0.023	0.024	0.024	0.024	0.024
15	12/29/2015	08:48:03	0.024	0.025	0.025	0.025	0.025
16	12/29/2015	08:53:03	0.022	0.022	0.022	0.023	0.023
17	12/29/2015	08:58:03	0.022	0.023	0.023	0.023	0.023
18	12/29/2015	09:03:03	0.023	0.023	0.023	0.024	0.024
19	12/29/2015	09:08:03	0.024	0.024	0.024	0.025	0.025
20	12/29/2015	09:13:03	0.025	0.025	0.025	0.025	0.025
21	12/29/2015	09:18:03	0.025	0.026	0.026	0.026	0.026
22	12/29/2015	09:23:03	0.025	0.025	0.025	0.026	0.026
23	12/29/2015	09:28:03	0.025	0.025	0.025	0.026	0.026
24	12/29/2015	09:33:03	0.025	0.026	0.026	0.026	0.026
25	12/29/2015	09:38:03	0.026	0.026	0.027	0.027	0.027
26	12/29/2015	09:43:03	0.028	0.028	0.028	0.028	0.029
27	12/29/2015	09:48:03	0.028	0.028	0.029	0.029	0.029
28	12/29/2015	09:53:03	0.029	0.030	0.030	0.030	0.030
29	12/29/2015	09:58:03	0.030	0.030	0.030	0.031	0.031
30	12/29/2015	10:03:03	0.030	0.030	0.030	0.030	0.030
31	12/29/2015	10:08:03	0.028	0.028	0.029	0.029	0.029
32	12/29/2015	10:13:03	0.024	0.024	0.024	0.024	0.025
33	12/29/2015	10:18:03	0.023	0.023	0.023	0.024	0.024
34	12/29/2015	10:23:03	0.021	0.022	0.022	0.022	0.022
35	12/29/2015	10:28:03	0.017	0.017	0.017	0.017	0.017

TrackPro Report Page 2 of 2

	Test Data						
Data Point	Date	Time	PM1 mg/m^3	PM2.5 mg/m^3	RESP mg/m^3	PM10 mg/m^3	TOTAL mg/m^3
36	12/29/2015	10:33:03	0.018	0.018	0.018	0.019	0.019
37	12/29/2015	10:38:03	0.021	0.021	0.021	0.022	0.022
38	12/29/2015	10:43:03	0.021	0.022	0.022	0.022	0.022
39	12/29/2015	10:48:03	0.023	0.024	0.024	0.024	0.024
40	12/29/2015	10:53:03	0.025	0.026	0.026	0.026	0.026
41	12/29/2015	10:58:03	0.027	0.027	0.027	0.027	0.027
42	12/29/2015	11:03:03	0.022	0.022	0.023	0.023	0.023
43	12/29/2015	11:08:03	0.021	0.021	0.021	0.022	0.022
44	12/29/2015	11:13:03	0.021	0.022	0.022	0.022	0.022
45	12/29/2015	11:18:03	0.022	0.022	0.022	0.022	0.022
46	12/29/2015	11:23:03	0.022	0.022	0.022	0.022	0.022
47	12/29/2015	11:28:03	0.021	0.021	0.021	0.022	0.022
48	12/29/2015	11:33:03	0.019	0.019	0.019	0.019	0.019
49	12/29/2015	11:38:03	0.018	0.018	0.019	0.019	0.019
50	12/29/2015	11:43:03	0.019	0.020	0.020	0.020	0.020
51	12/29/2015	11:48:03	0.018	0.018	0.018	0.019	0.019
52	12/29/2015	11:53:03	0.017	0.017	0.017	0.017	0.017
53	12/29/2015	11:58:03	0.018	0.019	0.019	0.019	0.019
54	12/29/2015	12:03:03	0.020	0.020	0.021	0.021	0.021

Monitoring Results / Reports (Wednesday, December 30, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
EX-110 Replace Sand Filter Pipe Inlet	8533113401	Downwind



Exide Technologies 2700 Indiana Street Vernon, CA 90058

12/30/2015 EX-110

TrackPro Report Page 1 of 1

Test 019

Inst	rument	Data Properties		
Model	DustTrak DRX	Start Date	12/30/2015	
Instrument S/N	8533113401	Start Time	07:17:55	
		Stop Date	12/30/2015	
		Stop Time	09:17:55	
		Total Time	0:02:00:00	
		Logging Interval	300 seconds	

	Test Data						
Data Point	Date	Time	PM1 mg/m^3	PM2.5 mg/m^3	RESP mg/m^3	PM10 mg/m^3	TOTAL mg/m^3
1	12/30/2015	07:22:55	0.020	0.020	0.020	0.021	0.021
2	12/30/2015	07:27:55	0.019	0.019	0.020	0.020	0.020
3	12/30/2015	07:32:55	0.020	0.020	0.021	0.021	0.021
4	12/30/2015	07:37:55	0.021	0.022	0.022	0.023	0.023
5	12/30/2015	07:42:55	0.024	0.025	0.025	0.026	0.026
6	12/30/2015	07:47:55	0.027	0.027	0.028	0.028	0.028
7	12/30/2015	07:52:55	0.029	0.029	0.030	0.030	0.030
8	12/30/2015	07:57:55	0.027	0.027	0.027	0.028	0.028
9	12/30/2015	08:02:55	0.028	0.028	0.028	0.029	0.029
10	12/30/2015	08:07:55	0.026	0.027	0.027	0.027	0.027
11	12/30/2015	08:12:55	0.027	0.027	0.027	0.028	0.028
12	12/30/2015	08:17:55	0.027	0.027	0.027	0.028	0.028
13	12/30/2015	08:22:55	0.027	0.027	0.027	0.027	0.027
14	12/30/2015	08:27:55	0.026	0.027	0.027	0.027	0.027
15	12/30/2015	08:32:55	0.026	0.027	0.027	0.027	0.027
16	12/30/2015	08:37:55	0.026	0.027	0.027	0.027	0.027
17	12/30/2015	08:42:55	0.026	0.027	0.027	0.027	0.027
18	12/30/2015	08:47:55	0.027	0.028	0.028	0.028	0.028
19	12/30/2015	08:52:55	0.027	0.028	0.028	0.028	0.028
20	12/30/2015	08:57:55	0.028	0.028	0.029	0.029	0.029
21	12/30/2015	09:02:55	0.027	0.027	0.028	0.028	0.028
22	12/30/2015	09:07:55	0.026	0.026	0.026	0.027	0.027
23	12/30/2015	09:12:55	0.025	0.025	0.026	0.026	0.026
24	12/30/2015	09:17:55	0.024	0.025	0.025	0.025	0.025