

BOARD MEETING DATE: June 5, 2020

AGENDA NO. 26

PROPOSAL: Determine That Proposed Amendments to Rule 445 – Wood-Burning Devices, Are Exempt from CEQA and Amend Rule 445
(This item was continued from the May 1, 2020 Board Meeting)

SYNOPSIS: Proposed amendments to Rule 445 will satisfy U.S. EPA contingency measure requirements and Control Measure BCM-09 from the 2016 AQMP. The threshold for no-burn days would be incrementally lowered automatically for each subsequent final determination by the U.S. EPA of a failure to meet an applicable Clean Air Act milestone. The proposed amendments would also reduce ambient PM2.5 by expanding the criteria for Basin-wide wood-burning curtailments. Other minor amendments include additional definitions for terms used in the rule, and revisions to improve rule implementation and clarify existing requirements. This action is to adopt the Resolution: 1) Determining that the proposed amendments to Rule 445 – Wood-Burning Devices, are exempt from the requirements of the California Environmental Quality Act; and 2) Amending Rule 445 – Wood-Burning Devices.

COMMITTEE: Stationary Source, March 20, 2020; Reviewed

RECOMMENDED ACTIONS:

Adopt the attached Resolution

1. Determining that the proposed amendments to Rule 445 – Wood-Burning Devices, are exempt from the requirements of the California Environmental Quality Act; and
2. Amending Rule 445 – Wood-Burning Devices

Wayne Natri
Executive Officer

Background

Rule 445 – Wood-Burning Devices was adopted on March 7, 2008 to implement the PM2.5 Control Measure BCM-03 of the 2007 AQMP to reduce PM2.5 emissions from wood-burning devices. Most wood-burning devices in the South Coast Air Basin (Basin) are fireplaces or wood stoves (or wood-burning heaters) and the rule applies to manufacturers, vendors, commercial firewood sellers, as well as end-user owners/operators.

Health studies have shown a significant association between exposure to particle pollution and health risks. These include cardiovascular and respiratory impacts as well as premature deaths. The Basin is currently in compliance with both the 1997 24-hour and annual PM2.5 health based National Ambient Air Quality Standards (NAAQS) of $65 \mu\text{g}/\text{m}^3$ and $15 \mu\text{g}/\text{m}^3$, respectively. However, the Basin is currently in nonattainment status for both the revised 2006 24-hour $35 \mu\text{g}/\text{m}^3$ standard and the 2012 annual $12 \mu\text{g}/\text{m}^3$ standard. On May 3, 2013 the rule was amended to implement Control Measure BCM-01 in the 2012 AQMP in order to make the rule more stringent to help both the 2006 24-hour standard and the 2012 annual standard, by their respective attainment deadlines of December 31, 2019 and December 31, 2021.

In addition to prohibitions on the burning of unseasoned wood and materials not intended as fuels, such as garbage, the rule has a wood-burning curtailment (No-Burn day) provision. During the wood burning season (November through February) wood burning is prohibited on No-Burn days, which are called when ambient PM2.5 concentration is forecast to be at unhealthy levels ($> 30 \mu\text{g}/\text{m}^3$). There are a limited number of exemptions in the rule from the burning prohibition. Specifically, there are exemptions for low income households, where the wood-burning device is the sole source of heating, where there is no natural gas service within 150 feet of the property line, geographic elevations 3,000 feet or higher above mean sea level, and ceremonial fires which are covered under Rule 444 – Open Burning.

Despite significant reductions in ambient PM2.5 concentrations, since the adoption and subsequent amendment of the rule, U.S. EPA will likely make a final determination that the Basin did not attain the 2006 24-hour PM2.5 standard by the December 31, 2019 deadline. Staff is therefore proposing to amend Rule 445 to include contingency measure provisions based on Control Measure BCM-09 of the 2016 AQMP to fulfill Clean Air Act requirements and to help attain the 2006 24-hour standard expeditiously.

Public Process

A Public Workshop was held on February 27, 2020 and this item was presented at the Stationary Source Committee Meeting on March 20, 2020.

Proposed Amendments

The Basin is geographically subdivided into 35 source receptor areas (SRAs) for the purposes of air quality monitoring and forecasting. Currently, during the wood burning season a mandatory No-Burn day is declared for the SRA on any day that the daily PM_{2.5} air quality in the SRA is forecast to exceed 30 µg/m³. If such an exceedance is forecast for an SRA containing a monitoring station that has recorded an exceedance of the federal 24-hour PM_{2.5} National Ambient Air Quality Standard (NAAQS) for either of the two previous three-year design value periods, then a Basin-wide curtailment is declared. Design value is defined as the three-year average of the annual 98th percentile of the 24-hour values of monitored ambient PM_{2.5} data. Approximately 12 additional No-Burn days are anticipated due to the proposed rule amendments.

Proposed Amended Rule (PAR) 445 extends the No-Burn day requirement by mandating Basin-wide curtailment in all cases where any SRA exceeds a daily air quality forecast of 30 µg/m³. In addition, the No-Burn threshold would automatically be incrementally lowered subject to specific contingency measure triggers as set forth in 40 CFR § 51.1014(a). Specifically, the No-Burn threshold is lowered by 1 µg/m³ upon a final determination by U. S. EPA that the Basin has failed to: (1) meet any approved Reasonable Further Progress (RFP) requirement; (2) meet any approved quantitative milestone; (3) submit a required quantitative milestone report; or (4) attain the applicable PM_{2.5} standard by the attainment due date.

The proposed amendments would reduce ambient PM_{2.5} concentrations by increasing the number of No-Burn days and expanding any curtailment to Basin-wide. As each contingency trigger is activated, increasingly more stringent Basin-wide No-Burn thresholds would be automatically implemented. Triggering the first contingency provision automatically lowers the ambient daily PM_{2.5} forecast threshold to 29 µg/m³. Triggering a second, third and fourth contingency provision automatically lowers the forecast threshold down to 28, 27, and 26 µg/m³, respectively. Other amendments include clarifying definitions in the rule for PM_{2.5}, Daily PM_{2.5} Air Quality Forecast, SRA and clarifying that the wood burning season runs from November through February, inclusive.

Emission Reductions

Cumulative PM_{2.5} emission reductions beyond that achieved under the provisions of the current rule are estimated to be 25.4 tons per year (TPY) from the Basin-wide curtailment in all cases at 30 µg/m³ threshold and 46.3, 67.1, 81.0 and 100.1 TPY if contingency provisions are triggered at 29, 28, 27, and 26 µg/m³, respectively. With the Basin close to attainment of the PM_{2.5} standards, staff does not believe that all the threshold reduction provisions will be triggered.

Implementation and Outreach

The South Coast AQMD Check Before You Burn web page provides program information regarding No-Burn days. This includes web links and on-line videos and the Check Before You Burn map indicating No-Burn days. No-Burn day notifications are disseminated via e-mail and a toll-free number. Additional notifications are provided by website updates, press releases, email blasts to media contacts, news pitches to local news desks, press interviews and social media (Facebook, Twitter and Instagram), Facebook Ads are run on No-Burn Days, and a Check Before You Burn video advertisement on Facebook is run during the wood-burning season. Door hangers with information on the program are placed throughout communities with elevated wood smoke and high overall PM2.5 concentrations (via The Walking Man, Inc.). In addition, staff is also looking at ways to expand the eligibility criteria for the South Coast AQMD Wood Stove & Fireplace Change-Out Incentive Program. The program currently provides up to \$1,600 per device to incentivize the replacement of existing wood-burning devices to cleaner alternatives, in the most heavily impacted geographic areas.

California Environmental Quality Act (CEQA)

Proposed Amended Rule 445 has been reviewed pursuant to California Environmental Quality Act (CEQA) Guidelines Section 15002(k) – General Concepts, the three-step process for deciding which document to prepare for a project subject to CEQA, and CEQA Guidelines Section 15061 – Review for Exemption, procedures for determining if a project is exempt from CEQA. The proposed project is exempt from CEQA pursuant to CEQA Guidelines Section 15061(b)(3) – Common Sense Exemption and CEQA Guidelines Section 15308 – Actions by Regulatory Agencies for Protection of the Environment. There is no substantial evidence indicating that any of the exceptions to the categorical exemption apply to the proposed project pursuant to CEQA Guidelines Section 15300.2 – Exceptions. A Notice of Exemption has been prepared pursuant to CEQA Guidelines Section 15062 – Notice of Exemption and is included as Attachment G to this Board letter. If the project is approved, the Notice of Exemption will be electronically filed with the State Clearinghouse to be posted on their CEQAnet Web Portal. Once the Notice of Exemption is posted, members of the public may access it via the following weblink: <https://ceqanet.opr.ca.gov/search/recent>. In addition, the Notice of Exemption will be electronically posted on the South Coast AQMD's webpage which can be accessed via the following weblink: <http://www.aqmd.gov/nav/about/public-notices/ceqa-notices/notices-of-exemption/noe--year-2020>. The electronic filing and posting of the Notice of Exemption is being implemented in accordance with Governor Newsom's Executive Order N-54-20 issued on April 22, 2020 for the State of Emergency in California as a result of the threat of COVID-19.

Socioeconomic Impact Assessment

PAR 445 would affect commercial firewood sellers in the Basin and the general public. The cost impacts of Basin-wide curtailment on firewood sellers are expected to be

minimal because the additional number of No-Burn days due to this proposed amendment is expected to be small (about 12 days) during the wood burning season. The majority of commercial firewood sellers are expected to be small facilities. A lack of data on number of employees and gross annual sales of the affected commercial firewood sellers precludes staff from determining their small business status. Cost impacts to the general public are also expected to be minimal as wood burning in the South Coast AQMD is done mainly for aesthetic purposes and there are cost-effective alternatives to burning wood for heating.

AQMP and Legal Mandates

Proposed Amended Rule 445 is necessary to implement the backstop Contingency Control Measure BCM-09 in the 2016 AQMP to address the Clean Air Act (CAA) Section 172(c)(9) contingency measure requirements for PM2.5. This requires areas such as the South Coast Air Basin not attaining or likely not to attain the NAAQS to develop and implement an emissions reduction strategy that will bring the area into attainment at the soonest practicable time, but not later than statutory attainment deadlines.

Resource Impacts

Existing staff resources are adequate to implement the proposed rule amendments.

Attachments

- A. Summary of Proposed Amendments
- B. Rule Development Process
- C. Key Contacts
- D. Resolution
- E. Proposed Amended Rule 445
- F. Final Staff Report
- G. CEQA Notice of Exemption
- H. Board Presentation

ATTACHMENT A
SUMMARY OF PROPOSAL

Proposed Amended Rule 445 – Wood-Burning Devices

Definitions

- Adds Daily PM2.5 Air Quality Forecast clarifying its use for calling No-Burn days
- Adds PM2.5 as a stand-alone definition with the meaning unchanged
- Adds Source Receptor Area (SRA) with a map showing the specific SRAs in the Basin subject to the No-Burn provision
- Updates the reference to the latest performance and emission standards for U.S. EPA wood-burning heaters


Requirements

- Extends the No-Burn day provision so that any SRA exceeding a daily PM2.5 air quality forecast of 30 $\mu\text{g}/\text{m}^3$ will trigger a Basin-wide No-Burn day
- Adds an incremental reduction in the No-Burn forecast threshold if pursuant to 40 CFR § 51.1014(a) U.S. EPA makes a final determination of a failure to attain or comply by the applicable due date with the following contingency measure triggers:
 - To meet any RFP requirement in an attainment plan approved in accordance with § 51.1012;
 - To meet any quantitative milestone in an attainment plan approved in accordance with § 51.1013;
 - To submit a quantitative milestone report required under § 51.1013(b); or,
 - To attain the applicable PM2.5 NAAQS by the applicable attainment date.
- Specifying that incremental reductions in the No-Burn forecast threshold will be 29, 28, 27 and 26 $\mu\text{g}/\text{m}^3$ for the first, second, third and fourth final determination of a failure to attain or comply with contingency measure triggers by the applicable due date, respectively.
- Clarifying that the Wood-Burning Season is not restricted to winter months
- Confirming the exemption for existing wood-burning devices located at or higher than 3,000 feet above mean sea level
- Deletes an exemption for wood-based fuel packaged prior to November 4, 2015 which has already sunset.

ATTACHMENT B

RULE DEVELOPMENT PROCESS

Proposed Amended Rule 445 – Wood Burning Devices



Six (6) months spent in rule development.

* Initial Public Hearing was set on April 3 for May 1, but was extended to June 5.

ATTACHMENT C
KEY CONTACTS LIST

Proposed Amended Rule 445 – Wood-Burning Devices

- ❖ American Lung Association
- ❖ Building Industry Association
- ❖ California Air Resource Board
- ❖ Clean Energy
- ❖ Earthjustice
- ❖ Hearth, Patio and Barbecue Association
- ❖ Los Angeles County Department of Public Health
- ❖ Realtors Committee on Air Quality
- ❖ San Bernardino Fireplace
- ❖ U. S. EPA

ATTACHMENT D

RESOLUTION NO. 20 - _____

A Resolution of the Governing Board of the South Coast Air Quality Management District (South Coast AQMD) determining that Proposed Amended Rule 445 – Wood-Burning Devices, is exempt from the requirements of the California Environmental Quality Act (CEQA).

A Resolution of the Governing Board of the South Coast AQMD amending Rule 445 – Wood-Burning Devices.

WHEREAS, the South Coast AQMD Governing Board finds and determines that the Proposed Amended Rule 445 is considered a “project” pursuant to CEQA Guidelines Section 15002(k) – General Concepts, the three-step process for deciding which document to prepare for a project subject to CEQA; and

WHEREAS, the South Coast AQMD has had its regulatory program certified pursuant to Public Resources Code Section 21080.5 and CEQA Guidelines Section 15251(l) and has conducted a CEQA review and analysis of Proposed Amended Rule 445 pursuant to such program (South Coast AQMD Rule 110); and

WHEREAS, the South Coast AQMD Governing Board finds and determines that after conducting a review of the proposed project in accordance with CEQA Guidelines Section 15002(k) – General Concepts, the three-step process for deciding which document to prepare for a project subject to CEQA, and CEQA Guidelines Section 15061 – Review for Exemption, procedures for determining if a project is exempt from CEQA, that Proposed Amended Rule 445 is exempt from CEQA; and

WHEREAS, the South Coast AQMD Governing Board finds and determines that, because the proposed project is comprised of administrative amendments that codify an existing South Coast AQMD practice and would not cause any physical changes that would adversely affect any environmental topic area, it can be seen with certainty that there is no possibility that the Proposed Amended Rule 445 may have any significant effects on the environment, and is therefore exempt from CEQA pursuant to CEQA Guidelines Section 15061(b)(3) – Common Sense Exemption; and

WHEREAS, the South Coast AQMD Governing Board finds and determines that the proposed project is also categorically exempt from CEQA requirements pursuant to CEQA Guidelines Section 15308 – Actions by Regulatory

Agencies for the Protection of the Environment, because the proposed project is designed to further protect or enhance the environment; and

WHEREAS, the South Coast AQMD Governing Board has determined that there is no substantial evidence indicating that any of the exceptions to the categorical exemption apply to the proposed project pursuant to CEQA Guidelines Section 15300.2 – Exceptions; and

WHEREAS, the South Coast AQMD staff has prepared a Notice of Exemption for Proposed Amended Rule 445 that is completed in compliance with CEQA Guidelines Section 15062 – Notice of Exemption; and

WHEREAS, Proposed Amended Rule 445 and other supporting documentation, including but not limited to the Notice of Exemption and the Final Staff Report, were presented to the South Coast AQMD Governing Board and the South Coast AQMD Governing Board has reviewed and considered this information, as well as has taken and considered staff testimony and public comment prior to approving the project; and

WHEREAS, the South Coast AQMD Governing Board finds and determines, taking into consideration the factors in Section (d)(4)(D) of the Governing Board Procedures (codified as Section 30.5(4)(D)(i) of the Administrative Code), that the modifications to Proposed Amended Rule 445 since the notice of public hearing was published are not so substantial as to significantly affect the meaning of the proposed amended rule within the meaning of Health and Safety Code Section 40726 because: (a) the changes do not impact emission reductions, (b) the changes do not affect the number or type of sources regulated by the rule, (c) the changes are consistent with the information contained in the notice of public hearing, and (d) the consideration of the range of CEQA alternatives is not applicable because Proposed Amended Rule 445 is exempt from CEQA; and

WHEREAS, the South Coast AQMD Governing Board has determined that the proposed amendments to Rule 445 are required to implement the United States Environmental Protection Agency (U.S. EPA) contingency measure requirements pursuant to Title 40, Chapter I, Subchapter C of the Code of Federal Regulations (CFR), Part 51, Subpart Z, Section 51.1014 and Control Measure BCM-09 – Further Emission Reductions From Wood-Burning Fireplaces and Wood Stoves [PM] from the South Coast AQMD 2016 Air Quality Management Plan; and

WHEREAS, the South Coast AQMD Governing Board has determined that the proposed amendments to Rule 445 will result in reductions of particulate matter emissions with an aerodynamic diameter of 2.5 microns or less (PM2.5) by extending the wood-burning curtailment (No-Burn day) requirement to Basin-wide on any day forecast to exceed the forecast threshold at any Source Receptor Area in the Basin, and automatically triggering implementation of incrementally more stringent contingency measures by lowering the No-Burn day threshold in the event the Basin fails to attain any applicable PM2.5 standard or comply with certain other air quality requirements by the applicable deadlines pursuant to 40 CFR § 51.1014(a); and

WHEREAS, the South Coast AQMD Governing Board has determined that other proposed minor amendments to Rule 445, including definitions of terms, are necessary to clarify rule requirements; and

WHEREAS, Proposed Amended Rule 445 will be submitted for inclusion into the State Implementation Plan; and

WHEREAS, Health and Safety Code Section 40727 requires that prior to adopting, amending or repealing a rule or regulation, the South Coast AQMD Governing Board shall make findings of necessity, authority, clarity, consistency, non-duplication; and

WHEREAS, the South Coast AQMD Governing Board has determined that a need exists to amend Rule 445 to implement U.S. EPA contingency measure requirements pursuant to 40 CFR Part 51, Section 51.1014 and federal Clean Air Act Section 172, Title 42 of the United States Code, Chapter 85, Part D, Section 7502; and

WHEREAS, the South Coast AQMD Governing Board obtains its authority to adopt, amend, or rescind rules and regulations from Sections 40000, 40001, 40440, 40702, and 40725 through 40728 of the Health and Safety Code; and

WHEREAS, the South Coast AQMD Governing Board has determined that Rule 445, as proposed to be amended, is written or displayed so that its meaning can be easily understood by the persons directly affected by it; and

WHEREAS, the South Coast AQMD Governing Board has determined that Rule 445, as proposed to be amended, is in harmony with, and not in conflict with or contradictory to, existing statutes, court decisions, or state or federal regulations; and

WHEREAS, the South Coast AQMD Governing Board has determined that Rule 445, as proposed to be amended, does not impose the same requirements as any existing state or federal regulation, and the proposed amended rule is necessary and

proper to execute the powers and duties granted to, and imposed upon, the South Coast AQMD; and

WHEREAS, the South Coast AQMD Governing Board, in adopting amendments to Rule 445, references the following statutes which the South Coast AQMD hereby implements, interprets, or makes specific: California Health and Safety Code Sections 40440(a) (rules to carry out the Air Quality Management Plan), 40440(c) (regulatory efficiency and cost effectiveness) U.S. EPA Regulation 40 CFR Part 51, Section 51.1014 (contingency measures), and federal Clean Air Act Section 172(c)(1) (RACT); and

WHEREAS, California Health and Safety Code Section 40727.2 requires the South Coast AQMD to prepare a written analysis of existing federal air pollution control requirements applicable to the same source type being regulated whenever it adopts, or amends a rule, and the South Coast AQMD's comparative analysis of Proposed Amended Rule 445 is included in the Final Staff Report; and

WHEREAS, the South Coast AQMD Governing Board has determined that Proposed Amended Rule 445 – Wood-Burning Devices would result in minimal cost impacts as described in the Final Staff Report; and

WHEREAS, the South Coast AQMD Governing Board has actively considered the Socioeconomic Impact Assessment and has made a good faith effort to minimize such impacts; and

WHEREAS, a public hearing has been properly noticed in accordance with the provisions of Health and Safety Code Section 40725; and

WHEREAS, the South Coast AQMD Governing Board has held a public hearing in accordance with all the provisions of law; and

WHEREAS, the South Coast AQMD specifies that the Planning and Rules Manager of Rule 445 as the custodian of the documents or other materials which constitute the record of proceedings upon which the adoption of the proposed amendments is based, which are located at the South Coast Air Quality Management District, 21865 Copley Drive, Diamond Bar, California; and

NOW, THEREFORE, BE IT RESOLVED, that the South Coast AQMD Governing Board does hereby determine, pursuant to the authority granted by law, that Proposed Amended Rule 445 is exempt from CEQA pursuant to CEQA Guidelines Section 15061(b)(3) – Common Sense Exemption and CEQA Guidelines Section 15308 – Actions by Regulatory Agencies for the Protection of the Environment. No exceptions to the application of the categorical exemption set forth in CEQA Guidelines Section

15300.2 – Exceptions, including the “unusual circumstances” exception, apply to the proposed project. This information was presented to the South Coast AQMD Governing Board, whose members exercised their independent judgment and reviewed, considered and approved the information therein prior to acting on Proposed Amended Rule 445; and

BE IT FURTHER RESOLVED, that the South Coast AQMD Governing Board does hereby adopt, pursuant to the authority granted by law, Proposed Amended Rule 445 as set forth in the Attachment E and incorporated herein by reference; and

BE IT FURTHER RESOLVED, that the South Coast AQMD Governing Board hereby directs the Executive Officer to forward a copy of this Resolution and Proposed Amended Rule 445 to the California Air Resources Board for approval and to be subsequently submitted to the U.S. EPA for inclusion into the State Implementation Plan.

DATE: _____

CLERK OF THE BOARDS

ATTACHMENT E

(Adopted March 7, 2008)(Amended May 3, 2013(PAR 445 June 5, 2020)

PROPOSED AMENDED RULE 445. WOOD-BURNING DEVICES

(a) Purpose

The purpose of this rule is to reduce the emission of particulate matter from wood-burning devices.

(b) Applicability

The provisions of this rule shall apply to specified persons or businesses within the South Coast Air Basin portion of the South Coast Air Quality Management District:

- (1) Any person that manufacturers, sells, offers for sale, or installs a wood-burning device;
- (2) Any commercial firewood seller that sells, offers for sale, or supplies wood or other wood-based fuels intended for burning in a wood_burning-device or portable outdoor wood-burning device; and
- (3) Any property owner or tenant that operates a wood-burning device or portable outdoor wood-burning device.

(c) Definitions

- (1) COMMERCIAL WOOD-BASED FUEL SELLER means any operation that has a business license that sells, or offers for sale, or supplies packaged, bundled or bulk firewood, manufactured firelogs, or wood pellets.
- (2) COOKSTOVE means any wood or wood-based fuel-fired device that is designed and used for cooking food and has the following characteristics as defined in Title 40 of the Code of Federal Regulations Section 60.531, ~~February 28, 1988~~ March 16, 2015, or any subsequent revision:
 - (A) An oven, with a volume of 0.028 cubic meters (1 cubic foot) or greater, and an oven rack;
 - (B) A device for measuring oven temperatures;
 - (C) A flame path that is routed around the oven;
 - (D) A shaker grate;
 - (E) An ash pan;

- (F) An ash clean-out door below the oven; and
 - (G) The absence of a fan or heat channels to dissipate heat from the appliance.
- (3) DAILY PM2.5 AIR QUALITY FORECAST means the predicted ambient average PM2.5 concentration, for the entire consecutive 24-hour period, beginning at midnight of the current day and ending upon the subsequent midnight.
- (34) DEDICATED GASEOUS-FUELED FIREPLACE means any indoor or outdoor fireplace, including, but not limited to, a gas log fireplace, either constructed on-site, or factory built, fueled exclusively with a gaseous fuel such that the burner pan and associated equipment are affixed to the masonry or metal base of the fireplace.
- (45) FIREPLACE means any permanently installed indoor or outdoor masonry or factory-built device used for aesthetic or space-heating purposes and designed to operate with an air-to-fuel ratio greater than or equal to 35-to-1.
- (56) LOW INCOME HOUSEHOLD means any household that receives financial assistance through reduced electric or gas bills from an electric or natural gas utility based on household income levels.
- ~~(6) MANDATORY WINTER BURNING CURTAILMENT~~
- ~~(A) Means any calendar day or consecutive calendar days during the wood burning season so declared to the public by the Executive Officer when ambient levels of particulate matter of 2.5 microns in size or less (PM2.5) is forecast to exceed 30 µg/m³ for a specific source/receptor area.~~
- ~~(B) Applies to the entire South Coast Air Basin whenever a PM2.5 level of greater than 30 µg/m³ is predicted for a source-receptor area containing a monitoring station that has recorded a violation of the federal 24-hour PM2.5 National Ambient Air Quality Standard for either of the two previous three-year design value periods. The design value is the three-year average of the annual 98th percentile of the 24-hour values of monitored ambient PM2.5 data~~
- (7) MANUFACTURED FIRELOG means a commercial product expressly manufactured for use to simulate a wood burning fire in a wood-burning device.
- (8) MASONRY HEATER means any permanently installed device that meets the definition of a masonry heater in ASTM E 1602-03.

- (9) NEW DEVELOPMENT means residential or commercial, single or multi-building unit, which begins construction on or after March 9, 2009. For the purposes of this definition, construction has begun when the building permit has been approved or when the foundation for the structure is started, whichever occurs first.
- (10) PELLET-FUELED WOOD-BURNING HEATER means any wood-burning heater that is operated on any pellet fuel, and is either U.S. EPA Phase II-certified or exempted under U.S. EPA requirements as defined in Title 40 Code of Federal Regulations, Part 60, Subpart AAA, ~~February 28, 1988~~ March 16, 2015, or any subsequent revision.
- (11) PERMANENTLY INSTALLED means any device built or installed in such a manner that the device is attached to the ground, floor, or wall, and is not readily moveable. A free standing stove that is attached to an exhaust system that is built into or through a wall is considered permanently installed.
- (12) PM2.5 means particulate matter with an aerodynamic diameter less than 2.5 microns.
- ~~(12)~~ (13) PORTABLE OUTDOOR WOOD-BURNING DEVICE means any portable outdoor device burning any wood-based fuel for aesthetic or space heating purposes including, but not limited to, fireplaces, burn bowls, and chimineas located on property zoned for residential uses.
- ~~(13)~~ (14) SEASONED WOOD means wood of any species that has been sufficiently dried so as to contain 20 percent or less moisture content by weight as determined by
 - (A) ASTM Test Method D 4442-92, Standard Test Method for Use and Calibration of Hand-Held Moisture Meters; or
 - (B) A hand-held moisture meter operated in accordance with ASTM Test Method D 4444-92, Standard Test Methods for Use and Calibration of Hand-Held Moisture Meters; or
 - (C) An alternative method approved by the Executive Officer, the California Air Resources Board, and the U.S. Environmental Protection Agency.
- ~~(14)~~ (15) SOLE SOURCE OF HEAT means the only permanent source of heat that is capable of meeting the space heating needs of a household.
- (16) SOURCE RECEPTOR AREA (SRA) means any one of the numbered areas in the Basin as shown on the map in Attachment 1.

- (~~15~~17) SOUTH COAST AIR BASIN means the non-desert portions of Los Angeles, Riverside, and San Bernardino counties and all of Orange County as defined in California Code of Regulations, Title 17, Section 60104.
 - (~~16~~18) TREATED WOOD means wood of any species that has been chemically impregnated, painted, coated or similarly modified to improve resistance to insects, wood rot and decay, or weathering.
 - (~~17~~19) U.S. EPA CERTIFIED WOOD-BURNING HEATER means any device certified by the U.S. EPA to meet the performance and emission standards as defined in Title 40 Code of Federal Regulations, Part 60, Subpart AAA, ~~February 28, 1988~~March 16, 2015, or any subsequent revision.
 - (~~18~~20) WOOD-BASED FUEL means any wood, wood-based product, or non-gaseous or non-liquid fuel, including but not limited to manufactured firelogs, wood or pellet products. For the purpose of this rule, charcoal is not considered a wood-based fuel.
 - (~~19~~21) WOOD-BURNING DEVICE means any fireplace, wood-burning heater, pellet-fueled wood-burning heater, or any similarly open or enclosed, permanently installed, indoor or outdoor device burning any wood-based fuel for aesthetic purposes, which has a heat input of less than one million British thermal units per hour (Btu/hr).
 - (~~20~~22) WOOD-BURNING HEATER means an enclosed, wood-burning device capable of space heating that meets all the criteria defined in Title 40 Code of Federal Regulations Section 60.531, ~~February 28, 1988~~ March 16, 2015, or any subsequent revision including, but not limited to, wood stoves and wood-burning fireplace inserts.
 - (~~21~~23) WOOD-BURNING SEASON means the consecutive entire months of November, December, January, and February.
 - (~~22~~24) WOOD-FIRED COOKING DEVICE means any cookstove, wood-fired oven or grill, or any device designed for burning any wood-based fuel for cooking purposes.
- (d) Requirements
- (1) No person shall permanently install a wood-burning device into any new development.
 - (2) Notwithstanding the requirements of paragraph (d)(1), no person shall sell, offer for sale, supply, or install, a new or used permanently installed

indoor or outdoor wood-burning device or gaseous-fueled device unless it is one of the following:

- (A) A U.S. EPA Certified wood-burning heater; or
 - (B) A pellet-fueled wood-burning heater; or
 - (C) A masonry heater; or
 - (D) A dedicated gaseous-fueled fireplace.
- (3) No person shall burn any product not intended for use as fuel in a wood-burning device including, but not limited to, garbage, treated wood, particle board, plastic products, rubber products, waste petroleum products, paints, coatings or solvents, or coal.
- (4) A commercial firewood seller shall only sell seasoned wood from July 1 through the end of February the following year. Any commercial firewood seller may sell seasoned as well as non-seasoned wood during the remaining months.
- (5) Labeling and Sell-Through Provision
- ~~(A)~~ Effective November 4, 2013, no commercial firewood seller shall sell, offer for sale, or supply wood-based fuel without first attaching a permanently affixed indelible label to each package or providing written notice to each buyer at the time of purchase of bulk firewood that at a minimum states the following:

Use of this and other solid fuel products may be restricted at times by law. Please check (1-877-4NO-BURN) or (www.8774NOBURN.org) before burning.

~~(i)(A)~~ Alternative language, toll-free telephone number or web address for the information specified in subdivision (g) may be used, subject to Executive Officer approval.

~~(ii)(B)~~ The Executive Officer shall specify guidelines for the aforementioned labeling requirements.

~~(B)~~ *Any wood-based fuel packaged prior to November 4, 2013 may be sold, offered for sale or supplied up to November 4, 2015.*

- (e) Wood-Burning Season Mandatory Winter-Burning Curtailment (No-Burn day)
No person shall operate an indoor or outdoor wood-burning device, portable outdoor wood-burning device, or wood-fired cooking device on a calendar day during the wood-burning season so declared to the public by the Executive

Officer to be a mandatory winter wood-burning curtailment (No-Burn) day during the wood burning season when a mandatory winter burning curtailment based on the specified geographic area below 3,000 feet above mean sea level and applicable daily PM2.5 air quality forecast as follows: is forecast for the specific region where the device is located, or on a Basin wide basis as defined in paragraph (c)(6).

- (1) Basin-wide if the daily PM2.5 air quality forecast for any source receptor area exceeds 30 $\mu\text{g}/\text{m}^3$, or
- (2) subsequent to a determination by U.S. EPA, pursuant to 40 CFR § 51.1014(a) of a failure to comply with either a referenced PM2.5 standard or reporting requirement; the applicable daily PM2.5 air quality forecast as set forth in subdivision (f) Contingency Measures.

(f) Contingency Measures

- (1) Upon the issuance of a final determination by U.S. EPA, pursuant to 40 CFR § 51.1014(a), that the South Coast Air Basin has failed to comply with the following requirements by the applicable date to:
 - (A) meet any Reasonable Further Progress (RFP) requirement in an attainment plan approved in accordance with § 51.1012;
 - (B) meet any quantitative milestone in an attainment plan approved in accordance with § 51.1013;
 - (C) submit a quantitative milestone report required under § 51.1013(b);
or,
 - (D) attain the applicable PM2.5 NAAQS by the applicable attainment date,the contingency measure(s) specified in paragraph (f)(2) shall be implemented, sequentially and in the order of stringency.
- (2) A Basin-wide, mandatory wood-burning curtailment during the wood-burning season if the daily PM2.5 air quality forecast for any SRA exceeds:
 - (A) 29 $\mu\text{g}/\text{m}^3$, upon a final determination of a failure to comply with any of the provisions of paragraph (f)(1);
 - (B) 28 $\mu\text{g}/\text{m}^3$, upon a final determination of a failure to comply with any two of the provisions in paragraph (f)(1);
 - (C) 27 $\mu\text{g}/\text{m}^3$, upon a final determination of a failure to comply with any three of the provisions in paragraph (f)(1); and

(D) 26 $\mu\text{g}/\text{m}^3$, upon a final determination of a failure to comply with any four of the provisions in paragraph (f)(1).

~~(g)~~ Exemptions

- (1) The provisions of this rule shall not apply to wood-fired cooking devices designed and used for commercial purposes.
- (2) The provisions of paragraph (d)(1) shall not apply to new developments where there is no existing infrastructure for natural gas service within 150 feet of the property line or those 3,000 or more feet above mean sea level.
- (3) The provisions of paragraph (d)(2) shall not apply to an indoor or outdoor wood-burning device that is permanently installed and included in the sale or transfer of any existing development.
- (4) The provisions of (d)(2) shall not apply to properties that are registered as a historical site, or are contributing structures located in a Historic Preservation Overlay Zone, as determined by the applicable, federal, State, or local agency. Contributing structures are those buildings which are examples of the predominate styles of the area, built during the time period when the bulk of the structures were built in the Historic Preservation Overlay Zone.
- (5) The provisions of (d)(3) shall not apply to manufactured firelogs.
- (6) The provisions of (d)(5) shall not apply to wood-based fuel intended for the cooking, smoking, or flavoring of food.
- (7) The provisions of subdivisions (e) and (f) shall not apply under the following circumstances:
 - (A) Residential or commercial properties where a wood-burning device is the sole source of heat; or
 - (B) A low income household; or
 - (C) Residential or commercial properties where there is no existing infrastructure for natural gas service within 150 feet of the property line; or
 - (D) Residential or commercial properties located 3,000 or more feet above mean sea level; or
 - (E) Ceremonial fires exempted under Rule 444 - Open Burning.

(gh) Administrative Requirements

The Executive Officer will provide public notice of a mandatory ~~winter-wood-~~burning curtailment through one or more of the following methods:

- (1) A recorded telephone message;
- (2) Messages posted on the South Coast Air Quality Management District web site;
- (3) Electronic mail messages to persons or entities that have requested such notice;
- (4) Notifying broadcast and print media operating within the boundaries of the South Coast Air Basin; and
- (5) Any additional method that the Executive Officer determines is appropriate.

(hi) Penalties





Any person that violates the provisions of subdivision (e) is subject to the following:

- (1) For first time violators during each wood-burning season, completion of a wood smoke awareness course that has been approved by the Executive Officer or payment of a penalty of \$50;
- (2) For second time violators during each wood-burning season, payment of a penalty of \$150 or submission of proof of installation of a dedicated gaseous-fueled fireplace within 90 days after receiving the Notice of Violation; and
- (3) For third time violators during each wood-burning season, payment of a penalty of \$500 or implementation of an environmentally beneficial project as derived through the mutual settlement process.

(ij) Severability

If any provision of this rule is held by judicial order to be invalid, or invalid or inapplicable to any person or circumstance, such order shall not affect the validity of the remainder of this rule, or the validity or applicability of such provision to other persons or circumstances.

Source Receptor Area (SRA) Map Index

	Coastal			San Bernardino Valley	
	Northwest Los Angeles County Coastal	2		Northwest San Bernardino Valley	32
	Southwest Los Angeles County Coastal	3		Southwest San Bernardino Valley	33
	South Los Angeles County Coastal	4		Central San Bernardino Valley	34
	North Orange County Coastal	18		East San Bernardino Valley	35
	Central Orange County Coastal	20		Hemet/Elsinore Area	
	Metropolitan			Perris Valley	24
	Central Los Angeles County	1		Lake Elsinore	25
	Southeast Los Angeles County	5		Hemet-San Jacinto Valley	28
	South Central Los Angeles County	12		Temecula/Anza Area	
	Northern Orange County	16		Temecula Valley	26
	San Fernando Valley			San Gabriel Mountain	
	West San Fernando Valley	6		San Gabriel Mountains	15
	East San Fernando Valley	7		San Bernardino Mountain	
	Santa Clarita Valley	13		West San Bernardino Mountains	36
	San Gabriel Valley			Central San Bernardino Mountains	37
	West San Gabriel Valley	8		Big Bear Lake	
	East San Gabriel Valley	9		Big Bear Lake	38
	Pomona-Walnut Valley	10		Banning Pass Area	
	South San Gabriel Valley	11		Banning Pass Area	29
	Inland Orange County				
	Central Orange County	17			
	Saddleback Valley	19			
	Capistrano Valley	21			
	Riverside Valley				
	Corona-Norco Area	22			
	Metropolitan Riverside	23			

ATTACHMENT F

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Final Staff Report Proposed Amended Rule 445 – Wood-Burning Devices

June 5, 2020

Deputy Executive Officer

Planning, Rule Development and Area Sources
Philip M. Fine, Ph.D.

Assistant Deputy Executive Officer

Planning, Rule Development and Area Sources
Sarah L. Rees, Ph.D.

Planning and Rules Manager

Planning, Rule Development and Area Sources
Tracy Goss, P.E.

Author: Henry Pourzand – Program Supervisor

Contributors: George Wu – Air Quality Specialist
Sang-Mi Lee, Ph.D. – Program Supervisor
Scott Epstein, Ph.D. – Program Supervisor
Xiang Li, Ph.D. – Air Quality Specialist
Zorik Pirveysian – Planning and Rules Manager
Michael Krause – Planning and Rules Manager
Ryan Banuelos – Air Quality Specialist
Mark Bassett, Ph.D. – Air Quality Specialist
Jong Hong Lee, Ph.D. – Air Quality Specialist
Kalam Cheung, Ph.D. – Program Supervisor
Shah Dabirian, Ph.D. – Program Supervisor

Reviewed By: Barbara Baird – Chief Deputy Counsel
Kathryn Roberts – Deputy District Counsel II

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
GOVERNING BOARD**

Chairman: DR. WILLIAM A. BURKE
Speaker of the Assembly Appointee

Vice Chairman: BEN BENOIT
Council Member, Wildomar
Cities of Riverside County

MEMBERS:

KATHRYN BARGER
Supervisor, Fifth District
County of Los Angeles

LISA BARTLETT
Supervisor, Fifth District
County of Orange

JOE BUSCAINO
Council Member, 15th District
City of Los Angeles Representative

MICHAEL A. CACCIOTTI
Council Member, South Pasadena
Cities of Los Angeles County/Eastern Region

VANESSA DELGADO
Senate Rules Committee Appointee

GIDEON KRACOV
Governor's Appointee

LARRY MCCALLON
Mayor, Highland
Cities of San Bernardino County

JUDITH MITCHELL
Council Member, Rolling Hills Estates
Cities of Los Angeles County/Western Region

V. MANUEL PEREZ
Supervisor, Fourth District
County of Riverside

CARLOS RODRIGUEZ
Council Member, Yorba Linda
Cities of Orange County

JANICE RUTHERFORD
Supervisor, Second District
County of San Bernardino

EXECUTIVE OFFICER:

WAYNE NASTRI

TABLE OF CONTENTS

EXECUTIVE SUMMARY..... 1
BACKGROUND 2
HEALTH EFFECTS & ENVIROMENTAL IMPACTS 5
FORECASTING..... 5
RULE 445 9
CONTINGENCY MEASURES ~~10~~10
PROPOSED AMENDMENTS TO RULE 445..... 13
EMISSION REDUCTION..... 18
AFFECTED SOURCES 19
PUBLIC PROCESS 19
SOCIOECONOMIC ASSESSMENT..... 19
CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA) ~~20~~20
CONCLUSION..... 20
DRAFT FINDINGS UNDER CALIFORNIA HEALTH AND SAFETY CODE SECTION
40727..... 21
COMPARATIVE ANALYSIS 21
REFERENCES 24

APPENDICES

A – EMISSION REDUCTION EXPECTED FROM THE RULE 445 AMENDMENT A1
B – SOURCE RECEPTOR AREAS (SRAs) IN THE SOUTH COAST AIR BASINB1
C – COMMENTS AND RESPONSE TO COMMENTSC1

EXECUTIVE SUMMARY

Rule 445 – ~~Wood~~ Wood-Burning Devices was adopted in March 2008 to implement the PM_{2.5}¹ Control Measure BCM-03 of the 2007 Air Quality Management Plan (AQMP) to reduce PM_{2.5} emissions from wood-burning devices. Rule provisions apply to manufacturers, vendors, commercial firewood sellers, and persons owning or operating a wood-burning device. The majority of wood-burning devices in the South Coast Air Basin (Basin)² are fireplaces and wood-stoves, but include any similar permanently installed, indoor or outdoor wood-burning devices. The rule ~~also~~ prohibits burning of products not intended for use as fuel, sale of unseasoned wood, and mandates curtailment of wood-burning on “No-Burn” days. Wood-burning curtailment is mandatory on No-Burn days where ambient PM_{2.5} concentration is forecast to exceed a threshold limit (currently at 30 µg/m³)³. The rule was amended in May 2013 to implement Control Measure BCM-01 in the 2012 AQMP to address the U.S. EPA’s lowering of the PM_{2.5} annual standard from 15 to 12 µg/m³ to reflect a more health protective standard. The 2013 amendments expanded the wood-burning curtailment or No-Burn day restrictions by lowering the curtailment threshold from 35 to 30 µg/m³, establishing criteria for Basin-wide curtailment, and also setting standards for commercially sold solid-fuel labeling. Exemptions are included for low income households, where the device is the sole source of heating or no natural gas service is available within 150 feet of the property line, geographic elevations 3,000 feet or higher above mean sea level, and ceremonial fires.

South Coast Air Quality Management District (South Coast AQMD) staff conduct extensive outreach to ensure that the public and other stakeholders are aware of the wood-burning curtailment requirements. In addition to the South Coast AQMD Check Before You Burn web page with program information including links and videos and the Check Before You Burn map, information regarding No-Burn days is disseminated through e-mail notifications and a toll-free number. ~~The South Coast AQMD Media Office also updates the South Coast AQMD website, publishes~~ Additional notifications are provided by website updates, press releases, sends email blasts to media contacts, ~~and~~ news pitches to local news desks, ~~coordinates~~ press interviews and ~~notifies the public on~~ social media (Facebook, Twitter and Instagram), ~~posts~~ Facebook Ads are run on No Burn Days, ~~and runs~~ a Check Before You Burn video advertisement on Facebook during the wood-burning ~~curtailment~~ season. ~~and places~~ door Door hangers with information on the program are placed throughout communities with elevated wood-smoke and high overall PM_{2.5} concentrations (via The Walking Man, Inc.).

The Basin is currently in compliance with both the 1997 24-hour and annual PM_{2.5} National Ambient Air Quality Standard (NAAQS) of 65 µg/m³ and 15 µg/m³, respectively. However, the Basin is in nonattainment status for both the 2006 24-hour and the 2012 annual PM_{2.5} NAAQS standards of 35 µg/m³ and 12 µg/m³, respectively. The Basin is currently classified as serious nonattainment for the 2006 24-hour standard and moderate nonattainment for the 2012 annual

1 Airborne fine particulate matter ≤ 2.5 micrometers in aerodynamic diameter (µm).

2 The South Coast Air Basin (SCAB or Basin) is a geographic region that encompasses the non-desert portions of Los Angeles, Riverside, and San Bernardino counties and all of Orange County as defined in California Code of Regulations, Title 17, Section 60104. The Basin is shown as the shaded region on the map in Appendix B.

3 Micrograms per cubic meter.

standard⁴, with attainment deadlines of December 31, 2019 and December 31, 2021, respectively. Despite significant reductions in ambient PM_{2.5} concentrations, it is likely that the U.S. EPA will make a final determination that the Basin will fail to attain the 2006 24-hour PM_{2.5} standard by the December 31, 2019 deadline.⁵

The proposed amendments to Rule 445 are necessary to implement the backstop Contingency Control Measure BCM-09 in the 2016 AQMP and will also address the Clean Air Act (CAA) Section 172(c)(9) contingency measure requirements for the PM_{2.5} standards. The proposed amendments would extend the No-Burn day requirement Basin-wide when the daily PM_{2.5} air quality is forecast to exceed 30 µg/m³ in any source receptor area (SRA) and would also automatically lower the No-Burn day thresholds subject to specific contingency measure triggers as set forth in 40 CFR § 51.1014(a). Specifically, No-Burn day threshold reductions would be triggered upon a final determination of a failure to meet any Reasonable Further Progress (RFP) or quantitative milestone requirement in an approved plan, to submit a required quantitative milestone report, or to attain either the 2006 24-hour or 2012 annual PM_{2.5} NAAQS by the applicable attainment date.

Contingency measures would reduce ambient PM_{2.5} by increasing the number of No Burn days and by expanding curtailment Basin-wide in all cases. Staff estimates a 25.4 ton per year (TPY) reduction from implementing the Basin-wide curtailment at 30 µg/m³ in all cases and a 46.3 TPY reduction after triggering the first contingency measure which will reduce the Basin-wide No-Burn day threshold from the current 30 µg/m³ to 29 µg/m³. Additional contingency measures, if triggered, would lower the Basin-wide No-Burn day threshold incrementally to 28 µg/m³, 27 µg/m³, and 26 µg/m³ and result in cumulative additional estimated emissions reductions of 67.1, 81.0 and 100.1 TPY, respectively.

BACKGROUND

Numerous studies have linked higher concentrations of PM_{2.5} with health effects such as increased mortality, respiratory and cardiovascular disease. In July 1987, U.S. EPA promulgated a health protective based 24-hour NAAQS of 150 micrograms per cubic meter (µg/m³) for particulate matter less than 10 microns (PM₁₀), which the Basin has met since 2008. In July 1997, U.S. EPA strengthened the NAAQS for PM_{2.5} setting a more health protective 15 µg/m³ annual standard and 65 µg/m³ 24-hour standard. The Basin is currently in compliance with the both the 24-hour and annual 1997 PM_{2.5} NAAQS of 65 µg/m³ and 15 µg/m³, respectively. On December 17, 2006, the U.S. EPA revised the 24-hour PM_{2.5} NAAQS, lowering it from 65 µg/m³ to 35 µg/m³. The Basin was subsequently designated as “moderate” nonattainment for the 2006 24-hour PM_{2.5} NAAQS on December 14, 2009. On December 14, 2012, the U.S. EPA revised the annual PM_{2.5} standard, lowering it to 12 µg/m³ and issued a final nonattainment designation for the Basin on

4 South Coast AQMD requested re-designation to serious nonattainment status for the 2012 annual PM_{2.5} standard in the 2016 AQMP. Re-designation to serious non-attainment will change the attainment due date to no later than December 31, 2025.

5 ~~Staff anticipates analysis of preliminary data to be finalized in the second quarter of 2020. EPA will make a final determination on South Coast AQMD's attainment status based on finalized data. U.S. EPA has 180 days from the attainment due date (June 30, 2020) to make a final determination.~~

December 18, 2014. Table 1 summarizes the historical timeline for these standards applicable to the Basin.

Table 1 – Historical Summary for PM_{2.5} 24-Hour and Annual Standards

Year	24-Hour Average	Annual Average
1997	65 µg/m ³	15 µg/m ³
2006	35 µg/m ³	No Change
2012	No Change	12 µg/m ³

Area-wide sources contribute approximately 42% or 27.7 tons per day (TPD) to the estimated 66.0 TPD of total directly emitted PM_{2.5} inventory in the Basin. This total includes both stationary and mobile sources.⁶ An estimated 5.2 TPD or almost one-fifth of the area-wide PM_{2.5} comes from wood-burning devices, such as wood-burning fireplaces and wood stoves.⁷ Approximately 90% of wood-smoke PM by weight is comprised of PM_{2.5}.⁸ Accordingly, control measures for residential wood combustion were included in the 2007 and 2012 AQMPs. Rule 445 – Wood-Burning Devices was adopted in June 2008 and was then amended in May 2013, in response to U.S. EPA lowering the PM_{2.5} NAAQS. The 2013 amendments lowered the threshold for triggering a wood-burning curtailment, established criteria for a basin-wide curtailment, and require commercial firewood sellers to label packaged wood and wood-based products with a No-Burn day advisory.

The 2012 AQMP projected attainment of the 2006 24-hour PM_{2.5} NAAQS by 2014; however, largely due to the region’s long-running drought conditions, attainment within this time frame was not possible. In July 2015, the South Coast AQMD requested that U.S. EPA reclassify the Basin as a serious nonattainment area and committed to demonstrate attainment of the 24-hour PM_{2.5} NAAQS as expeditiously as practicable, but not beyond December 31, 2019. As a consequence of the re-designation, more stringent requirements now apply including implementation of Best Available Control Measures / Best Available Control Technology (BACM/BACT), a lower major source threshold (from 100 tons per year to 70 tons per year), and an update to the reasonable further progress (RFP) analysis. Compliance determination for the 24-hour standard is evaluated using the highest Design Value (DV) which is discussed in the forecasting section of this report.

Annual PM_{2.5} standard attainment is achieved when the 3-year average of the annual averages does not exceed 12.0 µg/m³. Under the CAA, moderate nonattainment areas have until 2021 to meet 2012 PM_{2.5} standard, and if necessary, up to four additional years (i.e. 2025) if the area is

6 Final 2016 AQMP. Chapter 3. Base Year and Future Emissions. Annual Average TPD. P. 3-14 and 3-15.

7 Final 2016 AQMP. Appendix IV-A. BCM-09 Further Reductions From Wood Burning Fireplaces and Woodstoves. P. IV-A-222.

8 CARB. “Speciation Profiles Used in ARB Modeling.” <https://ww3.arb.ca.gov/ei/speciate/speciate.htm#assnfrac> (reviewed January 29, 2018).

re-classified as serious nonattainment⁹. Table 2 shows that ambient PM_{2.5} concentrations in the Basin have been trending downwards toward attainment with both the 2006 24-hour and 2012 annual NAAQS.

Table 2 – Basin-wide Historical Federal Reference Method Ambient PM_{2.5} Concentration (µg/m³)¹⁰

Calendar Year	Basin Maximum of Annual Average Concentrations	3-Year Design Value of Annual PM _{2.5}	Basin Maximum of 24-hour PM _{2.5} Concentrations ¹¹	3-Year Design Value of 24-hour PM _{2.5}
2008	17.3	20.0	48.3	53
2009	17.2	18.8	42.9	49
2010	15.5	16.9	35.6	41
2011	15.9	15.9	50.0	38
2012	15.1	15.2	35.6	36
2013	14.1	14.8	37.5	36
2014	14.5	15.1	40.0	41
2015	14.5	14.5	43.2	44
2016	14.9	14.5	35.2	43
2017	14.6	14.7	53.4	39
2018	14.5	14.7	36.1	38
2019 ¹²	12.7	13.8 14.0	36.2	37 38

Table 3 summarizes the current status of the Basin for the 2006 24-hour and 2012 annual average standards. The Basin is currently classified as moderate nonattainment for the annual standard and serious nonattainment for the 24-hour standard. As shown in Table 2, since the adoption of Rule 445, ambient 24 hour and annual PM_{2.5} concentrations have decreased from 48.3 to 36.1 µg/m³, and from 17.3 to ~~14.5~~12.7 µg/m³, respectively. Despite these significant reductions and nearing compliance with the 24-hour average and 2012 annual NAAQS, the U.S. EPA will likely make a final determination that the Basin will likely failed to attain the 35 µg/m³ PM_{2.5} 24-hour average NAAQS by the December 31, 2019 attainment deadline.

9 South Coast AQMD requested re-designation to serious nonattainment status for the 2012 annual PM_{2.5} standard in the 2016 AQMP. Re-designation to serious non-attainment will change the attainment due date to no later than December 31, 2025.

10 Federal Reference Method and Design Value are discussed further in the Forecasting section of this report. The average of three consecutive data points given in the “Basin Maximum of Annual Average Concentrations” or “Basin Maximum of 24-hour PM_{2.5} Concentrations” will not equal the 3-year Design Values given in the 3rd and 5th columns, if Basin Maximum Concentrations occurred at different locations during the 3-year time period. Includes data collected during exceptional events.

11 98th percentile of 24-hour PM_{2.5} for a given year

~~12 2019 data is preliminary and subject to change. Data collected during exceptional events are not removed. Final values can be lower when accounting for exceptional events.~~

Table 3 – Summary of Basin PM_{2.5} Attainment Status

PM _{2.5} NAAQS	NAAQS ($\mu\text{g}/\text{m}^3$)	Status	Attainment Deadline
2006 24-Hour	35	Serious	December 31, 2019
2012 Annual	12	Moderate	December 31, 2021 ¹³

HEALTH EFFECTS & ENVIROMENTAL IMPACTS

Health studies have shown a significant association between exposure to particle pollution and health risks, including premature death. Smaller particles in the PM_{2.5} range are particularly dangerous since they can penetrate and deposit deep in lung tissues. Appendix I of the 2016 Final AQMP describes in more detail the health effects of fine particulates based on numerous studies including data on increased hospital admissions, emergency room and physician office visits and school absences. In addition to increased mortality other health effects include the exacerbation of respiratory and cardiovascular diseases (asthma and non-fatal myocardial infarction) and effects on lung function as well as lung morphology. Recent studies have shown an association with changes in the brain leading to both memory and cognitive decline¹⁴ and also to the development of benign and malignant brain tumors.¹⁵

Residential wood-burning is a significant source of PM emissions. Emissions from residential wood-burning devices are caused primarily by incomplete combustion and include PM, CO, NO_x, SO_x, and VOCs. Studies indicate that the vast majority of particulate emissions from residential wood combustion are in the fine (2.5 micrometers or less) fraction. Additionally, incomplete combustion of wood produces polycyclic organic matter (POM), a group of compounds classified as hazardous air pollutants under Section 112 of the CAA. Biomass burning is also a source of black carbon (soot) which studies suggest can influence climate by directly absorbing light, reducing the reflectivity of snow and ice through deposition and interacting with clouds. According to CARB¹⁶, soot from residential wood combustion is forecast to be the largest individual anthropogenic (man-made) source of black carbon in 2030 if no new programs are implemented.

FORECASTING

South Coast AQMD staff use weather forecasts, air pollution measurements, satellite data, and mathematical models to predict particle (PM_{2.5} and PM₁₀), ozone, nitrogen dioxide, and carbon monoxide concentrations. Forecast models are tools for making predictions, which are trained and evaluated with air pollution measurements. Traditionally, South Coast AQMD staff issued a daily

13 South Coast AQMD requested re-designation to serious nonattainment status for the 2012 annual PM_{2.5} standard in the 2016 AQMP. Re-designation to serious non-attainment will change the attainment due date to no later than December 31, 2025.

14 Younan, Diana & Petkus, Andrew (2019). Particulate matter and episodic memory decline mediated by early neuroanatomic biomarkers of Alzheimer's disease. *Brain: a journal of neurology*. 143. 10.1093/brain/awz348.

15 <https://www.aqmd.gov/nav/about/groups-committees/bltap-foundation/bltap-6th-annual-report>.

16 CARB. Short-Lived Climate Pollutant Reduction Strategy. March 14, 2017. https://ww3.arb.ca.gov/cc/shortlived/meetings/03142017/final_slcp_report.pdf.


air quality forecast summarizing conditions expected over the entire day for geographical areas in the region called Source Receptor Areas (SRAs) as shown in Appendix B. However, with new models developed and maintained by NOAA¹⁷ scientists, South Coast AQMD staff can now issue hourly forecasts of PM_{2.5} and ozone for the next day. These models are customized using local measurements and state-of-the-science models of air pollution levels, resulting in more accurate predictions. The predicted pollutant levels are reported as an Air Quality Index (AQI). The higher the AQI, the higher the level of air pollution and potentially greater health concerns for the exposed population.

Figure 1 shows the location of PM_{2.5} monitoring stations in the Basin. PM₁₀ and PM_{2.5} concentrations are monitored throughout the South Coast AQMD by samples collected on quartz or Teflon filters in samplers with size selective inlets. These are known as the Federal Reference Methods (FRMs) and shown as “gravimetric” in Figure 1. Some stations also have continuous PM₁₀ and/or PM_{2.5} measurements, using either Beta Attenuation Monitor (BAM) or Tapered Element Oscillating Microbalance (TEOM) instrumentation. This data is available in real-time and is used for air quality forecasting and public reporting of current conditions. Where the continuous BAM or TEOM PM₁₀ monitors have been certified by U.S. EPA to be Federal Equivalent Methods (FEM), the continuous PM₁₀ data is averaged for the 24-hour period (midnight to midnight) and used for comparison to the standards on days when a valid FRM filter measurement was not collected. For PM_{2.5}, there can be significant differences between the FEM and FRM results that have been recognized by national assessments of the technologies. South Coast AQMD measures FRM PM_{2.5} on a daily basis at the critical stations in the Basin and does not use the continuous PM_{2.5} data to compare to the NAAQS for attainment purposes.

Hourly forecasts provide more detailed information about pollution levels throughout the day. This can be useful, for example in planning out what time of the day would be best for outdoor activities. For regulatory purposes however, a daily average forecast is used. The proposed rule amendments include a definition for the daily PM_{2.5} air quality forecast as the predicted ambient average PM_{2.5} concentration, for the entire consecutive 24-hour period, beginning at midnight of the current day and spanning the entire time period which ends on the following midnight. This is to distinguish the daily PM_{2.5} forecast which is used for forecasting No-Burn days from the hourly PM_{2.5} forecast which is provided for informational purposes only. Both hourly and daily Basin forecasts can be found on the South Coast AQMD website at: <http://www.aqmd.gov/forecast>.

Compliance with the annual PM_{2.5} NAAQS is determined using a three (3) year average of the annual mean PM_{2.5} ambient concentrations at the monitoring station with the highest average. Compliance determination for the 24-hour standard is evaluated using the highest Design Value (DV). The DV is defined as the 98th percentile of the 24-hour average concentrations measured in a year, averaged over a consecutive three (3) year term. In both cases the monitoring site with the highest measured values in an area is used for compliance purposes. Air quality forecasts are generated on the SRA level with models that are trained with monitoring data. However, not all SRAs contain a PM_{2.5} monitoring station/equipment, in which case the forecast is interpolated.

¹⁷ The National Oceanic and Atmospheric Administration is a federal agency providing weather forecasts. <https://www.noaa.gov/>

Figure 1 – South Coast AQMD PM2.5 Monitoring Stations

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community


PM2.5 concentrations are generally higher in the inland valley areas of Metropolitan Riverside County and San Bernardino County. These higher PM2.5 concentrations are mainly due to the secondary formation of smaller particles resulting from emissions of precursor gases (NO_x, SO_x, NH₃, VOC) that are converted to particulate matter in the atmosphere. Atmospheric chemistry and dispersion are a strong function of topography and weather, leading to strong geographic variations in PM2.5 concentrations. The geographical distribution of PM2.5 precursor emissions also govern PM2.5 concentration variations throughout the Basin. Figure 2 shows the distribution of annual average PM2.5 concentrations in the Basin. This figure shows peak annual average concentrations for the Basin in the Metropolitan Riverside area where transport and secondary chemical processes are most important. It also shows another peak in the most urbanized portions of Los Angeles area due to the emissions from abundant motor vehicle sources.

PM2.5 levels have decreased dramatically in the Basin since 1999; however, design value concentrations are still above the current annual 24-hour NAAQS. In 2018, the 24-hour PM2.5 NAAQS was exceeded on 19 days in the Basin. In 2019, there were 12 exceedance days.¹⁸ Because the highest PM2.5 concentrations typically occur during the rainy-season, design values are heavily dependent on the frequency of wintertime storm systems, which increase ventilation and remove PM when rainfall is present. PM2.5 concentrations are also significantly influenced by wildfire smoke, which can be transported across wide distances. Currently, PM2.5 monitors do not

¹⁸ Based on preliminary filter data.

attain the 24-hour standards in Compton and Mira Loma, based on preliminary 2017-2019 design values. However, the average of the 2019 and 2020 98th percentile concentrations (two-thirds of the data used to calculate the 2018-2020 design value) are below the federal standard at all locations. The CA-60 near road site in Ontario, Mira Loma, Compton, Rubidoux, and the CA-710 near road station in Long Beach do not meet the annual PM2.5 standard, based on preliminary 2017-2019 design values.¹⁹ The Basin's peak annual average PM2.5 level in 2019 of 14.042.8 $\mu\text{g}/\text{m}^3$ (preliminary data) at the Ontario-60 near road site was lower than its 2018 value of 14.5 $\mu\text{g}/\text{m}^3$.

Figure 2 – Spatial Distribution of PM2.5 in the Basin



¹⁹ Data collected during exceptional events such as wildfires and Independence Day fireworks are removed when calculating design values.

RULE 445

Current provisions of Rule 445 control PM_{2.5} wood smoke emissions from wood-burning devices through several mechanisms. These include:

- New developments: prohibiting the installation of wood-burning devices in developments where construction began after March 9, 2009.
- Existing developments: by limiting the sale and installation of wood-burning devices to a:
 - U.S. EPA certified wood-burning heater,
 - pellet-fueled wood-burning heater,
 - masonry heater, or
 - dedicated gaseous-fueled fireplace insert.
- A prohibition against the burning of any product not intended for use as a fuel (e.g., trash, plastics, rubber products and treated wood),
- Sale of only seasoned wood fuel (20 percent or less moisture content by weight) by commercial wood-based fuel sellers between July 1, through to the end of February of the following year,
- A labeling requirement for commercial firewood sellers to affix an indelible label to each package of firewood advising at a minimum that there are times during the year (wood-burning season) when there may be a restriction on product usage (No-Burn days). The label or alternatively another form of written material which is provided must also list the No-Burn toll-free number and www.8774NOBURN.org website address. This advisory is intended to let the consumer know that on days declared to be No-Burn days during the wood-burning season November 1, through to the last day in February of the following year, wood-burning is not allowed, and
- No-Burn day: a prohibition on operating an indoor or outdoor wood-burning device, portable outdoor wood-burning device, or wood-fired cooking device during the wood-burning season (November 1 through February of the following year) on days when the PM_{2.5} ambient concentration is forecast to exceed specific thresholds. Rule 445(c)(6) specifies the conditions for wood-burning curtailment or No-Burn days as follows:

MANDATORY WINTER BURNING CURTAILMENT

- (A) Means any calendar day or consecutive calendar days during the wood-burning season so declared to the public by the Executive Officer when ambient levels of particulate matter of 2.5 microns in size or less (PM_{2.5}) is forecast to exceed 30 $\mu\text{g}/\text{m}^3$ for a specific source/receptor area.
- (B) Applies to the entire South Coast Air Basin whenever a PM_{2.5} level of greater than 30 $\mu\text{g}/\text{m}^3$ is predicted for a source receptor area containing a monitoring station that has recorded a violation of the federal 24-hour PM_{2.5} National Ambient Air Quality Standard for either of the two previous three-year design value periods. The design value is the three-year average of the annual 98th percentile of the 24-hour values of monitored ambient PM_{2.5} data.

Dedicated gaseous fueled fireplaces or electric powered devices are exempt from the provisions of Rule 445. Additional exemptions exist where there is no natural gas service within 150 feet of the property line, locations 3,000 feet or higher above mean sea level, when the device is the sole source of heat, when the device is in low income households, and for ceremonial fires, as defined in the Rule 444 – Open Burning.

CONTINGENCY MEASURES

The federal CAA requires areas not attaining the NAAQS to develop and implement an emissions reduction strategy that will bring the area into attainment at the soonest practicable time, but not later than statutory attainment deadlines²⁰. For the South Coast AQMD, this strategy is set forth in the 2016 AQMP. In addition to existing rule requirements such as Rule 445, contingency control measures in AQMPs are designed as backstop measures to be promulgated in the event that a Basin fails or is likely to fail in attaining a NAAQS or to comply with regulatory requirements by the applicable due dates. Control Measure BCM-09 – Further Emission Reductions From Wood-Burning Fireplaces and Wood Stoves is a PM_{2.5} specific contingency control measure in the 2016 AQMP.

Pursuant to 40 CFR § 51.1014(a) - Contingency Measure Requirements (CFR) specific elements are required for rules promulgated from the control measure as follows:

- (a) The state must include as part of each attainment plan submitted under this subpart for a PM_{2.5} nonattainment area specific contingency measures that shall take effect with minimal further action by the state or the U.S. EPA following a determination by the Administrator that the area has failed:
 - (1) To meet any RFP requirement in an attainment plan approved in accordance with § 51.1012;
 - (2) To meet any quantitative milestone in an attainment plan approved in accordance with § 51.1013;
 - (3) To submit a quantitative milestone report required under § 51.1013(b); or,
 - (4) To attain the applicable PM_{2.5} NAAQS by the applicable attainment date.

- (b) The contingency measures adopted as part of a PM_{2.5} attainment plan shall meet all of the following requirements:
 - (1) The contingency measures shall consist of control measures that are not otherwise included in the control strategy or that achieve emissions reductions not otherwise relied upon in the control strategy for the area; and,
 - (2) Each contingency measure shall specify the timeframe within which its requirements become effective following a determination by the Administrator under paragraph (a) of this section.
 - (3) The attainment plan submission shall contain a description of the specific trigger mechanisms for the contingency measures and specify a schedule for implementation.

CAA Section 172(c)(9) requires contingency measures in the event that an area fails to meet reasonable further progress (RFP) milestones or to attain the national primary ambient air quality

²⁰ CAA Section 172.

standard by the attainment date. U.S. EPA implementing regulations for particulate matter (40 CFR § 51.1014(a)) require that these contingency measures take effect with minimal further action following a determination by the U.S. EPA that the area has failed: (1) to meet any approved RFP requirement, (2) to meet any approved quantitative milestone, (3) to submit a required quantitative milestone report, or (4) to attain the standard by the applicable attainment date. Table 4 below provides a summary and analysis of potential contingency control measures provisions, including suggestions from BCM-09_ ~~for contingency measures~~ for achieving further direct PM2.5 emissions reductions:

Table 4 – Summary and Analysis of Potential Control Measures

Potential <u>Contingency Control Measure Provision</u>	Analysis
Allow for year-round wood-burning curtailment mirroring Bay Area Air Quality Management District (BAAQMD) provisions	Rule 445 defines the Wood-Burning Season as any of the days beginning on November 1 and running through to the end of February in the following year. Due to the temperate climate of the region, about 70% of wood smoke in the Basin is emitted on typically colder days during the wood-burning season. Use of wood-burning devices at other times is generally limited to ambiance purposes. There is some wood smoke in the “shoulder months” of March and October, but it is unlikely that the additional wood smoke during these months would be sufficient to cause an exceedance as total PM2.5 concentrations are much lower than during the wood-burning season.
Requiring that no person sell or transfer real property without assuring that any installed wood-burning heater meets the latest U.S. EPA certification, is a previously exempted wood pellet stove or that it is rendered permanently inoperable mirroring San Joaquin Valley Air Pollution Control District (SJVAPCD) Rule 5.2.2	Currently the rule only allows existing fireplaces to be repaired in order to prevent health or safety impacts. Extending the requirement to removal of non-compliant wood-burning devices upon the sale or transfer of any real property in the Basin would be resource prohibitive. Most wood-burning devices are for ambiance purposes and all devices are already required to curtail wood-burning on No-Burn days. Staff is also looking to expand the existing incentive program for voluntary conversion of existing fireplaces to approved wood-burning devices, natural gas fueled or electric units.

Potential Contingency Control Measure Provision	Analysis
Including a visible emissions/opacity limitation similar to SJVAPCD Rule 5.2.2	Rule 445 currently mandates the use of Seasoned Wood in wood-burning devices and also prohibits the burning of materials not intended to be used as a fuel for wood-burning devices. These two provisions are designed to avoid the use of “wet” wood or other materials such as treated wood that smoke excessively. In addition, sources can be cited pursuant to South Coast AQMD Rule 401- Visible Emissions and/or Rule 402 – Nuisance (where odor complaints are made about wood-smoke) provisions. The visible emissions prohibition in SJVAPCD Rule 1420 mirrors the provisions of South Coast AQMD Rule 401 with both specifying Ringelmann 1 and/or 20% opacity.
Including unseasoned wood in the list of banned fuels	The sale of unseasoned firewood in the Basin is only allowed during the months of March through to the end of April. This provides sufficient time for the wood to season. Only seasoned firewood may be sold at other times during the year. Since the majority of wood-burning devices are used for ambiance purposes in the Basin and there is a ban on selling unseasoned wood during most of the year, adding unseasoned wood to the list of non-fuel products is unnecessary. In addition, the properties of unseasoned wood such as excessive smoking and low heat output do not lend to its being used as a fuel. The requirement that commercial wood-fuel sellers, sell only seasoned wood effectively prevents the use of unseasoned wood fuel by providing a point-of-sale control. Determining the moisture content of wood-fuel once it is lit and in use would be an unenforceable provision technically and also since it would pose a safety issue for field staff.
Including a trigger for the annual PM2.5 standard	The total number of No-Burn days forecast after triggering the <u>proposed Basin-wide curtailment provisions of the initial contingency measure</u> (at the <u>30 µg/m³ threshold for any SRA provision</u>) are estimated to exceed the number based on an annual design value. As such an annual design value exceedance threshold would lead to a lower number of forecast No-Burn days.
Recommend Specifying that only currently certified U.S. EPA wood-burning heaters may be installed in developments over 3,000 feet or higher above mean sea level	Proposed amendments would maintain and clarify the exclusion from Rule 445 applicability to areas of the Basin located 3,000 feet or higher above mean sea level. There have been no <u>insignificant</u> exceedances of the 24-hour PM2.5 standard in the last several years <u>(and none in the 2018-19 season)</u> in geographic areas located 3,000 feet or higher above mean sea level and emissions modeling shows measurable emissions reductions without including emissions from wood-burning devices located in these areas.

Potential Contingency Control Measure Provision	Analysis
<p>Recommendation Specifying that only currently certified U.S. EPA wood-burning heaters may be installed in developments where there is no natural gas service within 150 feet of the property line</p>	<p>U.S. EPA certified wood-burning heaters are significantly more efficient, however prices can range anywhere from \$2,000 to \$8,000 per unit and require professional installation. Natural gas service is generally available in the more densely populated regions of the Basin, so that this will likely not be a cost-effective requirement or a significant source of emissions reductions²¹. Staff is considering expanding the existing Fireplace and Wood Stove Change Out incentive program to include additional zip codes. The program currently provides qualified applicants between \$200 to \$1,600 towards the purchase and installation of an approved wood-burning or gaseous-fueled device that replaces an existing fireplace²².</p>
<p>Reducing the forecast threshold for No-Burn days to 20 µg/m³ mirroring the San Joaquin Valley Air Pollution Control District (SJVAPCD) Rule 1409 5.7.1</p>	<p>The rule amendments primarily impact residential wood-burning and will provide significant emission reduction at the proposed limits. The 24-hour standard is currently at 35 µg/m³. A No-Burn threshold at 20 µg/m³ will result in minimal, if any, emission reductions on peak PM2.5 days when the ambient PM2.5 concentration exceeds 35 µg/m³.</p>

PROPOSED AMENDMENTS TO RULE 445

Based on the analysis of the potential control measures above the proposed amendments incorporate the requirements of the CFR as follows:

- Subsequent to rule adoption by the Governing Board contingency provisions will automatically take effect upon a final determination of either a failure to attain or a failure to comply with requirements in subdivision (f) of the proposed rule;
- Control measures under the proposed rule achieve emissions reductions not otherwise relied upon in the current control strategy by incrementally lowering the No-Burn day threshold with both incremental and cumulative emissions reductions quantified;
- There are specific trigger mechanisms for the proposed contingency measures and the schedule for implementation in paragraph (f)(1) of the proposed rule which lists the four (4) requirements or contingency measure triggers in subparagraphs (f)(1)(A) through (D) pursuant to 40 CFR § 51.1014(a). There is no set order in which these contingency triggers may potentially be activated. However, as each contingency trigger is activated the increasingly more stringent Basin-wide No-Burn thresholds in subparagraphs (f)(2)(A)

21 <https://www.socalgas.com/stay-safe/pipeline-and-storage-safety/natural-gas-pipeline-map>.

22 South Coast AQMD. Wood Stove & Fireplace Change-Out Incentive Program <http://www.aqmd.gov/home/programs/community/community-detail?title=wood-device-incentive-program>.

through (D) are automatically implemented. Based on the proposal, and upon the final determination by U.S. EPA of a failure by South Coast AQMD to attain the 24-hour PM2.5 standard by the December 31, 2019 attainment date the first proposed contingency measure would be automatically triggered. While failing to “attain the applicable PM2.5 NAAQS by the applicable attainment date” is the fourth contingency trigger (D) in paragraph (f)(1) when the final determination of failure with the provision is made it triggers the first contingency measure (A) in paragraph (f)(2).

- The first contingency measure automatically lowers the ambient PM2.5 24-hour forecast threshold for calling a No-Burn day from the current 30 to the more stringent 29 $\mu\text{g}/\text{m}^3$. Staff does not anticipate any additional contingency triggers in paragraph (f)(1) will be activated, however, upon a final determination by U.S. EPA of a failure to attain any second requirement the next most stringent contingency measure would be triggered. As an example, assume that subsequent to triggering the initial contingency measure at 29 $\mu\text{g}/\text{m}^3$, there is a final determination of a failure to “meet any RFP requirement in an attainment plan approved in accordance with §_51.1012” pursuant to subparagraph (f)(1)(A) which is the first trigger in paragraph (f)(1) of the proposed rule. This event would trigger the second, and next most stringent, contingency measure in subparagraph (f)(2)(B) automatically lowering the ambient PM2.5 24-hour forecast threshold for calling a No-Burn day from 29 to 28 $\mu\text{g}/\text{m}^3$. Any subsequent, third, final determination of a failure to comply would trigger the third and next most stringent 27 $\mu\text{g}/\text{m}^3$ forecast threshold and in the unlikely event that a fourth final determination of a failure to comply with any of the contingency triggers is made the forecast threshold would automatically be lowered to 26 $\mu\text{g}/\text{m}^3$.

Staff is proposing to strengthen the mandatory wood-burning curtailment provision of the rule in order to achieve additional PM2.5 emission reductions from the operation of wood-burning devices. The proposed amendments would generally reduce emissions by increasing the number of No-Burn days and expanding the affected geographic area thereby decreasing both the number of days and number of wood-burning devices allowed to operate during the wood-burning season (defined as November, 1 through to the last day in February of the following year). Proposed amendments to Rule 445 are shown in Table 5, as follows:

Table 5 – Proposed Amendments to Rule 445

Proposed Rule Reference	Proposed Amendment
(c)(3) - Daily PM2.5 Air Quality Forecast	This definition clarifies that for the purposes of Rule 445 a daily PM2.5 ambient concentration is used for forecasting whether a No-Burn day should be declared. Also, that this daily forecast is based on an average forecast modeled using a 24 consecutive hour period from midnight to the subsequent midnight. Once forecast, the daily forecast number remains static for that day. Conversely, the hourly PM2.5 forecast may vary hourly depending on ambient conditions. The hourly air quality forecast may be used to for example better determine optimal times for exercising or other outdoor activities on any given

Proposed Rule Reference	Proposed Amendment
	<p>day whereas the daily PM2.5 ambient concentration is used for the purpose of forecasting No-Burn days pursuant to Rule 445.</p> <p>Text: <u>DAILY PM2.5 AIR QUALITY FORECAST means the predicted ambient average PM2.5 concentration, for the entire consecutive 24-hour period, beginning at midnight of the current day and ending upon the subsequent midnight.</u></p>
<p>(c)(6) - Mandatory Winter Burning Curtailment</p> <p>[This provision of the rule is moved from the definitions to the implementation section of the rule]</p>	<p>Mandatory wood-burning curtailment provisions are currently covered in subdivision (e) of Rule 445. Since this provision is a rule requirement related to ambient PM2.5 concentration threshold triggers it is removed from the definitions section and dove-tailed into the existing mandatory wood-burning curtailment provision in subdivision (e). In addition, this re-write facilitates having all the requirements for the mandatory wood-burning curtailment program in one rule subdivision that immediately precedes the proposed subdivision on contingency measures, and to which for contingency purposes, subdivision (e) refers.</p> <p>Text: MANDATORY WINTER BURNING CURTAILMENT (A) — Means any calendar day or consecutive calendar days during the wood burning season so declared to the public by the Executive Officer when ambient levels of particulate matter of 2.5 microns in size or less (PM2.5) is forecast to exceed 30 µg/m³ for a specific source/receptor area. (B) — Applies to the entire South Coast Air Basin whenever a PM2.5 level of greater than 30 µg/m³ is predicted for a source receptor area containing a monitoring station that has recorded a violation of the federal 24-hour PM2.5 National Ambient Air Quality Standard for either of the two previous three-year design value periods. The design value is the three-year average of the annual 98th percentile of the 24-hour values of monitored ambient PM2.5 data</p>
<p>(c)(12) – PM2.5</p>	<p>The definition of PM2.5 previously contained in the definition of Mandatory Winter Burning Curtailment as a parenthetical is re-written as a stand-alone definition. The definition and meaning of PM2.5 remain unchanged.</p> <p>Text: <u>PM2.5 means particulate matter with an aerodynamic diameter less than 2.5 microns.</u></p>

Proposed Rule Reference	Proposed Amendment
(c)(16) – Source Receptor Area (SRA)	<p>Formally defines source receptor in the rule. The map shown in the proposed rule as Attachment 1 is listed in this report as Appendix B.</p> <p>Text: <u>SOURCE RECEPTOR AREA (SRA) means any of the numbered areas in the Basin as shown on the map in Attachment 1.</u></p>
(c)(19) – U.S. EPA Certified Wood-Burning Heater	<p>The reference to the latest U.S. EPA wood-burning device performance and emission standards is updated as follow:</p> <p>Text: <u>U.S. EPA CERTIFIED WOOD-BURNING HEATER means any device certified by the U.S. EPA to meet the performance and emission standards as defined in Title 40 Code of Federal Regulations, Part 60, Subpart AAA, February 28, 1988</u>March 16, 2015, or any subsequent revision.</p>
(e) – Wood-Burning Season Mandatory Burning Curtailment	<p>Subsequent to a determination by U.S. EPA, pursuant to 40 CFR § 51.1014(a) of non-attainment with either a referenced PM2.5 standard or reporting requirement the No-Burn day parameters in contingency subdivision (f) of the proposed rule become effective. Note that the current rule only requires curtailment in the SRA for which an exceedance is forecast if there is no DV exceedance. However, it has proven to be difficult to call an SRA only No-Burn day, therefore the rule is being amended to call a Basin-wide No-Burn day in all cases of a forecast threshold exceedance. The proposed contingency measures will continue the trend of increased emissions reductions as discussed below. The term “winter” is removed since in the Basin this is a period of time that spans mid-December through mid-March while the Woodwood-Burning-burning Season <u>season</u> runs from November 1 thru to the end of February. Clarification is provided that provisions of the rule are not applicable in areas located 3,000 feet or more above mean sea level.</p> <p>Text: <u>Wood-Burning Season Mandatory Winter Burning Curtailment (No-Burn day) No person shall operate an indoor or outdoor wood-burning device, portable outdoor wood-burning device, or wood-fired cooking device on a calendar day during the wood-burning season so declared to the public by the Executive Officer to be a mandatory winter wood-burning curtailment (No-Burn) day during the wood burning season when a mandatory winter burning curtailment based on the specified geographic area below 3,000 feet above mean sea level and applicable daily PM2.5 air quality forecast as follows: is forecast for the specific region where the device is located, or on a Basin-wide basis as defined in paragraph (c)(6).</u></p> <p><u>(1) Basin-wide if the daily PM2.5 air quality forecast for any source receptor area exceeds 30 µg/m³, or</u></p>

Proposed Rule Reference	Proposed Amendment																
	<p><u>(2) subsequent to a determination by U.S. EPA, pursuant to 40 CFR § 51.1014(a) of a failure to comply with either a referenced PM2.5 standard or reporting requirement; the applicable daily PM2.5 air quality forecast as set forth in subdivision (f) Contingency Measures.</u></p>																
<p>(f) – Contingency Measures</p>	<p>Under the current rule provisions, a Basin-wide No-Burn ban is only declared if an exceedance is forecast for an SRA that contains a monitor that has not met the 24-hour PM2.5 standard over the past two immediately preceding 3-year periods. SRAs are shown on the map in Appendix B. A small number of SRAs such as 12, 23 and 33 typically have had design values that have not-attained the 24-hour standard over the two immediately preceding design value periods. A fair number of exceedances are often forecast for other SRAs which based on the current rule language would trigger a curtailment in the SRA-only. Table 6 shows that under the current rule, about a fifth of the time the SRA <u>only</u> would be required to curtail:</p> <p>Table 6 – Exceedances in DV and non-DV Monitor SRAs</p> <table border="1" data-bbox="451 909 1451 1098"> <thead> <tr> <th>Year</th> <th>Number of DV Exceedance Days</th> <th>Number of SRA (non-DV) Exceedance Days</th> <th>SRA Only Percentage</th> </tr> </thead> <tbody> <tr> <td>2017</td> <td>19</td> <td>6</td> <td>24%</td> </tr> <tr> <td>2018</td> <td>24</td> <td>6</td> <td>20%</td> </tr> <tr> <td>2019</td> <td>17</td> <td>4</td> <td>19%</td> </tr> </tbody> </table> <p>The proposed amendments would strengthen the No-Burn provision by expanding the geographic area impacted from individual SRAs to Basin-wide in all cases when any SRA, regardless of design value exceedance, is forecast to exceed the compliance threshold.</p> <p>In addition to expanding the geographic area the triggering threshold for forecasting a No-Burn day would be lowered incrementally based on missed milestones or attainment dates as specified in 40 CFR § 51.1014(a). Proposed amendments to Rule 445 would increase the scope and expected number of mandatory winter wood-burning curtailment days, based on either a failure to attain the PM2.5 24-hour or annual average NAAQS, or upon a failure to meet any associated reporting requirements, by the applicable due dates.</p> <p>Text: <u>f) Contingency Measures</u></p> <p><u>(1) Upon the issuance of a final determination by U.S. EPA, pursuant to 40 CFR § 51.1014(a), that the South Coast Air Basin has failed to comply with the following requirements by the applicable date to:</u></p> <p><u>(A) meet any Reasonable Further Progress (RFP) requirement in an attainment plan approved in accordance with § 51.1012;</u></p>	Year	Number of DV Exceedance Days	Number of SRA (non-DV) Exceedance Days	SRA Only Percentage	2017	19	6	24%	2018	24	6	20%	2019	17	4	19%
Year	Number of DV Exceedance Days	Number of SRA (non-DV) Exceedance Days	SRA Only Percentage														
2017	19	6	24%														
2018	24	6	20%														
2019	17	4	19%														

Proposed Rule Reference	Proposed Amendment
	<p>(B) <u>meet any quantitative milestone in an attainment plan approved in accordance with § 51.1013;</u></p> <p>(C) <u>submit a quantitative milestone report required under § 51.1013(b); or,</u></p> <p>(D) <u>attain the applicable PM2.5 NAAQS by the applicable attainment date,</u> <u>the contingency measure(s) specified in paragraph (f)(2) shall be implemented, sequentially and in the order of stringency.</u></p> <p>(2) <u>A Basin-wide, mandatory wood-burning curtailment during the wood-burning season if the daily PM2.5 air quality forecast for any SRA exceeds:</u></p> <p>(A) <u>29 µg/m³, upon a final determination of a failure to comply with any of the provisions of paragraph (f)(1);</u></p> <p>(B) <u>28 µg/m³, upon a final determination of a failure to comply with any two of the provisions in paragraph (f)(1);</u></p> <p>(C) <u>27 µg/m³, upon a final determination of a failure to comply with any three of the provisions in paragraph (f)(1); and</u></p> <p>(D) <u>26 µg/m³, upon a final determination of a failure to comply with any four of the provisions in paragraph (f)(1).</u></p>
<p>(g) - Exemptions</p>	<p>Clarification that the exemption reference remains unchanged due to the relabeling of subdivision (f) to (g) and that there are no other changes in exemptions in relation to subdivision (f).</p> <p>Text: (7) The provisions of subdivisions (e) and (f) shall not apply under the following circumstances</p>
<p>Other</p>	<p>Other minor amendments include typographical corrections and clarifications (e.g., wood burning is corrected to wood_burning).</p>

EMISSION REDUCTION

Appendix A provides a detailed methodology for the estimated PM2.5 emission reductions from the proposed rule. The methodology is based on a statistical analysis of relevant historical daily PM2.5 concentrations in the Basin. Since Rule 445 prohibits the installation of wood-burning devices in new construction, and wood-burning devices already installed have significantly extended useful lifetimes, the baseline emissions from the 2016 AQMP are used to estimate the emission reductions for the proposed amended rule. The methodology evaluates the additional PM2.5 emission reductions associated with the Basin-wide curtailment as well as the increased number of No-Burn days as the curtailment threshold is lowered. Table 5 of Appendix A shows the additional emission reductions from the Basin-wide curtailment at 30 µg/m³ and for each proposed decrease in the curtailment threshold. The current rule only requires curtailment in the

specific SRA for which the daily PM_{2.5} air quality is forecast to exceed 30 µg/m³. Basin-wide curtailment is only required if the exceedance is forecast for an SRA containing a monitoring station that has recorded a violation of the federal 24-hour PM_{2.5} National Ambient Air Quality Standard for either of the two previous three-year design value periods²³. ~~However, in practice, No-Burn days are typically declared Basin-wide since it is challenging to announce No-Burn days for specific SRAs only.~~ Under the proposed amendments, the curtailment will be implemented Basin-wide when the daily PM_{2.5} air quality forecast for any SRA exceeds 30 µg/m³, ~~due to difficulties with SRA-specific outreach.~~ The emission reduction from the current rule provisions is estimated to be 139.7 TPY. The Basin-wide curtailment at the current threshold of 30 µg/m³ instead of SRA-specific curtailment in the proposed amendment will result in an additional 25.4 TPY. After triggering the first contingency measure the curtailment threshold will automatically decrease to 29 µg/m³ resulting in an estimated additional emission reduction of 46.3 TPY. While it is not anticipated that any additional contingency measures will be triggered, if that occurs, additional emission reductions are anticipated as the curtailment threshold is lowered as shown in Table 5 of Appendix A.

AFFECTED SOURCES

An estimated 1.4 million²⁴ wood-burning devices are subject to the provisions of Rule 445. The number of affected sources is not anticipated to change greatly since wood-burning devices have lengthy useful lifetimes and Rule 445 prohibits the installation of wood-burning devices in new developments. Rather it is anticipated that the proposed amendments will decrease the number of days that the devices can be operated resulting in emissions reductions.

No additional costs are expected to be incurred. Provisions of the proposed amended rule would extend the prohibition on use of wood-burning devices to additional days almost exclusively for ambiance use of these devices. Wood-burning devices that are the sole source of heat for a dwelling or structure are specifically exempted from the No-Burn mandate.

PUBLIC PROCESS

PAR 445 is being developed through a public process. A Public Workshop was held on February 27, 2020, with close of comments on March 13, 2020 and the proposal was presented at the Stationary Source Committee on March 20, 2020.

SOCIOECONOMIC ASSESSMENT

PAR 445 would affect commercial firewood sellers in the Basin and the general public. Commercial firewood sellers belong to the industry of fuel dealers (NAICS 454319). Based on a South Coast AQMD staff survey, there are about 86 commercial firewood sellers in the Basin, out of which 31 are located in Los Angeles County, 24 in Orange County, 16 in Riverside County, and

23 Design value is the three-year average of the annual 98th percentile of the 24-hour values of monitored ambient PM_{2.5} data.

24 James E. Houck and Brian N. Eagle, "Residential Wood Combustion Emission Inventory South Coast Air Basin and Coachella Valley Portion of Salton Sea Air Basin 2002 Base Year" Based on a 2002, www.omni-test.com, October 24, 2006, <http://www.omni-test.com/publications/SCAQMD-RWC4.pdf>.

the remaining 15 in San Bernardino County. Additionally, PAR 445 would affect the general public who use wood-burning fireplaces and other wood-burning devices.

The cost impacts of Basin-wide curtailment on firewood sellers are expected to be minimal because the additional number of No-Burn days due to this proposed amendment is expected to be small (about 12 days) during the wood-burning season. The majority of commercial firewood sellers are expected to be small facilities. A lack of data on number of employees and gross annual sales of the affected commercial firewood sellers precludes staff from determining their small business status. Cost impacts to the general public are also expected to be minimal as wood-burning in the South Coast AQMD is done mainly for aesthetic purposes and there are cost-effective alternatives to burning wood for heating.

CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA)

Pursuant to the California Environmental Quality Act (CEQA), the South Coast AQMD, as Lead Agency, has prepared a Notice of Exemption pursuant to CEQA Guidelines Section 15062 - Notice of Exemption for the proposed project. Proposed Amended Rule 445 has been reviewed pursuant to: 1) CEQA Guidelines Section 15002(k) – General Concepts, the three-step process for deciding which document to prepare for a project subject to CEQA; and 2) CEQA Guidelines Section 15061 – Review for Exemption, procedures for determining if a project is exempt from CEQA. Since Proposed Amended Rule 445 is comprised of administrative amendments that codify an existing South Coast AQMD practice and would not cause any physical changes that would adversely affect any environmental topic area, it can be seen with certainty that there is no possibility that the proposed project may have a significant adverse effect on the environment. Therefore, the proposed project is exempt from CEQA pursuant to CEQA Guidelines Section 15061(b)(3) – Common Sense Exemption. In addition, the proposed project is considered an action to protect or enhance the environment pursuant to CEQA Guidelines Section 15308 – Actions by Regulatory Agencies for Protection of the Environment. Further, there is no substantial evidence indicating that any of the exceptions to the categorical exemption apply to the proposed project pursuant to CEQA Guidelines Section 15300.2 – Exceptions. If the project is approved, the Notice of Exemption will be electronically filed with the county clerks of Los Angeles, Orange, Riverside, and San Bernardino counties State Clearinghouse to be posted on their CEQAnet Web Portal. Once the Notice of Exemption is posted, members of the public may access it via the following weblink: <https://ceqanet.opr.ca.gov/search/recent>. In addition, the Notice of Exemption will be electronically posted on the South Coast AQMD’s webpage which can be accessed via the following weblink: <http://www.aqmd.gov/nav/about/public-notice/ceqa-notice/notices-of-exemption/noe---year-2020>. The electronic filing and posting of the Notice of Exemption is being implemented in accordance with Governor Newsom’s Executive Order N-54-20 issued on April 22, 2020 for the State of Emergency in California as a result of the threat of COVID-19.

CONCLUSION

PAR 445 amendments are necessary to promulgate contingency measures required to take effect without further action upon a final determination by U.S. EPA that the Basin has failed to attain standards or comply with any of the milestones by the applicable due dates as set forth in 40 CFR § 51.1014. Specifically, it is anticipated that U.S. EPA likely will determine that the 2006 24-hour PM_{2.5} NAAQS (35 µg/m³) was not attained by the December 31, 2019 attainment deadline. The

proposed amendments accomplish this mandate by incrementally lowering the wood-burning curtailment threshold for each determination and also expand the applicability of the curtailment Basin-wide in all cases of a forecast exceedance. The proposed amendments would become effective, after adoption by the Governing Board, without any further action, and are anticipated to result in additional No-Burn days during the wood-burning season. PM_{2.5} emissions reductions beyond those achieved based on the current rule are estimated at 46.3 TPY after triggering the first contingency by lowering the No-Burn day threshold to 29 µg/m³. The proposed amendments are anticipated to have negligible cost impacts and no significant adverse environmental impacts.

DRAFT FINDINGS UNDER CALIFORNIA HEALTH AND SAFETY CODE SECTION 40727

Requirements to Make Findings

California Health and Safety Code Section 40727 requires that prior to adopting, amending or repealing a rule or regulation, the South Coast AQMD Governing Board shall make findings of necessity, authority, clarity, consistency, non-duplication, and reference based on relevant information presented at the public hearing and in the staff report.

Necessity

Proposed Amended Rule 445 is needed to promulgate contingency measures required to be put into effect should the South Coast Air Basin fail to attain the NAAQS for PM_{2.5}, as required by Title 40 of the Code of Federal Regulations (CFR) Section 51.1014.

Authority

The South Coast AQMD Governing Board has authority to adopt Proposed Amended Rule 445 pursuant to the California Health and Safety Code Sections 39002, 40000, 40001, 40440, 40702, 40725 through 40728, and 41508 and 40 CFR Section 51.1014.

Clarity

Proposed Amended Rule 445 is written or displayed so that its meaning can be easily understood by the persons directly affected by it. The addition of definitions will improve the clarity.

Consistency

Proposed Amended Rule 445 is in harmony with and not in conflict with or contradictory to, existing statutes, court decisions, or state or federal regulations.

Non-Duplication

Proposed Amended Rule 445 will not impose the same requirements as any existing state or federal regulations. The proposed amended rule is necessary and proper to execute the powers and duties granted to, and imposed upon, the South Coast AQMD.

Reference

By adopting Proposed Amended Rule 445 the South Coast AQMD Governing Board will be implementing, interpreting or making specific the provisions of the Title 40 CFR Section 51.1014.

COMPARATIVE ANALYSIS

Under California Health and Safety Code Section 40727.2, the South Coast AQMD is required to perform a comparative written analysis when adopting, amending, or repealing a rule or regulation.

The comparative analysis is relative to existing federal requirements, existing or proposed South Coast AQMD rules and air pollution control requirements and guidelines which are applicable to wood-burning devices. The proposed amendments to Rule 445 would not conflict with existing federal requirements for wood-burning devices in U.S. EPA’s New Source Performance Standards (NSPS). Existing Rule 444 regulates only open burning, and does not conflict with or have any overlapping requirements with the proposed amendments to Rule 445. See Table 7 for the comparative analysis by rule element with the NSPS.

Table 7 – PAR 445 Comparative Analysis

Rule Element	PAR 445	U.S. EPA NSPS 40 CFR pt. 60, Sub. AAA
Purpose	To reduce the emission of particulate matter from wood-burning devices.	To establish the best system of emission reduction for new residential wood heaters.
Applicability	Manufacturers, sellers, installers of wood-burning devices; commercial firewood sellers; owners or operators of wood-burning devices.	Manufacturers, sellers, testers, owners, installers and operators of wood heaters.
New Installations of wood-burning devices	Prohibits permanent installation of wood-burning devices into any new development.	None
Wood-burning devices offered for Sale / Manufactured / Installed	Prohibits sale, offer, supply, or offer to install indoor or outdoor wood-burning device unless: (A) A U.S. EPA Certified wood-burning heater; or (B) A pellet-fueled wood-burning heater; or (C) A masonry heater; or (D) A dedicated gaseous-fueled fireplace.	Establishes manufacturer certification; requires certified manufacture in some instances.
Prohibited Fuel	Prohibits burning any product not intended for use as fuel in a wood-burning device including, but not limited to: • garbage • treated wood	Prohibits burning in an affected wood heater: (1) Residential or commercial garbage; (2) Lawn clippings or yard waste;

Rule Element	PAR 445	U.S. EPA NSPS 40 CFR pt. 60, Sub. AAA
	<ul style="list-style-type: none"> • particle board • plastic products • rubber products • waste petroleum products • paints coatings or solvents • coal 	<p>(3) Materials containing rubber, including tires;</p> <p>(4) Materials containing plastic;</p> <p>(5) Waste petroleum products, paints or paint thinners, or asphalt products;</p> <p>(6) Materials containing asbestos;</p> <p>(7) Construction or demolition debris;</p> <p>(8) Paper products, cardboard, plywood, or particleboard. The prohibition against burning these materials does not prohibit the use of fire starters made from paper, cardboard, sawdust, wax and similar substances for the purpose of starting a fire in an affected wood heater;</p> <p>(9) Railroad ties, pressure-treated wood or pallets;</p> <p>(10) Manure or animal remains;</p> <p>(11) Salt water driftwood or other previously salt water saturated materials;</p> <p>(12) Unseasoned wood;</p> <p>(13) Any materials that are not included in the warranty and owner's manual for the subject wood heater; or</p>

Rule Element	PAR 445	U.S. EPA NSPS 40 CFR pt. 60, Sub. AAA
		(14) Any materials that were not included in the certification tests for the subject wood heater.
Averaging Provisions	None	None
Operating Parameters	Wood-burning devices may not be used when <u>a</u> No-Burn Day is declared.	The user of an affected residential wood heater must operate in a manner consistent with the owner’s manual. The owner’s manual must clearly specify that operation in a manner inconsistent with the owner’s manual would avoid the warranty.
Monitoring, Reporting, Recording keeping	None	None

REFERENCES

South Coast AQMD, 2008. Staff Report: Proposed Rule 445 – Wood Burning Devices. South Coast Air Quality Management District, March 2008.

South Coast AQMD, 2013. Staff Report: Proposed Amended Rule 445 – Wood Burning Devices. South Coast Air Quality Management District, May 2013.

South Coast AQMD, 2017. Final 2016 Air Quality Management Plan. South Coast Air Quality Management District, March 2017.

Board Letter Proposed Amendments to Rule 4901– Wood Burning Fireplaces and Wood Burning Heaters. San Joaquin Valley Air Pollution Control District, June 2019.

Staff Report Regulation 6; Particulate Matter and Visible Emissions, Rule 3: Wood Burning Devices. Bay Area Air Quality Management District, September 2015.

APPENDIX A - EMISSION REDUCTIONS EXPECTED FROM THE RULE 445 AMENDMENT

1. Baseline Emissions

Annual average PM_{2.5} emissions developed for the 2016 AQMP were utilized to estimate reductions expected from the proposed amended Rule 445. Two emission categories subject to the rule are Residential Wood combustion for Wood Stoves and Fireplaces. The total PM_{2.5} emissions from the two categories are 4.944 tons per day in 2017 in annual average emissions. The rule baseline emissions do not change in future years due to full implementation of the current rule in year 2015.

The rule baseline emissions were allocated to each Source Receptor Area (SRA), using a spatial allocation factor which is developed based on the U.S. Census American Community Survey (ACS) data regarding fuel type used to heat households. ACS is conducted every year to update a portion of the population. Excluding mountainous areas with altitude higher than 3000 ft, the basin-wide total emissions subject to the rule is 4.416 TPD in annual average emissions.

Wood-burning season daily emissions were estimated using the methodology included in the South Coast AQMD staff report¹. 69% of PM_{2.5} emissions is estimated to occur during wood-burning season months (November through February) according to CARB's temporal allocation factors². In addition, a 75 percent compliance rate was assumed as indicated in the staff report. Table 1 below provides a step-by-step calculation of an average winter day emission.

Table 1. Estimate of 2017 Winter Day Emissions for Wood-Burning Devices

2017 Annual Average Day (tons per day)	Emissions below 3000 ft altitude (tons per day)	Days per year	Annual Total Emissions (tons)	Percent of Emissions Occurring During Wood-Burning Season Months (%)	Wood-Burning Season Emissions (tons)	Number of Days in the Wood-Burning Season (Nov to Feb)	Wood-Burning Season Daily Emissions (tons per wood Wood-burning Season day)
4.944	4.416	365	1611.84	69	1112.17	120	9.268

¹ South Coast AQMD Governing Board Agenda No. 37, March 7, 2008, Staff Report.

² CARB Methodology Updates: Residential Wood Combustion, 2015. Available at https://ww3.arb.ca.gov/ei/areasrc/fullpdf/full17-1_2011.pdf.

2. Emission Reductions from the Existing Rule

Rule 445, amended in March 2013, has two mechanisms to mandate residential wood-burning curtailment. One is a curtailment for a specific SRA where the SRA is forecast to have PM_{2.5} concentrations higher than 30 µg/m³. The other is a Basin-wide curtailment when an SRA which is forecasted to exceed 30 µg/m³ of PM_{2.5} has recorded a violation of the federal 24-hour PM_{2.5} National Ambient Air Quality Standard (NAAQS) of 35 µg/m³ for either of the two previous three-year design value periods. The design value (DV) is the three-year average of the annual 98th percentile of the 24-hour values of monitored ambient PM_{2.5} data. Federal Reference Method (FRM) data were used to determine DVs. During the two 3-year periods (2015-2017 and 2016-2018), three monitoring stations showed DVs exceeding 35 µg/m³, the 2006 24-hour PM_{2.5} NAAQS. They are Compton, Mira Loma, and Freeway 60 near-road sites, located in SRA 12, 23 and 33, respectively.

Under the March 2013 amendment, if any of the three sites were forecasted to have a daily PM_{2.5} average higher than 30 µg/m³, a Basin-wide curtailment would be triggered. Continuous PM_{2.5} measurements taken by Beta Attenuation Method (BAM) indicate that there are 79 days in which any of the three stations had high PM readings exceeding the threshold. Note that the District's daily air quality forecast, which wood-burning curtailment is based on, utilizes BAM, not FRM. 79 occurrences in four years is equal to 19.75 day per year on average. The emission reductions from the 19.75-day Basin-wide curtailment are 137 tons per year (0.376 tons per day), using the wood-burning season-day average emission and 75% of compliance assumption.

Table 2. Reductions from Basin-wide curtailment

Wood-Burning Season Daily Emissions (Tons per Wood-Burning Season Day)	Number of Curtailment Days	Compliance Rate (%)	Total Reductions from the curtailment (Tons per Year)
9.268	19.75	75	137.3

While high PM_{2.5} levels were mostly recorded at the three monitors, 29 occurrences of an SRA specific exceedance were identified during the four-year period. This does not include the three SRAs that triggered the 79 days of Basin-wide curtailment. This SRA count is a cumulative accounting of all SRAs, except the three SRAs, including multiple SRAs on a single day.

Reductions from an SRA specific curtailment were estimated with SRA-specific emissions multiplied by the number of high PM days occurring at the specific SRA and 75% compliance rate. High PM day means that BAM reading of PM_{2.5} concentration is higher than 30 µg/m³. For example, SRA4, South Coast LA, recorded 12 high PM days during the four-year period. PM_{2.5} emissions of 0.459 TPD allocated for SRA4 was multiplied by 3 days and 75% compliance to calculate reductions per year. Repeating the calculation for the 29 high PM occurrences, reductions

due to an SRA specific curtailment is estimated to be 2.396 TPY in annual average emissions. Table 3 lists SRAs that recorded high PM days and its associated PM_{2.5} emissions.

Combining the basin-wide and SRA specific curtailments, total reductions from the existing rule are 139.7 TPY (0.376 TPD) in annual average emissions.

Table 3. Reductions Associated with Curtailment at an Individual SRA

	High PM Days per year (4-year Average)	Emissions below 3000ft Altitude per SRA (Tons per Year)	Wood- Burning Season Daily Emission per SRA (Tons per Day)	Reduction due to curtailment (Tons per Year)
SRA1	0.50	87.546	0.503	0.189
SRA2	0.25	76.252	0.438	0.082
SRA3	0.50	110.405	0.635	0.238
SRA4	3.00	79.863	0.459	1.033
SRA6	0.75	85.430	0.491	0.276
SRA7	0.50	78.287	0.450	0.169
SRA8	0.25	37.784	0.217	0.041
SRA13	0.25	22.508	0.129	0.024
SRA15	0.25	19.049	0.110	0.021
SRA16	0.25	29.930	0.172	0.032
SRA17	0.50	134.823	0.775	0.291
SRA29	0.00	12.934	0.074	0.000
Total	7.25	-	-	2.396

3. Emission Reductions from the Proposed Amendment

The proposed amendments include five measures designed to reduce emissions and to comply with the contingency measure requirements listed in 40 CFR § 51.1014(a). The following sections provides emission reductions associated with each of the measures.

According to subparagraph (f)(2)(A) of the proposed amendment, an SRA-specific curtailment is suggested to expand to the entire Basin. BAM data taken in the last four-year period indicates 95 days that any SRA in the Basin exceeded the 30 µg/m³ threshold. This would be 23.75 days of Basin-wide curtailment days per year, bringing approximately 165.1 TPY reductions, with 25.4 TPY net additional reduction from the existing rule.

Net additional emission reductions associated with subsequent lower thresholds are expected to be 20.9, 20.9, 13.9, and 19.1 TPY for the curtailment thresholds of 29, 28, 27, and 26 $\mu\text{g}/\text{m}^3$ respectively. These estimates are based on the number of high PM days exceeding the thresholds in the four-year analysis period. Emission reductions from the curtailment were calculated with the average-wood-burning season daily emissions provided in Table 2 and 75% compliance assumption. The number of high PM days occurred during the four-year period are provided in Table 4. Net emission reductions expected from the proposed rule amendment are summarized in Table 5.


Table 4. Number of days exceeding proposed curtailment thresholds

Year	30 $\mu\text{g}/\text{m}^3$	29 $\mu\text{g}/\text{m}^3$	28 $\mu\text{g}/\text{m}^3$	27 $\mu\text{g}/\text{m}^3$	26 $\mu\text{g}/\text{m}^3$
2016	23	27	29	33	37
2017	24	26	30	31	33
2018	27	33	34	36	38
2019	21	21	26	27	30
Average	23.75	26.75	29.75	31.75	34.5

Table 5. PM_{2.5} emission reductions expected due to the proposed rule amendment (tons per year)

Category	Total Reduction	Additional Reductions beyond Current Rule	Incremental Reductions
Existing Rule	139.7		
Proposed amendment - Basin-wide expansion of 30 $\mu\text{g}/\text{m}^3$ threshold	165.1	25.4	25.4
Proposed amendment - Lowering Threshold to 29 $\mu\text{g}/\text{m}^3$	186.0	46.3	20.9
Proposed amendment - Lowering Threshold to 28 $\mu\text{g}/\text{m}^3$	206.8	67.1	20.9
Proposed amendment - Lowering Threshold to 27 $\mu\text{g}/\text{m}^3$	220.7	81.0	13.9
Proposed amendment - Lowering Threshold to 26 $\mu\text{g}/\text{m}^3$	239.8	100.1	19.1

APPENDIX B – SOURCE RECEPTOR AREAS (SRAS) IN THE SOUTH COAST AIR BASIN



Source Receptor Area (SRA) Map Index

	Coastal			San Bernardino Valley	
	Northwest Los Angeles County Coastal	2		Northwest San Bernardino Valley	32
	Southwest Los Angeles County Coastal	3		Southwest San Bernardino Valley	33
	South Los Angeles County Coastal	4		Central San Bernardino Valley	34
	North Orange County Coastal	18		East San Bernardino Valley	35
	Central Orange County Coastal	20			
	Metropolitan			Hemet/Elsinore Area	
	Central Los Angeles County	1		Perris Valley	24
	Southeast Los Angeles County	5		Lake Elsinore	25
	South Central Los Angeles County	12		Hemet-San Jacinto Valley	28
	Northern Orange County	16		Temecula/Anza Area	
	San Fernando Valley			Temecula Valley	26
	West San Fernando Valley	6		Anza Area	27
	East San Fernando Valley	7		San Gabriel Mountain	
	Santa Clarita Valley	13		San Gabriel Mountains	15
	San Gabriel Valley			San Bernardino Mountain	
	West San Gabriel Valley	8		West San Bernardino Mountains	36
	East San Gabriel Valley	9		Central San Bernardino Mountains	37
	Pomona-Walnut Valley	10		Big Bear Lake	
	South San Gabriel Valley	11		Big Bear Lake	38
	Inland Orange County			Banning Pass Area	
	Central Orange County	17		Banning Pass Area	29
	Saddleback Valley	19			
	Capistrano Valley	21			
	Riverside Valley				
	Corona-Norco Area	22			
	Metropolitan Riverside	23			

APPENDIX C

COMMENTS AND RESPONSE TO COMMENTS

Comment Email #1

Christine Vineyard
Vineyard.Christine@epa.gov

March 13, 2020

Dear Henry:

Thank you for another opportunity to comment on draft Rule 445, Wood-Burning Devices. We appreciate you incorporating many of our comments on the previous draft rule such as a definition for source-receptor area and updating the reference to the current New Source Performance Standard (NSPS). However, we still have the following concerns/comments on draft Rule 445, dated March 6, 2020, for your consideration:

- We recommend considering adding a provision for removal of fireplaces during remodel. See, e.g. SJVAPCD Rule 4901, section 5.3. 1-1
- We recommend considering extending the ~~wood~~ wood-burning season beyond November-February. For example, BAAQMD recently revised its wood-burning rule to provide for curtailments year round. SCAQMD notes that 70% of smoke is emitted on colder days but that indicates that there are emissions in warmer months. Even if wood-burning doesn't cause an exceedance by itself, decreasing the contribution from woodstoves during these months could reduce concentrations. 1-3
- We recommend considering removing the exemption for devices above 3000 feet and/or specifying that only wood-burning heaters (not fireplaces) are allowed under the exemption. SCAQMD notes that there have been no exceedances in areas located above 3000 feet and that measurable emissions reductions are achieved without including emissions from devices in these areas. If SCAQMD wishes to keep this exemption as written, we recommend providing an explanation of why emissions from devices at 3000+ feet are not expected to contribute to exceedances of either the 24-hour or annual NAAQS in other areas. 1-4
- We recommend considering lower curtailment thresholds. The San Joaquin Valley has basin-wide curtailments as low as 20 $\mu\text{g}/\text{m}^3$ for uncertified stoves. It is not clear why lowering the threshold could be cost prohibitive, as SCAQMD indicates. 1-5
- We recommend requiring removal or replacement of non-certified devices upon transfer or clarify and document why it would be "resource prohibitive" and therefore not feasible. See SJVACPD Rule 4901 section 5.2. 1-6

- We recommend considering requiring exempt households to have EPA-certified devices. See, e.g. BAAQMD Rule 6-3-110.] 1-7

If you have any questions, please do not hesitate to contact Christine Vineyard (415) 947-4125, or Doris Lo, Manager, Rules Office (415) 972-3959.

Response to Comment 1-1

Thank you for taking the time to review the proposed draft materials and for providing feedback.

Response to Comment 1-2

Regarding the remodeling provision in SJVAPCD Rule 4901 the staff report associated with the June 20, 2019 rulemaking states that installation of a U.S. EPA certified, gas-fueled, or electric device is required during a remodel of a fireplace or chimney that exceeds \$15,000 and also requires a building permit where the application for the permit is submitted after January 1, 2020. SJVAPCD Rule 4901 defines a remodel as a physical modification to a fireplace or chimney that impacts the physical structure of the fireplace or chimney, however aesthetic modifications that do not affect the physical structure of the fireplace are not considered a remodel, i.e. installing decorative stone/tile in front of fireplace. BAAQMDs Regulation 6 Rule 3 has a similar provision and the staff report associated with the ~~November 20, 2019~~ October 21, 2015 rulemaking states that “Enforcement of this provision would be by the local city or county where the building permit is received”. There are over 160 incorporated cities in the jurisdiction of the South Coast AQMD with approximately 17 million inhabitants. As discussed in Table 4, staff does not have the necessary resources required for co-ordinating a residential level program that mandates replacement of residential fireplaces, even with a project cost minimum. Rule 445 already prohibits new fireplaces from being built or installed in new developments. The rule also already prohibits sale, supply, offer, or installation of a wood-burning device other than those specified. Rule 445, is more stringent in that it does not allow remodeling of existing wood-burning fireplaces. Fireplaces may be repaired where there is a health or safety concern. Replacement of existing units is limited to one of four approved wood-burning device types. Additionally, South Coast AQMD has incentivized the conversion of more than 10,000 fireplaces to gaseous fueled, where practicable, and continues to do so by providing up to \$1,600 per unit in areas that typically see the highest concentrations of ambient PM2.5, to encourage voluntary conversion of existing wood-burning fireplaces. The program is currently being implemented with success and staff is exploring ways to expand eligibility criteria to encourage further voluntary participation.

Response to Comment 1-3

Expanding on the discussion in Table 4, there are a minimal number of exceedences during the non-wood-burning season months, the typical exception being July 4th. In addition, the exceedences outside the wood-burning season months are unlikely to affect the 24-hour design values. The past three Basin maximum 24-hour design values were not affected by the few exceedences occurring outside the wood-burning season. Note that events (e.g., wildfires or July 4) that would reasonably be considered exceptional events were removed from this analysis. Climate in the Basin is typically more moderate than in the Bay Area and during the non-wood-burning season months, wood-burning devices are used mainly for ambience purposes. For example, based on NOAA data during the four month wood-burning season from November 2019 through February 2020 average

ambient temperatures in the Los Angeles Downtown Area were 64.9, 59.4, 60.9 and 62.6 degrees fahrenheit, respectively. In contrast, at San Francisco International Airport (BAAQMD) for the same time period temperatures were 56.4, 53.5, 52.1 and 55.3 degrees fahrenheit, respectively. Similarly, for the same time period temperatures in the Fresno area (SJVUAPCD) were 57.9, 51.0, 49.0 and 55.0 degrees fahrenheit, respectively. In both cases, significantly lower average temperatures than typically experienced in the South Coast Air Basin.

Furthermore, staff believes that extending the wood-burning season may inadvertently increase PM_{2.5} emissions. Governor Newsom's 2019 Executive Order N-16-19 is designed to reduce fuel loads through prescribed burns in a controlled manner. Prescribed burns are allowed on days where no exceedances are forecast under Rule 444 - Open Burning. Residential No-Burn days also trigger a prohibition on prescribed burns under 3,000 feet above mean sea level. An increase in the number of residential No-Burn days may create an undue burden on fire agencies and reduce the number of days suitable for prescribed burns, especially in the winter and early-spring months when prescribed burning is more common and atmospheric conditions are advantageous. A reduction in the prescribed burn acreage increases the potential of larger wildfires on No-Burn days due to higher fuel loads. This could lead to more exposure to PM_{2.5} during the No-Burn season and throughout the year. The mitigation of wildfires is not only critical to prevent excessive air pollution but also to prevent major economic loss and loss of life as evidenced by the 2019 Sandalwood wildfire in the area of Calimesa in Riverside county with an estimated 74 structures destroyed, 16 structures damaged, and 2 civilian fatalities. Staff also believes based on extensive experience with outreach that, a year round wood-burning season could result in a less effective program by de-sensitizing the public to such announcements.

Response to Comment 1-4

The only areas 3,000 ft or higher above mean sea level with large populations in the Basin are Idyllwild, Lake Arrowhead, and Big Bear. The only Federal Reference Method PM_{2.5} monitor located at 3,000 feet or higher above mean sea level in the South Coast Air Basin is in Big Bear. This monitor is well below the 24-hour PM_{2.5} standards. On days when meteorology is favorable for high PM_{2.5} concentrations, these areas are all downwind of monitors that do not attain the 24-hour or annual standards. Therefore, these areas are not expected to contribute to exceedances of the 24-hour or annual standards.

Response to Comment 1-5

Appendix VI-A: RACM/BACM Demonstration of the 2016 AQMP provides an analysis of why lowering the contingency threshold to 20 $\mu\text{g}/\text{m}^3$ is more stringent than comparable existing programs in other jurisdictions. The SJVAPCD provision in Rule 4901 for episodic curtailment thresholds implements a two-tiered curtailment program. During a Level One Curtailment, which is triggered when PM_{2.5} concentrations are forecast to be between 20 and 65 $\mu\text{g}/\text{m}^3$, operation of a wood-burning fireplace or an unregistered wood-burning heater is prohibited while properly operated wood-burning heaters that meet certification requirements (U.S. EPA Phase II-certified or equivalent) and have a current registration with SJVAPCD may be used. Only during a Level Two Curtailment, which is triggered when the 24-hour average PM_{2.5} concentration is forecast to be above 65 $\mu\text{g}/\text{m}^3$ or PM₁₀ > 135 $\mu\text{g}/\text{m}^3$, is operation of any wood-burning device prohibited. In contrast, South Coast AQMD Rule 445 wood-burning curtailment is mandatory whenever ambient PM_{2.5} concentrations are forecast to exceed 30 $\mu\text{g}/\text{m}^3$. PAR 445 would also extend the No-Burn

ban to Basin-wide in all cases while the SJVUAPCD No-Burn thresholds are county based. The SCAQMD curtailment threshold applies to all solid fuel devices, including wood-based residential cooking devices regardless of certification. In 2016, 2017, 2018, and 20182019 PM2.5 24-hour average values in the Basin ~~did not exceed~~ 65 $\mu\text{g}/\text{m}^3$, on average less than two days during the wood-burning season and hence, ~~no~~ an insignificant number of Level Two Curtailments would have been called if SJVAPCD's two-tiered program had been implemented in the Basin, leading to an increase in ambient PM2.5 emissions. A two-tiered system as adopted in the SJVAPCD would also likely be unenforceable, since it would require staff to identify and monitor the use of a disparate population of devices. South Coast AQMDs current approach is more stringent and readily enforceable in that no wood-burning device may operate based on a single forecast threshold of 30 $\mu\text{g}/\text{m}^3$.

Response to Comment 1-6

The staff report associated with the SJVAPCD Rule 4901 June 20, 2019 rulemaking addressing compliance upon property sale or transfer states that “during the sale or transfer of all residential properties, the seller submit verification of compliance to the buyer and the District that wood-burning heaters on the property are compliant or exempt at the time of heater purchase/install or such devices have been rendered permanently inoperable.” As such this provision would only apply to wood-burning heaters and those that were not compliant at the time of purchase/install. Also as stated in Response 1-2, staff would not have the resources for the magnitude of a residential level program designed to ensure compliance with such a mandate, in the Basin. In addition, staff has faced strong resistance from trade and building association groups as well as realtor associations, to implementation of such a program, including the high cost of mandating and enforcing such a program. We also do not believe that such a provision is warranted given the clear downward trend in Basin-wide ambient PM2.5 concentrations and our estimates that the proposed amendments are sufficient to attain the standard.

Response to Comment 1-7

Households currently exempt from Rule 445 requirements include the following: where there is no existing infrastructure for natural gas service within 150 feet of the property line; locations 3,000 feet or more above mean sea level; requiring all wood-burning devices be U.S. EPA certified or equivalent when selling or transferring an existing development including Historical sites; low-income households; and sole source of heat. The exemption for wood-based fuel intended for the cooking, smoking, or flavoring of food is solely for the No-Burn advisory labeling. Ceremonial fires are regulated pursuant to the provisions of Rule 444 – Open Burning.

As discussed in Table 4, certified wood-burning heaters can range in price anywhere from \$2,000 to \$8,000 per unit and require professional installation. This would be a significant financial hardship for low income households and also those not within 150 feet of natural gas service or where the unit is the sole source of heat (which are generally located in more rural and economically disadvantaged areas in the Basin). Natural gas service is generally available in the more densely populated regions of the Basin, so that with the number of units required to switch over this will likely not be a cost-effective requirement or a significant source of emissions reductions as detailed in Table 4. Also as stated in Table 4, staff is exploring ways to expand the existing Fireplace and Wood Stove Change Out incentive program to include additional zip codes. The program currently provides qualified applicants between \$200 to \$1,600 towards the purchase

and installation of an approved wood-burning or gaseous-fueled device that replaces an existing fireplace. Similarly, the number of historical sites is likely not a significant emissions source. Units at these sites are subject to No-Burn day requirements. There may also be regulatory impediments to non-conforming structural modifications at such sites, including replacement of wood-burning devices. As discussed in Response 1-4 wood-burning devices located 3,000 feet or higher above mean sea level are not a significant source for attainment of the PM2.5 standards in the Basin. Response 1-2 details why a sale or transfer requirement for wood-burning devices would be unenforceable in the Basin.

Comment Email #2

Mary Giacoletti
mpowergiacoletti@gmail.com

March 11, 2020

Dear Mr. Pourzand,

I appreciate all efforts made by the AQMD staff in what must be a tremendous effort to keep us from polluting ourselves into oblivion.

I am particularly interested in the pollution generated by wood-burning, and feel, in that regard, that the AQMD could, and should, take a stronger stand.

2-1

In a new book on what he prefers to call Global Pollution, a Canadian writer points out the primary need to deal with wood-as-fuel in developing countries. More urgent than anything else, he states with a certain logical insistence.

Zero in on California, a state of wealth and privilege, and mostly good weather, and what do we see? Almost every real estate ad emphasizes, underlines, the luxury of wood-burning fireplaces. The more desirable homes have two or three and a wood-fired outdoor barbecue pit. New, upscale hotels are proposed and leading the parade of their amenities is the wood-fired oven, kept stoked 24-7 by the equally upscale chef.

2-2

Have we become as deprived, in our own ignorance, as poverty-stricken Nigerians who have nothing else than the primitive fire by which to cook?

There are few things more polluting than wood smoke. Two things, actually. Green waste smoke and dung-burning smoke. Coal is a bit cleaner.

2-3

The proposed amendments are too weak. Too weak for health. Too weak for common sense. I realize that there is an ardent wood-burning population out there and that you fear stepping on the toes of liberty. The first liberty, however, is to breathe.

2-4

On behalf of all those who want to breathe, whether they know it or not, I suggest the following:

1. Upon the sale of any property that uses a wood-burning device, replace device(s) with an equivalent natural gas device.
2. Have no exemptions, such as low-income, 3000 feet, ceremonial, no natural gas (there is electric, solar). Everyone should have equal responsibility for keeping the air clean.

2-5

2-6

- | | | |
|--|---|------|
| 3. Follow the saner standards of the Bay Area with a year-round wood-burning curtailing, and that of the San Joaquin Valley with a No-Burn threshold level of 20 micro-grams per cubic meter, not the proposed 29. |] | 2-7 |
| 4. Educate the children, so that eventually we will have no gratuitous burning. |] | 2-8 |
| 5. Discard the cowardly word "ambience," behind which hides a ton of harm. (Actually 4.944 tons a day.) |] | 2-9 |
| 6. Seasoned, treated, oil-coated, pine cones, garbage: How can anyone know for sure who is burning what? |] | 2-10 |
| 7. The amount of smoke to which Californians are being exposed should simply not be allowed. |] | 2-11 |
| Thank you for allowing me to comment. |] | 2-11 |

Mary Giacoletti 9349 Jasper Way, San Simeon, CA 93452
 (805) 215-0003 mpowergiacoletti@gmail.com

Response to Comment 2-1

Thank you for your recognition regarding our efforts to reduce ambient PM2.5 concentrations. The proposed amendments are designed to achieve further emission reductions as we work toward attainment with the 2006 hourly and 2012 annual health based National Ambient Air Quality Standards (NAAQS) in the South Coast Air Basin. Regarding wood-as-fuel in developing countries our rulemaking is limited to the jurisdiction of the South Coast AQMD.

Response to Comment 2-2

In regards to new developments within the South Coast Air Basin, Rule 445 generally prohibits the installation of residential indoor and outdoor wood-burning devices in new developments below 3,000 feet above mean sea level. For those communities above 3,000 feet, Rule 445 also limits the sale and installation of wood-burning devices to U.S. EPA Certified wood-burning heaters, pellet-fueled wood-burning heaters, masonry heaters, or dedicated gaseous-fueled fireplaces which are cleaner or as clean burning as the existing device. These sale and installation provisions limit the proliferation of non-compliant wood-burning devices at all developments in the District, including existing developments.

Response to Comment 2-3

In order to avoid excess smoke/visible emissions Rule 445(d)(3) specifically prohibits the burning of any product not intended for use as a fuel and that is not seasoned wood.

Response to Comment 2-4

Numerous studies have been conducted on the link between exposure to ambient particulates and health risks. The PM2.5 NAAQS adopted by U.S. EPA are health protective based, and both the short-term exposure (24-hour average) and long-term exposure (annual average) PM2.5 standards have been revised downwards as the health science has evolved. Prior to the adoption of any rules or regulations the South Coast AQMD conducts extensive public outreach including public

noticing of meetings, working group and stake holder meetings, public workshops and consultation meetings, and committee meetings during which testimony is received from all stakeholders and interested parties. The South Coast AQMD Governing Board then takes appropriate action on the rule or regulation at a publicly held hearing on the matter. Adopted rules and regulations represent the most reasonable and cost-effective ways for achieving emissions reductions and compliance goals. Specifically with respect to PAR 445, these amendments will help South Coast AQMD to reduce PM emissions to a level that is at or below the national air quality standard, a standard which is set to be health-protective.

Response to Comment 2-5

See response to comment 1-2.

Response to Comment 2-6

See response to comment 1-4 regarding exemption of wood-burning devices located at 3,000 feet or higher above mean sea level. A total solar (off-the-grid) solution is likely not technically feasible for all households. An exemption is provided for low income households to avoid financial hardship. Ceremonial fires are covered under the provisions of Rule 444 – Open Burning.

Response to Comment 2-7

See responses to comments 1-3 and 1-5.

Response to Comment 2-8

As detailed in the staff report PM emission inventories have declined significantly within the last two decades. In addition, South Coast AQMD conducts extensive education and outreach. The Why Healthy Air Matters (WHAM) Program is South Coast AQMD's high school air quality education program. The WHAM Program utilizes Kids Making Sense®, a Science, Technology, Engineering and Math (STEM) based educational curriculum that teaches students about air quality issues. Also as discussed in the Executive Summary, staff conducts extensive outreach to ensure that the public and other stakeholders are aware of wood-burning curtailment requirements. In addition to the South Coast AQMD Check Before You Burn web page with program information including links and videos and the Check Before You Burn map, information regarding No-Burn days is disseminated through e-mail notifications and South Coast AQMD social media. There is also a Check-Before-You-Burn program toll-free informational phone number at 1-866-066-3293. For more information refer to the South Coast AQMD web address at: <http://www.aqmd.gov/home/programs/community/community-detail?title=check-before-you-burn>.

Response to Comment 2-9

Instances of unlawful burning, in the Basin, of products not intended to be used as a fuel should be reported to the South Coast AQMD. Complaints should be called in to 1-800-CUT-SMOG.

Response to Comment 2-10

Staff agrees and has endeavored to craft rules and regulations, including PAR 445 with provisions that significantly mitigate particulate matter and smoke emissions.

Response to Comment 2-11

Thank you for participating in the public process.

Comment Email #3

Mary Giacoletti
mpowergiacoletti@gmail.com

March 13, 2020

I should be clear it's not just fossil fuels. Burning anything, so it could be indoor pollution from cook stoves. It could be burning agricultural waste. It could be burning wood. It could be wildfire. Air pollution is strongly associated with people's risk of getting pneumonia and getting sicker when they do get pneumonia. We don't really have much in the way of evidence to show that connection with the COVID epidemics.

3-1

Given what we know now, it would be very surprising to find that air pollution didn't affect the risk of people either getting the disease or getting sicker when they do get the disease.

3-2

Why is that?

We **have lots of research that shows** that air pollution, particularly particulate matter air pollution, increases the risk of people getting sick with bacterial and viral pathogens that cause pneumonia, and that people who are exposed to more air pollution get sicker when they get exposed to those kinds of pathogens.

3-3

Sent from my iPhone

Response to Comment 3-1

South Coast AQMD has numerous rules and regulations for the control of air emissions from a variety of sources including agricultural, commercial cooking and other sources of air contaminants. See <http://www.aqmd.gov/home/rules-compliance/rules> for specific information. Health studies have shown a significant association between exposure to particle pollution and health risks, including premature death. The proposed amendments are designed to reduce PM2.5 air pollution and thereby decrease health impacts.

Response to Comment 3-2

As detailed in this report, the NAAQS for PM are based on numerous health studies, including those that evaluate PM2.5 impacts on infection risk, and how people with existing respiratory diseases may be more susceptible to the negative health effects of PM2.5. The objective of the proposed amendments is to further reduce ambient PM2.5 levels to help in attaining these health-based standards and improve public health outcomes.

Response to Comment 3-3

See response to comment 3-2-

ATTACHMENT G



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

SUBJECT: NOTICE OF EXEMPTION FROM THE CALIFORNIA ENVIRONMENTAL QUALITY ACT

PROJECT TITLE: PROPOSED AMENDED RULE 445 – WOOD-BURNING DEVICES

Pursuant to the California Environmental Quality Act (CEQA) Guidelines, the South Coast Air Quality Management District (South Coast AQMD), as Lead Agency, has prepared a Notice of Exemption pursuant to CEQA Guidelines Section 15062 – Notice of Exemption for the project identified above.

To satisfy United States Environmental Protection Agency (U.S. EPA) contingency measure requirements in accordance with the emission reduction strategy in the South Coast AQMD's 2016 Air Quality Management Plan Control Measure BCM-09 – Further Emission Reductions From Wood-Burning Fireplaces and Wood Stoves, amendments to Rule 445 are proposed that would: 1) automatically and incrementally lower the threshold limit for declaring a wood-burning curtailment (No-Burn day) for the entire South Coast Air Basin (Basin) for each subsequent final determination by the U.S. EPA of a failure to meet an applicable Clean Air Act milestone; and 2) reduce ambient emissions of particulate matter with an aerodynamic diameter of 2.5 microns or less (PM_{2.5}) by expanding the criteria for Basin-wide No-Burn days. Other minor proposed amendments include additional definitions of terms used in the rule, and revisions to improve rule implementation and clarify existing requirements.

The proposed project has been reviewed pursuant to: 1) CEQA Guidelines Section 15002(k) – General Concepts, the three-step process for deciding which document to prepare for a project subject to CEQA; and 2) CEQA Guidelines Section 15061 – Review for Exemption, procedures for determining if a project is exempt from CEQA. Since Proposed Amended Rule 445 is comprised of administrative amendments that codify an existing South Coast AQMD practice and would not cause any physical changes that would adversely affect any environmental topic area, it can be seen with certainty that there is no possibility that the proposed project may have a significant adverse effect on the environment. Therefore, the proposed project is exempt from CEQA pursuant to CEQA Guidelines Section 15061(b)(3) – Common Sense Exemption. In addition, the proposed project is considered an action to protect or enhance the environment pursuant to CEQA Guidelines Section 15308 – Actions by Regulatory Agencies for Protection of the Environment. Further, there is no substantial evidence indicating that any of the exceptions to the categorical exemption apply to the proposed project pursuant to CEQA Guidelines Section 15300.2 – Exceptions. If the project is approved, this Notice of Exemption will be electronically filed with the State Clearinghouse to be posted on their CEQAnet Web Portal. Once the Notice of Exemption is posted, members of the public may access it via the following weblink: <https://ceqanet.opr.ca.gov/search/recent>. In addition, this Notice of Exemption will be electronically posted on the South Coast AQMD's webpage which can be accessed via the following weblink: <http://www.aqmd.gov/nav/about/public-notices/ceqa-notices/notices-of-exemption/noe---year-2020>. The electronic filing and posting of the Notice of Exemption is being implemented in accordance with Governor Newsom's Executive Order N-54-20 issued on April 22, 2020 for the State of Emergency in California as a result of the threat of COVID-19.

Any questions regarding this Notice of Exemption should be directed to Ryan Bañuelos (c/o Planning, Rule Development and Area Sources) at the above address or at (909) 396-3479. Any questions regarding Proposed Amended Rule 445 should be directed to Henry Pourzand at (909) 396-2414.

Date: May 1, 2020

Signature: _____

A handwritten signature in black ink, appearing to read "Barbara Radlein", written over a horizontal line.

Barbara Radlein
Program Supervisor, CEQA
Planning, Rule Development, and Area Sources

**NOTICE OF EXEMPTION FROM THE
CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA)**

To: Governor's Office of Planning and Research -
State Clearinghouse
1400 Tenth St, Suite 222
Sacramento, CA 95814-5502

From: South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765

Project Title: Proposed Amended Rule 445 – Wood-Burning Devices

Project Location: The project location is the portion within the South Coast Air Quality Management District (South Coast AQMD) jurisdiction which includes the four-county South Coast Air Basin (all of Orange County and the non-desert portions of Los Angeles, Riverside and San Bernardino counties).

Description of Nature, Purpose, and Beneficiaries of Project: To satisfy United States Environmental Protection Agency (U.S. EPA) contingency measure requirements in accordance with the emission reduction strategy in the South Coast AQMD's 2016 Air Quality Management Plan Control Measure BCM-09 – Further Emission Reductions From Wood-Burning Fireplaces and Wood Stoves, amendments to Rule 445 are proposed that would: 1) automatically and incrementally lower the threshold limit for declaring a wood-burning curtailment (No-Burn day) for the entire South Coast Air Basin (Basin) for each subsequent final determination by the U.S. EPA of a failure to meet an applicable Clean Air Act milestone; and 2) reduce ambient emissions of particulate matter with an aerodynamic diameter of 2.5 microns or less (PM_{2.5}) by expanding the criteria for Basin-wide No-Burn days. Other minor proposed amendments include additional definitions of terms used in the rule, and revisions to improve rule implementation and clarify existing requirements.

Public Agency Approving Project:
South Coast Air Quality Management District

Agency Carrying Out Project:
South Coast Air Quality Management District

Exempt Status:

CEQA Guidelines Section 15061(b)(3) – Common Sense Exemption

CEQA Guidelines Section 15308 – Actions by Regulatory Agencies for Protection of the Environment

Reasons why project is exempt: Pursuant to the California Environmental Quality Act (CEQA), South Coast AQMD, as Lead Agency, has reviewed Proposed Amended Rule 445 pursuant to: 1) CEQA Guidelines Section 15002(k) – General Concepts, the three-step process for deciding which document to prepare for a project subject to CEQA; and 2) CEQA Guidelines Section 15061 – Review for Exemption, procedures for determining if a project is exempt from CEQA. Since Proposed Amended Rule 445 is comprised of administrative amendments that codify existing South Coast AQMD practice and would not cause any physical changes that would adversely affect any environmental topic area, it can be seen with certainty that there is no possibility that the proposed project may have a significant adverse effect on the environment. Therefore, the project is exempt from CEQA pursuant to CEQA Guidelines Section 15061(b)(3) – Common Sense Exemption. In addition, the proposed project is considered an action to protect or enhance the environment pursuant to CEQA Guidelines Section 15308 – Actions by Regulatory Agencies for Protection of the Environment. Further, there is no substantial evidence indicating that any of the exceptions to the categorical exemption apply to the proposed project pursuant to CEQA Guidelines Section 15300.2 – Exceptions.

Date When Project Will Be Considered for Approval (subject to change):

South Coast AQMD Governing Board Hearing: June 5, 2020; South Coast AQMD Headquarters

CEQA Contact Person:

Mr. Ryan Bañuelos

Phone Number:

(909) 396-3479

Email:

rbañuelos@aqmd.gov

Fax:

(909) 396-3982

Rule Contact Person:

Mr. Henry Pourzand

Phone Number:

(909) 396-2414

Email:

hpourzand@aqmd.gov

Fax:

(909) 396-3324

Date Received for Filing: _____

Signature: _____

(Signed Upon Board Approval)

Barbara Radlein

Program Supervisor, CEQA

Planning, Rule Development, and Area Sources



ATTACHMENT H

PROPOSED AMENDED RULE (PAR) 445 WOOD-BURNING DEVICES

Governing Board Meeting

June 5, 2020

Rule 445 – Wood-Burning Devices

- Applies to residential fireplaces or wood-burning stoves
- Intended to help reduce ambient fine particulate (PM_{2.5}) levels
 - ▶ Increased mortality
 - ▶ Cardiovascular and respiratory impacts
- Key to attainment of health based National Ambient Air Quality Standards (NAAQS)
 - ▶ Approximately 20% of area-wide PM_{2.5} is from wood-burning devices
 - ▶ Currently nonattainment for the 2012 annual and 2006 24-hour PM_{2.5} NAAQS

Requirements & Exemptions

Requirements

- New developments
 - Existing devices
 - Seasoned wood fuel
 - Non-wood fuel burning prohibition
 - Wood-burning curtailment
- “No-Burn” day
- ▶ Unhealthful levels of ambient PM2.5 forecast
 - ▶ Wood-burning prohibited
 - ▶ Source Receptor Area or Basin-wide


Exemptions

- Sole source of heat
- Low-income households
- No natural gas service within 150 feet
- $\geq 3,000$ feet above mean sea level
- Ceremonial Fires exempted under Rule 444 – Open Burning

Reason for Proposed Amendment

- Implement control contingency measure BCM-09 from 2016 AQMP
 - ▶ Further reduce PM2.5 emissions from wood-burning devices
- Address CAA contingency measure requirements for PM2.5
 - ▶ Requires specific measures in case of a failure to comply
 - ▶ Specified in 40 CFR Section 51.104(a)
- Proposed amendment would add contingency measures increasing number of No-Burn days

Basin-wide Source Receptor Areas (SRAs)



PM2.5 National Ambient Air Quality Standards (NAAQS)

- Health based revisions

Adopted	Standard	Measuring Period	South Coast AQMD Status
1997	65 $\mu\text{g}/\text{m}^3$	24-Hour Average	Attained
	15 $\mu\text{g}/\text{m}^3$	Annual Average	
2006	35 $\mu\text{g}/\text{m}^3$	24-Hour Average	Attainment Due December 31, 2019
2012	12 $\mu\text{g}/\text{m}^3$	Annual Average	Attainment Due December 31, 2021

May not have been met by the deadline

Rule 445(c)(6) Current No-Burn Day Provision

- During wood-burning season – November through February
- Triggered when PM_{2.5} levels forecast > 30 $\mu\text{g}/\text{m}^3$ for a specific source/receptor area
- Applies Basin-wide if PM_{2.5} levels > 30 $\mu\text{g}/\text{m}^3$ predicted for a source/receptor area with monitoring data showing an exceedance of the 24-hour PM_{2.5} NAAQS in either of the two previous three year design value periods.

Proposed “No-Burn” Day Amendments

- Clarification that devices $\geq 3,000$ feet above mean sea level are exempt
- Clarification that the wood-burning season is November through February inclusive and not just winter
- If, any SRA forecast to exceed $30 \mu\text{g}/\text{m}^3$ during the wood-burning season, then Basin-wide No-Burn day declared
- Subsequent to a final determination by U.S. EPA of a failure to attain PM_{2.5} requirements pursuant to 40 CFR § 51.1014(a) No-Burn day threshold lowered according to subdivision (f)

Proposed Contingency Measures PAR 445(f)

- Mirrors requirements in 40 CFR §51.104(a)
- Upon a final determination by U.S. EPA that the Basin has failed to:
 - ▶ Meet any Reasonable Further Progress (RFP) requirement;
 - ▶ Meet any Quantitative Milestone;
 - ▶ Submit a Quantitative Milestone report; or
 - ▶ Attain the applicable PM_{2.5} NAAQS by the deadline
- Triggers incremental reduction in No-Burn threshold as follows:
 - 29 $\mu\text{g}/\text{m}^3$ for any failure;
 - 28 $\mu\text{g}/\text{m}^3$ for a second failure;
 - 27 $\mu\text{g}/\text{m}^3$ for a third failure; and
 - 26 $\mu\text{g}/\text{m}^3$ for a fourth failure

Estimated PM_{2.5} Emission Reductions

No-Burn Day Threshold Mandatory Basin-wide Curtailment ($\mu\text{g}/\text{m}^3$)	Total Additional Reductions Beyond Current Rule (TPY)
30	25.4
29	46.3
28	67.1
27	81.0
26	100.1

Recommended Actions

- Determine that the proposed amendments to Rule 445 – Wood-Burning Devices, are exempt from the requirements of the California Environmental Quality Act; and
- Amend Rule 445 – Wood-Burning Devices