

**PETITION FOR VARIANCE
BEFORE THE HEARING BOARD OF THE
SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**

SOUTH COAST AIR QUALITY
CLERK OF THE BOARD

2023 MAR 23 AM 11:39

PETITIONER:

CASE NO: 6235-1

Estrella Media, Inc. (Former Liberman Broadcasting, Inc.) FACILITY ID: 192953

FACILITY ADDRESS: 15600 Odyssey Dr.

[location of equipment/site of violation; specify business/corporate address, if different, under Item 2, below]

City, State, Zip: Granada Hills, CA 91344

1. TYPE OF VARIANCE REQUESTED (more than one box may be checked; see Attachment A, Item 1, before selecting)

☒ INTERIM ☐ SHORT ☒ REGULAR ☒ EMERGENCY ☒ EX PARTE EMERGENCY

2. CONTACT: Name, title, company (if different than Petitioner), address, and phone number of persons authorized to receive notices regarding this Petition (no more than two authorized persons).

Jean Vargas _____

Sr. Broadcast Engineer _____

Estrella Media, Inc _____

1845 Empire Ave Burbank Zip: 91504 _____ Zip _____

☎ (818) 468-6002 Ext. _____ ☎ () Ext. _____

Fax () _____ Fax () _____

E-mail jvargas@estrellamedia.com E-mail _____

3. RECLAIM Permit ☒ Yes ☐ No Title V Permit ☐ Yes ☐ No

Persons with disabilities may request this document in an alternative format by contacting the Clerk of the Board at 909-396-2500 or by e-mail at clerkofboard@aqmd.gov.

If you require disability-related accommodations to facilitate participating in the hearing, contact the Clerk of the Board at least five (5) calendar days prior to the hearing.

[ALL DOCUMENTS FILED WITH CLERK'S OFFICE BECOME PUBLIC RECORD]

4. **GOOD CAUSE:** Explain why your petition was not filed in sufficient time to issue the required public notice.
(Required only for Emergency and Interim Variances; see Attachment A, Item 4)

Power poles were knocked down due to strong winds in Granada hills. The site where our station is located was left without power.

The Los Angeles Department of Water and Power has already replaced their power poles, but has not yet returned service to us. The power replacement should have happened this week, but due to the rains, LADWP still hasn't been able to power us back up. And we still don't know on what date we will be able to have power again.

During this down time, we were working with a rental generator because our generator failed.

5. Briefly describe the type of business and processes at your facility.

FM Radio Station in at that facility. There is other small telecommunication equipment on the site.

6. List the equipment and/or activity(s) that are the subject of this petition (see Attachment A, Item 6, Example #1). **Attach copies of the Permit(s) to Construct and/or Permit(s) to Operate for the subject equipment. For RECLAIM or Title V facilities, attach *only* the relevant sections of the Facility Permit showing the equipment or process and conditions that are subject to this petition. You must bring the entire Facility Permit to the hearing.**

Equipment/Activity	Application/ Permit No.	RECLAIM Device No.	Date Application/Plan Denied (if relevant)*
ICE (50-500 HP) EM ELEC GEN-DIESEL	G63719		02/16/2023

*Attach copy of denial letter

7. Briefly describe the activity or equipment, and why it is necessary to the operation of your business. A schematic or diagram may be attached, in addition to the descriptive text.

Que Buena FM Radio to cover San Fernando Valley

8. Is there a regular maintenance and/or inspection schedule for this equipment? Yes ☒ No ☐
 If yes, how often: Annually Date of last maintenance and/or inspection 3/17/2023
 Describe the maintenance and/or inspection that was performed.

Generator repair and oil change.

9. List all District rules, and/or permit conditions [indicating the specific section(s) and subsection(s)] from which you are seeking variance relief (if requesting variance from Rule 401 or permit condition, see Attachment A). Briefly explain how you are or will be in violation of each rule or condition (see Attachment A, Item 9, Example #2).

Rule	Explanation
1110.2	Los Angeles Department of Water and Power is still working on returning power service to the site.
203(b)	Cond # 5

10. Are the equipment or activities subject to this request currently under variance coverage? Yes ☐ No ☒

Case No.	Date of Action	Final Compliance Date	Explanation

11. Are any other equipment or activities at this location currently (or within the last six months) under variance coverage? Yes ☐ No ☒

Case No.	Date of Action	Final Compliance Date	Explanation

12. Were you issued any Notice(s) of Violation or Notice(s) to Comply concerning this equipment or activity within the past year? Yes ☐ No ☒

If yes, you must attach a copy of each notice.

13. Have you received any complaints from the public regarding the operation of the subject equipment or activity within the last six months? Yes ☐ No ☒

If yes, you should be prepared to present details at the hearing.

14. Explain why it is beyond your reasonable control to comply with the rule(s) and/or permit condition(s). Provide specific event(s) and date(s) of occurrence(s), if applicable.

On February 28th we were notified that Our FM station was off the air.

I When we arrived at the station, our site had neither commercial nor emergency power.

It was confirmed that our generator was broken.

We rented a Generator to be able to restart the operation of our equipment.

When we checked the electrical wiring, we saw that the wires had been ripped from the pole that is in the building.

Then we saw that a power pole had fallen, apparently due to the strong winds that hit the area.

Our generator took two weeks to be repaired, but commercial power was not restored yet.

Understanding that there was no specific date for us to have commercial energy again, we found ourselves in need of requesting a variance on the permit of our generator

15. When and how did you first become aware that you would not be in compliance with the rule(s) and/or permit condition(s)? Provide specific event(s) and date(s) of occurrence(s).

According to the site Electrician, who was in contact with LADWP, they would program the restoration of the service when there is no risk of rain.

All these days it has been raining, so LADWP has not been able to work on restoring the service.

16. List date(s) and action(s) you have taken since that time to achieve compliance.

The only thing we can do is call LAWDP to ask them, about the restoring of the service.

17. What would be the harm to your business during **and/or after** the period of the variance if the variance were not granted?

Economic losses: \$20,000 approximately at this time

Number of employees laid off (if any): Unmanned location.

Provide detailed information regarding economic losses, if any, (anticipated business closure, breach of contracts, hardship on customers, layoffs, and/or similar impacts).

Rental generator is about \$1,700 per week for three weeks.

Refuel expenses: \$900 every three days

Electrician expenses: \$1,500

At this time is difficult to calculate the losses of being off the air with an FM radio covering the whole San Fernando Valley.

18. Can you curtail or terminate operations in lieu of, or in addition to, obtaining a variance? Please explain.

The site is intended to house an FM transmitter, which should be in 24/7 operation. We decreased the transmitter power in 50%.

19. Estimate excess emissions, if any, on a daily basis, including, if applicable, excess opacity (the percentage of total opacity above 20% during the variance period). If the variance will result in no excess emissions, insert "N/A" here and skip to No. 20.

Pollutant	(A)	(B)	(C)*
	Total Estimated Excess Emissions (lbs/day)	Reduction Due to Mitigation (lbs/day)	Net Emissions After Mitigation (lbs/day)

* Column A minus Column B = Column C

Excess Opacity: _____ %

20. Show calculations used to estimate quantities in No. 19, or explain why there will be no excess emissions.

We are still under the 200 hours of emergency operation. But we don't know what is going to happen the next months and most probably we will need the generator to run over 200 hours this year.

21. Explain how you plan to reduce (mitigate) excess emissions during the variance period to the maximum extent feasible, or why reductions are not feasible.

We have reduced the power of our FM station in half since we were working with the rented generator, in order to help the generators work comfortably and reduce the fuel consumption.

22. How do you plan to monitor or quantify emission levels from the equipment or activity(s) during the variance period, and to make such records available to the District? **Any proposed monitoring does not relieve RECLAIM facilities from applicable missing data requirements.**

We monitor the activity of the generator by using the hours meter.

Our generator started to run at 2170.9 and at this time we have 2242.4.

23. How do you intend to achieve compliance with the rule(s) and/or permit condition(s)? Include a detailed description of any equipment to be installed, modifications or process changes to be made, permit conditions to be amended, etc., dates by which the actions will be completed, and an estimate of total costs.

LADWP should be returning the power service in the next week.

We are monitoring our generator hours to avoid the excess on the hour limited by our permit (200 hours per year)

The variance will help us to be under the regulation, considering that another emergency could occur in the following months.

24. State the date you are requesting the variance to begin: 3/25/2023 and the date by which you expect to achieve final compliance: 1/01/2024.

If the regular variance is to extend beyond one year, you **must** include a **Schedule of Increments of Progress**, specifying dates or time increments for steps needed to achieve compliance. See District Rule 102 for definition of Increments of Progress (see Attachment A, Item 24, Example #3).

List Increments of Progress here:

25. List the names of any District personnel with whom facility representatives have had contact concerning this variance petition or any related Notice of Violation or Notice to Comply.

_____. Ext. _____
_____. Ext. _____

If the petition was completed by someone other than the petitioner, please provide their name and title below.

Name Company Title

The undersigned, under penalty of perjury, states that the above petition, including attachments and the items therein set forth, is true and correct.

Executed on _____, at _____, California

Signature

Print Name

Title: _____

26. SMALL BUSINESS and TABLE III SCHEDULE A FEES: To be eligible for reduced fees for small businesses, individuals, or entities meeting small business gross receipts criterion [see District Rule 303(h)], you must complete the following:

Declaration Re Reduced Fee Eligibility

1. The petitioner is

- a) ☐ an individual, or
b) ☐ an officer, partner or owner of the petitioner herein, or a duly authorized agent of the petitioner authorized to make the representations set forth herein.

If you selected 1a, above, skip item 2.

2. The petitioner is

- a) ☐ a business that meets the following definition of Small Business as set forth in District Rule 102:
SMALL BUSINESS means a business which is independently owned and operated and meets the following criteria, or if affiliated with another concern, the combined activities of both concerns shall meet these criteria:
(a) the number of employees is 10 or less; **AND**
(b) the total gross annual receipts are \$500,000 or less **or**
(iii) the facility is a not-for-profit training center.

-OR-

- b) ☐ an entity with total gross annual receipts of \$500,000 or less.

3. Therefore, I believe the petitioner qualifies for reduced fees for purpose of filing fees and excess emission fee calculations, in accordance with Rule 303(h).

I declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, at _____, California

Signature

Print Name

Title _____

ATTACHMENT A

ITEM 1

Type of Variance Requested:

- (a) **SHORT:** If compliance with District rule(s) can be achieved in **90 days or less**, request a short variance. *(Hearing will be held approximately 21 days from date of filing--10-day posted notice required.)*
- (b) **REGULAR:** If compliance with District rule(s) will take **more than 90 days**, request a regular variance. If the variance request will extend beyond one year, you **must** include a specific detailed schedule of increments of progress [see Page 8, No. 24] under which you will achieve final compliance. *(Hearing will be held approximately 45 days from date of filing--30-day published notice required.)*
- (c) **EMERGENCY:** If non-compliance is the result of an unforeseen emergency, such as a sudden equipment breakdown, power failure, or accidental fire, you may request an emergency variance. You may request an *ex parte* emergency variance in addition to an emergency variance. **An emergency variance cannot be granted for more than 30 days.** *(Hearing will be held within 2 working days from the date of filing, whenever possible, excluding Mondays, weekends, and holidays.)* **If you request an emergency variance, you must answer No. 4 on page 1.**
- (d) **EX PARTE EMERGENCY:** If variance coverage is required on a weekend or when the Board is not in session, and you cannot wait until an emergency variance hearing can be held, you may request an *ex parte* emergency variance. An *ex parte* emergency variance will be granted or denied solely on the information contained in the petition and the District's response to the petition. Under most circumstances, an *ex parte* emergency variance will remain in effect only until a hearing can be held. **If you request an *ex parte* variance, you must answer No. 4 on page 1.**
- (e) **INTERIM:** If you require immediate relief (other than for emergencies) to cover the time until a short or regular variance hearing can be held, request an interim variance. If you request an interim variance, you must also request a short or a regular variance on the same petition. *(Hearing will be held approximately 2 working days from date of filing, whenever possible, excluding Mondays, weekends and holidays.)* **If you request an interim variance, you must answer No. 4 on page 1.**

ITEM 4

GOOD CAUSE: The Hearing Board is required to provide public notice of variance hearings, as the public has a right to attend and testify at such hearings. In order for the Hearing Board to hold an Interim, *Ex Parte* Emergency or Emergency Variance hearing without the required public notice, a petitioner must present facts which will support a determination by the Board that "good cause" exists to hear a variance without notifying the public about the variance and providing the public with an opportunity to present evidence concerning the variance.

ITEM 6

Example #1:

Equipment/Activity	Application/ Permit No.	RECLAIM Device No.	Date Application/Plan Denied (if relevant)*
Tenter frame		D32	
Chrome-plating tank	M99999		
Bake oven	123456		
Create special effects (fog)	N/A	N/A	N/A
Mfg., sale, distribution, use of non-compliant coating	N/A	N/A	12/10/95

ITEM 9

a) If you are requesting relief from Rule 401 and the excess opacity during the variance period will reach or exceed 40%, you should also request relief from California Health and Safety Code Section 41701.

b) If you are requesting relief from a permit condition(s), you should also request relief from the rule requiring compliance with conditions of the permit: 202(a), (b) or (c) - Temporary Permit to Operate; 203(b) - Permit to Operate; 2004(f)(1) – RECLAIM Permit; 3002(c) – Title V Permit.

Example #2:

Rule	Explanation
404(a)	tenter frame is vented to damaged air pollution control equipment
2004 (f)(1) [Condition No. 28-2 of Facility P/O No. 0999999]	source test cannot be conducted as required until new ESP is installed
1113(c)(2)	petitioner manufactures and sells clear wood finishes with VOCs in excess of 350 grams per liter
401(a) & California H&S Code Section 41701	Opacity will exceed 45%.

ITEM 24

Example #3:

Sample Schedule of Increments of Progress

- Permit application(s) will be submitted to the District by [date].
- Contracts for the purchase of emission control systems will be awarded by [date].
- On-site construction will be completed by [date].

English	<i>"If you require a language interpreter in order to participate in the hearing, contact the Clerk of the Board at least five (5) calendar days before your hearing at 909-396-2500 or by e-mail at clerkofboard@aqmd.gov. Specify the case name and number, hearing date, and the language for which you are requesting an interpreter."</i>
Farsi	"اگر برای شرکت در جلسه استماع به مترجم نیاز دارید، حد اقل پنج (5) روز تقویمی قبل از جلسه استماع، با منشی هیئت توسط شماره تلفن 909-396-2500 یا بوسیله نامه الکترونیکی با نشانی clerkofboard@aqmd.gov تماس بگیرید. نام پرونده و شماره آن، تاریخ جلسه استماع و زبانی را که برای آن مترجم درخواست کرده اید، مشخص کنید"
Arabic	"إذا كنت في حاجة لمترجم من أجل المشاركة في جلسة الاستماع، اتصل بكاتب المحكمة قبل موعد جلسة الاستماع بخمسة (5) أيام على هاتف 2500-396-909. حدد اسم ورقم القضية و تاريخ الاستماع واللغة التي تريد في clerkofboard@aqmd.gov 909-396-2500 أو بالبريد الإلكتروني على مترجم لها."
Armenian	"Մեզ կհարկադրվում է մասնակցելու համար, եթե թարգմանչի կարիք ունենաք, ցանքսան ձեր ունկնդրությունը, ամենաքիչը հինգ (5) օրացույցային օրից առաջ կապվեք համաձայնեցիք քաղաքապետի հետ, 909-396-2500 հեռախոսահամարով կամ էլեկտրոնային փոստով clerkofboard@aqmd.gov ։ Նշեք գործի անունը և համարը, ունկնդրության թվականը, և էլզմը, որի համար թարգմանչի էք ցանկանում"
Vietnamese	"Nếu quý vị cần Thông Dịch Viên cho buổi điều trần, xin vui lòng điện-thoại cho Thư Ký Hội Đồng tại số 909-396-2500 trễ nhất là năm [5] ngày, không tính hai ngày Thứ Bảy và Chủ Nhật, trước buổi điều trần hoặc gửi điện thư đến clerkofboard@aqmd.gov . Nhớ ghi rõ tên và số hồ sơ, ngày điều trần, và ngôn ngữ quý vị cần có người để thông dịch."
Chinese	如果你要求翻譯來協助你參加聽證會，請在你的聽證會前至少提前五天（5個日曆日）打電話到909-396-2500或發電子郵件到 clerkofboard@aqmd.gov 與局裏的辦事人員聯絡。並且明確說明你的案子的名稱和號碼，聽證日期，以及你要求的翻譯的語種。
Japanese	公聴会（ヒアリング）に参加するために通訳が必要な場合、少なくとも5日前までに事務局（Clerk of the Board）にご連絡ください。電話でのご連絡は909-396-2500、e-メールでのご連絡は clerkofboard@aqmd.gov までお願いします。その際、案件名（case name）と案件番号（case number）、ヒアリングの日付、通訳が必要な言語を特定して下さい。
Korean	"만약 귀하나 귀하의 중인들이 심리에 참여하기 위해 통역사가 필요하시면, 심리일 5일 전까지 기관부서의 서기에게 909-396-2500으로 연락하시거나, clerkofboard@aqmd.gov 로 연락 하십시오. 통역이 필요하신 사건의 이름, 심리날짜, 그리고 언어를 정확하게 말씀해 주십시오."
Spanish	Si usted requiere un intérprete para poder participar en la audiencia, favor de comunicarse con el Secretario de la Junta cuando menos cinco (5) días hábiles antes de su audiencia al teléfono (909) 396-2500 ó por correo electrónico al clerkofboard@aqmd.gov . Especifique el nombre y el número de su causa, la fecha de la audiencia y el idioma del cual está solicitando el intérprete.
Tagalog	"Kung kailangan ninyo nang interpreter sa Pilipino para makasali kayo sa pagdinig sa kaso, tumawag lang po kayo sa Clerk of the Board sa numero 909-396-2500 or kung hindi mag-email kayo sa email clerkofboard@aqmd.gov . Kailangan na tumawag kayo sa loob nang limang araw (5 days) bago ang inyong hearing date at ibigay and inyong pangalan at case number, araw nang inyong pagdinig sa kaso at inyong gusto na may lenguahe na interpreter".
Thai	หากคุณต้องการล่ามในการขึ้นศาล ให้ติดต่อเจ้าหน้าที่ล่วงหน้าอย่างน้อย 5 วันก่อนวันขึ้นศาล โดยติดต่อที่เบอร์โทร 909-396-2500 หรือโดย e-mail ที่ clerkofboard@aqmd.gov ให้บอกชื่อและหมายเลขของคดี พร้อมทั้งวันเวลาในการขึ้นศาล และระบุภาษาที่คุณต้องการล่าม



South Coast Air Quality Management District
21865 Copley Drive, Diamond Bar, CA 91765-4178

PERMIT TO OPERATE

Page 1
Permit No.
G63719
A/N 623865

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for the annual renewal fee (Rule 301(d)) is not received by the expiration date, contact the District.

**Legal Owner
or Operator:**

ESTRELLA MEDIA, INC
1845 W EMPIRE AVE
BURBANK, CA 91504

ID 192953

Equipment Location: 15600 ODYSSEY DR, GRANADA HILLS, CA 91344

Equipment Description :

Internal Combustion Engine, Cummins, Model No. 4BT3.9-G2, Serial No. 45485016, 102 BHP, Diesel Fueled, 4 Cylinders, Four-Cycle, Turbocharged, driving an Emergency Electrical Generator.

Conditions :

1. Operation of this equipment shall be conducted in accordance with all data and specifications submitted with the application under which this permit is issued unless otherwise noted below.
2. This equipment shall be properly maintained and kept in good operating condition at all times.
3. The fuel injection timing of this engine shall be set and maintained at 4 degrees retarded relative to standard timing.
4. An operational non-resettable totalizing timer shall be installed and maintained to indicate the engine elapsed operating time.
5. This engine shall not be operated more than 200 hours in any one year, which includes no more than 30 hours in any one year for maintenance and testing purposes or 2.5 hours in any one month for maintenance and testing purposes.
6. Operating beyond the 30 hours per year allotted for maintenance and testing purposes shall be allowed only in the event of a loss of grid power or up to 30 minutes prior to a rotating outage, provided that the utility distribution company has ordered rotating outages in the control area where the engine is located or has indicated that it expects to issue such an order at a certain time, and the engine is located in a utility service block that is subject to the rotating outage. Engine operation shall be terminated immediately after the utility distribution company advises that a rotating outage is no longer imminent or in effect.
7. This engine shall not be used as part of a demand response program using interruptible service contract in which a facility receives a payment or reduced rates in return for reducing its electric load on the grid when requested to so by the utility or the grid operator.
8. The operator shall keep a log of engine operations documenting the total time the engine is operated each month and specific reason for operation as:



FILE COPY
South Coast Air Quality Management District
Certified Copy



PERMIT TO OPERATE

- A. Emergency use.
- B. Maintenance and testing.
- C. Other (describe the reason for operating).

In addition, each time the engine is manually started, the log shall include the date of operation, the specific reason for operation, and the totalizing hour meter reading (in hours and tenths of hours) at the beginning and end of operation.

9. On or before January 15th of each year, the operator shall record in the engine operating log the following:

- A. The total hours of operation for the previous calendar year, and
- B. The total hours of engine operation for maintenance and testing for the previous calendar year.

Engine operating log shall be retained on site for a minimum of five calendar years and shall be made available to the executive officer or representative upon request.

10. This engine shall comply with all applicable requirements of Rule 431.2 and Rule 1470.

11. This engine shall comply with the following emission limits and requirements:

NMHC:	1.0 g/BHP-hr
NOx:	Turbocharged and timing retarded
CO:	8.5 g/BHP-hr
PM:	0.38 g/BHP-hr

12. Sulfur content of diesel fuel supplied to the engine shall not exceed 15 ppm by weight.





South Coast Air Quality Management District
21865 Copley Drive, Diamond Bar, CA 91765-4178

Page 3
Permit No.
G63719
A/N 623865

PERMIT TO OPERATE

NOTICE

In accordance with Rule 206, this Permit to Operate or copy shall be posted on or within 8 meters of the equipment.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the applicable Rules and Regulations of the South Coast Air Quality Management District (SCAQMD). This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

Executive Officer

BY AMIR DEJBAKSH/EC01
12/13/2020



FILE COPY
South Coast Air Quality Management District
Certified Copy



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

DATE: 02/16/2023

EQUIPMENT LOCATED AT: 15600 ODYSSEY DR
GRANADA HILLS, CA 91344

LEGAL OWNER CO. ID: 192953
OR OPERATOR ESTRELLA MEDIA, INC
1845 W EMPIRE AVE
BURBANK, CA, 91504

PERMIT/APPLICATION RENEWAL

PERMIT/
APPL NBR EQUIPMENT DESCRIPTION

NEXT RENEWAL
DATE

BILLING YEAR: 2022

G63719 I C E (50-500 HP) EM ELEC GEN-DIESEL

02/16/2024





South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

ACKNOWLEDGEMENT OF ANNUAL OPERATING PERMIT FEE PAYMENT

Dear Permit Holder:

This letter acknowledges your recent annual operating permit renewal fee payment for the permits to operate or applications listed on the enclosed attachment. The next renewal date for each permit or application is stated on the attachment. For facilities that have been issued a RECLAIM or Title V facility permit, the facility permit serves as a comprehensive permit to operate the equipment listed on the facility permit.

This payment acknowledgment does NOT replace your original Permit to Operate, and you should NOT discard the original permit.

You are required by South Coast AQMD Rule 206 to affix the *original* or a legible facsimile of the Permit to Operate upon the equipment so that the permit number, equipment description, and the operating conditions are clearly visible. If posting a facsimile, the original permit must be on file and at the facility, available for inspection upon request.

If the original permit has been lost, defaced or destroyed the permittee shall request a replacement Certified Permit Copy, in writing. Please enclose the applicable fee as follows with your written request for a Certified Permit Copy:

	Non-Title V & Non-RECLAIM Facility	RECLAIM Facility	Title V Facility
Certified Permit Copies	\$34.77	\$34.77	\$43.59

If there has been a name or mailing address change without a change of operator or location, a request for a corrected reissued permit shall be made in writing, by the permittee. Please enclose the applicable fee as follows with your written request for a reissued permit:

	Non-Title V & Non-RECLAIM Facility	RECLAIM Facility	Title V Facility
Reissued Permits	\$269.38	\$269.38	\$337.55

The written request and the fee for a replacement certified copy or reissue of an active permit should be sent to South Coast AQMD, P.O. Box 4944, Diamond Bar, CA 91765-0944. For questions regarding certified or reissued permits please contact Permit Services at 909-396-3385.

If you have any questions about this permit renewal acknowledgement letter please call South Coast AQMD's Billing Services Tuesday through Friday from 8 a.m. to 12 Noon and 1 p.m. to 5 p.m. at (909) 396-2900; or from inside California, you may call toll free at (866) 888-8838. You can get an uncertified copy of the original permit using the F.I.N.D. web tool.