

Hexavalent Chromium Monitoring Results (ng/m³) Compton

Sample Date	Site #1C	Site #2C	Site #3C	Site #4C	Site #5C	Site #6C	Site #7C	Site #8C	Site #9C	Site #10C	Site #11C	Site #12C
Sat, Jun 3, 2017	0.16	0.21	0.17	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Wed, Jun 7, 2017	1.82	0.67	0.72	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Fri, Jun 9, 2017	0.87	0.31	0.22	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Mon, Jun 12, 2017	1.69	1.71	0.97	0.10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Thu, Jun 15, 2017	0.30	0.23	0.27	0.17	0.24	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sun, Jun 18, 2017	0.84	1.64	2.93	0.28	0.04	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Wed, Jun 21, 2017	1.22	3.18	2.18	0.48	0.11	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sat, Jun 24, 2017	0.15	1.17	0.52	0.11	0.14	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Tue, Jun 27, 2017	2.19	0.68	0.41	0.23	0.26	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Fri, Jun 30, 2017	1.47	0.26	1.72	0.09	0.14	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Mon, Jul 3, 2017	0.19	0.19	0.14	0.86	0.49	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Thu, Jul 6, 2017	0.24	0.46	0.22	0.78	0.33	0.24	N/A	N/A	N/A	N/A	N/A	N/A
Sun, Jul 9, 2017	2.86	0.14	3.30	1.37	1.32	2.28	N/A	N/A	N/A	N/A	N/A	N/A
Tue, Jul 11, 2017	---	---	---	0.72	1.09	---	N/A	N/A	N/A	N/A	N/A	N/A
Wed, Jul 12, 2017	7.20	2.17	12.72	---	---	2.70	N/A	N/A	N/A	N/A	N/A	N/A
Sat, Jul 15, 2017	0.17	0.21	0.14	0.18	0.27	0.14	N/A	N/A	N/A	N/A	N/A	N/A
Tue, Jul 18, 2017	0.21	0.40	0.37	0.58	0.18	2.26	N/A	N/A	N/A	N/A	N/A	N/A
Fri, Jul 21, 2017	1.78	0.40	0.37	0.88	0.17	1.02	N/A	N/A	N/A	N/A	N/A	N/A
Mon, Jul 24, 2017	2.42	16.00	6.07	0.08	0.22	2.87	N/A	N/A	N/A	N/A	N/A	N/A
Thu, Jul 27, 2017	1.51	0.42	2.95	0.87	1.13	0.21	N/A	N/A	N/A	N/A	N/A	N/A
Sun, Jul 30, 2017	0.21	0.16	1.65	0.06	0.71	1.03	N/A	N/A	N/A	N/A	N/A	N/A
Wed, Aug 2, 2017	0.54	0.66	0.84	0.11	0.14	0.49	N/A	N/A	N/A	N/A	N/A	N/A
Sat, Aug 5, 2017	0.24	0.24	0.25	0.04	0.06	0.20	N/A	N/A	N/A	N/A	N/A	N/A
Tue, Aug 8, 2017	0.24	0.28	Invalid	0.11	0.27	0.22	N/A	N/A	N/A	N/A	N/A	N/A
Fri, Aug 11, 2017	0.20	0.59	0.48	0.24	0.20	0.22	N/A	N/A	N/A	N/A	N/A	N/A
Mon, Aug 14, 2017	0.28	0.99	1.02	0.14	0.15	0.21	N/A	N/A	N/A	N/A	N/A	N/A
Thu, Aug 17, 2017	0.44	2.27	1.73	0.34	0.38	0.32	N/A	N/A	N/A	N/A	N/A	N/A
Sun, Aug 20, 2017	0.37	0.93	0.76	0.19	0.27	0.27	N/A	N/A	N/A	N/A	N/A	N/A
Wed, Aug 23, 2017	0.16	Invalid	0.27	0.10	0.55	0.20	N/A	N/A	N/A	N/A	N/A	N/A
Sat, Aug 26, 2017	Invalid	0.33	0.21	0.17	0.16	0.17	N/A	N/A	N/A	N/A	N/A	N/A
Tue, Aug 29, 2017	0.14	0.29	0.45	0.11	0.09	0.15	N/A	N/A	N/A	N/A	N/A	N/A
Fri, Sep 1, 2017	0.19	0.29	0.53	0.74	0.29	N/A	0.29	N/A	N/A	N/A	N/A	N/A
Mon, Sep 4, 2017	0.15	0.18	0.38	0.09	0.06	N/A	0.15	N/A	N/A	N/A	N/A	N/A
Thu, Sep 7, 2017	0.33	0.85	0.49	0.20	0.23	N/A	0.20	N/A	N/A	N/A	N/A	N/A

Hexavalent Chromium Monitoring Results (ng/m³) Compton

Sample Date	Site #1C	Site #2C	Site #3C	Site #4C	Site #5C	Site #6C	Site #7C	Site #8C	Site #9C	Site #10C	Site #11C	Site #12C
Sun, Sep 10, 2017	0.12	0.27	0.15	0.06	0.06	N/A	0.13	N/A	N/A	N/A	N/A	N/A
Wed, Sep 13, 2017	0.15	6.96	1.07	0.11	0.29	N/A	0.17	N/A	N/A	N/A	N/A	N/A
Sat, Sep 16, 2017	1.69	0.35	0.25	0.13	0.16	N/A	0.43	N/A	N/A	N/A	N/A	N/A
Tue, Sep 19, 2017	0.17	0.21	0.11	0.13	0.09	N/A	0.08	N/A	N/A	N/A	N/A	N/A
Fri, Sep 22, 2017	2.54	0.45	0.13	0.20	0.14	N/A	0.12	N/A	N/A	N/A	N/A	N/A
Mon, Sep 25, 2017	1.12	0.66	0.20	0.44	0.44	N/A	0.23	N/A	N/A	N/A	N/A	N/A
Thu, Sep 28, 2017	0.18	0.47	Invalid	0.19	0.29	N/A	0.06	N/A	N/A	N/A	N/A	N/A
Sun, Oct 1, 2017	0.46	0.09	0.06	0.03	0.04	N/A	0.29	N/A	N/A	N/A	N/A	N/A
Wed, Oct 4, 2017	0.22	0.18	0.14	0.36	0.31	N/A	0.21	N/A	N/A	N/A	N/A	N/A
Sat, Oct 7, 2017	0.22	0.20	0.13	0.17	0.27	N/A	0.13	N/A	N/A	N/A	N/A	N/A
Tue, Oct 10, 2017	0.20	0.29	0.30	7.18	Invalid	N/A	0.17	N/A	N/A	N/A	N/A	N/A
Fri, Oct 13, 2017	0.95	0.18	0.18	0.23	0.22	N/A	0.12	N/A	N/A	N/A	N/A	N/A
Mon, Oct 16, 2017	0.14	0.33	0.31	0.61	0.64	N/A	0.19	N/A	N/A	N/A	N/A	N/A
Thu, Oct 19, 2017	0.67	0.45	0.31	0.11	0.20	N/A	0.13	N/A	N/A	N/A	N/A	N/A
Sun, Oct 22, 2017	0.11	0.09	0.10	0.11	0.31	N/A	Invalid	N/A	N/A	N/A	N/A	N/A
Wed, Oct 25, 2017	Invalid	0.47	0.39	4.69	23.64	N/A	0.20	N/A	N/A	N/A	N/A	N/A
Sat, Oct 28, 2017	0.14	0.18	0.18	0.07	0.09	N/A	0.10	N/A	N/A	N/A	N/A	N/A
Tue, Oct 31, 2017	3.71	1.57	1.72	0.14	0.09	N/A	0.10	N/A	N/A	N/A	N/A	N/A
Fri, Nov 03, 2017	0.29	0.40	0.21	0.12	0.33	N/A	0.48	N/A	N/A	N/A	N/A	N/A
Mon, Nov 06, 2017	1.67	0.66	0.52	0.12	0.95	N/A	0.52	N/A	N/A	N/A	N/A	N/A
Thu, Nov 09, 2017	0.15	0.83	0.47	1.62	1.11	N/A	0.21	N/A	N/A	N/A	N/A	N/A
Sun, Nov 12, 2017	1.12	0.34	0.24	0.14	0.17	N/A	1.55	N/A	N/A	N/A	N/A	N/A
Wed, Nov 15, 2017	1.51	1.34	1.12	1.68	0.68	N/A	1.03	N/A	N/A	N/A	N/A	N/A
Sat, Nov 18, 2017	2.18	1.59	1.23	1.46	1.08	N/A	0.62	N/A	N/A	N/A	N/A	N/A
Tue, Nov 21, 2017	1.58	1.85	0.88	1.42	1.20	N/A	1.30	N/A	N/A	N/A	N/A	N/A
Fri, Nov 24, 2017	0.17	0.10	0.10	0.13	0.10	N/A	0.10	N/A	N/A	N/A	N/A	N/A
Mon, Nov 27, 2017	0.34	0.49	0.44	0.64	0.23	N/A	0.12	N/A	N/A	N/A	N/A	N/A
Thu, Nov 30, 2017	2.71	0.56	0.69	0.45	0.64	N/A	0.20	N/A	N/A	N/A	N/A	N/A
Sun, Dec 03, 2017	0.40	0.13	0.07	0.08	0.06	N/A	0.07	N/A	N/A	N/A	N/A	N/A
Wed, Dec 06, 2017	2.93	2.49	1.34	1.84	1.42	N/A	Invalid	N/A	N/A	N/A	N/A	N/A
Sat, Dec 09, 2017	1.07	0.78	0.29	0.85	0.69	N/A	0.46	0.33	1.55	N/A	N/A	N/A
Tue, Dec 12, 2017	3.97	2.45	1.18	3.57	3.05	N/A	0.81	1.14	10.34	N/A	N/A	N/A
Fri, Dec 15, 2017	0.66	1.10	0.41	1.33	1.32	N/A	0.57	0.84	0.88	N/A	N/A	N/A
Mon, Dec 18, 2017	0.68	0.53	0.25	0.50	0.45	N/A	0.42	0.41	1.51	N/A	N/A	N/A

Hexavalent Chromium Monitoring Results (ng/m³) Compton

Sample Date	Site #1C	Site #2C	Site #3C	Site #4C	Site #5C	Site #6C	Site #7C	Site #8C	Site #9C	Site #10C	Site #11C	Site #12C
Thu, Dec 21, 2017	0.23	0.58	0.17	0.37	0.58	N/A	0.18	0.28	0.30	N/A	N/A	N/A
Sun, Dec 24, 2017	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Wed, Dec 27, 2017	0.59	0.50	0.32	1.19	0.28	N/A	0.21	Invalid	0.29	N/A	N/A	N/A
Sat, Dec 30, 2017	0.12	0.12	0.10	0.07	0.14	N/A	0.07	0.12	0.12	0.08	N/A	N/A
Tue, Jan 2, 2018	1.99	0.27	0.20	0.21	0.35	N/A	0.50	0.29	Invalid	0.73	N/A	N/A
Fri, Jan 5, 2018	0.27	0.49	0.68	0.25	0.47	N/A	0.35	0.17	1.81	1.89	N/A	N/A
Mon, Jan 8, 2018	1.40	0.23	0.14	1.12	0.15	N/A	1.82	0.49	0.21	0.22	N/A	N/A
Thu, Jan 11, 2018	0.52	0.48	0.70	0.32	6.21	N/A	0.55	0.35	2.78	1.99	N/A	N/A
Sun, Jan 14, 2018	0.06	0.11	0.08	0.11	0.09	N/A	0.04	0.08	Invalid	0.07	N/A	N/A
Wed, Jan 17, 2018	1.88	1.23	0.56	1.77	0.78	N/A	0.42	0.74	2.76	1.75	N/A	N/A
Sat, Jan 20, 2018	0.07	0.49	0.34	Invalid	3.03	N/A	Invalid	Invalid	2.80	Invalid	N/A	N/A
Tue, Jan 23, 2018	2.68	1.55	0.38	Invalid	2.50	N/A	0.94	1.23	5.72	3.46	N/A	N/A
Fri, Jan 26, 2018	1.16	0.99	0.61	Invalid	0.85	N/A	0.67	0.49	3.29	2.68	N/A	N/A
Mon, Jan 29, 2018	1.08	0.95	0.39	0.96	0.81	N/A	0.76	0.58	2.38	1.52	N/A	N/A
Thu, Feb 1, 2018	7.51	1.03	0.43	0.78	0.21	N/A	0.89	0.68	2.96	1.79	N/A	N/A
Sun, Feb 4, 2018	0.60	0.61	0.19	0.95	0.67	N/A	1.10	2.09	5.91	4.93	N/A	N/A
Wed, Feb 7, 2018	1.92	Invalid	Invalid	0.62	1.92	N/A	0.53	1.12	1.42	1.62	N/A	N/A
Sat, Feb 10, 2018	0.14	0.19	N/A	0.10	0.06	N/A	4.38	1.36	0.14	0.08	0.13	0.13
Tue, Feb 13, 2018	0.76	0.72	N/A	1.28	0.12	N/A	1.16	0.89	1.38	0.82	1.40	1.40
Fri, Feb 16, 2018	0.54	0.63	N/A	1.28	0.65	N/A	0.19	0.38	1.04	2.02	0.40	0.40
Mon, Feb 19, 2018	0.10	0.48	N/A	0.36	1.05	N/A	0.06	0.09	0.19	0.45	0.52	0.52
Thu, Feb 22, 2018	0.18	0.32	N/A	0.31	0.18	N/A	0.12	0.22	0.33	N/A	0.23	0.16
Sun, Feb 25, 2018	0.04	0.13	N/A	0.15	0.07	N/A	0.08	0.05	0.07	N/A	0.06	0.04
Wed, Feb 28, 2018	0.35	0.37	N/A	N/A	0.52	N/A	0.14	0.39	0.21	N/A	0.23	0.15
Sat, Mar 3, 2018	0.39	0.63	N/A	N/A	2.20	N/A	0.16	0.30	0.56	N/A	0.81	0.28
Tue, Mar 6, 2018	0.38	0.41	N/A	N/A	0.38	N/A	0.29	0.45	1.29	N/A	0.64	0.46
Fri, Mar 9, 2018	0.41	0.39	N/A	N/A	0.15	N/A	0.22	0.38	0.15	N/A	0.25	0.23
Mon, Mar 12, 2018	0.24	0.26	N/A	N/A	0.37	N/A	0.15	0.24	0.41	N/A	0.26	0.30
Thu, Mar 15, 2018	0.11	0.38	N/A	N/A	0.30	N/A	0.07	0.18	0.19	N/A	0.44	0.20
Sun, Mar 18, 2018	0.08	0.14	N/A	N/A	1.41	N/A	0.07	0.08	0.09	N/A	0.14	0.07
Wed, Mar 21, 2018	0.50	0.33	N/A	N/A	0.47	N/A	0.21	0.27	1.60	N/A	1.53	0.36
Sat, Mar 24, 2018	0.30	0.28	N/A	N/A	0.17	N/A	0.09	0.21	0.12	N/A	0.14	0.26
Tue, Mar 27, 2018	0.25	0.54	N/A	N/A	0.36	N/A	0.10	0.20	0.24	N/A	0.27	0.19
Fri, Mar 30, 2018	Invalid	0.48	N/A	N/A	0.28	N/A	0.14	0.24	0.16	N/A	0.13	0.27

Hexavalent Chromium Monitoring Results (ng/m³) Compton

Sample Date	Site #1C	Site #2C	Site #3C	Site #4C	Site #5C	Site #6C	Site #7C	Site #8C	Site #9C	Site #10C	Site #11C	Site #12C
Mon, Apr 2, 2018	0.47	0.30	N/A	N/A	0.21	N/A	0.07	0.17	0.14	N/A	0.16	0.14
Thu, Apr 5, 2018	0.20	0.37	N/A	N/A	0.69	N/A	0.09	0.16	0.17	N/A	0.14	0.14
Sun, Apr 8, 2018	0.08	0.19	N/A	N/A	0.13	N/A	0.09	0.08	Invalid	N/A	0.10	0.09
Wed, Apr 11, 2018	0.83	0.60	N/A	N/A	0.37	N/A	0.14	0.27	0.25	N/A	0.20	0.15
Sat, Apr 14, 2018	0.20	0.26	N/A	N/A	0.30	N/A	0.14	0.24	0.33	N/A	0.36	0.22
Tue, Apr 17, 2018	0.31	0.21	N/A	N/A	1.22	N/A	0.14	0.14	4.42	N/A	2.31	3.34
Fri, Apr 20, 2018	0.31	0.23	N/A	N/A	0.28	N/A	0.10	0.32	1.09	N/A	0.21	0.49
Mon, Apr 23, 2018	0.82	0.46	N/A	N/A	0.23	N/A	0.10	0.16	0.12	N/A	0.13	0.23
Thu, Apr 26, 2018	0.06	0.29	N/A	N/A	0.31	N/A	0.19	0.10	0.11	N/A	0.06	0.15
Sun, Apr 29, 2018	0.05	0.16	N/A	N/A	N/A	N/A	0.19	0.13	0.16	N/A	0.08	0.06
Mon, Apr 30, 2018	N/A	N/A	N/A	N/A	0.18	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Wed, May 2, 2018	0.61	0.75	N/A	N/A	0.18	N/A	0.12	0.43	0.13	N/A	0.20	0.28
Fri, May 4, 2018	N/A	N/A	N/A	N/A	0.81	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sat, May 5, 2018	0.10	0.20	N/A	N/A	N/A	N/A	Invalid	0.11	0.12	N/A	0.11	0.19
Tue, May 8, 2018	0.64	0.58	N/A	N/A	0.27	N/A	0.12	3.35	0.16	N/A	0.15	0.16
Thu, May 10, 2018	N/A	N/A	N/A	N/A	0.27	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Fri, May 11, 2018	0.14	0.52	N/A	N/A	N/A	N/A	0.15	0.34	0.12	N/A	0.23	0.12
Sat, May 12, 2018	N/A	N/A	N/A	N/A	0.16	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Mon, May 14, 2018	0.60	0.82	N/A	N/A	0.27	N/A	0.13	0.21	0.43	N/A	0.25	0.25
Wed, May 16, 2018	N/A	N/A	N/A	N/A	1.14	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Thu, May 17, 2018	0.13	0.65	N/A	N/A	N/A	N/A	0.10	0.47	0.14	N/A	0.14	0.13
Fri, May 18, 2018	N/A	N/A	N/A	N/A	0.25	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sun, May 20, 2018	0.10	0.07	N/A	N/A	0.24	N/A	0.10	0.09	0.08	N/A	0.08	0.05
Wed, May 23, 2018	0.12	0.24	N/A	N/A	1.39	N/A	0.09	0.08	0.14	N/A	0.23	0.20
Sat, May 26, 2018	0.10	0.27	N/A	N/A	0.36	N/A	0.11	0.06	0.07	N/A	0.10	0.07
Tue, May 29, 2018	0.14	0.51	N/A	N/A	0.23	N/A	0.16	0.11	0.15	N/A	0.20	0.11
Fri, Jun 1, 2018	0.55	0.28	N/A	N/A	0.31	N/A	0.13	0.14	0.22	N/A	0.29	0.18
Mon, Jun 4, 2018	0.18	0.69	N/A	N/A	0.27	N/A	0.10	0.11	0.08	N/A	0.13	0.10
Thu, Jun 7, 2018	0.36	0.33	N/A	N/A	0.27	N/A	0.13	0.34	0.39	N/A	0.94	0.35
Sun, Jun 10, 2018	0.11	0.12	N/A	N/A	1.12	N/A	0.11	0.07	0.09	N/A	0.13	0.09
Wed, Jun 13, 2018	0.14	0.61	N/A	N/A	0.30	N/A	0.18	0.11	0.20	N/A	0.24	0.58
Sat, Jun 16, 2018	0.13	0.42	N/A	N/A	0.24	N/A	0.13	0.14	0.15	N/A	0.13	0.10
Tue, Jun 19, 2018	0.10	0.42	N/A	N/A	1.99	N/A	0.12	0.16	0.28	N/A	0.46	0.26
Fri, Jun 22, 2018	0.14	0.46	N/A	N/A	0.35	N/A	0.09	0.26	0.19	N/A	0.19	0.14

Hexavalent Chromium Monitoring Results (ng/m³) Compton

Sample Date	Site #1C	Site #2C	Site #3C	Site #4C	Site #5C	Site #6C	Site #7C	Site #8C	Site #9C	Site #10C	Site #11C	Site #12C
Mon, Jun 25, 2018	0.14	0.25	N/A	N/A	0.25	N/A	0.07	0.10	0.12	N/A	0.14	0.18
Thu, Jun 28, 2018	0.23	0.36	N/A	N/A	0.19	N/A	0.11	0.09	0.14	N/A	0.16	0.14
Sun, Jul 1, 2018	0.09	0.12	N/A	N/A	0.59	N/A	0.14	0.09	0.09	N/A	Invalid	0.10
Wed, Jul 4, 2018***	5.50	5.65	N/A	N/A	8.31	N/A	8.40	4.31	5.20	N/A	4.74	6.06
Sat, Jul 7, 2018	0.13	0.35	N/A	N/A	0.20	N/A	0.10	0.15	0.12	N/A	0.12	0.12
Tue, Jul 10, 2018	0.13	0.55	N/A	N/A	0.34	N/A	0.08	0.20	0.17	N/A	0.21	0.17
Fri, Jul 13, 2018	0.17	INV	N/A	N/A	0.49	N/A	0.11	0.11	0.19	N/A	0.23	0.24
Mon, Jul 16, 2018	0.16	0.34	N/A	N/A	1.07	N/A	0.07	0.09	0.13	N/A	0.17	0.25
Thu, Jul 19, 2018	0.22	0.63	N/A	N/A	0.42	N/A	0.17	0.10	0.27	N/A	0.18	0.19
Sun, Jul 22, 2018	0.06	0.11	N/A	N/A	0.51	N/A	0.10	0.13	0.09	N/A	Invalid	0.13
Wed, Jul 25, 2018	0.16	0.43	N/A	N/A	0.26	N/A	0.09	0.09	0.15	N/A	0.15	0.17
Sat, Jul 28, 2018	0.17	0.46	N/A	N/A	0.24	N/A	Invalid	0.11	0.12	N/A	0.10	0.13
Tue, Jul 31, 2018	0.08	0.39	N/A	N/A	0.77	N/A	0.07	0.10	0.11	N/A	0.14	0.19
Fri, Aug 3, 2018	2.04	0.69	N/A	N/A	0.85	N/A	0.12	Invalid	0.17	N/A	0.31	Invalid
Mon, Aug 6, 2018	1.04	0.37	N/A	N/A	0.51	N/A	0.20	0.15	0.18	N/A	0.25	0.25
Tue, Aug 9, 2016	Invalid	0.44	N/A	N/A	1.03	N/A	0.08	0.17	Invalid	N/A	0.27	0.34
Sun, Aug 12, 2018	0.19	Invalid	N/A	N/A	0.29	N/A	0.13	0.17	Invalid	N/A	0.11	0.16
Wed, Aug 15, 2018	0.19	0.49	N/A	N/A	0.29	N/A	0.19	0.12	0.15	N/A	0.27	0.34
Sat, Aug 18, 2018	0.16	0.30	N/A	N/A	0.48	N/A	0.18	0.10	0.19	N/A	0.31	0.41
Tue, Aug 21, 2018	0.18	1.01	N/A	N/A	0.31	N/A	0.15	0.25	0.22	N/A	0.15	0.15
Fri, Aug 24, 2018	0.17	0.41	N/A	N/A	0.95	N/A	0.10	0.30	0.24	N/A	0.39	0.23
Mon, Aug 27, 2018	0.12	0.69	N/A	N/A	0.26	N/A	0.24	0.14	0.33	N/A	0.27	0.28
Thu, Aug 30, 2018	0.49	0.48	N/A	N/A	0.55	N/A	0.23	0.20	0.44	N/A	0.29	0.31
Sun, Sep 2, 2018	0.11	0.13	N/A	N/A	0.28	N/A	0.12	0.08	0.11	N/A	0.10	0.09
Wed, Sep 5, 2018	0.12	0.47	N/A	N/A	0.60	N/A	0.08	0.14	0.20	N/A	0.16	0.22
Sat, Sep 8, 2018	0.18	0.32	N/A	N/A	0.16	N/A	0.23	0.20	0.20	N/A	0.22	0.13
Tue, Sep 11, 2018	0.30	0.60	N/A	N/A	0.25	N/A	0.10	0.20	0.38	N/A	0.44	0.19
Fri, Sep 14, 2018	0.48	0.67	N/A	N/A	1.04	N/A	0.19	0.29	0.24	N/A	0.35	0.28
Mon, Sep 17, 2018	0.47	0.45	N/A	N/A	0.66	N/A	0.30	0.15	0.42	N/A	0.57	0.23
Thu, Sep 20, 2018	0.24	Invalid	N/A	N/A	0.20	N/A	0.16	0.14	Invalid	N/A	0.17	0.12
Sun, Sep 23, 2018	0.14	0.09	N/A	N/A	0.11	N/A	0.09	0.11	0.09	N/A	Invalid	0.06
Wed, Sep 26, 2018	0.17	0.42	N/A	N/A	0.43	N/A	0.13	0.11	0.17	N/A	Invalid	Invalid
Sat, Sep 29, 2018	0.37	0.52	N/A	N/A	0.21	N/A	0.08	0.18	0.11	N/A	0.08	0.07
Tue, Oct 2, 2018	0.16	0.50	N/A	N/A	0.81	N/A	0.16	0.08	0.16	N/A	0.14	0.18

Hexavalent Chromium Monitoring Results (ng/m³) Compton

Sample Date	Site #1C	Site #2C	Site #3C	Site #4C	Site #5C	Site #6C	Site #7C	Site #8C	Site #9C	Site #10C	Site #11C	Site #12C
Fri, Oct 5, 2018	0.15	0.62	N/A	N/A	Invalid	N/A	0.08	0.15	0.24	N/A	0.18	0.19
Mon, Oct 8, 2018	0.17	0.40	N/A	N/A	0.36	N/A	0.20	0.16	0.19	N/A	0.17	0.13
Thu, Oct 11, 2018	0.37	1.61	N/A	N/A	1.37	N/A	0.10	0.09	0.49	N/A	1.03	0.32
Sun, Oct 14, 2018	0.08	0.06	N/A	N/A	0.92	N/A	0.08	0.06	0.06	N/A	Invalid	0.05
Wed, Oct 17, 2018	0.50	0.45	N/A	N/A	0.51	N/A	0.33	0.21	0.43	N/A	0.63	0.27
Sat, Oct 20, 2018	0.22	0.44	N/A	N/A	0.25	N/A	0.21	0.29	0.21	N/A	0.35	0.14
Tue, Oct 23, 2018	0.28	0.39	N/A	N/A	0.40	N/A	0.13	0.43	0.35	N/A	1.03	0.26
Fri, Oct 26, 2018	Invalid	0.70	N/A	N/A	0.29	N/A	0.23	0.19	1.07	N/A	1.88	0.55
Mon, Oct 29, 2018	0.39	0.56	N/A	N/A	0.39	N/A	0.34	0.27	0.23	N/A	0.25	0.28
Thu, Nov 1, 2018	0.96	0.64	N/A	N/A	0.65	N/A	0.49	0.43	Invalid	N/A	1.13	0.28
Sun, Nov 4, 2018	0.19	0.20	N/A	N/A	0.13	N/A	0.12	Invalid	0.22	N/A	0.30	0.15
Sat, Nov 10, 2018	N/A	0.29	N/A	N/A	0.38	N/A	N/A	N/A	0.21	N/A	N/A	N/A
Fri, Nov 16, 2018	N/A	1.06	N/A	N/A	0.27	N/A	N/A	N/A	0.32	N/A	N/A	N/A
Thu, Nov 22, 2018	N/A	0.12	N/A	N/A	0.13	N/A	N/A	N/A	0.08	N/A	N/A	N/A
Wed, Nov 28, 2018	N/A	0.67	N/A	N/A	0.18	N/A	N/A	N/A	Invalid	N/A	N/A	N/A

Notes:

N/A Means no monitor at this location to collect sample and --- means no monitoring scheduled to be collected on this date.

Invalid means sample collected was invalid due to a variety of reasons such as loss of power, equipment malfunction, etc.

NS Means samplers were not operating due to a variety of reasons such as limited access, weather, samplers under repair, etc.

***July 4th fireworks

Hexavalent Chromium Monitoring Results (ng/m³) Compton

Sample Date	Site #1C	Site #2C	Site #3C	Site #4C	Site #5C	Site #6C	Site #7C	Site #8C	Site #9C	Site #10C	Site #11C	Site #12C
-------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	-----------	-----------	-----------

