



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178  
(909) 396-2000 • [www.aqmd.gov](http://www.aqmd.gov)

SENT VIA USPS AND E-MAIL:

February 19, 2019

[2020PEIR@scag.ca.gov](mailto:2020PEIR@scag.ca.gov)

Roland Ok, Senior Regional Planner  
Southern California Association of Governments  
900 Wilshire Boulevard, Suite 1700  
Los Angeles, CA 90017

## **Notice of Preparation of a Program Environmental Impact Report for the 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy (Connect SoCal)**

South Coast Air Quality Management District (SCAQMD) staff appreciates the opportunity to comment on the above-mentioned document. SCAQMD staff's comments are recommendations regarding the analysis of potential air quality impacts from the Proposed Project that should be included in the Program Environmental Impact Report (EIR). Please send SCAQMD a copy of the Draft EIR upon its completion. Note that copies of the Program EIR that are submitted to the State Clearinghouse are not forwarded to SCAQMD. Please forward a copy of the Program EIR directly to SCAQMD at the address shown in the letterhead. **In addition, please send with the Program EIR all appendices or technical documents related to the air quality, health risk, and greenhouse gas analyses and electronic versions of all air quality modeling and health risk assessment files<sup>1</sup>. These include emission calculation spreadsheets and modeling input and output files (not PDF files). Without all files and supporting documentation, SCAQMD staff will be unable to complete our review of the air quality analyses in a timely manner. Any delays in providing all supporting documentation will require additional time for review beyond the end of the comment period.**

### **Air Quality Analysis**

SCAQMD adopted its California Environmental Quality Act (CEQA) Air Quality Handbook in 1993 to assist other public agencies with the preparation of air quality analyses. SCAQMD staff recommends that the Lead Agency use this Handbook as guidance when preparing its air quality analyses. Copies of the Handbook are available from the SCAQMD's Subscription Services Department by calling (909) 396-3720. More recent guidance developed since this Handbook was published is also available on SCAQMD's website at: [http://www.aqmd.gov/home/regulations/ceqa/air-quality-analysis-handbook/ceqa-air-quality-handbook-\(1993\)](http://www.aqmd.gov/home/regulations/ceqa/air-quality-analysis-handbook/ceqa-air-quality-handbook-(1993)). SCAQMD staff also recommends that the Lead Agency use the CalEEMod land use emissions software. This software has recently been updated to incorporate up-to-date state and locally approved emission factors and methodologies for estimating pollutant emissions from typical land use development. CalEEMod is the only software model maintained by the California Air Pollution Control Officers Association (CAPCOA) and replaces the now outdated URBEMIS. This model is available free of charge at: [www.caleemod.com](http://www.caleemod.com).

On March 3, 2017, the SCAQMD's Governing Board adopted the 2016 Air Quality Management Plan (2016 AQMP), which was later approved by the California Air Resources Board on March 23, 2017.

---

<sup>1</sup> Pursuant to the CEQA Guidelines Section 15174, the information contained in an EIR shall include summarized technical data, maps, plot plans, diagrams, and similar relevant information sufficient to permit full assessment of significant environmental impacts by reviewing agencies and members of the public. Placement of highly technical and specialized analysis and data in the body of an EIR should be avoided through inclusion of supporting information and analyses as appendices to the main body of the EIR. Appendices to the EIR may be prepared in volumes separate from the basic EIR document, but shall be readily available for public examination and shall be submitted to all clearinghouses which assist in public review.

Built upon the progress in implementing the 2007 and 2012 AQMPs, the 2016 AQMP provides a regional perspective on air quality and the challenges facing the South Coast Air Basin. The most significant air quality challenge in the Basin is to achieve an additional 45 percent reduction in nitrogen oxide (NO<sub>x</sub>) emissions in 2023 and an additional 55 percent NO<sub>x</sub> reduction beyond 2031 levels for ozone attainment. The 2016 AQMP is available on SCAQMD's website at: <http://www.aqmd.gov/home/library/clean-air-plans/air-quality-mgt-plan>.

SCAQMD staff recognizes that there are many factors Lead Agencies must consider when making local planning and land use decisions. To facilitate stronger collaboration between Lead Agencies and SCAQMD to reduce community exposure to source-specific and cumulative air pollution impacts, SCAQMD adopted the Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning in 2005. This Guidance Document provides suggested policies that local governments can use in their General Plans or through local planning to prevent or reduce potential air pollution impacts and protect public health. SCAQMD staff recommends that the Lead Agency review this Guidance Document as a tool when making local planning and land use decisions. This Guidance Document is available on SCAQMD's website at: <http://www.aqmd.gov/docs/default-source/planning/air-quality-guidance/complete-guidance-document.pdf>. Additional guidance on siting incompatible land uses (such as placing homes near freeways or other polluting sources) can be found in the California Air Resources Board's *Air Quality and Land Use Handbook: A Community Health Perspective*, which can be found at: <http://www.arb.ca.gov/ch/handbook.pdf>. Guidance<sup>2</sup> on strategies to reduce air pollution exposure near high-volume roadways can be found at: [https://www.arb.ca.gov/ch/rd\\_technical\\_advisory\\_final.PDF](https://www.arb.ca.gov/ch/rd_technical_advisory_final.PDF).

SCAQMD has also developed both regional and localized air quality significance thresholds. SCAQMD staff requests that the Lead Agency compare the emissions to the recommended regional significance thresholds found here: <http://www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf>. In addition to analyzing regional air quality impacts, SCAQMD staff recommends calculating localized air quality impacts and comparing the results to localized significance thresholds (LSTs). LSTs can be used in addition to the recommended regional significance thresholds as a second indication of air quality impacts when preparing a CEQA document. Therefore, when preparing the air quality analysis for the Proposed Project, it is recommended that the Lead Agency perform a localized analysis by either using the LSTs developed by SCAQMD or performing dispersion modeling as necessary. Guidance for performing a localized air quality analysis can be found at: <http://www.aqmd.gov/home/regulations/ceqa/air-quality-analysis-handbook/localized-significance-thresholds>.

When specific development is reasonably foreseeable as result of the goals, policies, and guidelines in the Proposed Project, the Lead Agency should identify any potential adverse air quality impacts and sources of air pollution that could occur using its best efforts to find out and a good-faith effort at full disclosure in the Program EIR. The degree of specificity will correspond to the degree of specificity involved in the underlying activity which is described in the Program EIR (CEQA Guidelines Section 15146). When quantifying air quality emissions, emissions from both construction (including demolition, if any) and operations should be calculated. Construction-related air quality impacts typically include, but are not limited to, emissions from the use of heavy-duty equipment from grading, earth-loading/unloading, paving, architectural coatings, off-road mobile sources (e.g., heavy-duty construction equipment) and on-road mobile sources (e.g., construction worker vehicle trips, material transport trips). Operation-related air quality impacts may include, but are not limited to, emissions from stationary sources (e.g., boilers),

---

<sup>2</sup> In April 2017, CARB published a technical advisory, *Strategies to Reduce Air Pollution Exposure Near High-Volume Roadways: Technical Advisory*, to supplement CARB's *Air Quality and Land Use Handbook: A Community Health Perspective*. This technical advisory is intended to provide information on strategies to reduce exposures to traffic emissions near high-volume roadways to assist land use planning and decision-making in order to protect public health and promote equity and environmental justice. The technical advisory is available at: <https://www.arb.ca.gov/ch/landuse.htm>.

area sources (e.g., solvents and coatings), and vehicular trips (e.g., on- and off-road tailpipe emissions and entrained dust). Air quality impacts from indirect sources, such as sources that generate or attract vehicular trips, should be included in the analysis. Furthermore, for phased projects where there will be an overlap between construction and operation, the emissions from the overlapping construction and operational activities should be combined and compared to SCAQMD's regional air quality CEQA *operational* thresholds to determine the level of significance.

In the event that the Proposed Project generates or attracts vehicular trips, especially heavy-duty diesel-fueled vehicles, it is recommended that the Lead Agency perform a mobile source health risk assessment. Guidance for performing a mobile source health risk assessment (“*Health Risk Assessment Guidance for Analyzing Cancer Risk from Mobile Source Diesel Idling Emissions for CEQA Air Quality Analysis*”) can be found at: <http://www.aqmd.gov/home/regulations/ceqa/air-quality-analysis-handbook/mobile-source-toxics-analysis>. An analysis of all toxic air contaminant impacts due to the use of equipment potentially generating such air pollutants should also be included.

### **Mitigation Measures and Health Risks Reduction Strategies**

In the event that the Proposed Project generates significant adverse air quality impacts, CEQA requires that all feasible mitigation measures that go beyond what is required by law be utilized during project construction and operation to minimize or eliminate these impacts. Pursuant to CEQA Guidelines Section 15126.4 (a)(1)(D), any impacts resulting from mitigation measures must also be discussed. Several resources are available to assist the Lead Agency with identifying possible mitigation measures for the Proposed Project, including:

- Chapter 11 “Mitigating the Impact of a Project” of SCAQMD’s *CEQA Air Quality Handbook*
- SCAQMD’s CEQA web pages available here: <http://www.aqmd.gov/home/regulations/ceqa/air-quality-analysis-handbook/mitigation-measures-and-control-efficiencies>
- SCAQMD’s Rule 403 – Fugitive Dust, and the Implementation Handbook for controlling construction-related emissions and Rule 1403 – Asbestos Emissions from Demolition/Renovation Activities
- CAPCOA’s *Quantifying Greenhouse Gas Mitigation Measures* available here: <http://www.capcoa.org/wp-content/uploads/2010/11/CAPCOA-Quantification-Report-9-14-Final.pdf>

#### *Additional Recommended Mitigation Measures*

SCAQMD staff has prepared the following list of mitigation measures as suggestions to the Lead Agency to consider and incorporate in the Program EIR.

- Require the use of Tier 4 emissions standards or better for off-road diesel-powered construction equipment of 50 horsepower or greater. To ensure that Tier 4 construction equipment or better will be used during the Proposed Project’s construction, SCAQMD staff recommends that the Lead Agency include this requirement in applicable bid documents, purchase orders, and contracts. Successful contractor(s) must demonstrate the ability to supply the compliant construction equipment for use prior to any ground disturbing and construction activities. A copy of each unit’s certified tier specification or model year specification and California Air Resources Board (CARB) or SCAQMD operating permit (if applicable) shall be available upon request at the time of mobilization of each applicable unit of equipment. Additionally, the Lead Agency should require periodic reporting and provision of written construction documents by construction contractor(s) to ensure compliance, and conduct regular inspections to the maximum extent feasible to ensure compliance.
- Require zero-emissions or near-zero emission on-road haul trucks such as heavy-duty trucks with natural gas engines that meet the CARB’s adopted optional NOx emissions standard at 0.02

grams per brake horsepower-hour (g/bhp-hr), if and when feasible. At a minimum, require that construction vendors, contractors, and/or haul truck operators commit to using 2010 model year trucks (e.g., material delivery trucks and soil import/export) that meet CARB's 2010 engine emissions standards at 0.01 g/bhp-hr of particulate matter (PM) and 0.20 g/bhp-hr of NOx emissions or newer, cleaner trucks<sup>3</sup>. The Lead Agency should include this requirement in applicable bid documents, purchase orders, and contracts. Operators shall maintain records of all trucks associated with project construction to document that each truck used meets these emission standards, and make the records available for inspection. The Lead Agency should conduct regular inspections to the maximum extent feasible to ensure compliance.

- Suspend all on-site construction activities when wind speeds (as instantaneous gusts) exceed 25 miles per hour.
- All trucks hauling dirt, sand, soil or other loose materials are to be covered, or should maintain at least two feet of freeboard in accordance with California Vehicle Code Section 23114 (freeboard means vertical space between the top of the load and top of the trailer).
- Enter into applicable bid documents, purchase orders, and contracts to notify all construction vendors, contractors, and/or haul truck operators that vehicle and construction equipment idling time will be limited to no longer than five minutes, consistent with the CARB's policy<sup>4</sup>. For any idling that is expected to take longer than five minutes, the engine should be shut off. Notify construction vendors, contractors, and/or haul truck operators of these idling requirements at the time that the purchase order is issued and again when vehicles enter the Proposed Project site. To further ensure that drivers understand the vehicle idling requirement, post signs at the Proposed Project site, where appropriate, stating that idling longer than five minutes is not permitted.
- Have truck routes clearly marked with trailblazer signs, so that trucks will not enter residential areas.
- Limit the daily number of trucks allowed at the Proposed Project to levels analyzed in the CEQA document. If higher daily truck volumes are anticipated to visit the site, the Lead Agency should commit to re-evaluating the Proposed Project through the CEQA process prior to allowing this land use or higher activity level.
- Provide electric vehicle (EV) Charging Stations (see the discussion below regarding EV charging stations).
- Should the Proposed Project generate significant regional emissions, the Lead Agency should require mitigation that requires accelerated phase-in for non-diesel powered trucks. For example, natural gas trucks, including Class 8 HHD trucks, are commercially available today. Natural gas trucks can provide a substantial reduction in health risks, and may be more financially feasible today due to reduced fuel costs compared to diesel. In the Program EIR, the Lead Agency should require a phase-in schedule for these cleaner operating trucks to reduce any significant adverse air quality impacts. SCAQMD staff is available to discuss the availability of current and upcoming truck technologies and incentive programs with the Lead Agency.
- Trucks that can operate at least partially on electricity have the ability to substantially reduce the significant NOx impacts from this project. Further, trucks that run at least partially on electricity are projected to become available during the life of the project as discussed in the 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy (2016-2040 RTP/SCS)<sup>5</sup>. It is important to make this electrical infrastructure available when the project is built so that it is

---

<sup>3</sup> Based on a review of the California Air Resources Board's diesel truck regulations, 2010 model year diesel haul trucks should have already been available and can be obtained in a successful manner for the project construction California Air Resources Board. March 2016. Available at: <http://www.truckload.org/tca/files/ccLibraryFiles/Filename/000000003422/California-Clean-Truck-and-Trailer-Update.pdf> (See slide #23).

<sup>4</sup> California Air Resources Board. June 2009. *Written Idling Policy Guidelines*. Accessed at: <https://www.arb.ca.gov/msprog/ordiesel/guidance/writtenidlingguide.pdf>.

<sup>5</sup> Southern California Association of Governments. Accessed at: <http://scagrtpsc.net/Pages/FINAL2016RTPSCS.aspx>.

ready when this technology becomes commercially available. The cost of installing electrical charging equipment onsite is significantly cheaper if completed when the project is built compared to retrofitting an existing building. Therefore, SCAQMD staff recommends the Lead Agency require the Proposed Project and other plan areas that allow truck parking to be constructed with the appropriate infrastructure to facilitate sufficient electric charging for trucks to plug-in. Similar to the City of Los Angeles requirements for all new projects, SCAQMD staff recommends that the Lead Agency require at least 5% of all vehicle parking spaces (including for trucks) include EV charging stations<sup>6</sup>. Further, electrical hookups should be provided at the onsite truck stop for truckers to plug in any onboard auxiliary equipment. At a minimum, electrical panels should be appropriately sized to allow for future expanded use.

- Design warehouses or distribution centers such that entrances and exits are such that trucks are not traversing past neighbors or other sensitive receptors.
- Design warehouses or distribution centers such that any check-in point for trucks is well inside the site to ensure that there are no trucks queuing outside of the facility.
- Design warehouses or distribution centers to ensure that truck traffic within the site is located away from the property line(s) closest to its residential or sensitive receptor neighbors.
- Restrict overnight parking in residential areas.
- Establish overnight parking within warehouses or distribution centers where trucks can rest overnight.
- Establish area(s) within warehouses or distribution centers for repair needs.
- Develop, adopt and enforce truck routes to and from warehouses or distribution centers that avoid sensitive receptors, where feasible.
- Create a buffer zone of at least 300 meters (roughly 1,000 feet), which can be office space, employee parking, greenbelt, etc. between warehouses or distribution centers and sensitive receptors.
- Maximize use of solar energy including solar panels; installing the maximum possible number of solar energy arrays on the building roofs and/or on the Proposed Project site to generate solar energy for the facility.
- Maximize the planting of trees in landscaping and parking lots.
- Use light colored paving and roofing materials (e.g., “cool” roofs and cool pavements).
- Utilize only Energy Star heating, cooling, and lighting devices, and appliances.
- Require use of electric or alternatively fueled sweepers with HEPA filters.
- Use of water-based or low VOC cleaning products.

#### *Health Risks Reduction Strategies*

Many strategies are available to reduce exposures from locating sensitive land uses near freeways or sources of air pollution, including, but are not limited to, building filtration systems with MERV 13 or better, or in some cases, MERV 15 or better is recommended; building design, orientation, location; vegetation barriers or landscaping screening, etc. Because of the potential adverse health risks involved with siting sensitive receptors near freeways and other sources of air pollution, it is essential that any proposed strategy must be carefully evaluated before implementation.

In the event that enhanced filtration units are required for installation at the Proposed Project either as a mitigation measure or project design feature, SCAQMD staff recommends that the Lead Agency consider the limitations of the enhanced filtration. For example, in a study that SCAQMD conducted to investigate

---

<sup>6</sup> City of Los Angeles. Accessed at:  
[http://ladbs.org/LADBSWeb/LADBS\\_Forms/Publications/LAGreenBuildingCodeOrdinance.pdf](http://ladbs.org/LADBSWeb/LADBS_Forms/Publications/LAGreenBuildingCodeOrdinance.pdf).

filters<sup>7</sup>, a cost burden is expected to be within the range of \$120 to \$240 per year to replace each filter. The initial start-up cost could substantially increase if an HVAC system needs to be installed. In addition, because the filters would not have any effectiveness unless the HVAC system is running, there may be increased energy costs to the residents. It is typically assumed that the filters operate 100 percent of the time while residents are indoors, and the environmental analysis does not generally account for the times when the residents have their windows or doors open or are in common space areas of the project. In addition, these filters have no ability to filter out any toxic gases from vehicle exhaust. Therefore, the presumed effectiveness and feasibility of any filtration units should be carefully evaluated in more detail prior to assuming that they will sufficiently alleviate exposures to diesel particulate matter (DPM) emissions.

If enhanced filtration units are installed at the Proposed Project, and to ensure that they are enforceable throughout the lifetime of the Proposed Project as well as effective in reducing exposures to DPM emissions, SCAQMD staff recommends that the Lead Agency provide additional details regarding the ongoing, regular maintenance and monitoring of filters in the environmental analysis. To facilitate a good faith effort at full disclosure and provide useful information to future residents who will live at the Proposed Project in a close proximity to freeways and other sources of air pollution, the environmental analysis should include the following information, at a minimum:

- Disclose the potential health impacts to prospective residents from living in a close proximity of freeways and other sources of air pollution and the reduced effectiveness of air filtration system when windows are open and/or when residents are outdoor (e.g., in the common and open space areas);
- Identify the responsible implementing and enforcement agency such as the Lead Agency to ensure that enhanced filtration units are installed on-site at the Proposed Project before a permit of occupancy is issued;
- Identify the responsible implementing and enforcement agency such as the Lead Agency to ensure that enhanced filtration units are inspected regularly;
- Provide information to residents on where the MERV filters can be purchased;
- Disclose the potential increase in energy costs for running the HVAC system to prospective residents;
- Provide recommended schedules (e.g., once a year or every six months) for replacing the enhanced filtration units to prospective residents;
- Identify the responsible entity such as residents themselves, Homeowner's Association, or property management for ensuring enhanced filtration units are replaced on time, if appropriate and feasible (if residents should be responsible for the periodic and regular purchase and replacement of the enhanced filtration units, the Lead Agency should include this information in the disclosure form);
- Identify, provide, and disclose any ongoing cost sharing strategies, if any, for the purchase and replacement of the enhanced filtration units;
- Set City-wide or Project-specific criteria for assessing progress in installing and replacing the enhanced filtration units; and
- Develop a City-wide or Project-specific process for evaluating the effectiveness of the enhanced filtration units at the Proposed Project.

---

<sup>7</sup> This study evaluated filters rated MERV 13 or better. Accessed at: <http://www.aqmd.gov/docs/default-source/ceqa/handbook/aqmdpilotstudyfinalreport.pdf>. Also see 2012 Peer Review Journal article by SCAQMD: <https://onlinelibrary.wiley.com/doi/10.1111/ina.12013>.

**Alternatives**

In the event that the Proposed Project generates significant adverse air quality impacts, CEQA requires the consideration and discussion of alternatives to the project or its location which are capable of avoiding or substantially lessening any of the significant effects of the project. The discussion of a reasonable range of potentially feasible alternatives, including a “no project” alternative, is intended to foster informed decision-making and public participation. Pursuant to CEQA Guidelines Section 15126.6(d), the Program EIR shall include sufficient information about each alternative to allow meaningful evaluation, analysis, and comparison with the Proposed Project.

**Permits**

In the event that implementation of the Proposed Project requires a permit from SCAQMD, SCAQMD should be identified as a Responsible Agency for the Proposed Project in the Program EIR. For more information on permits, please visit SCAQMD’s webpage at: <http://www.aqmd.gov/home/permits>. Questions on permits can be directed to SCAQMD’s Engineering and Permitting staff at (909) 396-3385.

**Data Sources**

SCAQMD rules and relevant air quality reports and data are available by calling the SCAQMD’s Public Information Center at (909) 396-2039. Much of the information available through the Public Information Center is also available via the SCAQMD’s webpage (<http://www.aqmd.gov>).

SCAQMD staff is available to work with the Lead Agency to ensure that project air quality impacts are accurately evaluated and mitigated where feasible. Please contact me at (909) 396-3308, should you have any questions.

Sincerely,

*Lijin Sun*

Lijin Sun, J.D.

Program Supervisor, CEQA IGR

Planning, Rule Development & Area Sources

LS

ALL190123-01  
Control Number