



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

SENT VIA E-MAIL:

October 14, 2022

paulette.penton@dtsc.ca.gov

Ms. Paulette Penton
Region 3 Chatsworth Regional Office
Department of Toxic Substances Control
9211 Oakdale Avenue
Chatsworth, California 91311

Public Notification -Hazardous Waste Storage Facility Permit Modification
General Electric International, Inc., Los Angeles Service Center
(EPA ID #: CAD030584502)

South Coast Air Quality Management District (South Coast AQMD) staff appreciates the opportunity to provide comments on the above-mentioned document. Based on the letter from General Electric International, Inc. (GE) dated September 7, 2022, GE submitted a request to the California Department of Toxic Substances Control (DTSC) Region 3 Chatsworth Regional Office for a Class 1 Permit Modification to the Hazardous Waste Storage Facility Permit issued by the DTSC on June 22, 2016, for GE' s Los Angeles Service Center located at 3601 East La Palma Avenue in Anaheim, California (facility).

South Coast AQMD's Rule 1403 - Asbestos Emissions From Demolition/Renovation Activities¹ will apply to any renovation or demolition activities conducted on the structures and related facility components (including equipment, see Rule 1403 for definitions and applicability.) South Coast AQMD's Rule 403 – Fugitive Dust² also applies to any activity that can generate fugitive dust, such as demolition and related operations. South Coast AQMD's Rule 1166 - Volatile Organic Compound Emissions from Decontamination of Soil³ may be applicable depending on the findings of soil sampling, and South Coast AQMD's Rule 1466 - Control of Particulate Emissions from Soils with Toxic Air Contaminants⁴ may apply if the facility is so designated and notified per Rule 1466(b)(1), and if the quantities of contaminated soil exceed 50 cubic yards.

If you have any questions or wish to discuss the comments, please contact me at swangl@aqmd.gov.

Sincerely,

¹ South Coast AQMD's Rule 1403 - Asbestos Emissions From Demolition/Renovation Activities can be found at <http://www.aqmd.gov/docs/default-source/rule-book/reg-xiv/rule-1403.pdf>

² South Coast AQMD's Rule 403 – Fugitive Dust and its compliance requirement can be found at <https://www.aqmd.gov/home/rules-compliance/compliance/rule-403-dust-control-information>

³ South Coast AQMD's Rule 1166 - Volatile Organic Compound Emissions from Decontamination of Soil and its compliance requirement can be found at <http://www.aqmd.gov/home/rules-compliance/compliance/rule-1166-site-specific-and-various-locations-soil-mitigation-plan>

⁴ South Coast AQMD's Rule 1466 - Control of Particulate Emissions from Soils with Toxic Air Contaminants and its compliance requirement can be found at <https://www.aqmd.gov/home/rules-compliance/compliance/rule-1466>

Sam Wang

Sam Wang

Program Supervisor, CEQA IGR

Planning, Rule Development & Implementation

SW

ORC220913-09

Control Number