SENT VIA E-MAIL:

February 6, 2024

lisa.mangione@usace.army.mil

Lisa Mangione, Senior Project Manager, USACE Los Angeles District Regulatory Division and

ceqa@polb.com

Matthew Arms, Director of Environmental Planning Port of Long Beach 415 West Ocean Boulevard Long Beach, CA 90802

Notice of Preparation of a Draft Environmental Impact Report and Draft Environmental Impact Statement for the Pier Wind Terminal Development Project#

South Coast Air Quality Management District (South Coast AQMD) staff appreciates the opportunity to comment on the above-mentioned document. Our comments are recommendations on the analysis of potential air quality impacts from the Proposed Project that should be included in the Draft Environmental Impact Report (EIR) and Draft Environmental Impact Statement (EIS). Please send a copy of the Draft EIR/EIS upon its completion and public release directly to South Coast AQMD as copies of the Draft EIR/EIS submitted to the State Clearinghouse are not forwarded. In addition, please send all appendices and technical documents related to the air quality, health risk, and greenhouse gas analyses (electronic versions of all emission calculation spreadsheets, air quality modeling, and health risk assessment input and output files, not PDF files). Any delays in providing all supporting documentation for our review will require additional review time beyond the end of the comment period.

NEPA/CEQA Air Quality Analysis

Staff recommends that the Lead Agency use South Coast AQMD's CEQA Air Quality Handbook and website¹ as guidance when preparing the air quality and greenhouse gas analyses. It is also recommended that the Lead Agency use the CalEEMod² land use emissions software, which can estimate pollutant emissions from typical land use development and is the only software model maintained by the California Air Pollution Control Officers Association.

South Coast AQMD has developed both regional and localized significance thresholds. South Coast AQMD staff recommends that the Lead Agency quantify criteria pollutant emissions and compare the emissions to South Coast AQMD's CEQA regional pollutant emissions significance thresholds ³ and localized significance thresholds (LSTs)⁴ to determine the Proposed Project's air quality impacts. The localized analysis can be conducted by either using the LST screening tables or performing dispersion modeling. For NEPA, South Coast AQMD staff recommends that the Lead Agency quantify criteria

¹ South Coast AQMD's CEQA Handbook and other resources for preparing air quality analyses can be found at: http://www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook.

² CalEEMod is available free of charge at: <u>www.caleemod.com</u>.

³ South Coast AQMD's CEQA regional pollutant emissions significance thresholds can be found at: http://www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf.

⁴ South Coast AQMD's guidance for performing a localized air quality analysis can be found at: http://www.aqmd.gov/home/regulations/ceqa/air-quality-analysis-handbook/localized-significance-thresholds.

pollutant emissions and compare the emissions to EPA's De Minimis levels for general conformity determination per 40 CFR § 93.153(b)(1) and (b)(2).

The Lead Agency should identify any potential adverse air quality impacts that could occur from all phases of the Proposed Project and all air pollutant sources related to the Proposed Project. Air quality impacts from both construction (including demolition, if any) and operations should be calculated. Construction-related air quality impacts typically include, but are not limited to, emissions from the use of heavy-duty equipment from grading, earth-loading/unloading, paving, architectural coatings, off-road mobile sources (e.g., heavy-duty construction equipment) and on-road mobile sources (e.g., construction worker vehicle trips, material transport trips, and hauling trips). Operation-related air quality impacts may include, but are not limited to, emissions from stationary sources (e.g., boilers and air pollution control devices), area sources (e.g., solvents and coatings), and vehicular trips (e.g., on- and off-road tailpipe emissions and entrained dust). Air quality impacts from indirect sources, such as sources that generate or attract vehicular trips, should be included in the analysis. Furthermore, emissions from the overlapping construction and operational activities should be combined and compared to South Coast AQMD's regional air quality CEQA operational thresholds to determine the level of significance.

In the event that implementation of the Proposed Project requires a permit from South Coast AQMD, South Coast AQMD should be identified as a Responsible Agency for the Proposed Project in the Draft EIR/EIS. The assumptions in the air quality analysis in the EIR will be the basis for evaluating the permit under CEQA and imposing permit conditions and limits. Questions on permits should be directed to South Coast AQMD's Engineering and Permitting staff at (909) 396-3385.

Mitigation Measures

In the event that the Proposed Project results in significant adverse air quality impacts, CEQA requires that all feasible mitigation measures that go beyond what is required by law be utilized to minimize these impacts. Any impacts resulting from mitigation measures must also be analyzed. Several resources to assist the Lead Agency with identifying potential mitigation measures for the Proposed Project include South Coast AQMD's CEQA Air Quality Handbook,⁵ South Coast AQMD's Mitigation Monitoring and Reporting Plan for the 2022 Air Quality Management Plan,⁶ and Southern California Association of Government's Mitigation Monitoring and Reporting Plan for the 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy.⁷.

<u>Information on the Community Emission Reduction Plan (CERP) for the Designated AB 617 Wilmington, Carson, West Long Beach (WCWLB) Community</u>

The Proposed Project area includes the AB 617-designated WCWLB community and is heavily impacted by air pollution generated from sources such as ports, refineries, oil and gas industry, heavy-duty diesel trucks, warehouses, and railroad activities. As part of the AB 617 process, South Coast AQMD is required to work with a Community Steering Committee (CSC) to develop a CERP that identifies air quality priorities and related actions to reduce air pollution in the community. The South Coast AQMD Governing Board adopted the WCWLB CERP on September 6, 2019.^[1] South Coast AQMD staff recommends that the Lead Agency review the actions to reduce air pollution in the community included

⁵ https://www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook

⁶ South Coast AQMD's 2022 Air Quality Management Plan can be found at: http://www.aqmd.gov/home/air-quality/clean-air-plans/air-quality-mgt-plan (Chapter 4 - Control Strategy and Implementation).

⁷ Southern California Association of Governments' 2020-2045 RTP/SCS can be found at: https://www.connectsocal.org/Documents/PEIR/certified/Exhibit-A ConnectSoCal PEIR.pdf.

^[1] South Coast AQMD. September 2019. Assembly Bill 617 Wilmington, West Long Beach, Carson Community Emissions Reduction Plan. Accessed at: https://www.aqmd.gov/docs/default-source/ab-617-ab-134/steering-committees/wilmington/cerp/final-cerp-wcwlb.pdf.

in Chapter 5 of the WCWLB CERP, which can be found here: https://www.aqmd.gov/docs/default-source/ab-617-ab-134/steering-committees/wilmington/cerp/final-cerp-wcwlb.pdf?sfvrsn=8#page=125. South Coast AQMD staff also recommends the Lead Agency continue working with South Coast AQMD to explore whether additional measures to mitigate or further reduce emissions can be implemented at the Proposed Project to support actions in the WCWLB CERP.

South Coast AQMD staff is available to work with the Lead Agency to ensure that air quality, greenhouse gas, and health risk impacts from the Proposed Project are accurately evaluated and mitigated where feasible. If you have any questions regarding this letter, please contact me at swang1@aqmd.gov.

Sincerely,

Sam Wang

Sam Wang Program Supervisor, CEQA IGR Planning, Rule Development & Implementation

SW LAC231201-23 Control Number