

***From The Desk Of  
Eddie Greenwood***

***April 22, 2002***

SCAQMD  
South Coast Air Quality Management District  
21865 E. Copley Drive  
Diamond Bar, California 91765  
909-396-3439

Barry Wallerstein  
Executive Officer

Ms. Kathy Stevens  
Planning-CEQA

Reference: ULTRAMAR, INC., Wilmington Oil Refinery  
Subject: Opposition To Draft Subsequent Environmental Impact Report (DSEIR)  
And Issuance Of Permit To ULTRAMAR, Inc.

I live in Wilmington with my wife and children and it has come to my attention of the above DSEIR regarding the proposed issuance of a permit by SCAQMD to Ultramar. Inc. and I wish to state that I am against the issuance of a permit for the following reasons:

- |    |  |      |
|----|--|------|
| 1. | SCAQMD & Ultramar failed to hold a Public Hearing in Wilmington to advise us of the project proposal and its impact on our community.                  | 30-1 |
| 2. | SCAQMD & Ultramar failed to provide Public Notice in the local Newspapers servicing Wilmington such as the Wilmington Community News and Daily Breeze. | 30-2 |
| 3. | The Draft SEIR fails to contain accurate and complete Negative Environmental and Health Impact information.  | 30-3 |
| 4. | Ultramar offers no mitigation to correct all the environmental damage and health problems it has caused.   | 30-4 |

I request that a Public Hearing be held in Wilmington within 60 days and that the Public Comment Period be extended another 60 days from the date of the hearing.	30-5
---	------

Cordially,



Walter Eddie Greenwood  
1220 W. Cruces Street  
Wilmington, CA 90744  
310-830-9109

**COMMENT LETTER NO. 30**  
**LETTER FROM WALTER EDDIE GREENWOOD**

April 22, 2002

**Response 30-1**

Your opinion regarding the Ultramar proposed project is noted. Please see Response 3-3 regarding the public meeting for the proposed project.

**Response 30-2**

Please see Response 3-1 regarding the public notice for the proposed project.

**Response 30-3**

See Response 9-7 regarding the comment that the Draft SEIR fails to contain accurate and complete information.

**Response 30-4**

The comment is incorrect. See Response 6-3 regarding mitigation measures that have been imposed.

**Response 30-5**

See Response 3-3 regarding the public meeting and an extension of the public comment period.