SCAQMD-South Coast Air Quality Management District 21865 E. Copley Drive Diamond Bar, California 91765 909-396-3439 Off 909-396-3324 Fax

Barry Wallerstein Executive Officer

Ms. Kathy Stevens Planning-CEQA

Ref: Ultramar, Inc., SCAQMD Permit Request

Sub: Opposition To Draft Subsequent Environmental Impact Report (DSEIR)

And Issuance Of Permit To ULTRAMAR, Inc.

I live in Wilmington with my family and request that you not issue a building permit to Ultramar, 42-1 Inc. until they have addressed the air pollution they are causing and health problems they are causing. The DSEIR contains incomplete information, out dated information and inaccurate information. 42-2 Ultramar offers our community no significant mitigation for the negative environmental impact and negative health impact they are causing our community. I want to know why SCAQMD or Ultramar did not hold a Public Hearing in Wilmington? 42-3 I want to know why no information was mailed to all Wilmington residents? 42-4 I want to be placed on your mailing list. 42-5 I want a Public Hearing be held in Wilmington immediately before SCAQMD approves a Permit 42-6 to Ultramar, Inc.. I additionally want the Public Comment Time be extended another sixty

Concerned Wilmington Resident,

Man Fler

Mr. Juan Hernandez 1046 Ravenna #3

Wilmington, CA 90744

310-835-0711

days.

# COMMENT LETTER NO. 42 LETTER FROM MR. JUAN HERNANDEZ

April 21, 2002

### Response 42-1

Your opinion regarding Ultramar is noted. The SEIR will not be certified until all environmental impacts have been addressed and all feasible mitigation measures imposed.

### Response 42-2

Please see Response 9-7 regarding the comment that the Draft SEIR fails to contain accurate and complete information. Also, see Response 9-9 regarding the health impacts associated with the proposed project.

## Response 42-3

Please see Response 3-3 regarding the public meeting.

# Response 42-4

Please see Response 3-1 regarding the public notice.

# Response 42-5

Your name has been added to the list of interested parties for this project and will be included on any further notices related to this project. Please see Response 3-4 regarding SCAQMD's subscription service.

## Response 42-6

See Response 3-3 regarding the public meeting and an extension of the public comment period.