

South Coast AQMD Site Survey Report for Closet World (Quemetco)

Last updated: May 11, 2023



AQS ID	ARB Number	Site Start Date	Reporting Agency and Agency Code
060371404	70043	10/03/2008	South Coast AQMD (0972)

Site Address	County	Air Basin	Latitude	Longitude	Elevation
500 S. 7th Avenue City of Industry, CA 91746	Los Angeles	South Coast	34.026354	-117.982204	90m



Detailed Site Information

Local site name		Closet World (Quemetco)					
AQS ID		060371404					
GPS coordinates (decimal degrees)		Latitude: 34.026354, Longitude: -117.982204					
Street Address		720 S. 7th Avenue, City of Industry, CA 91746					
County		Los Angeles					
Distance to roadways (1	Distance to roadways (meters)		45				
Traffic count (AADT, year)		20,000 / 2012					
Groundcover		Asphalt					
(e.g. asphalt, dirt, sand)							
Representative statistical area name		31080-Los Angeles-Long Beach-Anaheim, MSA					
(i.e. MSA, CBSA, other	r)						
Pollutant, POC	Lead, 1						
Primary / QA	Primary						
Collocated / Other							
Parameter code	14129						
Basic monitoring	NAAQS						
objective(s)							
Site type(s)	Source Orien	nted					
Monitor (type)	SLAMS						
Network Affiliation	N/A						
Instrument	Tisch +						
manufacturer and							
model							
Method code	110						
FRM/FEM/ARM/	FRM	FRM					
other	9 1 9	+ 01 m					
Collecting Agency	South Coast AQMD						
Analytical Lab (i.e.,	South Coast	AQMD					
weigh lab, toxics lab,							
other)	~ . ~						
Reporting Agency	South Coast AQMD						
Spatial scale (e.g.	Micro						
micro, neighborhood)	10/02/2000						
Monitoring start date	10/03/2008						
(MM/DD/YYYY)	1.6						
Current sampling	1:6						
frequency (e.g.1:3,							
continuous) Calculated sampling	1:6						
frequency	1.0						
(e.g. 1:3/1:1)							
Sampling season	01/01-12/31						
(MM/DD-MM/DD)	01/01-12/31						
Probe height (meters)	2.2						
Distance from	1.2						
supporting structure							
(meters)							
Distance from	N/A						
obstructions on roof							
(meters)							
				•	•		

	1 27/4	T	1	
Distance from	N/A			
obstructions not on				
roof (meters)				
Distance from trees	N/A			
(meters)				
Distance to furnace or	N/A			
incinerator flue				
(meters)				
Distance between	N/A			
collocated monitors				
(meters)				
Unrestricted airflow	360°			
	300			
(degrees) Probe material for	N/A			
	N/A			
reactive gases				
(e.g. Pyrex, stainless				
steel, Teflon)				
Residence time for	N/A			
reactive gases				
(seconds)				
Will there be changes	No			
within the next 18				
months? (Y/N)				
Is it suitable for	N/A			
comparison against				
the annual PM2.5?				
(Y/N)				
Frequency of flow	Monthly			
rate verification for				
manual PM samplers				
Frequency of flow	N/A			
rate verification for				
automated PM				
analyzers				
Frequency of one-	N/A			
point QC check for	IVA			
gaseous instruments				
Last Annual	N/A			
Performance	1 V/ A			
Evaluation for				
gaseous parameters				
(MM/DD/YYYY)	0.4/07/2026			
Last two semi-annual	04/27/2022			
flow rate audits for	09/27/2022			
PM monitors				
(MM/DD/YYYY,				
MM/DD/YYYY)				

Closet World (Quemetco) Site Photos



Looking North from the probe



Looking East from the probe.



Looking South toward the probe.



Looking West from the probe