

South Coast AQMD Site Survey Report for Closet World (Quemetco) Last updated: May 7, 2024



AQS ID	ARB Number	Site Start Date	Reporting Agency and Agency Code
060371404	70043	10/03/2008	South Coast AQMD (0972)

Site Address	County	Air Basin	Latitude	Longitude	Elevation
500 S. 7th Avenue City of Industry, CA 91746	Los Angeles	South Coast	34.026354	-117.982204	90m



Detailed Site Information

Local site name		Closet World (Quemetco)				
AQS ID		060371404				
GPS coordinates (decimal degrees)		Latitude: 34.026354, Longitude: -117.982204				
Street Address		720 S. 7th Avenue, City of Industry, CA 91746				
County		Los Angeles				
Distance to roadways	Distance to roadways (meters)		62			
Traffic count (AADT,	year)	25,007, 2022				
Groundcover		Asphalt				
(e.g. asphalt, dirt, sand						
Representative statistic		31080-Los Angeles-Long Beach-Anaheim, MSA				
(i.e. MSA, CBSA, othe						
Pollutant, POC	Lead, 1					
Primary / QA	Primary					
Collocated / Other						
Parameter code	14129					
Basic monitoring	NAAQS					
objective(s)	g 0:	, 1				
Site type(s)	Source Orie	nted	-			
Monitor (type)	SLAMS					
Network Affiliation	N/A					
Instrument	Tisch +					
manufacturer and model						
Method code	110					
FRM/FEM/ARM/	110 FRM					
other	FKIVI					
Collecting Agency	South Coast AQMD					
Analytical Lab (i.e.,	South Coas	-				
weigh lab, toxics lab,	South Coas	ı AQMD				
other)						
Reporting Agency	South Coast AQMD					
Spatial scale (e.g.	Micro					
micro, neighborhood)						
Monitoring start date	10/03/2008					
(MM/DD/YYYY)	10,03,2000					
Current sampling	1:6					
frequency (e.g.1:3,						
continuous)						
Calculated sampling	1:6					
frequency						
(e.g. 1:3/1:1)						
Sampling season	01/01-12/31					
(MM/DD-MM/DD)						
Probe height (meters) Distance from						
	N/A					
supporting structure (meters)						
Distance from	N/A					
obstructions on roof	1 1 1/ 1/1					
(meters)						
(meters)	l .		L	1		

D:-4 f	N/A	<u> </u>	
Distance from obstructions not on	N/A		
roof (meters)	40) (F 2 2) (H		
Distance from trees	4.8M E 2.3M H		
(meters)	1.0M S 1.3M H		
Distance to furnace or			
incinerator flue			
(meters)			
Distance between	N/A		
collocated monitors			
(meters)			
Unrestricted airflow	360°		
(degrees)			
Probe material for	N/A		
reactive gases			
(e.g. Pyrex, stainless			
steel, Teflon)			
Residence time for	N/A		
reactive gases			
(seconds)			
Will there be changes	No		
within the next 18			
months? (Y/N)			
Is it suitable for	N/A		
comparison against			
the annual PM2.5?			
(Y/N)			
Frequency of flow	Monthly		
rate verification for			
manual PM samplers			
Frequency of flow	N/A		
rate verification for			
automated PM			
analyzers			
Frequency of one-	N/A		
point QC check for			
ga seous instruments			
Last Annual	N/A		
Performance			
Evaluation for			
gaseous parameters			
(MM/DD/YYYY)			
Last two semi-annual	03/03/2023		
flow rate audits for	08/18/2022		
PM monitors			
(MM/DD/YYYY,			
MM/DD/YYYY)			
/			


Closet World (Quemetco) Site Photos



Looking North from the probe



Looking East from the probe.



Looking South from the probe.



Looking West from the probe

Closet World (Quemetco) Site Photos Cont.



Looking at the probe from the North.



Looking at the probe from the East.



Looking at the probe from the South.



Looking at the probe from the West.