

## South Coast AQMD Site Survey Report for Santa Clarita Last updated: May 16, 2025



AQS ID	ARB Number	Site Start Date	Reporting Agency and Agency Code
060376012	70090	05/2001	South Coast AQMD (0972)

Site Address	County	Air Basin	Latitude	Longitude	Elevation
22224 Placerita Canyon Road Santa Clarita, CA 91321	Los Angeles	South Coast	34.383363	-118.528400	386m



## **Detailed Site Information**

Local site name	Santa C		nta Clarita-Placerita					
AQS ID		0603760	060376012					
GPS coordinates (decimal degrees)		Latitude:	Latitude: 34.383363, Longitude: -118.528400					
Street Address			acerita Canyon Road, San	nta Clarita, CA 91321				
County	Los Ang		eles					
	Distance to roadways (meters) 91							
Traffic count (AADT, y	/ear)	2368 / 20	)22					
Groundcover	,	Asphalt						
(e.g. asphalt, dirt, sand)		_						
Representative statistica	al area name	31080-L	os Angeles, Long Beach,	Anaheim MSA				
(i.e. MSA, CBSA, other	r)							
Pollutant, POC	Carbon Mon	oxide, 1	Nitrogen Dioxide, 1	Ozone, 1	PM10, 1			
Primary / QA	N/A		N/A	N/A	Primary			
Collocated / Other								
Parameter code	42101		42602	44201	81102			
Basic monitoring	NAAQS		NAAQS	NAAQS	NAAQS			
objective(s)								
Network affiliation	N/A		Area Wide	N/A	N/A			
Site type(s)	Population I	Exposure	Population Exposure	Highest	Population Exposure			
				Concentration				
Monitor (type)	SLAMS		SLAMS	SLAMS	SLAMS			
Instrument	Horiba APM	IA 360	Teledyne T200	Teledyne T400	Tisch SSI TE-			
manufacturer and					PM10PLUS-BL			
model								
Method code	106		099	087	141			
FRM/FEM/ARM/	FRM		FRM	FEM	FRM			
other								
Collecting Agency	South Coast AQMD		South Coast AQMD	South Coast AQMD	South Coast AQMD			
Analytical Lab (i.e.,	N/A		N/A	N/A	South Coast AQMD			
weigh lab, toxics lab,								
other)								
Reporting Agency	South Coast AQMD		South Coast AQMD	South Coast AQMD	South Coast AQMD			
Spatial scale (e.g.	Neighborhoo	od	Neighborhood	Neighborhood	Neighborhood			
micro, neighborhood)								
Monitoring start date (MM/DD/YYYY)	05/2001		05/2001	05/2001	05/2001			
Current sampling	Continuous		Continuous	Continuous	1:6			
frequency (e.g.1:3,	Continuous		Continuous	Continuous	1.0			
continuous)								
Calculated sampling	N/A		N/A	N/A	1:6			
frequency	IVA		1771	1 1 1 1	1.0			
(e.g. 1:3/1:1)								
Sampling season	01/01-12/31		01/01-12/31	01/01-12/31	01/01-12/31			
(MM/DD-MM/DD)	01/01 12/31				1			
Probe height (meters)	4.4		4.4	4.4	2.5			
Distance from	N/A		N/A	N/A	N/A			
supporting structure								
(meters)								
Distance from	N/A		N/A	N/A	N/A			
obstructions on roof								
(meters)								

Distance from	N/A	N/A	N/A	N/A
obstructions not on				
roof (meters)  Distance from trees	22 m East	22 m East	22 m East	28 m East
(meters)	Height 7 m	Height 7 m	Height 7 m	Height 7 m
Distance to furnace or	N/A	N/A	N/A	N/A
incinerator flue				
(meters)				
Distance between	N/A	N/A	N/A	N/A
collocated monitors				
(meters) Unrestricted airflow	360°	360°	360°	360°
(degrees)	300	300	300	300
Probe material for	Teflon	Teflon	Teflon	N/A
reactive gases				
(e.g. Pyrex, stainless				
steel, Teflon)				
Residence time for	9.0	10.2	9.3	N/A
reactive gases				
(seconds) Will there be changes	Yes	Yes	Yes	Yes
within the next 18	103	1 C5	103	103
months? (Y/N)				
Is it suitable for	N/A	N/A	N/A	N/A
comparison against				
the annual PM2.5?				
(Y/N) Frequency of flow	N/A	N/A	N/A	Monthly
rate verification for	IN/A	IN/A	IN/A	Wollding
manual PM samplers				
Frequency of flow	N/A	N/A	N/A	N/A
rate verification for				
automated PM				
analyzers	NT: 1.4	NT: 1./1	NI 1.1	27/4
Frequency of one- point QC check for	Nightly	Nightly	Nightly	N/A
gaseous instruments				
Last Annual	10/24/2024	10/24/2024	10/24/2024	N/A
Performance				
Evaluation for				
gaseous parameters				
(MM/DD/YYYY) Last two semi-annual	N/A	N/A	N/A	03/05/2024
flow rate audits for	IN/A	IN/A	IN/A	08/08/2024
PM monitors				00/00/2027
(MM/DD/YYYY,				
MM/DD/YYYY)				

Pollutant, POC	Continuous PM2.5, 3	WS & D, 1/1	RH/T, 1/1	BP, 1
Primary / QA	Other	Primary	Primary	Primary
Collocated / Other		·		
Parameter code	88502	61101/61102	62201/62101	64101
Basic monitoring objective(s)	General Public Info	Research	Research	Research
Site type(s)	Population Exposure	Meteorological	Meteorological	Meteorological
Monitor (type)	Other	SLAMS	SLAMS	SLAMS
Network affiliation	N/A	N/A	N/A	N/A
Instrument manufacturer and model	Met One BAM 1020	RM Young 05305VP	Rotronic HC2-S3	Met One 092
Method code	731	065/065	063/063	015
FRM/FEM/ARM/ other	Non-FEM	N/A	N/A	N/A
Collecting Agency	South Coast AQMD	South Coast AQMD	South Coast AQMD	South Coast AQMD
Analytical Lab (i.e., weigh lab, toxics lab, other)	N/A	N/A	N/A	N/A
Reporting Agency	South Coast AQMD	South Coast AQMD	South Coast AQMD	South Coast AQMD
Spatial scale (e.g. micro, neighborhood)	Neighborhood	Urban/ Neighborhood	Urban/ Neighborhood	Urban/ Neighborhood
Monitoring start date (MM/DD/YYYY)	10/23/2008	05/2001	05/2001	05/2001
Current sampling frequency (e.g.1:3, continuous)	Continuous	Continuous	Continuous	Continuous
Calculated sampling frequency (e.g. 1:3/1:1)	N/A	N/A	N/A	N/A
Sampling season (MM/DD-MM/DD)	01/01-12/31	01/01-12/31	01/01-12/31	01/01-12/31
Probe height (meters)	4.6	10	3.6	3.4
Distance from supporting structure (meters)	N/A	N/A	N/A	N/A
Distance from obstructions on roof (meters)	N/A	N/A	N/A	N/A
Distance from obstructions not on roof (meters)	N/A	N/A	N/A	N/A
Distance from trees	17 m East	28 m East	25 m East	25 m East
(meters)	Height 7 m	Height 7 m	Height 7 m	Height 7 m
Distance to furnace or incinerator flue (meters)	N/A	N/A	N/A	N/A
Distance between collocated monitors (meters)	N/A	N/A	N/A	N/A
Unrestricted airflow (degrees)	360°	360°	360°	360°

Probe material for reactive gases (e.g. Pyrex, stainless steel, Teflon)	N/A	N/A	N/A	N/A
Residence time for reactive gases (seconds)	N/A	N/A	N/A	N/A
Will there be changes within the next 18 months? (Y/N)	Yes	Yes	Yes	Yes
Is it suitable for comparison against the annual PM2.5? (Y/N)	N/A	N/A	N/A	N/A
Frequency of flow rate verification for manual PM samplers	N/A	N/A	N/A	N/A
Frequency of flow rate verification for automated PM analyzers	Monthly	N/A	N/A	N/A
Frequency of one- point QC check for gaseous instruments	N/A	N/A	N/A	N/A
Last Annual Performance Evaluation for gaseous parameters (MM/DD/YYYY)	N/A	N/A	N/A	N/A
Last two semi-annual flow rate audits for PM monitors (MM/DD/YYYY, MM/DD/YYYY)	03/05/2024 08/08/2024	N/A	N/A	N/A

## Santa Clarita Site Photos



Looking North from the probe.



Looking East from the probe.



Looking South from the probe.



**Looking West from the probe.** 

## Santa Clarita Site Photos (Cont.)



Looking at the probe from the North.



Looking at the probe from the East.



Looking at the probe from the South.



Looking at the probe from the West.