

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 21865 Copley Dr. Diamond Bar, CA 91765-4182

MONITORING AND ANALYSIS REPORT OF LABORATORY ANALYSIS

(Page 1 of 3)

To: Victor Yip

Sr. Enforcement Manager

Compliance & Enforcement

.

Laboratory No. 1808904-01

Requested By

Kraig Morris

Rule No.

ST No.

R402

NA

Sampling Location

Offshore odor event 3/29/18 (inside) Edinger Ave & Montego Drive Huntington Beach, CA 92649

Report Created

04/23/2018

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS, AND RESULTS

Total Gaseous Non-Methane Non-Ethane Organic Carbon by SCAQMD Method 25.1 (GC-TCA)

See attached results and sample information.

Reviewed By:

Brad Parrack

Principal A.Q. Chemist Laboratory Services

Approved By:

Aaron Katzenstein, Ph.D.

Senior Manager Laboratory Services (909) 396-2219

Date Approved:

Date Reviewed: 04/23/18

4/25/2018



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 21865 Copley Dr. Diamond Bar, CA 91765-4182

MONITORING AND ANALYSIS REPORT OF LABORATORY ANALYSIS

(Page 2 of 3)

Laboratory No.

1808904-01

Sample Description

SUMMA Canister 54062, SUMMA

Sample Comments

Sample collected inside entry way to home of complaintant (complaint #286905). Odor

was a 1 out of 5 at time of collection. Temperature 64F, 5-6 mph SW Wind

Sample Date 03/29/2018

Received Date 03/30/2018

Analyzed Date 04/05/2018

Total Gaseous Non-Methane Non-Ethane Organic Carbon by SCAQMD Method 25.1 (GC-TCA)

Analyte, Unit	Result	MDL	MRL	
CH4, ppmvC	2	0.1	1	
CO2, ppmvC	786	0.2	2	
Ethane, ppmvC	<1	0.2	1	
NMNEOC, ppmvC	4	0.1	1	



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 21865 Copley Dr. Diamond Bar, CA 91765-4182

MONITORING AND ANALYSIS REPORT OF LABORATORY ANALYSIS

(Page 3 of 3)

Laboratory No.

1808904-01

Total Gaseous Non-Methane Non-Ethane Organic Carbon by SCAQMD Method 25.1 (GC-TCA)

QUALITY CONTROL SUMMARY

CCV1 (CC106783)			Percent	Absolute	QC Limit
Analyte, Unit	Measured	Theoretical	Error	Difference	±5% or ±1
CO, ppmvC	2.09	1.92	8.63	0.17	PASS
CH4, ppmvC	1.92	2.02	5.14	0.10	PASS
CO2, ppmvC	2.19	1.57	39.58	0.62	PASS
Ethane, ppmvC	1.98	2.03	2.46	0.05	PASS
NMNEOC, ppmvC	2.20	2.03	8.48	0.17	PASS
CCV2 (CC68431) Analyte, Unit	Measured	Theoretical	Percent Error	Absolute Difference	QC Limit ±5% or ±1
CO, ppmvC	1033	1000	3.26	32.58	PASS
CH4, ppmvC	1041	1000	4.13	41.29	PASS
CO2, ppmvC	1045	1000	4.48	44.77	PASS
Ethane, ppmvC	1042	1000	4.24	42.38	PASS
NMNEOC, ppmvC	1023	1000	2.33	23.33	PASS
CCV3 (CC106783) Analyte, Unit	Measured	Theoretical	Percent Error	Absolute Difference	QC Limit ±5% or ±1
CO, ppmvC	1.99	1.92	3.43	0.07	PASS
CH4, ppmvC	1.94	2.02	4.15	0.08	PASS
CO2, ppmvC	2.04	1.57	30.02	0.47	PASS
Ethane, ppmvC	1.92	2.03	5.42	0.11	PASS
NMNEOC, ppmvC	2.20	2.03	8.48	0.17	PASS
CCV4 (CC68431) Analyte, Unit	Measured	Theoretical	Percent Error	Absolute Difference	QC Limit ±5% or ±1
CO, ppmvC	1019	1000	1.88	18.83	PASS
CH4, ppmvC	1027	1000	2.72	27.15	PASS
CO2, ppmvC	1030	1000	3.03	30.32	PASS
Ethane, ppmvC	1028	1000	2.76	27.57	PASS
NMNEOC, ppmvC	1010	1000	1.03	10.33	PASS

Remarks:

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT SAMPLE ANALYSIS REQUEST

DISTRICT INFORMATION
 INVOICE SOURCE
 LAP AUDIT

LABORATORY NO 1808904-01

		LABORA	TORT NO			
TO: SCAQMD LAB: SOURCE NAME: offshore Source Address: Felinger Mailing Address: Contact Person: Keaig	Morris Title: Air	ity:	Tel: (909)3			
Analysis Requested by: Keada Morevals Date: 3/30/18 Approved by: Mark Von Dee An Office: C & Budget #: 60-375 REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill Suspected Violation Rule(s) 402 Other						
Sample Collected by: Kraig Moreris Date: 3/29/18 Time: 1530 SAMPLE DESCRIPTION: Rotten Egg oder was detected Netre the intersection Potten Egg oder was detected Netre the intersection of Edinger Ave of Montego Dr. in Huntington Beach in Response to complaint# 286 905. Sample was Collected Response to complaint# 286 905. Sample was Collected inside entry way to home of complainant. Oder was inside entry way to home of collection. a lout of 5 at time of collection. T=64°F, sunny, 5-6 maph 210°SW wind (outside) VOC ANAlysi's Sample CAN ISH 54062						
Relinguished by	Received by	Firm/Agency	Date	Time		
Reiniguisted by Ilrai 5 Morris	HPhillipson	SCACHDLAB	3/30/18	0830		