

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Dr., Diamond Bar, CA 91765-4182

MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS

TO: Cher Snyder Assistant DEO Engineering and Compliance	LABORATORY NO: <u>1602723</u>
	REFERENCE NO: <u>GC6-3-72</u> <u>01/22/16</u>
SAMPLE DESCRIPTION: 24 hour samples Canister: 22490 54730	DATE SAMPLED: <u>and 01/25/2016</u>
	DATE RECEIVED: <u>01/27/16</u>
SAMPLE LOCATION: Porter Ranch Community Elementary School	DATE ANALYZED: <u>01/29/16</u>
	ANALYZED BY: <u>Yang Song</u>
	REQUESTED BY: <u>Sumner Wilson</u>

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Volatile Organic Compounds (VOC) by Gas Chromatography(GC)
and Flame Ionization Detection (FID)

Note: See attached for speciated results.

Date Approved: 2/9/16

Approved By: 

Rudy Eden, Sr. Manager
Laboratory Services Branch
(909) 396-2391

LAB NO: 1602723**Location: Porter Ranch Community Elementary School (PRCES)****ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS**

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	01/22/16	01/25/16	
Canister	22490	54730	
Sampling Location	PRCES	PRCES	Ambient Air
Total NMOC, ppbC	225	56	100-700 ppbC
<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
ethylene	1.0	0.1	0.7-4.1
acetylene	0.9	0.4	
propane	7.1	2.3	0.4-5.0
propylene	0.2	<0.1	0.2-0.7
isobutane	1.1	0.3	0.2-0.9
n-butane	1.9	0.5	0.3-1.7
1-butene	<0.1	<0.1	0.1-0.3
trans-2-butene	<0.1	N.D.	
cis-2-butene	<0.1	N.D.	
isopentane	2.4	0.5	
1-pentene	<0.1	<0.1	
n-pentane	0.4	0.1	0.1-0.6
isoprene	<0.1	<0.1	
trans-2-pentene	<0.1	N.D.	
cis-2-pentene	N.D.	<0.1	
2,2-dimethylbutane	<0.1	<0.1	
cyclopentane	<0.1	<0.1	
2,3-dimethylbutane	<0.1	<0.1	
2-methylpentane	0.2	<0.1	
3-methylpentane	0.1	<0.1	
1-hexene	<0.1	<0.1	<0.1-0.1
n-hexane	0.1	<0.1	0.1-0.2
methylcyclopentane	0.1	<0.1	
2,4-dimethylpentane	<0.1	<0.1	
benzene	0.2	0.1	0.1-0.5
cyclohexane	<0.1	<0.1	
2-methylhexane	<0.1	<0.1	
2,3-dimethylpentane	<0.1	<0.1	
3-methylhexane	<0.1	<0.1	
2,2,4-trimethylpentane	0.1	<0.1	
n-heptane	<0.1	<0.1	0.1-0.2
methylcyclohexane	<0.1	<0.1	

LAB NO: 1602723

Location: Porter Ranch Community Elementary School (PRCES)

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	01/22/16	01/25/16	
Canister	22490	54730	
Sampling Location	PRCES	PRCES	Ambient Air
Total NMOC, ppbC	225	56	100-700 ppbC
<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	<0.1	
toluene	0.3	<0.1	0.1-0.6
2-methylheptane	<0.1	<0.1	
3-methylheptane	<0.1	<0.1	
n-octane	<0.1	<0.1	<0.1-0.3
ethylbenzene	<0.1	<0.1	0.1-0.2
m+p-xylenes	0.1	<0.1	0.1-0.2
styrene	<0.1	<0.1	<0.1-0.2
o-xylene	<0.1	<0.1	0.1-0.2
n-nonane	<0.1	<0.1	<0.1-0.1
isopropylbenzene	<0.1	<0.1	
n-propylbenzene	<0.1	N.D.	
m-ethyltoluene	<0.1	<0.1	
p-ethyltoluene	<0.1	<0.1	
1,3,5-trimethylbenzene	<0.1	N.D.	
o-ethyltoluene	<0.1	N.D.	
1,2,4-trimethylbenzene	<0.1	<0.1	
n-decane	<0.1	N.D.	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	N.D.	
m-diethylbenzene	<0.1	<0.1	
p-diethylbenzene	<0.1	<0.1	
n-undecane	<0.1	<0.1	<0.1
n-dodecane	<0.1	N.D.	<0.1

NMOC = Non-Methane Organic Compounds

N.D. = Not Detected

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DISTI
 INVO
 LAP.
LABOR

WO #: 1602723



TO: SCAQMD LAB: OTHER:

SOURCE NAME: Southern California Gas Co. I.D. No. _____

Source Address: 12801 Tampa Ave City: Porter Ranch

Mailing Address: _____ City: _____ Zip: 91326

Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 1/27/16

Approved by: Jason Low Office: _____ Budget #: 44716

REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill

Suspected Violation Rule(s) _____ Other

Sample Collected by: Robert Wimmer Date: 1/26/16 Time: 14:00

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End Press
Porter Ranch Community Elementary School (PRCS)	22490	1/22/16 / 00:00 / 24 hours	<-30"	+11
Porter Ranch Community Elementary School (PRCS)	54730	1/25/16 / 00:00 / 24 hours	<-30:	+12

Relinquished by	Received by	Firm/Agency	Date	Time
R Wimmer	<i>Paul O</i>	SCAQMD Lab	1/27/16	9:15

Remarks: 1:3 scheduled samples from trailer at PRCS
Porter Ranch Community School Elementary – 5 Sesnon Blvd, Porter Ranch, CA 91326
GPS (34.293369, -118.580505)