

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Dr., Diamond Bar, CA 91765-4182**


**MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS**

TO: Jason Low Atmospheric Measurements Manager	LABORATORY NO: <u>1610327</u>
	REFERENCE NO: <u>GC6-3-90</u>
SAMPLE DESCRIPTION: 24 hour Sample Canister # 53387	DATE SAMPLED: <u>04/12/16</u>
	DATE RECEIVED: <u>04/13/16</u>
	DATE ANALYZED: <u>04/14/16</u>
SAMPLE LOCATION: Porter Ranch Castlebay Elementary School	ANALYZED BY: <u>Yang Song</u>
	REQUESTED BY: <u>Sumner Wilson</u>

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Volatile Organic Compounds (VOC) by Gas Chromatography(GC)
and Flame Ionization Detection (FID)

Note: See attached for speciated results.

Date Approved: 4/19/16 Approved By: 
Solomon Teffera, Acting Sr. Manager
Laboratory Services Branch
(909) 396-2199

LAB NO: 1610327

Location: Porter Ranch / Castlebay Elem

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	04/12/16	
Canister	53387	
Sampling Location	Castlebay Elementary	Ambient Air
Total NMOC, ppbC	79	100-700 ppbC
<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
ethylene	0.7	0.7-4.1
acetylene	0.7	
propane	2.8	0.4-5.0
propylene	0.1	0.2-0.7
isobutane	0.6	0.2-0.9
n-butane	0.9	0.3-1.7
1-butene	<0.1	0.1-0.3
trans-2-butene	<0.1	
cis-2-butene	<0.1	
isopentane	1.4	
1-pentene	<0.1	
n-pentane	0.3	0.1-0.6
isoprene	<0.1	
trans-2-pentene	<0.1	
cis-2-pentene	N.D.	
2,2-dimethylbutane	<0.1	
cyclopentane	<0.1	
2,3-dimethylbutane	<0.1	
2-methylpentane	0.1	
3-methylpentane	<0.1	
1-hexene	<0.1	<0.1-0.1
n-hexane	0.1	0.1-0.2
methylcyclopentane	0.1	
2,4-dimethylpentane	<0.1	
benzene	0.1	0.1-0.5
cyclohexane	<0.1	
2-methylhexane	<0.1	
2,3-dimethylpentane	<0.1	
3-methylhexane	<0.1	
2,2,4-trimethylpentane	0.1	
n-heptane	<0.1	0.1-0.2
methylcyclohexane	<0.1	

LAB NO: 1610327

Location: Porter Ranch / Castlebay Elem

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	04/12/16	
Canister	53387	
Sampling Location	Castlebay Elementary	Ambient Air
Total NMOC, ppbC	79	100-700 ppbC
<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	
toluene	0.3	0.1-0.6
2-methylheptane	<0.1	
3-methylheptane	<0.1	
n-octane	<0.1	<0.1-0.3
ethylbenzene	<0.1	0.1-0.2
m+p-xylenes	0.1	0.1-0.2
styrene	<0.1	<0.1-0.2
o-xylene	<0.1	0.1-0.2
n-nonane	<0.1	<0.1-0.1
isopropylbenzene	<0.1	
n-propylbenzene	<0.1	
m-ethyltoluene	<0.1	
p-ethyltoluene	<0.1	
1,3,5-trimethylbenzene	<0.1	
o-ethyltoluene	<0.1	
1,2,4-trimethylbenzene	<0.1	
n-decane	<0.1	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	
m-diethylbenzene	<0.1	
p-diethylbenzene	<0.1	
n-undecane	<0.1	<0.1
n-dodecane	<0.1	<0.1

NMOC = Non-Methane Organic Compounds
N.D. = Not Detected

WO #: 1610327

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DISTRI
 INVOI
 LAP A/
LABORATORY



TO: SCAQMD LAB: OTHER:
SOURCE NAME: Southern California Gas Co. I.D. No. _____
Source Address: 12801 Tampa Ave City: Porter Ranch
Mailing Address: _____ City: _____ Zip: 91326
Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 4/13/16
Approved by: Jason Low Office: _____ Budget #: 44716
REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill
Suspected Violation Rule(s) _____ Other

Sample Collected by: Qian Zhou Date: 4/13/16 Time: 10:30am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End Press
Porter Ranch / Castlebay Elem	53387	4/12/16 / 00:00 / 24 hours	-30"	+22

Relinquished by	Received by	Firm/Agency	Date	Time
<i>zhongqian</i>	<i>[Signature]</i>	SCAQMD Lab	4/13/16	16:15

Remarks: 1:3 scheduled samples from trailer at Castlebay
Castlebay Lane Charter School – 19010 Castlebay Ln, Porter Ranch, CA