

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Dr., Diamond Bar, CA 91765-4182**

**MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS**

TO: Jason Low, Ph.D.
Atmospheric Measurements Manager
Science and Technology Advancement

LABORATORY NO: 1616322

REFERENCE NO: GC7-117-151

SAMPLE DESCRIPTION:
24 hr sample
Canister # 54216

DATE SAMPLED: 06/11/16

DATE RECEIVED: 06/13/16

DATE ANALYZED: 06/13/16

SAMPLE LOCATION:
Highlands Community Center

ANALYZED BY: Yang Song

REQUESTED BY: Sumner Wilson

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS
Volatile Organic Compounds (VOC) by Gas Chromatography(GC)
and Flame Ionization Detection (FID)

Note: See attached for speciated results.

Date Approved: 6/16/16

Approved By: 

Solomon Teffera, Acting Sr. Manager
Laboratory Services Branch
(909) 396-2199

LAB NO: 1616322
Location: Highlands Community Center

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
 Flame Ionization Detection (FID)

Sample Date	06/11/16	
Canister	54216	
Sampling Location	Highlands Community Center	Ambient Air
Total NMOC, ppbC	63	100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
ethylene	0.8	0.7-4.1
acetylene	0.4	
propane	1.4	0.4-5.0
propylene	0.3	0.2-0.7
isobutane	1.0	0.2-0.9
n-butane	0.5	0.3-1.7
1-butene	<0.1	0.1-0.3
trans-2-butene	<0.1	
cis-2-butene	<0.1	
isopentane	1.3	
1-pentene	<0.1	
n-pentane	0.2	0.1-0.6
isoprene	<0.1	
trans-2-pentene	<0.1	
cis-2-pentene	<0.1	
2,2-dimethylbutane	<0.1	
cyclopentane	<0.1	
2,3-dimethylbutane	<0.1	
2-methylpentane	0.1	
3-methylpentane	<0.1	
1-hexene	<0.1	<0.1-0.1
n-hexane	<0.1	0.1-0.2
methylcyclopentane	<0.1	
2,4-dimethylpentane	<0.1	
benzene	<0.1	0.1-0.5
cyclohexane	<0.1	
2-methylhexane	<0.1	
2,3-dimethylpentane	<0.1	
3-methylhexane	0.1	
2,2,4-trimethylpentane	<0.1	
n-heptane	<0.1	0.1-0.2
methylcyclohexane	<0.1	

LAB NO: 1616322
Location: Highlands Community Center

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
 Flame Ionization Detection (FID)

Sample Date	06/11/16	
Canister	54216	
Sampling Location	Highlands Community Center	Ambient Air
Total NMOC, ppbC	63	100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	
toluene	0.2	0.1-0.6
2-methylheptane	<0.1	
3-methylheptane	<0.1	
n-octane	<0.1	<0.1-0.3
ethylbenzene	<0.1	0.1-0.2
m+p-xylenes	<0.1	0.1-0.2
styrene	<0.1	<0.1-0.2
o-xylene	<0.1	0.1-0.2
n-nonane	<0.1	<0.1-0.1
isopropylbenzene	<0.1	
n-propylbenzene	<0.1	
m-ethyltoluene	<0.1	
p-ethyltoluene	<0.1	
1,3,5-trimethylbenzene	<0.1	
o-ethyltoluene	<0.1	
1,2,4-trimethylbenzene	<0.1	
n-decane	<0.1	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	
m-diethylbenzene	<0.1	
p-diethylbenzene	<0.1	
n-undecane	<0.1	<0.1
n-dodecane	<0.1	<0.1

NMOC = Non-Methane Organic Compounds
 N.D. = Not Detected

WO #: 1616322



**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DIST
 INVC
 LAP AUDIT
 LABORATORY NO. _____

TO: SCAQMD LAB: OTHER: _____
 SOURCE NAME: _____ Southern California Gas Co. I.D. No. _____
 Source Address: _____ 12801 Tampa Ave _____ City: _____ Porter Ranch
 Mailing Address: _____ City: _____ Zip: _____ 91326
 Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: _____ Sumner Wilson _____ Date: _____ 6/13/16
 Approved by: _____ Jason Low _____ Office: _____ Budget #: _____ 44716
 REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill
 Suspected Violation Rule(s) _____ Other

Sample Collected by: _____ Qian Zhou _____ Date: _____ 6/13/16 _____ Time: _____ 10:30am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End vac
Highlands Community	54216	6-11-16 / 00:00 / 24 hours	-30"	+12

Relinquished by	Received by	Firm/Agency	Date	Time
<i>zhongqian</i>	<i>Qy J. Bell</i>	SCAQMD Lab	06/13/16	13:10

Remarks 1:3 scheduled samples from trailer
 Highlands community pool parking lot. Address: 12378 High Glen Way, Northridge CA 91326 (across from 12377)
 Left sampler, sn 5624