

## South Coast Air Quality Management District 21865 COPLEY DRIVE, DIAMOND BAR, CA 91765-4178

P 65888

DATE OF VIOLATION				
Month:	Day:	Year:		
7	19	2019		

## NOTICE OF VIOLATION

Facility Name:  A Q A Q A A C A A L C A L A L C A L A L C A L A L		Facility ID#: 2165		Sector: LF
A & A Ready Mixed Concrete Inc Location Address: 134 West Redardo Beach Baulevard	City: Gardan		Zip: 902	47
Mailing Address: 134 West Redondo Beach Bailevard	City: Gardena		Zip: 902	47

YOU ARE HEREBY NOTIFIED THAT YOU HAVE BEEN CITED FOR ONE OR MORE VIOLATIONS OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT (SCAQMD) RULES, STATE LAW OR FEDERAL LAW. IF PROVEN, SUCH VIOLATION(S) MAY RESULT IN THE IMPOSITION OF CIVIL OR CRIMINAL PENALTIES.

EACH DAY A VIOLATION OCCURS MAY BE HANDLED AS A SEPARATE OFFENSE REGARDLESS OF WHETHER OR NOT ADDITIONAL NOTICES OF VIOLATION ARE ISSUED.

#	Authority*	Code Section or Rule No.	SCAQMD Permit to Operate or CARB Registration No.	Condition No. (If Applicable)		De	escription of Violation	
1	SCAQMD CH&SC CCR CFR	403(d)(4)	Registration 110.		Track out	observed in excess	of 25 feet at this sit	e.
2	SCAQMD CH&SC CCR CFR							
3	SCAQMD CH&SC CCR CFR							
4	SCAQMD CH&SC CCR CFR							
5	SCAQMD CH&SC CCR CFR							
Serve	d To:  Manue	Pellegnin		lo. 3/0. 5773	5	Served By: Alemayeha	Soloman	Date Notice Served: 7-19-2019
Plant Manager MPellegnin@			n@AA Ready Mi		Phone No: 909-396-356 310-233-	Email: asolomon	@ aqmd.gov	
*Key	to Authority Abbrev	SCAQMD - Sou	uth Coast Air Quality Man	agement District	CH&SC - Califo	ornia Health and Safety Cod Federal Regulations	Method of Service:  In Person	☐ Certified Mail