



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT ANNOUNCEMENTS

www.aqmd.gov

@SouthCoastAQMD    

FOR IMMEDIATE RELEASE: December 30, 2020

MEDIA CONTACT:

Bradley Whitaker, (909) 396-3456, Cell: (909) 323-9516

Nahal Mogharabi, (909) 396-3773, Cell: (909) 837-2431

press@aqmd.gov

South Coast AQMD Issues Particulate Advisory Due to New Year's Eve Fireworks

Valid: Thursday December 31, 2020 through Friday January 01, 2021

This advisory is in effect through Friday morning. South Coast AQMD will issue an update if additional information becomes available.

Poor air quality is possible in areas of the South Coast Air Basin on December 31st through January 1st. Fireworks are known to emit high levels of particulate matter (PM_{2.5} and PM₁₀) as well as metal air pollutants, all of which can contribute to negative health effects. Due to fireworks related to New Year celebrations, the Air Quality Index (AQI) may reach the **Unhealthy for Sensitive Groups** AQI category or higher from Thursday evening through Friday morning. The use of personal "backyard" fireworks also contributes to this air pollution and can further increase how much air pollution a person is breathing. Fireworks may lead to regional air quality in the **Unhealthy for Sensitive Groups** category, however, personal exposure to "backyard" fireworks may create local fine particulate matter concentrations far in excess of regional values in the direct proximity to users.

Fine particulate matter levels on days with excessive firework activity are typically among the worst (highest) days of the year in the South Coast Air Basin. The smoke and combustion products from fireworks add to the fine particles already present in the Basin that are primarily caused by motor vehicles, residential wood combustion, fugitive dust and industrial emissions. The use of personal "backyard" fireworks can also spark wildfires, which can be a major source of fine particulate matter.

Breathing of fine particulate matter can lead to a wide variety of cardiovascular and respiratory health effects such as heart attacks, asthma aggravation, decreased lung function, coughing, or difficulty breathing and may lead to premature death in people with heart or lung disease.

Areas of direct impacts and poor air quality may include portions of:

- **Los Angeles County:** Central Los Angeles (Area 1), Northwest Coastal LA County (Area 2), Southwest Coastal LA County (Area 3), South Coastal LA (Area 4), Southeast LA County (Area 5),

West San Fernando Valley (Area 6), East San Fernando Valley (Area 7), West San Gabriel Valley (Area 8), East San Gabriel Valley (Area 9), Pomona-Walnut Valley (Area 10), South San Gabriel Valley (Area 11), South Central Los Angeles County (Area 12), Santa Clarita Valley (Area 13), San Gabriel Mountains (Area 15)

- **Orange County:** Northern Orange County (Area 16), Central Orange County (Area 17), North Coastal Orange County (Area 18), Saddleback Valley (Area 19), Central Coastal Orange County (Area 20), Capistrano Valley (Area 21)
- **Riverside County:** Corona-Norco (Area 22), Metropolitan Riverside County (Area 23), Perris Valley (Area 24), Lake Elsinore (Area 25), Temecula Valley (Area 26), Anza Valley (Area 27), Hemet-San Jacinto Valley (Area 28), San Gorgonio Pass (Area 29)
- **San Bernardino County:** Northwest San Bernardino Valley (Area 32), Southwest San Bernardino Valley (Area 33), Central San Bernardino Valley (Area 34), East San Bernardino Valley (Area 35), West San Bernardino Mountains (Area 36), Central San Bernardino Mountains (Area 37), East San Bernardino Mountains (Area 38)



- South Coast AQMD Advisory updates can be found at the following link: <http://www.aqmd.gov/advisory>
- To subscribe to air quality alerts, advisories and forecasts by email, go to <http://AirAlerts.org>
- To view current air quality conditions by region in an interactive map, see <http://www.aqmd.gov/aqimap>
- For real-time air quality information, maps, notifications and health alerts in your area, download our award-winning South Coast AQMD app at: <http://www.aqmd.gov/mobileapp>
- Air quality forecasts are available at <http://www.aqmd.gov/forecast>
- For a map of South Coast AQMD Forecast Areas, see <http://www.aqmd.gov/ForecastAreas>

What To Do When Air Pollution Reaches Unhealthy Levels:

Unhealthy for Sensitive Groups: Air Quality Index (AQI) is 101 - 150. Although the general public is not likely to be affected at this AQI range, people with heart or lung disease, older adults and children are at a greater risk from exposure to air pollution. People with heart or lung disease, older adults, and children should reduce prolonged or heavy exertion.

Unhealthy: AQI is 151 - 200. Everyone may begin to experience some adverse health effects, and members of the sensitive groups may experience more serious effects. People with heart or lung disease, older adults, and children should avoid prolonged or heavy exertion. Everyone else should reduce prolonged or heavy exertion.

Very Unhealthy: AQI is 201 - 300. Everyone may experience more serious health effects. People with heart or lung disease, older adults, and children should avoid all physical activity outdoors. Everyone else should avoid prolonged or heavy exertion.

South Coast AQMD is the air pollution control agency for Orange County and major portions of Los Angeles, San Bernardino and Riverside counties, including the Coachella Valley. For news, air quality alerts, event updates and more, please visit us at www.aqmd.gov, download our award-winning app, or follow us on [Facebook](#), [Twitter](#) and [Instagram](#).

###