

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS  
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

**AMERICAN STANDARD WATER HEATERS  
 (Certified @ 10 ng/J NOx)**

<b>AMERICAN STANDARD</b>	<b>Capacity (Gallons)</b>	<b>Input (BTU/Hr)</b>
G-30L-1-3-6 G-30L-1-3-12 G-30L-2-3-6 G-30L-2-3-12	30	35,000
G-40L-1-3-6 G-40L-1-3-12 G-40L-2-3-6 G-40L-2-3-12	40	37,000
G-50L-1-3-6 G-50L-1-3-12 G-50L-2-3-6 G-50L-2-3-12	50	40,000
G-30T-1-3-6 G-30T-1-3-12 G-30T-2-3-6 G-30T-2-3-12	30	35,000
G-40T-1-3-6 G-40T-1-3-12 G-40T-2-3-6 G-40T-2-3-12	40	40,000
G-50T-1-3-6 G-50T-1-3-12 G-50T-2-3-6 G-50T-2-3-12	50	40,000
G50T-1-4-6 G-50T-1-4-12 G-50T-2-4-6 G-50T-2-4-12	50	48,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

**A.O. SMITH (AMERICAN WATER HEATER COMPANY)**  
(Certified @ 10 ng/J NOx)

These models may have any combination of suffixes, O, X, M, H, or C

American Water Heater	U.S. Craftmaster	Reliance	A.O. Smith	State	Penfield	Sears	Capacity (Gallons)	Input (BTU/Hr)
UG(1,3,5,6,8,9,10,12)(1,2)30T303N GU(B)(6,9,12)(1,2)30T30	UG(1,2)(A,E,F,H,J)3030T3N NU30T(1,3,6,9,12)(1,2)-303 UNG(1,2)(A thru Z)3030T(B)	6 30UORT	GCHN-30	GS6 30UORT (G)		153.330200 153.556300	30	30,000
GU(1thru50)1 30T30 JU30-30	NA	6 30 UNORT	GUC30	GS6 30 ORUT			30	33,000
UG(1,3,5,6,8,9,10,12)(1,2)40T403N GU(6,9,12)2 40T40 GU(1 thru 50)1 40T40 GU(1 thru 50)2 40S40 JUS40-40 JU40-40	UG(1,2)(A,E,F,H,J)4040T3N NU40T(1,3,6,9,12)(1,2)-403 UNG2(A thru Z)4040T UNG2(A thru Z)40405	6 40UBRT 6 40UOCT 9 40UKRT (6,9) 40U(B,K)CT (6,9)40UN(B,K)RT (6,9)40UN(A,B,K)CT 6 40 UNBCS (6,9,12)40UN(A,B,K)CT	GCHN-40 GNR-40 GUR 40 GUC40 GURL 40 HUR40 HURL40 G(1 thru 50)- US4040NV	GS6 40UBRT (G) GS6 40UOCT (G) GS6 40 BCUT GS6 40 BRUT GS6 40 BCUS GW8 40 BCUT GW8 40 BCUS		153.330642 153.330942 153.331242 153.330660 153.330960 153.331280 153.330220 153.330250 153.330280 153.556400 153.559400 153.552400	40	40,000
UG(1,3,5,6,8,9,10,12)(1,2)50T403N GU(6,9,12)2 50T40 GUF(1 thru 50)2 40T40	UG(1,2)(A,E,F,H,J)5040T3N NU50T(1,3,6,9,12)(1,2)-403 UNG2(A thru Z)5040T	6 50UBRT 6 50UOCT 9 50UKRT (6,9) 50U(B,K)CT (6,9,12) 40 UNBFT*	GCHN-50 GNR-50 (G,X)UF 40 G(1 thru 50)- UFDT4040NV	GS6 50UBRT (G) GS6 50UOCT (G) GS(6,9,12) 40 BFT*		153.330652 153.330952 153.331252 153.330970 153.331290 153.330230 153.330270 153.330290 153.556500 153.59500 153.552500 153.556410	40	40,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

American Water Heater	U.S. Craftmaster	Reliance	A.O. Smith	State	Penfield	Sears	Capacity (Gallons)	Input (BTU/Hr)
JU50-40 GU(1 thru 50)1 50T40 GUF(1 thru 50)2 50T40		(6,9,12) 50 UN (B,K)CT (6,9,12)50UN(A,B,K)CT (6,9)50UN(B,K)RT (6,9,12) 50 UNBFT*	GUR 50 GUC50 HUR50 (G,X)UF 50 G(1 thru 50)- UFDT5040NV	GS6 50 BCUT GS6 50 BRUT GW8 50 BCUT GS(6,9,12) 50 BFT*		153.556510	50	40,000

**A.O. SMITH (AMERICAN WATER HEATER COMPANY)**  
(Certified @ 10 ng/J NOx)

These models may have any combination of suffixes, O, X, M, H, or C

American Water Heater	U.S. Craftmaster	Reliance	A.O. Smith	State	Penfield	Sears	Capacity (Gallons)	Input (BTU/Hr)
MFG(1,6,9)(1,2)30T303NOV (Mobile Home)*	MFG(1,2)(A,F,H)3030T3NOV	6 30YJMT 100 6 30YJMTD 100	AFMV 30 100	GS6 30YOMAT 100 SCI 30YOMAT 100		153.333870 153.333880	30	30,000
MFG(1,6,9)(1,2)40T403NOV (Mobile Home)*	MFG(1,2)(A,F,H)4040T3NOV	6 40YJMT 100 6 40YJMTD 100	AFMV 40 100	GS6 40YOMAT 100 SCI 40YOMAT 100		153.333970 153.33980	40	40,000
NGM 30-35.5 (Mobile Home)*		6 30GOMT*	FMV 30*	GS6 30YOMT SCI 30YOMT	6 30YOMT	153.336340	30	35,500
NGM 40-35.5 (Mobile Home)*		6 40GOMT	FMV 40	GS6 40YOMT SCI 40YOMT	6 40YOMT	153.336444	40	35,500

\*MFG - & NGM - series are Mobile Home Water Heaters certified @ 40 ng/J or 55 ppm NOx

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS  
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

**A.O. SMITH (AMERICAN WATER HEATER COMPANY)  
 (Certified @ 10 ng/J NOx)**

These models may have any combination of suffixes, O, X, M, H, or C

American Water Heater	U.S. Craftmaster	Reliance	A.O. Smith	State	Lochinvar	Capacity (Gallons)	Input (BTU/Hr)
UG(1,3,5,6,8,9,10,12)(1,2)30T303N			G(1 thru 50)(N)-UT3030NV		UTN3030(B)	30	30,000
UG(1,3,5,6,8,9,10,12)(1,2)40T403N GU(1 THRU 50)(1,2)40T40			G(1 thru 50)(N)-UT4040NV		UTN4040 UTN4040-8	40	40,000
UG(1,3,5,6,8,9,10,12)(1,2)50T403N			G(1 thru 50)(N)-UT5040NV		UTN5040 UTN5040-8	40	40,000
UPVG(6,9,12)240T42NV	UPVG2(F,H,J)4042TNV	(6,8,10,12)40UBVIT	GPNH-40	GS(6,X)40UBVIT	UPN0404ES	40	42,000
DVUG(6,9,12)240S36NV		6 40 UBDS L	GDNL 40L 100 G(1 thru 50)(N)-UDVS4036NV	GS6 40 UBDS L	UVN040 40ST	40	36,000
DVUG(6,9,12)250T38NV		6 50 UBDT L	GDNT 50L 100 G(1 thru 50)(N)-UDVT5038NV	GS6 50 UBDT L	UVN050 40ST	50	38,000
UPVG(6,9,12)250T42NV	UPVG2(F,H,J)5042TNV	(6,8,10,12)50UBVIT	GPNH-50	GS(6,X)50UBVIT	UPN0504ES	50	42,000
UG(6,9,12)250T504NV UG(6,9,12)250T504N GU(6,9,12)2 50T50 GU(1 thru 50)2 50T50(L)	UG2(F,H,J)5050T4NV		GCNT-50 (G,H,X)URT 50L G(1 thru 50)(N)-UT5050NV	GS6 50URRT GS6 50 RCUT GW8 50 RCUT(L)	UTN05050 UTN5050-8	50	50,000

These models may have any combination of suffixes, O, X, M, H, or C

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

<b>American Water Heater</b>	<b>Whirlpool</b>	<b>Lochinvar</b>	<b>Capacity (Gallons)</b>	<b>Input (BTU/Hr)</b>
UG(1,3,5,6,8,9,10,12)(1,2)30T303N GU(B)(1 thru 50)(1,2)30T30	30T(3,6,9,10,12)-30UNG		30	30,000
UG(1,3,5,6,8,9,10,12)(1,2)40T403N	40T(3,6,9,10,12)-40UNG		40	40,000
UG(1,3,5,6,8,9,10,12)(1,2)50T403N GU(1 thru 50)(1,2) 50T40 GUF(1 thru 50)2 40T40	50T(3,6,9,10,12)-40UNG 40T(1 thru 50)-40UDNG		40	40,000
GU(1 thru 50)2 50T50(L) GUF(1 thru 50)2 50T40	50T(3,6,9,10,12)-50UNG 50T(1 thru 50)-40UDNG		50	50,000
JU40-40	40S(1 thru 50) 40UNG		40	40,000
JUS40-40		USN04040-8	40	40,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

**BRADFORD WHITE**  
(Certified @ 10 ng/J NOx)

<b>BRADFORD WHITE</b>	<b>BRADFORD WHITE SOLAR</b>	<b>VELUX SOLAR</b>	<b>Capacity (Gallons)</b>	<b>Input (BTU/Hr)</b>
URG130T6N			30	27,000
U1-30S6FRN			30	30,000
U1-30T6FRN, URG1D30T6N			30	32,000
U4-30T6FRN, URG230T6N			30	32,000
URG140T6N			40	34,000
URG150T6N			50	34,000
U1-40T6FRN, URG1D40T6N			40	40,000
U1-403T6FRN			40	40,000
U4-40T6FRN, URG240T6N			40	40,000
U1-403S6FRN, URG1D40S6N			40	40,000
U1-XR-403S6FRN			40	40,000
U4-403S6FRN ,URG240S6N			40	40,000
U1-5036FRN ,URG1D50T6N			50	40,000
U4-5036FRN, URG250T6N	SDW4U5036FRN		50	40,000
U1-50L6FRN, URG250L6N			48	40,000
U1-404T6FRN			40	50,000
U1-504S6FRN, URG250S6N			50	50,000
U1-60T6FRN			60	40,000
U4-60T6FRN			60	40,000
U2-XR504T6FRN, URG250H6N, ULG250H553N			48	55,000
U2-XR65T6FRN	SDW2U65T6FRN	TFF 060 2205US	65	55,000
U1TW40S6FRN, URG1PV40S6N			40	40,000
U2TW65T6FRN			65	60,000
U1TW50S6FRN, URG1PV50S6N			50	40,000
U1TW60T6FRN			60	42,000
U2TW50T6FRN, URG2PV50H6N, ULG2PV50H563N			48	60,000
U4TW40T6FRN, URG2PV40T6N			40	40,000
U4TW50T6FRN, URG2PV50T6N			50	40,000
U4TW60T6FRN			60	40,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

**BRADFORD WHITE**  
(Certified @ 10 ng/J NOx)

<b>BRADFORD WHITE Base Model</b>	<b>BRADFORD WHITE New Models</b>	<b>Capacity (Gallons)</b>	<b>Comments</b>	<b>Input (BTU/Hr)</b>
UDS140S6FRN	URG2DV40S6N	40	DV	38,000
UDS150S6FRN	URG2DV50S6N	50	DV	38,000
UDH1504T6FRN	URG2DV50H6N	48	DV	45,000
UDH165T6FRN		65	DV	45,000
UDH175S6FRN		75	DV	50,000
UDH50T45FR3N	ULG2DV50H453N	48	DV	45,000
UDH65T45FR3N		65	DV	45,000
UDH75T50FR3N		75	DV	50,000
UPDX140S6FRN	URG2PDV40S6N	40	PDV	40,000
UPDX150S6FRN	URG2PDV50S6N	50	PDV	40,000
UPDX250T6FRN	URG2PDV50H6N	48	PDV	50,000
UPDX265T6FRN		65	PDV	55,000
UPDX275T6FRN		75	PDV	55,000
UPDX50S50FR3N	ULG2PDV50H503N	48	PDV	50,000
UPDX65S55FR3N		65	PDV	55,000
UPDX75S55FR3N		75	PDV	55,000

DV—Direct Vent, PDV—Power Direct Vent

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

**RHEEM SALES COMPANY**

(Certified @ 10 ng/J NOx)

Rheem	Rheem Professional	Ruud	Ruud Professional	Richmond	GE	Hot Point	Gallons	INPUT (Btu/hr)
22X50FN 22V50FN 22V50FNVE XG48T06EN40U0 22V50FNE2 PROG48-40URH58 24V50FN 24V50FNEV 24X50FN PROG48-40U RH60 PRO+G48-40U RH60 XG48T06EN40U1 XG48T09EN40U0 XG48T12EN40U0	RHG PRO50FN	P2-50FN M2-50FN	RUG PRO50FN M4-50FN PROG48-40U RU60 PRO+G48-40U RU60	6G50-40FN 12G50-40FN 9G50-40FN 12G50-40FN3 6G50-40FN3 9G50-40FN3	GG48T06AXK00 SG48T12AXK00 PG48T09AXK00	---	50	40,000
22V40FN 22V40FNVE XG38T06EN38U0 22X40FN 22V40FNE2 PROG38-38URH60 24V40FN 24V40FNEV 24X40FN PROG38-38U RH62 PRO+G38-38U RH62 XG38T06EN38U1 XG38T09EN38U0 XG38T12EN38U0 SCG38T03UN38U1	RHG PRO40FN	P2-40FN M2-40FN	RUG PRO40FN M4-40FN PROG38-38U RU62 PRO+G38-38U RU62	6G40-40FN 12G40-40FN 9G40-40FN 12G40-38FN3 6G40-38FN3 9G40-38FN3	HG38T01AXK00 GG38T06AXK00 SG38T12AXK00 PG38T09AXK00	---	40	38,000
22V30FN 22V30FNVE XG28T06EN30U0 22X30FN PROG28-30URH62 24V30FN 24V30FNEV 24X30FN XG28T06EN30U1	RHG PRO30FN	P2-30FN M2-30FN	RUG PRO30FN M4-30FN PROG28-30U RU63 PRO+G28-30U RU63	6G30-30FN 12G30-30FN3 6G30-30FN3 9G30-30FN3	GG28T06AXK00 HG28T01AXK00 PG28T09AXD SG28T12AXD	---	30	30,000



**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

XG28T09EN30U0 XG28T12EN30U0								
22V40SFN 22V40SFNVE XG38S06EN36U0 22X40SFN PROG38S-36URH60 24V40SFN 24V40SFNEV 24X40SFN PROG38S-36U RH62 PRO+G38S-36U RH62 XG38S06EN36U1 XG38S09EN36U0 XG38S12EN36U0	22V40S PROFN	P-240SFN M2-40SFN	P2-40S PROFN M4-50FN PROG38S-36U RU62 PRO+G38S-36U RU62	6G40S-36FN 9G40S-36FN 12G40S-36FN3 6G40S-36FN3 9G40S-36FN3	GG38S06AXK00 PG38S09ASK00	HG38S01AXK00	38	36,000
22VR40FN 22VR40FNVE XG40T06HN38U0 XG40T09HN38U0 XG40T12HN38U0 22XR40FN PROG40-38URH62	RHG PRO40FN	P2R-40FN M2R-40FN	RUG PRO40FN	6G40V-38FN 12G40V-38FN	GG40T06TXK00 SG40T12TXK00	---	40	38,000
22V40FDVX* 22I40FDVX* PROG40- 36NRH59MHDVX* 24V40FDVX* 24I40FDVX* PROG40- 36NRH62MHDVX*				MV40FDVX			40	36,000
22V50FDVX* 22I50FDVX* PROG50- 36NRH59MHDVX* 24V50FDVX* 24I50FDVX* PROG50- 36NRH60MHDVX*				MV50FDVX			50	36,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

Rheem	Rheem Professional	Ruud	Ruud Professional	Richmond	GE	Hot Point	Gallons	INPUT (Btu/hr)
22VR50FN 22VR50FNVE XG50T06HN36U0 XG50T09HN36U0 XG50T12HN36U0 22XR50FN PROG50-36URH62 PRO+G50-36URH62	RHG PRO50FN	P2R-50FN M2R-50FN	RUG PRO50FN PRO+G50-36URH62	6G50V-36FN 12G50V-36FN	GG50T06TXK00 SG50T12TXK00	---	50	36,000
42V60FN 42V60FNVE XG60T06EN45U0 PRO+G60-45URH56 44V55FN 44V55FNEV 44X55FN PROG55-45U RH59 PRO+G55-45U RH59 XG55T06EN45U0 XG55T09EN45U0 XG55T12EN45U0	RHG PRO60FN	PH2-60FN	RUG PRO60FN M4-55N PROG55-45U RU59 PRO+G55-45U RU59	12G55-45FN 6G55-45FN 9G55-45FN	SG60T12YXS10	---	55	45,000
42VP40FN PROG40-36URH67PV	---	PVP40FN	---	6G40PV-36FN	---	---	40	36,000
42VP50FN PROG50-38URH67PV	---	PVP50FN	---	6G50PV-38FN	---	---	50	38,000
22V30FT* 22I30FT* PROG30-32NRH61MH* PROG30-26NRH61MHH*				6V30FT*	GG30T06MSK01*		30	32,000
22V40FT* 22I40FT* PROG40-34NRH59MH* PROG40-34NRH59MHH*				6V40FT*	GG40T06MSK01*		40	34,000
22V50FT* 22I50FT* PROG40-38NRH58MH* PROG40-38NRH58MHH*				6V50FT*	GG50T06MSK01*		50	38,000

\* Mobile Home Water Heaters certified @ 40 ng/J or 55 ppm NOx

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SCAQMD does not endorse or warranty any specific product or manufacturer**

**Manufacturers Contact Information**

<b>Manufacturer</b>	<b>Contact Name</b>	<b>Phone No.</b>	<b>E-mail</b>
American Standard Water Heaters	Mr. James E. Bridegum	800-900-9063 ext 4	Bridegum@att.net
A. O. Smith Water Products Company	Mr. Gary Delph	423-434-1540	gdelph@hotwater.com
Bradford White Corp.	Mr. D. J. (DJ) Nethercot	269-795-3364	DNethercot@bradfordwhite.com
Rheem Water Heating	Mr. Alan Cape	334-260-1554	Alan.Cape@rheem.com

**For questions regarding AQMD Rule 1121 certification, please contact:**

**Rizaldy Calungcagin**  
**(909) 396-2315**  
[rcalungcagin@aqmd.gov](mailto:rcalungcagin@aqmd.gov)