(Adopted May 1, 1987)(Amended June 7, 1991)(Amended June 6, 1992) (Amended June 10, 1994)(Amended May 10, 1996)(Amended May 9, 1997) (Amended May 8, 1998)(Amended May 14, 1999)(Amended May 19, 2000) (Amended May 11, 2001)(Amended May 3, 2002)(Amended June 6, 2003) (Amended July 9, 2004)(Amended June 3, 2005)(Amended June 9, 2006) (Amended May 4, 2007)(Amended May 2, 2008)(Amended May 7, 2010) (Amended May 6, 2011)(Updated July 1, 2012)(Updated July 1, 2013) (Amended June 6, 2014)(Amended May 1, 2015)(Updated July 1, 2016) (Amended June 2, 2017)

### Changes to the fees are effective July 1, 2016 Effective July 1, 2017

#### PROPOSED AMENDED RULE 304.1 ANALYSES FEES

Analyses fees for testing pursuant to Rule 304.

Laboratory Analyses Fees (a) Type of Test Fee (1)Particle Analysis \$128.11131.31 / hour of analysis (A) Microscopic Identification Micro-Fourier Trans-\$189.89194.64 / particle **(B)** form Infrared Spectroscopy (C) X-Ray Diffraction \$<del>189.89</del>194.64 / sample (D) Particle Size Determination by microscopy (i) \$128.11131.31 / hour of analysis (ii) by sieve \$128.11131.31 / sample (E) **Energy Dispersive** As charged by outside laboratory X-Ray - microprobe (charge pass through) (2)Asbestos (Bulk Samples) (A) PLM \$128.11131.31 / sub-sample (B) **Point Counting** \$128.11131.31 / sub-sample (C) As charged by outside laboratory TEM, Quantitative (charge pass through) TEM, Qualitative As charged by outside laboratory (D) (charge pass through) \$283.05290.13 / sub-sample and/or layer (E) X-Ray Diffraction

### <u>PAR</u> 304.1 – 1

# Proposed Amended Rule 304.1 (Cont.) (Updated July 1, 2016 Amended June 2, 2017)

	Type of Test	Fee	
Asbes	stos (Bulk Samples)		
(A)	TEM - 12-hour turnaround	As charged by outside laboratory (charge pass through)	
(B)	TEM - 1-day turnaround	As charged by outside laboratory (charge pass through)	
(C)	TEM - 2-day turnaround	As charged by outside laboratory (charge pass through)	
Vapor	r Pressure Tests		
(A)	Reid Vapor Pressure	\$ <del>85.22</del> 87.35 / sample	
(B)	Isoteniscope	As charged by outside laboratory (charge pass through)	
(C)	Speciation of Components in each sam-	\$ <del>358.62<u>367.59</u> for five or fewer com</del> - pounds	
	ple	\$4 <u>2.5543.61</u> for each additional com- pound	
(D)	Calculation	\$ <del>250.23</del> 256.49 / sample	
Fuel A	Analysis		
(A)	Metals (Pb in gasoline)	\$ <del>256.17<u>262.57</u> / sample \$<del>33.82<u>34.67</u> for each additional samp</del></del>	
(B)	Ash	As charged by outside laboratory (charge pass through)	
(C)	Water and Sediment	As charged by outside laboratory (charge pass through)	
(D)	Density	\$ <del>128.11</del> 131.31 / sample	
(E)	Heat Content	As charged by outside laboratory (charge pass through)	
(F)	Water	As charged by outside laboratory (charge pass through)	
<ul><li>(G) Bromine Number</li><li>(H) Sulfur</li></ul>		As charged by outside laboratory (charge pass through)	
	(i) In Fuel Gas	\$ <del>298.99<u>306.46</u> / sample</del>	
	(ii) In Fuel Oil (by XRF)	\$ <del>102.12</del> 104.67 / sample	

# <u>PAR</u> 304.1 – 2

(6)

	Type of Test	Fee
(I)	Engler Distillation	As charged by outside laboratory (charge pass through)
(J)	Initial Boiling Point	As charged by outside laboratory (charge pass through)
VOC	(Regulation XI)	
(A)	Gravimetric Test	\$ <del>128.11<u>131.31</u> / sample</del>
(B)	Density of Coating or Distillate	\$ <del>128.11<u>131.31</u> / sample</del>
(C)	Gloss Testing	\$ <del>128.11<u>131.31</u> / sample</del>
(D)	Gas Chromatograph Analysis	\$ <del>358.62<u>367.59</u> for five or fewer co pounds</del>
		\$ <u>42.5543.61</u> for each additional compound
(E)	Photochemical Reactivity -	
	(i) Unknown	\$ <del>512.67<u>525.49</u> / sample</del>
	(ii) Known	\$ <del>358.62</del> 367.59 / sample
(F)	Distillation -	
	(i) Normal	\$ <del>102.13<u>104.68</u> / sample</del>
	(ii) Heavy Ink	\$ <del>144.98<u>148.60</u> / sample</del>
(G)	Water by Karl Fischer Titration	\$ <del>170.77<u>175.04</u> / sample</del>
(H)	Emission Spectrograph Analysis	\$ <del>128.11<u>131.31</u> / sample</del>
(I)	Gas Chromatograph/Mass Spectrometry	\$ <del>341.71<u>350.25</u> for five or fewer co pounds</del>
		\$ <del>33.79<u>34.63</u> for each additional compound</del>
(J)	VOC in pipe cements	\$ <del>876.26<u>898.17</u> / sample</del>
(K)	VOC in adhesives contain- ing cyanoacrylates	\$ <del>250.23</del> 256.49 / sample

- (7) For Certification Tests and Analyses not listed above, the fee shall be assessed at a rate of \$128.11131.31 per person per hour or <u>a prorated portion</u> thereof.
- (8) In addition to the regular analysis fee, all expedite samples which require overtime work by staff shall be charged an additional time and a half fee based on the normal hourly rate of staff performing such work beyond the normal work schedule.
- (9) Time and material fees shall be charged for all samples sent to outside laboratories.
- (b) Emissions Testing and Analyses Fees

	Type of Test		Fee		
(1)		Accuracy Confirmation Test of Continuous Emission Monitor		\$ <del>1,298.97<u>1,331.44</u></del>	
(2)	Continuous Gaseous Emission Testing with Mobile Source Testing Vehicle		\$ <del>1,692.47<u>1,734.78</u> plus \$<u>145.26148.89</u>/ hour</del>		
(3)		Non-Continuous Emission Testing		\$ <del>1,589.71<u>1,629.45</u> plus fee listed be- low:</del>	
			Speci	<u>Cost Per S</u> fic*	Sample Surcharge**
	(A)	Moisture	\$ <del>230.51<u>23</u></del>	<u>36.27</u>	\$ <del>170.77</del> <u>175.04</u>
	(B)	Particulate Matter	\$ <del>888.61</del>	<u>-910.83</u>	\$444.17 <u>455.27</u>
	(C)	Sulfur Dioxide	\$ <del>789.63</del>	<u>8809.37</u>	\$ <del>394.57<u>404.43</u></del>
	(D)	Oxides of Nitrogen	\$ <del>393.00</del>	<u>402.83</u>	\$ <del>119.3</del> 4 <u>122.32</u>
	(E)	Carbon Monoxide	\$ <del>328.1</del> 1	- <u>336.31</u>	\$ <del>163.91<u>168.01</u></del>

<sup>\*</sup> charge for first sample.

<sup>&</sup>lt;sup>\*\*</sup> charge for each additional sample, whether at the same or a different sampling location.

## Proposed Amended Rule 304.1 (Cont.) (Updated July 1, 2016 Amended June 2, 2017)

		Type of Test			Fee		
	(F)		Total Hydrocarbons	\$ <del>820.29</del> 840.80 \$5	<del>589.46<u>6</u>04.20</del>		
				Cost Per Sample			
				Specific*	Surcharge**		
		(i)	Hydrogen Sulfide	\$7 <u>89.63</u> 809.37	\$ <del>394.57<u>404.43</u></del>		
		(ii)	Vinyl Chloride	\$ <del>341.71<u>350.25</u></del>	\$ <del>251.01</del> 257.29		
	(G)	Gas Chromatograph / Mass Spectrometry for Unknown	\$ <del>341.71<u>350.25</u> for</del>				
			five or fewer com-				
				pounds			
				\$ <del>33.79<u>34.63</u> for each additional compound</del>			
	(H)	-	h Volume Sampler gitive Dust)	\$ <del>697.36<u>714.79</u></del>	\$ <del>348.60</del> <u>357.32</u>		
	(I)		al Reduced Sulfur npounds***	\$ <del>548.77<u>562.49</u></del>	\$ <del>84.31<u>86.42</u></del>		
	(J)	San Prep	ple paration	\$4 <u>2.5543.61</u>	\$ <del>25.34<u>25.97</u></del>		
Ambi	ient A	ir An	alyses Fees				
(1)	Αι	itoma	atic-Recording Aml	bient Air or Atmospheric	Monitoring at a Fixed		
	Sit	te					
			Туре	of Test	Fee		
	(A	.)	Installation of One	(1) Wind-Monitoring	\$ <del>854.53</del> 875.89		

<sup>(</sup>B) Installation of Each Additional Wind-Moni- \$256.18262.58 toring System at the Same Site as (A).

(c)

System at One (1) Site.

<sup>\*</sup> charge for first sample.

<sup>\*\*\*</sup> charge for each additional sample, whether at the same or a different sampling location.

<sup>\*\*\*</sup> The Non-Continuous Emission Testing Fee will only be charged if SCAQMD personnel perform the sampling. In the case where the samples are taken by contractor personnel (for compliance) or facility staff (for information only), only the sample analysis fee is applicable.

	(C)	Operation of One (1) Wind-Monitoring System At One (1) Site, Including Data Reduction.	\$ <del>170.77<u>175.04</u> / day</del>					
	(D)	Operation of Each Additional Wind-Moni- toring System at Same Site as (C), Including Data Reduction.	\$ <del>59.74<u>61.23</u> / day</del>					
(2)	Contir	nuous Automatic-Recording Ambient Monitorin	ng In Mobile Mode					
	(A)	Installation of One (1) Instrument and Wind Monitoring System in Mobile Van.	\$ <del>1,196.71<u>1,226.63</u></del>					
	(B)	Installation of Additional Instrument in Mo- bile Van.	\$427.11 <u>437.79</u>					
	(C)	Operation of One (1) Instrument and Wind- Monitoring System in Mobile Mode, 10 Hours Per Day, Weekdays Only.	\$ <del>649.51<u>665.75</u> / day</del>					
	(D)	Operation of One (1) Instrument and Wind- Monitoring System In Mobile Mode, 10 Hours Per Day, Weekends and Holidays.	\$ <del>974.34<u>998.70</u> / day</del>					
	(E)	Operation of Each Additional Instrument, Other Than Those Already Installed, in Mo- bile Van.	\$ <del>59.7</del> 4 <u>61.23</u> / day					
(3)	Contir	Continuous Non-Recording Ambient Sampling With Laboratory Analysis of						
	Sampl	Sample Collected (Weekdays Only).						
	(A)	Installation of One (1) 24-Hour Sampler (Bag- or Sequential-Impinger).	\$ <del>854.53<u>8</u>75.89</del> plus lab analysis					
	(B)	Installation of Each Additional 24-Hour Sampler.	\$ <del>683.59<u>700.68</u> plus</del> lab analysis					
	(C)	Operation of One (1) 24-Hour Sampler and Analysis for One (1) Contaminant Per Sample.	\$ <del>299.03</del> 306.51 / day					
			\$ <u>68.0269.72</u> for each additional contaminant					
	(D)	Operation of Each Additional 24-Hour Sampler and Analysis for Same Contami- nant in (C).	\$ <del>110.90<u>113.67</u> / day</del>					
			\$50.9852.25 for each additional contaminant					
	(E)	Operation of 24-Hour, Sequential-Im- pinger Sampler and Spectrophometric Analysis.	$\frac{598.19613.14}{598.19613.14}$ / day for up to 12 samples $\frac{256.18262.58}{262.58}$ for each additional set of 12 samples					

(F)	Installation of One (1) Non-Sequential Sampler to Collect Less-Than-24-Hour- Samples.	\$ <del>1,025.46<u>1,051.10</u></del>
(G)	Operation of One (1) Non-Sequential Sampler to Collect Less-Than-24-Hour Samples For One Contaminant.	\$ <del>512.81<u>525.63</u> / day</del>
(H)	Sample Preparation or Extraction Prior to Analysis.	\$ <del>170.77<u>175.04</u> / day for up to 12 samples</del>
(I)	Spectrophometric Analysis of Each Sam- ple Collected in (G) From Any Number of Samplers Operated for Same Project on Same Day.	\$ <u>85.2287.35</u> for first sample or contaminant \$ <u>33.7934.63</u> for each additional sample or contaminant
(K)	Analysis of Each Sample Collected in (G) For Particulates.	\$ <del>102.12<u>104.67</u> for first sample \$<u>59.6461.13</u> for each additional sample</del>
(L)	Gas Chromatograph/Mass Spectrometry Identification For Any Sample Collected Above.	\$ <del>170.77<u>175.04</u> for five or fewer contaminants \$<del>16.89<u>17.31</u> for each additional contaminant</del></del>
(M)	Additional Fees for Sample Pick-up and Analysis After Normal Weekday Work- ing Hours.	\$ <del>85.22</del> 87.35 addi- tional / hour for each hour exceeding 8-hour normal week day for sample pick-up or collection \$1.367.491.401.68 ad

\$1,367.491,401.68 additional / day for weekends and holidays requiring sample pick-up and analysis same day

\$1,709.53<u>1,752.27</u> additional / day for weekends and holidays requiring manual sample collection and analysis same day

- (4) Meteorological Monitoring
  - (A) Conduct Upper-Air Observation via Radio or Airsonde.

\$<del>598.21</del>613.17

	(B)	Conduct Low-Level Air Observation via Tethersonde (8 Hour Program).	\$ <del>3,422.35<u>3,507.91</u></del>		
	(C)	Conduct Pilot Balloon Observation (Pibal).	\$ <del>3,422.35<u>3,507.91</u> / release</del>		
(5)	Landfill Integrated Surface Sampling Program, per Rule 1150.1 Guidelines				
	(A)	Conduct Less-Than 24-Hour, Integrated- Surface-Sampling Program Over three (3) 50,000 Square-Foot Grids. Program Includes: Installation and Operation of Wind-Monitoring System; Set-Up of Sample Grid Areas: Conduct of Sam- pling Sweeps; and Analysis for One (1) Contaminant Per Sample Bag.	\$ <del>2,564.35<u>2,628.46</u> / grid</del>		
	(B)	Conduct Less-Than-24-Hour, Inte- grated-Landfill-Surface-Sampling Pro- gram Over Each Additional 50,000 Square-Foot Grid At The Same Site as (A).	\$ <del>555.3</del> 4 <u>569.22</u>		
(6)	SF6 Gas-Tracer Study				
	(A)	Conduct SF6 Gas-Tracer Study With Up to Sixty (60) Samples, Including Instal- lation and Operation of a Wind-Monitor- ing System and Tethersonde Observa- tions.	\$ <del>18,806.44<u>19,276.60</u></del>		
	(B)	Collection and Analysis of Each Additional Sample for (A).	\$ <del>85.22</del> 87.35		