(Adopted May 1, 1987)(Amended June 7, 1991)(Amended June 6, 1992) (Amended June 10, 1994)(Amended May 10, 1996)(Amended May 9, 1997) (Amended May 8, 1998)(Amended May 14, 1999)(Amended May 19, 2000) (Amended May 11, 2001)(Amended May 3, 2002)(Amended June 6, 2003) (Amended July 9, 2004)(Amended June 3, 2005)(Amended June 9, 2006) (Amended May 4, 2007)(Amended May 2, 2008)(Amended May 7, 2010) (Amended May 6, 2011)(Updated July 1, 2012)(Updated July 1, 2013) (Amended June 6, 2014)(Amended May 1, 2015)(Updated July 1, 2016) (Amended June 2, 2017)(<u>Amended May 4, 2018</u>)

Effective July 1, 201<u>8</u>7

RULE 304.1 ANALYSES FEES

Analyses fees for testing pursuant to Rule 304.

(a) Laboratory Analyses Fees

	Type of Test		Fee	
(1)	Particle Analysis			
(A) Microscopic Identification		Microscopic Identification	\$ 131.31<u>135.77</u> / hour of analysis	
	(B)	Micro-Fourier Trans- form Infrared Spectroscopy	\$ 194.64<u>201.26</u> / particle	
	(C) X-Ray Diffraction(D) Particle Size Determination		\$ 194.64<u>201.26</u> / sample	
		(i) by microscopy	\$ 131.31<u>135.77</u> / hour of analysis	
		(ii) by sieve	\$ 131.31<u>135.77</u> / sample	
	(E)	Energy Dispersive X-Ray - microprobe	As charged by outside laboratory (charge pass through)	
(2)	Asbes	stos (Bulk Samples)		
	(A)	PLM	\$ 131.31<u>135.77</u> / sub-sample	
	(B)	Point Counting	\$ 131.31<u>135.77</u> / sub-sample	
	(C)	TEM, Quantitative	As charged by outside laboratory (charge pass through)	
	(D)	TEM, Qualitative	As charged by outside laboratory (charge pass through)	

	Type of Test	Fee
(E)	X-Ray Diffraction	\$ 290.13-<u>299.99</u> / sub-sample and/or layer
Asbe	estos (Bulk Samples)	
(A)	TEM - 12-hour turnaround	As charged by outside laboratory (charge pass through)
(B)	TEM - 1-day turnaround	As charged by outside laboratory (charge pass through)
(C)	TEM - 2-day turnaround	As charged by outside laboratory (charge pass through)
Vapo	or Pressure Tests	
(A)	Reid Vapor Pressure	\$ 87.35-<u>90.32</u> / sample
(B)	Isoteniscope	As charged by outside laboratory (charge pass through)
(C)	Speciation of Components in each sample	\$ 367.59-<u>380.09</u> for five or fewer cor pounds
		\$43.61- <u>45.09</u> for each additional com pound
(D)	Calculation	\$ 256.49 _265.21 / sample
Fuel	Analysis	
(A)	Metals (Pb in gasoline)	\$ <u>262.57-271.50</u> / sample \$ <u>34.67-35.85</u> for each additional sam
(B)	Ash	As charged by outside laboratory (charge pass through)
(C)	Water and Sediment	As charged by outside laboratory (charge pass through)
(D)	Density	\$ 131.31<u>135.77</u> / sample
(E)	Heat Content	As charged by outside laboratory (charge pass through)
(F)	Water	As charged by outside laboratory (charge pass through)
(G)	Bromine Number	As charged by outside laboratory (charge pass through)

(6)

	Тур	e of Test	Fee	
(H)	Sulfu	r		
	(i)	In Fuel Gas	\$ 306.46-<u>316.88</u> / sample	
	(ii)	In Fuel Oil (by XRF)	\$ 104.67 _ <u>108.23</u> / sample	
(I)	Engle	er Distillation	As charged by outside laboratory (charge pass through)	
(J)	Initial Boiling Point		As charged by outside laboratory (charge pass through)	
VOC	(Regul	ation XI)		
(A)	Grav	imetric Test	\$ 131.31<u>135.77</u> / sample	
(B)	Density of Coating or Distillate		\$ 131.31<u>135.77</u> / sample	
(C)	Gloss	s Testing	\$ 131.31<u>135.77</u> / sample	
(D)	Gas Chromatograph Analysis		\$ 367.59_<u>380.09</u> f or five or fewer com pounds	
			\$4 <u>3.61 45.09</u> for each additional com pound	
(E)	Photo	ochemical Reactivity -		
	(i)	Unknown	\$ 525.49<u>543.36</u> / sample	
	(ii)	Known	\$ 367.59-<u>3</u>80.09 / sample	
(F)	Disti	llation -		
	(i)	Normal	\$ 104.68<u>108.24</u> / sample	
	(ii)	Heavy Ink	\$ <u>148.60153.65</u> / sample	
(G)	Water by Karl Fischer Titration		\$ 175.04-<u>180.99</u> / sample	
(H)	Emission Spectrograph Analysis		\$ 131.31<u>135.77</u> / sample	
(I)		Chromatograph/Mass trometry	\$ <u>350.25-362.16</u> for five or fewer con pounds	
			\$34.63- <u>35.81</u> for each additional com pound	
(J)	VOC	in pipe cements	\$ 898.17_ 928.71_/ sample	

_	Type of Test	Fee	
(K)	VOC in adhesives contain- ing cyanoacrylates	\$ 256.49-265.21 / sample	

- (7) For Certification Tests and Analyses not listed above, the fee shall be assessed at a rate of \$131.31135.77 per person per hour or a prorated portion thereof.
- (8) In addition to the regular analysis fee, all expedite samples which require overtime work by staff shall be charged an additional time and a half fee based on the normal hourly rate of staff performing such work beyond the normal work schedule.
- (9) Time and material fees shall be charged for all samples sent to outside laboratories.

	Type of Test		Fee	
(1)	Accuracy Confirmation Test of Continuous Emission Monitor		\$ 1,331.44<u>1,376.71</u>	
(2)	Continuous Gaseous Emission Testing with Mobile Source Testing Vehicle		\$ 1,734.78 - <u>1,793.76</u> plus \$ 148.89<u>153.95</u>/ hour	
(3)	Non-Continuous Emission Testing		\$ 1,629.45-<u>1,684.85</u> plus fee listed below:	
			Cost Per Sample	
			Specific*	Surcharge**
	(A)	Moisture	\$ 236.27 244.30	\$ 175.04 <u>180.99</u>
	(B)	Particulate Matter	\$ 910.83 <u>941.80</u>	\$4 55.27 <u>470.75</u>

^{*} charge for first sample.

^{**} charge for each additional sample, whether at the same or a different sampling location.

Type of Test		Fee		
(C	Sulfur Dioxide	\$ 809.37 <u>836.89</u>	\$404.43 <u>418.18</u>	
(D	Oxides of Nitrogen	\$402.83 416.53	\$ 122.32 <u>126.48</u>	
(E) Carbon Monoxide	\$ 336.31 <u>347.74</u>	\$ 168.01 <u>173.72</u>	
(F) Total Hydrocarbons	\$ 840.80 <u>869.39</u>	\$ 604.20 <u>624.74</u>	
		Cost Per	-	
		Specific*	Surcharge**	
	(i) Hydrogen Sulfide	\$ 809.37<u>836.89</u>	\$ 404.43<u>418.18</u>	
	(ii) Vinyl Chloride	\$ 350.25<u>362.16</u>	\$ 257.29 266.04	
(G)	Gas Chromatograph / Mass Spectrometry for Unknown	\$ 350.25-<u>362.16</u> for five or fewer com- pounds \$34.63-<u>35.81</u> for each		
		additional compound		
(H)	High Volume Sampler (Fugitive Dust)	\$ 714.79 739.09	\$ 357.32<u>369.47</u>	
(I)	Total Reduced Sulfur Compounds***	\$ 562.49<u>581.61</u>	\$ 86.42<u>89.36</u>	
(J)	Sample Preparation	\$4 <u>3.6145.09</u>	\$ 25.97 26.85	

^{*} charge for first sample.
** charge for each additional sample, whether at the same or a different sampling location.
*** The Non-Continuous Emission Testing Fee will only be charged if SCAQMD personnel perform the sampling. In the case where the samples are taken by contractor personnel (for compliance) or facility staff (for information only), only the sample analysis fee is applicable.

- (c) Ambient Air Analyses Fees
 - (1) Automatic-Recording Ambient Air or Atmospheric Monitoring at a Fixed Site

	Site				
		Type of Test	Fee		
	(A)	Installation of One (1) Wind-Monitoring System at One (1) Site.	\$ 875.89 905.67		
	(B)	Installation of Each Additional Wind-Mon- itoring System at the Same Site as (A).	\$ 262.58 271.51		
	(C)	Operation of One (1) Wind-Monitoring System At One (1) Site, Including Data Re- duction.	\$ 175.04<u>180.99</u>/ day		
	(D)	Operation of Each Additional Wind-Moni- toring System at Same Site as (C), Includ- ing Data Reduction.	\$ 61.23<u>63.31</u> / day		
(2)	Conti	nuous Automatic-Recording Ambient Monitor	ing In Mobile Mode		
	(A)	Installation of One (1) Instrument and Wind Monitoring System in Mobile Van.	\$ 1,226.63 <u>1,268.34</u>		
	(B)	Installation of Additional Instrument in Mobile Van.	\$4 37.79 <u>452.67</u>		
	(C)	Operation of One (1) Instrument and Wind- Monitoring System in Mobile Mode, 10 Hours Per Day, Weekdays Only.	\$ 665.75-<u>688.39</u> / day		
	(D)	Operation of One (1) Instrument and Wind- Monitoring System In Mobile Mode, 10 Hours Per Day, Weekends and Holidays.	\$ 998.70-<u>1,032.66</u> / day		
	(E)	Operation of Each Additional Instrument, Other Than Those Already Installed, in Mobile Van.	\$ 61.23-<u>63.31</u>/ day		
(3)	Continuous Non-Recording Ambient Sampling With Laboratory Analysis of				
	Samp	Sample Collected (Weekdays Only).			
	(A)	Installation of One (1) 24-Hour Sampler (Bag- or Sequential-Impinger).	\$ 875.89-<u>905.67</u>plus lab analysis		
	(B)	Installation of Each Additional 24-Hour Sampler.	\$ 700.68<u>724.50</u> plus lab analysis		
	(C)	Operation of One (1) 24-Hour Sampler	\$ 306.51<u>316.93</u> / day		
(and Analysis for One (1) Contaminant Per Sample.	\$69.7272.09 for each additional contaminant		

- (D) Operation of Each Additional 24-Hour Sampler and Analysis for Same Contaminant in (C).
- (E) Operation of 24-Hour, Sequential-Impinger Sampler and Spectrophometric Analysis.
- (F) Installation of One (1) Non-Sequential Sampler to Collect Less-Than-24-Hour-Samples.
- (G) Operation of One (1) Non-Sequential Sampler to Collect Less-Than-24-Hour Samples For One Contaminant.
- (H) Sample Preparation or Extraction Prior to Analysis.
- (I) Spectrophometric Analysis of Each Sample Collected in (G) From Any Number of Samplers Operated for Same Project on Same Day.
- (KJ) Analysis of Each Sample Collected in (G) For Particulates.
- (<u>LK</u>) Gas Chromatograph/Mass Spectrometry Identification For Any Sample Collected Above.

\$113.67117.53 / day

\$52.2554.03 for each additional contaminant

 $\frac{613.14633.99}{613.14633.99}$ / day for up to 12 samples $\frac{262.58271.51}{222.58271.51}$ for each additional set of 12 samples

\$1,051.101,086.84

\$525.63543.50 / day

\$175.04180.99 / day for up to 12 samples

\$87.35-90.32 for first sample or contaminant \$34.63-35.81 for each additional sample or contaminant

 $\frac{104.67108.23}{108.23}$ for first sample $\frac{61.1363.21}{61.13}$ for each additional sample

 $\frac{175.04180.99}{17.3117.90}$ for five or fewer contaminants $\frac{17.3117.90}{17.90}$ for each additional contaminant

	(<u>ML</u>)	Additional Fees for Sample Pick-up and Analysis After Normal Weekday Work- ing Hours.	\$ 87.35 90.32 addi- tional / hour for each hour exceeding 8-hour normal week day for sample pick-up or collection \$ 1,401.68<u>1,449.34</u> additional / day for weekends and holidays requiring sample pick-up and analysis same day		
			\$1,752.27 <u>1,811.85</u> additional / day for weekends and holi- days requiring man- ual sample collection and analy- sis same day		
(4)	Meteo	Meteorological Monitoring			
	(A)	Conduct Upper-Air Observation via Radio or Airsonde.	\$ 613.17<u>634.02</u>		
	(B)	Conduct Low-Level Air Observation via Tethersonde (8 Hour Program).	\$ 3,507.91<u>3,627.18</u>		
	(C)	Conduct Pilot Balloon Observation (Pibal).	\$ 3,507.91<u>3,627.18</u> / release		
(5)	Land	fill Integrated Surface Sampling Program, per	Rule 1150.1 Guide-		
	lines				
	(A)	Conduct Less-Than 24-Hour, Integrated- Surface-Sampling Program Over three (3) 50,000 Square-Foot Grids. Program Includes: Installation and Operation of Wind-Monitoring System; Set-Up of Sample Grid Areas: Conduct of Sam- pling Sweeps; and Analysis for One (1) Contaminant Per Sample Bag.	\$ 2,628.46<u>2,717.83</u> / grid		
	(B)	Conduct Less-Than-24-Hour, Inte- grated-Landfill-Surface-Sampling Pro- gram Over Each Additional 50,000 Square-Foot Grid At The Same Site as (A).	\$ 569.22 <u>588.57</u>		

- (6) SF6 Gas-Tracer Study
 - (A) Conduct SF6 Gas-Tracer Study With Up to Sixty (60) Samples, Including Installation and Operation of a Wind-Monitoring System and Tethersonde Observations.
 - (B) Collection and Analysis of Each Additional Sample for (A). \$87.3590.32