ATTACHMENT C

(Adopted December 3, 1976)(Amended June 7, 1985)(Amended November 1, 1985) (Amended October 3, 1986)(Amended April 3, 1987)(Amended May 5, 1989) (Amended September 7, 1990)(Amended October 4, 1991)(Amended April 3, 1992) (Amended April 9, 1993)(Amended April 8, 1994)(Amended January 9, 1998) (Amended August 13, 1999)(Amended April 21, 2000) (Amended May 11, 2001)(Amended April 5, 2002)(Amended May 7, 2004) (Amended December 2, 2005)(Amended September 8, 2006) (Amended April 6, 2007)(Amended April 4, 2008)(Amended April 3, 2009) (Amended March 5, 2010)(Amended April 3, 2015) (Amended October 7, 2016)(Amended July 12, 2019)

PROPOSED AMENDED REGULATION IX

STANDARDS OF PERFORMANCE FOR NEW STATIONARY SOURCES

The provisions of Part 60, Chapter I, Title 40, of the Code of Federal Regulations (CFR), in effect July 1, 1984, applicable to the subparts listed in this Regulation were adopted by the South Coast Air Quality Management District on the date shown and were made part of the Rules and Regulations of the South Coast Air Quality Management District.

All new sources of air pollution and all modified or reconstructed sources of air pollution shall comply with the more stringent of the standards, criteria, and requirements set forth herein or in applicable District rules. –For the purpose of this Regulation, the word "Administrator" as used in Part 60, Chapter I, Title 40, of the CFR shall mean the Executive Officer of the South Coast Air Quality Management District, except that the Executive Officer shall not be empowered to approve alternate test methods or alternate opacity limits. –Other deviations from these federal standards, as presented in the CFR and which were ordered by the South Coast Air Quality Management District Board to suit the needs of the South Coast Air Quality Management District, are noted in the affected subpart.

SUBPART A

GENERAL PROVISIONS

(40FR53346, Nov. 17, 1975)

(52FR17555, May 11, 1987) (55FR26912, June 29, 1990) (55FR26931, June 29, 1990) (55FR37674, Sept. 12, 1990) (55FR40171, Oct. 2, 1990) (55FR51378, Dec. 13, 1990) (57FR32314, July 21, 1992) (59FR12408, March 16, 1994) (60FR65387, Dec. 19, 1995) (62FR8314, Feb. 24, 1997) (62FR52384, Oct. 7, 1997) (63FR24436, May 4, 1998) (65FR48914, August 10, 2000) (65FR61743, October 17, 2000) (65FR76378, Dec. 6, 2000) (66FR44978, August 27, 2001) (67FR43550, June 28, 2002) (69FR41346, July 8, 2004) (70FR74870, Dec. 16, 2005) (71FR38482, July 6, 2006) (71FR39154, July 11, 2006) (72FR27437, May 16, 2007) (72FR32710, June 13, 2007) (73FR3568, January 18, 2008) (73FR35838, June 24, 2008) (74FR5072, January 28, 2009) (74FR51950, October 8, 2009) (75FR54970, Sept. 9, 2010) (76FR2832, January 18, 2011) (76FR15372, March 21, 2011) (76FR15704 March 21, 2011) (79FR11228, February 27, 2014) (81FR 59809, August 30, 2016) (83FR 56713, November 14, 2018) (Adopted Dec. 3, 1976) (Amended Oct. 5, 1984) (Amended May 5, 1989) (Amended Oct. 4, 1991) (Amended April 9, 1993) (Amended August 13, 1999) (Amended May 11, 2001) (Amended May 11, 2001) (Amended May 11, 2001) (Amended April 5, 2002 (Amended May 7, 2004) (Amended Dec. 2, 2005) (Amended April 6, 2007) (Amended April 6, 2007) (Amended April 6, 2007) (Amended April 4, 2008) (Amended April 4, 2008) (Amended April 3, 2009) (Amended April 3, 2009) (Amended March 5, 2010) (Amended March 5, 2010) (Amended March 4, 2011) (Amended April 6, 2012) (Amended April 6, 2012) (Amended April 6, 2012) (Amended April 3, 2015) (Amended July 12, 2019) (Amended July 12, 2019)

SUBPART D STANDARDS OF PERFORMANCE FOR FOSSIL-FUEL-FIRED STEAM GENERATORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 17, 1971

(39FR20792, June 14, 1974) (51FR42839, Nov. 26, 1986) (52FR28946, Aug. 4, 1987) (55FR5211, Feb. 14, 1990) (55FR51378, Dec. 13, 1990) (65FR61743, October 17, 2000) (72FR32710, June 13, 2007) (Adopted Dec. 3, 1976) (Amended April 3, 1987) (Amended May 5, 1989) (Amended Oct. 4, 1991) (Amended Oct. 4, 1991) (Amended May 11, 2001) (Amended April 4, 2008)

(74FR5072, January 28, 2009)	(Amended March 5, 2010)
(76FR3517, January 20, 2011)	(Amended April 6, 2012)

SUBPART Da STANDARDS OF PERFORMANCE FOR ELECTRIC UTILITY STEAM GENERATING UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER SEPT. 18, 1978

(44FR33613, June 11, 1979) (51FR42839, Nov. 26, 1986) (55FR5211, Feb. 14, 1990) (63FR49442, Sept. 16, 1998) (65FR61743, October 17, 2000) (66FR18546, April 10, 2001) (66FR31177, June 11, 2001) (66FR42608, August 14, 2001) (70FR28606, May 18, 2005) (70FR51266, August 30, 2005) (71FR9866, February 27, 2006) (71FR33388, June 9, 2006) (72FR32710, June 13, 2007) (74FR5072, January 28, 2009) (76FR3517, January 20, 2011) (79FR68777, November 19, 2014) (81FR20171, April 6, 2016)

(Adopted Oct. 5, 1984) (Amended April 3, 1987) (Amended Oct. 4, 1991) (Amended August 13, 1999) (Amended May 11, 2001) (Amended April 5, 2002) (Amended April 5, 2002) (Amended April 5, 2002) (Amended Sept. 8, 2006) (Amended Sept. 8, 2006) (Amended April 6, 2007) (Amended April 6, 2007) (Amended April 4, 2008) (Amended March 5, 2010) (Amended April 6, 2012) (Amended April 3, 2015) (Amended October 7, 2016)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the South Coast Air Quality Management District.

SUBPART Db STANDARDS OF PERFORMANCE FOR INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

(51FR42768, Nov. 25, 1986) (Adopted April 3, 1987) (51FR42839, Nov. 26, 1986) (52FR47826, Dec. 16, 1987) (Amended May 5, 1989) (54FR51820, Dec. 18, 1989) (Amended, Sept. 7, 1990) (63FR4992, Sept. 16, 1998) (Amended August 13, 1999) (65FR13242, March 13, 2000) (Amended May 11, 2001) (65FR61743, October 17, 2000) (Amended May 11, 2001) (66FR18546, April 10, 2001) (Amended April 5, 2002) (66FR31177, June 11, 2001) (Amended April 5, 2002) (66FR42608, August 14, 2001) (Amended April 5, 2002) (66FR49830, October 1, 2001) (Amended April 5, 2002) (71FR9866, February 27, 2006) (Amended April 6, 2007) (Amended April 6, 2007) (71FR33388, June 9, 2006) (72FR32710, June 13, 2007) (Amended April 4, 2008) (74FR5072, January 28, 2009) (Amended March 5, 2010) (76FR3517, January 20, 2011) (Amended April 6, 2012) (79FR11228, February 27, 2014) (Amended April 3, 2015)

SUBPART DC STANDARDS OF PERFORMANCE FOR SMALL INDUSTRIAL COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

(55FR37674, Sept. 12, 1990) (61FR20734, May 8, 1996) (64FR24049, May 5, 1999) (65FR61743, October 17, 2000) (70FR74679, Dec. 16, 2005) (71FR9866, February 27, 2006) (72FR32710, June 13, 2007 (74FR5072, January 28, 2009) (76FR3517, January 20, 2011)

(Adopted Oct. 4, 1991) (Amended August 13, 1999) (Amended April 21, 2000) (Amended May 11, 2001) (Amended Sept. 8, 2006) (Amended April 6, 2007) (Amended April 4, 2008) (Amended March 5, 2010) (Amended April 6, 2012)

SUBPART E STANDARDS OF PERFORMANCE FOR INCINERATORS

(36FR24877, Dec. 23, 1971)(Adopted Dec. 3, 1976)(55FR5211, Feb. 14, 1990)(Amended Oct. 4, 1991)(65FR61743, October 17, 2000)(Amended May 11, 2001)(71FR27324, May 10, 2006)(Amended April 6, 2007)

SUBPART Ea STANDARDS OF PERFORMANCE FOR MUNICIPAL WASTE COMBUSTORS

(56FR5488, Feb. 11, 1991)	(Adopted April 3, 1992)
(60FR65381, Dec. 19, 1995)	(Adopted Dec. 12, 1997)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)

SUBPART Eb STANDARDS OF PERFORMANCE AND EMISSION GUIDELINES FOR MUNICIPAL WASTE COMBUSTORS

(60FR65387, Dec. 19, 1995)(Adopted Dec. 12, 1997)(62FR45116, Aug. 25, 1997)(Amended Dec. 12, 1997)(62FR45124, Aug. 25, 1997)(Amended Dec. 12, 1997)(65FR61743, October 17, 2000)(Amended Dec. 12, 1997)(66FR36473, July 12, 2001)(Amended May 11, 2001)(66FR57824, Nov. 16, 2001)(Amended April 5, 2002)(71FR27324, May 10, 2006)(Amended April 6, 2007)

SUBPART EcSTANDARDS OF PERFORMANCE FOR HOSPITAL/
MEDICAL INFECTIOUS WASTE INCINERATORS

(62FR48348, Sept. 15, 1997)	(Adopted Dec. 12, 1997)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)
(68FR61759, Oct. 30, 2003)	(Amended May 7, 2004)
(76FR18407, April 4, 2011)	(Amended April 6, 2012)
(78FR28052, May 13, 2013)`	(Amended April 3, 2015)

SUBPART F STANDARDS OF PERFORMANCE FOR PORTLAND CEMENT PLANTS

(36FR24877, Dec. 23, 1971)(Adopted Dec. 3, 1976)(53FR50354 Dec. 14, 1988)(Amended May 5, 1989)(61FR14637, April 3, 1996)(Amended August 13, 1999)(65FR61743, Oct. 17, 2000)(Amended May 11, 2001)(75FR54970, Sept. 9, 2010)(Amended March 4, 2011)(78FR10006, February 12, 2013)(Amended April 3, 2015)(80FR44771, July 27, 2015)(Amended October 7, 2016)

SUBPART G STANDARDS OF PERFORMANCE FOR NITRIC ACID PLANTS

(39FR20794, June 14, 1974) (Adopted Dec. 3, 1976)

SUBPART H STANDARDS OF PERFORMANCE FOR SULFURIC ACID PLANTS

(39FR20794, June 14, 1974)(Adopted Dec. 3, 1976)(65FR61743, Oct. 17, 2000)(Amended May 11, 2001)(79FR11228, February 27, 2014)(Amended April 3, 2015)

SUBPART I STANDARDS OF PERFORMANCE FOR ASPHALTIC CONCRETE PLANTS

(39FR9314, March 8, 1974)(Adopted Dec. 3, 1976)(51FR12324, April 10, 1986)(Amended April 3, 1987)

SUBPART J STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERIES

(39FR9315, March 8, 1974)(Adopted Dec. 3, 1976)(51FR42839, Nov. 26, 1986)(Amended Feb. 13, 1981)(54FR34008, Aug. 17, 1989)(Amended April 3, 1987)(55FR40171, Oct. 2, 1990)(Amended Sept. 7, 1990)(65FR61743, Oct. 17, 2000)(Amended May 11, 2001)(73FR35838, June 24, 2008)(Amended April 3, 2009)(80FR75177, December 1, 2015)(Amended October 7, 2016)

SUBPART Ja STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERIES FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER May 14, 2007

(73FR35838, June 24, 2008)	(Adopted April 3, 2009)
(73FR55751, Sept. 26, 2008)	(Amended April 3, 2009)
(73FR78546, Dec. 22, 2008)	(Amended April 3, 2009)
(73FR78549, Dec. 22, 2008)	(Amended April 3, 2009)
(76FR10524, Feb.25, 2011)	(Amended April 6, 2012)
(77FR56422, September 12, 2012)	(Amended April 3, 2015)
(80FR75177, December 1, 2015)	(Amended October 7, 2016)

SUBPART KSTANDARDS OF PERFORMANCE FOR STORAGEVESSELS FOR PETROLEUM LIQUIDS CONSTRUCTEDAFTER JUNE 11, 1973, AND PRIOR TO MAY 19, 1978

(Adopted Dec. 3, 1976)
(Amended Feb. 13, 1981)
(Amended May 5, 1989)

SUBPART Ka STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS CONSTRUCTED AFTER MAY 18, 1978

(45FR23379, Apr. 4, 1980)

(Adopted Dec. 3, 1976) (Amended Feb. 13, 1981)

(52FR11420, April 18, 1987) and
(52FR22779, June 16, 1987)(Amended May 5, 1989)(65FR2336, January 14, 2000)(Amended May 11, 2001)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART Kb STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JULY 23, 1983

(52FR11420, April 8, 1987) and(52FR22779, June 16, 1987)(54FR32972, August 11, 1989)(65FR2336, January 14, 2000)(65FR61743, October 17, 2000)(Amend

(Adopted May 5, 1989) (Amended Sept. 7, 1990) (Amended May 11, 2001) (Amended May 11, 2001)

SUBPART L STANDARDS OF PERFORMANCE FOR SECONDARY LEAD SMELTERS

(39FR9317, March 8, 1974)(Adopted Dec. 3, 1976)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART MSTANDARDS OF PERFORMANCE FOR SECONDARYBRASS AND BRONZE PRODUCTION PLANTS

(39FR9318, March 8, 1974)(Adopted Dec. 3, 1976)(49FR21864, Mar. 23, 1984)(Amended Oct. 5, 1984)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART N STANDARDS OF PERFORMANCE FOR IRON AND STEEL PLANTS

(39FR9318, March 8, 1974)(Adopted Dec. 3, 1976)(51FR150, Jan. 2, 1986)(Amended June 5, 1981)(Amended April 3, 1987)

(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART Na STANDARDS OF PERFORMANCE FOR BASIC OXYGEN PROCESS FURNACES

(51FR150, Jan. 2, 1986)(Adopted April 3, 1987)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART O STANDARDS OF PERFORMANCE FOR SEWAGE TREATMENT PLANTS

(39FR9319, March 8, 1974)(A(51FR13432, April 18, 1986)(A(54FR27015, June 27, 1989)(A(59FR5107, February 3, 1994)(A(65FR61743, October 17, 2000)(A(79FR11228, February 27, 2014)(A

(Adopted Dec. 3, 1976) (Amended Oct. 3, 1986) (Amended Sept. 7, 1990) (Amended Dec. 12, 1997) (Amended May 11, 2001) (Amended April 3, 2015)

SUBPART P STANDARDS OF PERFORMANCE FOR PRIMARY COPPER SMELTERS

(41FR2338, Jan. 15, 1976)(Adopted Nov. 1, 1985)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART Q STANDARDS OF PERFORMANCE FOR PRIMARY ZINC SMELTERS

(41FR2340, Jan. 15, 1976) (Adopted Nov. 1, 1985)

SUBPART R STANDARDS OF PERFORMANCE FOR PRIMARY LEAD SMELTERS

(41FR2340, Jan. 15, 1976) (Adopted Nov. 1, 1985)

SUBPART SSTANDARDS OF PERFORMANCE FOR PRIMARY
ALUMINUM REDUCTION PLANTS

(45FR44207, June 30, 1980)(Adopted Nov. 1, 1985)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART TSTANDARDS OF PERFORMANCE FOR THE
PHOSPHATE FERTILIZER INDUSTRY: WET-PROCESS
PHOSPHORIC ACID PLANTS

(40FR33154, August 6, 1975)

(Amended August 5, 1983) (65FR61743, October 17, 2000) (Amended May 11, 2001)

(Adopted Dec. 3, 1976)

SUBPART U STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: SUPERPHOSPHORIC ACID PLANTS

 (40FR33155, August 6, 1975)
 (Adopted Dec. 3, 1976)

 (65FR61743, October 17, 2000)
 (Amended Aug. 5, 1983)

 (Amended May 11, 2001)

SUBPART V STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: DIAMMONIUM PHOSPHATE PLANTS

(40FR33155, August 6, 1975)(Adopted Dec. 3, 1976)
(Amended Aug. 5, 1983)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART WSTANDARDS OF PERFORMANCE FOR THE
PHOSPHATE FERTILIZER INDUSTRY: TRIPLE
SUPERPHOSPHATE PLANTS

(40FR33156, August 6, 1975)(Adopted Dec. 3, 1976)
(Amended Aug. 5, 1983)
(Amended May 11, 2001)

SUBPART XSTANDARDS OF PERFORMANCE FOR THE
PHOSPHATE FERTILIZER INDUSTRY: GRANULAR
TRIPLE SUPERPHOSPHATE STORAGE FACILITIES

(40FR33156, August 6, 1975) (Adopted

(62FR18277, April 15, 1997) (An (65FR61743, October 17, 2000) (An

(Adopted Dec. 3, 1976) (Amended August 5, 1983) (Amended August 13, 1999) (Amended May 11, 2001)

SUBPART Y STANDARDS OF PERFORMANCE FOR COAL PREPARATION PLANTS

(41FR2234, Jan. 15, 1976)(Adopted Dec. 3, 1976)(63FR53288, Oct. 5, 1998)(Amended Aug. 13, 1999)(65FR61743, October 17, 2000)(Amended May 11, 2001)(74FR51950, October 8, 2009)(Amended March 5, 2010)

SUBPART Z STANDARDS OF PERFORMANCE FOR FERRO-ALLOY PRODUCTION FACILITIES

(41FR18501, May 4, 1976)(Adopted Nov. 1, 1985)(55FR5211, Feb. 14, 1990)(Amended Oct. 4, 1991)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART AA STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES CONSTRUCTED AFTER OCT. 21, 1974, AND ON OR BEFORE AUG. 17, 1983

(40FR43852, Sept. 23, 1975)(Adopted Dec. 3, 1976)(40FR43838, Oct. 31, 1984)(Amended June 7, 1985)(64FR10105, March 2, 1999)(Amended April 21, 2000)(65FR61743, October 17, 2000)(Amended May 11, 2001)(70FR8523, February 22, 2005)(Amended Sept. 8, 2006)

SUBPARTSTANDARDS OF PERFORMANCE FOR STEEL PLANTS:AAaELECTRIC ARC FURNACES AND ARGON-OXYGENDECARBURIZATION VESSELS CONSTRUCTED AFTERAUGUST 17, 1983

(49FR43838, Oct. 3, 1984)(Adopted June 7, 1985)(64FR10105, March 2, 1999)(Amended April 21, 2000)(65FR61743, October 17, 2000)(Amended May 11, 2001)(70FR8523, February 22, 2005)(Amended Sept. 8, 2006)

SUBPART BB STANDARDS OF PERFORMANCE FOR KRAFT PULP MILLS

(43FR7572, Feb. 23, 1978) (51FR18538, May 20, 1986) (55FR5211, Feb. 14, 1990) (65FR61743, October 17, 2000) (79FR18952, April 4, 2014) (Adopted Nov. 1, 1985) (Amended Oct. 3, 1986) (Amended Oct. 4, 1991) (Amended May 11, 2001) (Amended April 3, 2015)

SUBPARTSTANDARDS OF PERFORMANCE FOR KRAFT PULPBBaMILL AFFECTED SOURCES FOR WHICH
CONSTRUCTION, RECONSTRUCTION, OR
MODIFICATION COMMENCED AFTER MAY 23, 2013

(79FR18952, April 4, 2014) (Amended April 3, 2015)

SUBPART CC STANDARDS OF PERFORMANCE FOR GLASS MANUFACTURING PLANTS

(45FR66751, Oct. 7, 1980)(Adopted June 7, 1985)(49FR41030, Oct. 19, 1984)(Amended May 11, 2001)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART DD STANDARDS OF PERFORMANCE FOR GRAIN ELEVATORS

(43FR34347, Aug. 3, 1978)(Adopted March 6, 1981)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPART EESTANDARDS OF PERFORMANCE FOR SURFACE
COATING OF METAL FURNITURE

(47FR49287, Oct. 29, 1982)(Adopted Oct. 5, 1984)(49FR40542, Oct. 16, 1984)(Amended Nov. 1, 1985)(55FR51378, Dec.13, 1990)(Amended Oct. 4, 1991)(65FR61743, October 17, 2000)(Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the <u>South</u> Coast Air Quality Management District.

SUBPART GG STANDARDS OF PERFORMANCE FOR STATIONARY GAS TURBINES

(44FR52798, Sept. 10, 1979)(Adop(65FR61743, October 17, 2000)(Ame(69FR41346, July 8, 2004)(Ame(71FR9453, February 24, 2006)(Ame(79FR11228, February 27, 2014)(Ame

(Adopted March 6, 1981) (Amended May 11, 2001) (Amended Dec. 2, 2005) (Amended April 6, 2007) (Amended April 3, 2015)

SUBPART HH STANDARDS OF PERFORMANCE FOR LIME MANUFACTURING PLANTS

(43FR9453, March 7, 1978)	(Adopted April 3, 1981)
(49FR18076, Apr. 26, 1984)	(Amended Oct. 5, 1984)
(52FR4773, Feb. 17, 1987)	(Amended May 5, 1989)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART KK STANDARDS OF PERFORMANCE FOR LEAD-ACID BATTERY MANUFACTURING PLANTS

(47FR16573, Apr. 16, 1982)(Adopted August 5, 1983)(65FR61743, October 17, 2000)(Amended May 11, 2001)(79FR11228, February 27, 2014)(Amended April 3, 2015)

SUBPART LL STANDARDS OF PERFORMANCE FOR METALLIC MINERAL PROCESSING PLANTS

(49FR6464, Feb. 21, 1984)	(Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(79FR11228, February 27, 2014)	(Amended April 3, 2015)

SUBPARTSTANDARDS OF PERFORMANCE FOR AUTOMOBILEMMAND LIGHT-DUTY TRUCK SURFACE COATING
OPERATIONS

(45FR85415, Dec. 24, 1980) (55FR51378, Dec. 13, 1990) (59FR51383, Oct. 11, 1994) (65FR61743, October 17, 2000) (Adopted Oct. 5, 1984) (Amended Oct. 4, 1991) (Amended Aug. 13, 1999) (Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART NN STANDARDS OF PERFORMANCE FOR PHOSPHATE ROCK PLANTS

(47FR16589, April 16, 1982) (Adopted Nov. 1, 1985) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART PP STANDARDS OF PERFORMANCE FOR AMMONIUM SULFATE MANUFACTURE

(45FR74850, Nov. 12, 1980)	(Adopted Feb. 13, 1981)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART QQ STANDARDS OF PERFORMANCE FOR THE GRAPHIC ARTS INDUSTRY: PUBLICATION ROTOGRAVURE PRINTING

(47FR50649, Nov. 8, 1982) (Adopted July 6, 1984) (65FR61743, October 17, 2000) (Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the South Coast Air Quality Management District.

SUBPART RR STANDARDS OF PERFORMANCE FOR PRESSURE SENSITIVE TAPE AND LABEL SURFACE COATING OPERATIONS

(48FR48368, Oct. 18, 1983)	(Adopted May 4, 1984)
(55FR51378, Dec 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the South Coast Air Quality Management District.

SUBPART SSSTANDARDS OF PERFORMANCE FOR INDUSTRIAL
SURFACE COATING: LARGE APPLIANCES

(47FR47785, Oct. 27, 1982)(Adopted Oct. 5, 1984)(55FR51378, Dec 13, 1990)(Amended Oct. 4, 1991)(65FR61743, October 17, 2000)(Amended May 11, 2001)

<u>Note:</u> The 30-day emission averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the <u>South</u> <u>Coast Air Quality Management District</u>.<u>CAQMD</u>.

SUBPART TT STANDARDS OF PERFORMANCE FOR METAL COIL SURFACE COATING

(47FR49612, Nov. 1, 1982)	(Adopted Oct. 5, 1984)
(51FR22938, June 24, 1986)	(Amended Oct. 3, 1986)
(55FR51378, Dec 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the <u>South</u> <u>Coast Air Quality Management District.</u> <u>SCAQMD</u>.

SUBPART UU STANDARDS OF PERFORMANCE FOR ASPHALT PROCESSING AND ASPHALT ROOFING MANUFACTURE

(45FR34143, Aug. 6, 1982)	(Adopted Aug. 5, 1983)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(79FR11228, February 27, 2014)	(Amended April 3, 2015)

SUBPART VV STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN THE SYNTHETIC ORGANIC CHEMICALS MANUFACTURING INDUSTRY

(48FR48355, Oct. 18, 1983) (51FR2699, Jan. 21, 1986) (61FR29875, June 12, 1996) (65FR61743, October 17, 2000) (72FR64860, Nov. 16, 2007) (73FR31372, June 2, 2008) (73FR31376, June 2, 2008) (Adopted Oct. 5, 1984) (Amended April 3, 1987) (Amended Aug. 13, 1999) (Amended May 11, 2001) (Amended April 4, 2008) (Amended April 3, 2009) (Amended April 3, 2009)

SUBPART VVa STANDARDS OF PEFORMANCE FOR EQUIPMENT LEAKS OF VOC IN THE SYNTHETIC ORGANIC CHEMICALS MANUFACTURING INDUSTRY FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER NOVEMBER 7, 2006

72FR64860, Nov. 16, 2007(Adopted April 4, 2008)(73FR31372, June 2, 2008)(Amended April 3, 2009)(73FR31376, June 2, 2008)(Amended April 3, 2009)

SUBPARTSTANDARDS OF PERFORMANCE FOR THE BEVERAGEWWCAN SURFACE COATING INDUSTRY

(48FR38737, Aug. 25, 1983) (55FR51378, Dec 13, 1990) (65FR61743, October 17, 2000) (Adopted Oct. 5, 1984) (Amended Oct. 4, 1991) (Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the <u>South</u> <u>Coast Air Quality Management District.</u>

SUBPARTSTANDARDS OF PERFORMANCE FOR NEWAAARESIDENTIAL WOOD HEATERS

(52FR5860, Feb. 26, 1988) and (53FR12009, April 12, 1988) (Adopted May 5, 1989)

SUBPART

FFF

(63FR64869, Nov. 24, 1998)	(Amended Aug. 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(80FR13671, March 16, 2015)	(Amended October 7, 2016)

SUBPARTSTANDARDS OF PERFORMANCE FOR THE RUBBERBBBTIRE MANUFACTURING INDUSTRY

(52FR34868, Sept. 15, 1987) and	
(52FR37874, Oct. 9, 1987)	(Adopted May 5, 1989)
(54FR38634, Sept. 19, 1989)	(Amended Sept. 7, 1990)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR VOLATILEDDDORGANIC COMPOUND (VOC) EMISSIONS FROM THE
POLYMER MANUFACTURING INDUSTRY

(55FR51010, Dec. 11, 1990) (65FR61743, October 17, 2000)	(Adopted Oct. 4, 1991) (Amended May 11, 2001)
STANDARDS OF PERFORMA	NCE FOR FLEXIBLE
VINYL AND URETHANE COA	TING AND PRINTING

(49FR26892, June 29, 1984)

(Adopted June 7, 1985)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the South Coast Air Quality Management District.

SUBPARTSTANDARDS OF PERFORMANCE FOR EQUIPMENTGGGLEAKS OF VOC IN PETROLEUM REFINERIES FOR
WHICH CONSTRUCTION, RECONSTRUCTION, OR
MODIFICATION COMMENCED AFTER JANUARY 4, 1983,
AND ON OR BEFORE NOVEMBER 7, 2006

SUBPARTSTANDARDS OF PERFORMANCE FOR EQUIPMENTGGGaLEAKS OF VOC IN PETROLEUM REFINERIES FOR
WHICH CONSTRUCTION, RECONSTRUCTION, OR
MODIFICATION COMMENCED AFTER NOVEMBER 7,
2006

(72FR64896, Nov. 16, 2007)	(Adopted April 3, 2009)
73FR31372, June 2, 2008	(Amended April 3, 2009)
73FR31376, June 2, 2008	(Amended April 3, 2009)

SUBPARTSTANDARDS OF PERFORMANCE FOR SYNTHETICHHHFIBER PRODUCTION FACILITIES

(49FR13651, April 5, 1984)	(Adopted Nov. 1, 1985)
(55FR51378, Dec 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR VOLATILEIIIORGANIC COMPOUND (VOC) EMISSIONS FROM THE
SYNTHETIC ORGANIC CHEMICAL MANUFACTURING
INDUSTRY (SOCMI) AIR OXIDATION UNIT
PROCESSES

(55FR26912, June 29, 1990)(Amended Oct. 4, 1991)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR PETROLEUMJJJDRY CLEANERS

(49FR37332, Sept. 21, 1984)(Adopted June 7, 1985)(50FR49026, Nov. 27, 1985)(Amended Oct. 3, 1986)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR EQUIPMENTKKKLEAKS OF VOC FROM ONSHORE NATURAL GASPROCESSING PLANTS

(50FR26122, June 24, 1985)(Adopted Nov. 1, 1985)(65FR61743, October 17, 2000)(Amended May 11, 2001)(77FR49490, August 16, 2012)(Amended April 3, 2015)

SUBPARTSTANDARDS OF PERFORMANCE FOR ONSHORELLLNATURAL GAS PROCESSING: SO2 EMISSIONS

(50FR40518, Oct. 1, 1985) (65FR61743, October 17, 2000) (77FR49490, August 16, 2012) (Adopted Oct. 3, 1986) (Amended May 11, 2001) (Amended April 3, 2015)

SUBPARTSTANDARDS OF PERFORMANCE FOR VOLATILENNNORGANIC COMPOUND (VOC) EMISSIONS FROM
SYNTHETIC ORGANIC CHEMICAL MANUFACTURING
INDUSTRY (SOCMI) DISTILLATION OPERATIONS

(55FR26931, June 29, 1990) (Adopte

(Adopted Oct. 4, 1991)

(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(79FR11228, February 27, 2014)	(Amended April 3, 2015)

SUBPARTSTANDARDS OF PERFORMANCE FOR NONMETALLICOOOMINERAL PROCESSING PLANTS

(50FR31328, Aug. 1, 1985)	(Adopted Nov. 1, 1985)
(62FR31351, June 9, 1997)	(Amended Dec. 12, 1997)
(62FR62953, Nov. 26, 1997)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR WOOLPPPFIBERGLASS INSULATION MANUFACTURING
PLANTS

(50FR7694, Feb. 25, 1985)(Adopted Nov. 1, 1985)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR VOCQQQEMISSIONS FROM PETROLEUM REFINERYWASTEWATER SYSTEMS

(53FR47616, Nov. 23, 1988) (60FR43244, Aug. 18, 1995) (65FR61743, October 17, 2000) (Adopted May 5, 1989) (Amended August 13, 1999) (Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR VOLATILERRRORGANIC COMOPOUND (VOC) EMISSIONS FROM
THE SYNTHETIC ORGANIC CHEMICALMANUFACTURING INDUSTRY (SOCMI) REACTOR
PROCESSES

(58FR45948, Aug. 31, 1993)(Adopted April 8, 1994)(65FR61743, October 17, 2000)(Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR THESSSMAGNETIC TAPE MANUFACTURING INDUSTRY

(53FR38892, Oct. 3, 1988) and (53FR47955, Nov. 29, 1988) (Adopted May 5, 1989)

SUBPARTSTANDARDS OF PERFORMANCE FOR INDUSTRIALTTTSURFACE COATING PLASTIC PARTS FOR BUSINESS
MACHINES

(53FR2672, Jan. 29, 1988) and
(53FR19300, May 27, 1988)(Adopted May 5, 1989)(54FR25458, June 15, 1989)(Amended Sept. 7, 1990)

(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR CALCINERSUUUAND DRYERS IN MINERAL INDUSTRIES

(57FR44496, Sept. 28, 1992)	(Adopted April 9, 1993)
(58FR40591, July 29, 1993)	(Amended April 8, 1994)

SUBPART
VVVSTANDARDS OF PERFORMANCE FOR POLYMERIC
COATING OF SUPPORTING SUBSTRATES

(54FR37534, Sept. 11, 1989) (Adopted Sept. 7, 1990) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART
WWWSTANDARDS OF PERFORMANCE FOR MUNICIPAL
SOLID WASTE LANDFILLS

(61FR9905, March 12, 1996) (63FR32743, June 16, 1998) (64FR9258, February 24, 1999) (65FR18906, April 10, 2000) (65FR61743, October 17, 2000) (Adopted Dec. 12, 1997) (Amended Aug. 13, 1999) (Amended April 21, 2000) (Amended May 11, 2001) (Amended May 11, 2001)

SUBPART STANDARDS OF PERFORMANCE FOR MUNICIPAL XXX SOLID WASTE LANDFILLS THAT COMMENCED CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION AFTER JULY 14, 2014

(81FR59368, August 29, 2016) (Amended July 12, 2019)

SUBPART
AAAASTANDARDS OF PERFORMANCE FOR NEW SMALL
MUNICIPAL WASTE COMBUSTION UNITS

(65FR76350, December 6, 2000) (Amended May 11, 2001)

SUBPARTSTANDARDS OF PERFORMANCE FOR COMMERCIALCCCCAND INDUSTRIAL SOLID WASTE INCINERATION
UNITS

(65FR75338, December 1, 2000)(Amended May 11, 2001)(66FR16605, March 27, 2001)(Amended April 5, 2002)(70FR55568, Sept. 22, 2005)(Amended Sept. 8, 2006)(76FR15704, March 21, 2011)(Amended April 6, 2012)(78FR9111, February 7, 2013)(Amended April 3, 2015)(81FR40970, June 23, 2016)(Amended July 12, 2019)

SUBPARTSTANDARDS OF PERFORMANCE FOR OTHER SOLIDEEEEWASTE INCINERATION UNITS

(70FR74870, December 16, 2005)(Amended April 6, 2007)(71FR67802, Nov. 24, 2006)(Amended April 6, 2007)

SUBPART IIII STANDARDS OF PERFORMANCE FOR STATIONARY COMPRESSION IGNITION INTERNAL COMBUSTION ENGINES

(71FR39154, July, 11, 2006)(Amended April 6, 2007)(76FR37954, June 28, 2011)(Amended April 6, 2012)(78FR6674, January 30, 2013)(Amended April 3, 2015)(81FR44212, June 23, 2016)(Amended July 12, 2019)

SUBPARTSTANDARDS OF PERFORMANCE FOR STATIONARYJJJJSPARK IGNITION INTERNAL COMBUSTION ENGINES

(73FR3568, January 18, 2008)(Amended April 3, 2009)(76FR37954, June 28, 2011)(Amended April 6, 2012)(78FR6674, January 30, 2013)(Amended April 3, 2015)(81FR59809, August 30, 2016)(Amended July 12, 2019)

SUBPARTSTANDARDS OF PERFORMANCE FOR STATIONARYKKKKCOMBUSTION TURBINES

(71FR38482, July 6, 2006)(Amended April 6, 2007)(74FR11858, March 20, 2009)(Amended March 5, 2010)

SUBPARTSTANDARDS OF PERFORMANCE FOR SLUDGELLLLINCINERATION UNITS

(76FR15372, March 21, 2011) (Amended April 6, 2012)

SUBPARTSTANDARDS OF PERFORMANCE FOR CRUDE OILOOOOAND NATURAL GAS PRODUCTION, TRANSMISSION,
AND DISTRIBUTION

(77FR49490, August 16, 2012)(Amended April 3, 2015)(79FR79018, December 31, 2014)(Amended April 3, 2015)(80FR48262, August 12, 2015)(Amended October 7, 2016)

SUBPARTSTANDARDS OF PERFORMANCE FOR CRUDE OIL AND

OOOOa NATURAL GAS FACILITIES FOR WHICH CONSTRUCTION, MODIFICATION, OR RECONSTRUCTION COMMENCED AFTER SEPTEMBER 18, 2015

(81FR35823, June 3, 2016)(Amended October 7, 2016)(83FR10628, March 12, 2018)(Amended July 12, 2019)

SUBPARTSTANDARDS OF PERFORMANCE FOR NEWQQQQRESIDENTIAL WOOD HEATERS, NEW RESIDENTIALHYDRONIC HEATERS AND FORCED-AIR FURNACES

(80FR13671, March 16, 2015) (Amended October 7, 2016) (83FR56713, November 14, 2018) (Amended July 12, 2019)

SUBPARTSTANDARDS OF PERFORMANCE FOR GREENHOUSETTTTGAS EMISSIONS FROM NEW, MODIFIED, ANDRECONSTRUCTED STATIONARY SOURCES: ELECTRICUTILITY GENERATING UNITS

(80FR64509, October 23, 2015) (Amended October 7, 2016)

APPENDIX A-1 TEST METHODS 1 THROUGH 2F

(79FR11228, February 27, 2014)(Amended April 3, 2015)(83FR56713, November 14, 2018)(Amended July 12, 2019)

APPENDIX A-2 TEST METHODS 2G THROUGH 3C

(79FR11228, February 27, 2014) (Amended April 3, 2015) (83FR56713, November 14, 2018) (Amended July 12, 2019)

APPENDIX A-3 TEST METHODS 4 THROUGH 5I

(79FR11228, February 27, 2014)(Amended April 3, 2015)(83FR56713, November 14, 2018)(Amended July 12, 2019)

APPENDIX A-4 TEST METHODS 6 THROUGH 10B

(79FR11228, February 27, 2014) (Amended April 3, 2015) (83FR56713, November 14, 2018) (Amended July 12, 2019)

APPENDIX A-5 TEST METHODS 11 THROUGH 15 A

(79FR11228, February 27, 2014)	(Amended July 12, 2019)
(83FR56713, November 14, 2018)	(Amended April 3, 2015)

APPENDIX A-6 TEST METHODS 16 THROUGH 18

(79FR11228, February 27, 2014)(Amended April 3, 2015)(83FR56713, November 14, 2018)(Amended July 12, 2019)

APPENDIX A-7 TEST METHODS 19 THROUGH 25E

(79FR11228, February 27, 2014)(Amended April 3, 2015)(83FR56713, November 14, 2018)(Amended July 12, 2019)

APPENDIX A-8 TEST METHODS 26 THROUGH 30B

(79FR11228, February 27, 2014)	(Amended April 3, 2015)
(83FR56713, November 14, 2018)	(Amended July 12, 2019)

APPENDIX B PERFORMANCE SPECIFICATIONS

(79FR11228, February 27, 2014)	(Amended April 3, 2015)
(83FR56713, November 14, 2018)	(Amended July 12, 2019)

APPENDIX F QUALITY ASSURANCE PROCEDURES

(79FR11228, February 27, 2014)	(Amended April 3, 2015)
(83FR56713, November 14, 2018)	(Amended July 12, 2019)