

Air Quality Standards Compliance Report

Statistics for September 2001

Vol. 14, No. 9

Published May, 2002

SEPTEMBER 2001 AIR QUALITY


Air quality statistics in the South Coast Air Basin and the downwind desert area of Coachella Valley in the Salton Sea Air Basin for September 2001 are shown and summarized in the following figures and tables. Figure 1 compares the maximum pollutant concentrations recorded in September 2001 as percentages of the state and federal standards. Figure 2 shows January-September 2001 maximum concentrations for non-attainment pollutants in the Basin compared to the same period maximum concentrations in the previous three years.

Table 1 shows the maximum concentrations for all criteria pollutants recorded in September 2001 compared to the state and federal ambient air quality standards. It also shows the date of the maximum concentration, maximum Air Quality Index (AQI) value recorded in September for each pollutant, and the location where the maximum concentration was recorded.

Figure 3 shows the location of the District's air monitoring stations in each source/receptor area. The source/receptor area names and numbers, air monitoring station numbers, the number of days exceeding the state and federal standards and the maximum concentrations of the pollutants in each source/receptor area during September 2001 are summarized in Table 2 (pages 4 and 5). Table 3 (pages 6-7) shows year-to-date cumulative statistics for the year 2001. The state and federal ambient air quality standards are given in Table 4.

This monthly publication satisfies the requirements for reporting on air quality in the South Coast Air Basin set by California legislation (Chapter 1301, Statutes of 1987; Health and Safety Code Section 40451(d)), and supplies similar information for the areas of the Salton Sea Desert Air Basin served by the District.

Subscription request forms for subscription to the Air Quality Standards Compliance Report (AQSCR) may be obtained by calling (909) 396-3720. The annual subscription fee for the calendar year 2001 is \$11.55.



* Higher lead concentrations were recorded at special monitoring sites located immediately downwind of stationary sources of lead.
 ** High PM10 concentration was recorded in the desert portion of Coachella Valley area due to the high wind.

Figure 1
Maximum Concentrations Recorded in September 2001 as Percentages of State and Federal Standards




Figure 2
Year-to-Date Maximum Concentrations in 2001 Compared to the previous Years



South Coast Air Quality Management District
 21865 E. Copley Drive, Diamond Bar, CA 91765-4182
<http://www.aqmd.gov>

Table 1. Maximum Concentrations and Corresponding AQIs Reported in September 2001

Pollutant Averaging Time	Maximum Concentrations					Location
	ppm/ ug/m3	Date	% State Standard	% Federal Standard	AQI	
Ozone						
1-Hour	0.15	September 23	150%	120%	132	Central San Bernardino Valley
8-Hour	0.109	September 23	--	128%	161	Central San Bernardino Valley, Lake Elsinore
Carbon Monoxide						
8-Hour	3.71	September 30	41%	39%	42	South Central Los Angeles County
Nitrogen Dioxide						
1-Hour	0.14	September 24, 27	54%	--	--	Several Locations
24-Hour	0.074	September 27	--	--	69	East San Gabriel Valley
Sulfur Dioxide						
1-Hour	0.04	September 25	15%	--	--	South Coastal Los Angeles County
24-Hour	0.011	September 18	24%	8%	16	Metropolitan Riverside County
Particulate (PM10)						
24-Hour	165++	September 13	324%	110%	106	Coachella Valley
Particulate (PM2.5)						
24-Hour	59.4	September 20	--	91%	138	Metropolitan Riverside County
Sulfates						
24-Hour	15.9	September 22	64%	--	--	South Coastal Los Angeles County
Lead*						
30-Day	0.06	a)	4%	--	--	Central Los Angeles
30-Day*	0.39	a)	26%	--	--	Central Los Angeles

* Maximum monthly average concentration recorded at special monitoring sites in the immediate vicinity of major lead sources.

a) Monthly average.

++This high PM10 concentration was recorded in the desert portion of the District due to high winds and may be excluded in accordance with EPA's natural Event policy.

AMBIENT AIR QUALITY STANDARDS

Ambient air quality standards shown in Table 4 (page 8) represent targets for acceptable concentrations of specified pollutant in outdoor air. The Federal Clean Air Act requires EPA to set National Ambient Air Quality Standards (NAAQS) for pollutants considered harmful to public health and the environment. The Clean Air Act established two types of national air quality standards. Primary standards set limits to protect public health, including the health of "sensitive" populations such as asthmatics, children, and the elderly. Secondary standards set limits to protect public welfare, including protection against decreased visibility, damage to animals, crops, vegetation, and buildings.

The Federal Clean Air Act also permits states to adopt additional or more protective air quality standards if needed. California has set standards

for certain pollutants, such as ozone and PM10, which are more protective of public health than respective NAAQS. California has also set standards for some pollutants that are not addressed by federal standards (please see Table 4).

To attain NAAQS (other than ozone, PM10 and those based on annual averages), standards are not to be exceeded more than once a year. To attain the ozone standard, the 1-hour average concentration must not exceed the federal standard more than once per year, averaged over three consecutive years. For PM10, the 24-hour concentration must not exceed the standard more than once per year, averaged over three years. To attain the federal annual PM10 standard, the annual arithmetic mean, averaged over three years, must not exceed the standard.




Figure 3
South Coast Air Basin and Adjoining Areas of Salton Sea and Mojave Desert
Air Basins and Monitoring Stations

Table 2
September 2001
Exceedances of Standards and Maximum Concentrations

Source/Receptor		Ozone						Carbon Monoxide				Nitrogen Dioxide		Sulfur Dioxide		
		Days Exceeding State Std	Days Exceeding Health Advisory	Days Exceeding Fed Std	Max 1-hr ppm	Max 8-hr ppm	Days Exceeding State Std	Days Exceeding Fed Std	Max 8-hr ppm	Max 1-hr ppm	Days Exceeding State Std	Max 1-hr ppm	Max 24-hr ppm	Max 1-hr ppm		
				1-hr 8-hr			8-hr/1-hr	8-hr/1-hr			Std	ppm	ppm	ppm	ppm	
LOS ANGELES COUNTY																
1	Central LA	087	0	0	0	0	0.09	0.065	0/0	0/0	3.57	5	0	0.14	0.005	0.01
2	Northwest Coastal LA County	091	0	0	0	0	0.07	0.053	0/0	0/0	1.43	3	0	0.08		
3	Southwest Coastal LA County	094	0	0	0	0	0.07	0.056	0/0	0/0	2.29	5	0	0.07	0.007	0.02
4	South Coastal LA County	072	0	0	0	0	0.08	0.058	0/0	0/0	1.86	3	0	0.11	0.007	0.04
6	West San Fernando Valley	074	0	0	0	0	0.09	0.073	0/0	0/0	2.00	3	0	0.07		
7	East San Fernando Valley	069	0	0	0	0	0.09	0.068	0/0	0/0	2.71	3	0	0.11	0.001	0.01
8	West San Gabriel Valley	088	2	0	0	0	0.11	0.083	0/0	0/0	2.57	4	0	0.14		
9	East San Gabriel Valley 1	060	4	0	0	0	0.11	0.081	0/0	0/0	2.14	3	0	0.11		
9	East San Gabriel Valley 2	591	6	0	0	2	0.12	0.090	0/0	0/0	2.00	3	0	0.12		
10	Pomona/Walnut Valley	075	1	0	0	0	0.11	0.070	0/0	0/0	2.57	4	0	0.11		
11	South San Gabriel Valley	085	2	0	0	0	0.11	0.066	0/0	0/0	2.86	4	0	0.14		
12	South Central LA County 1	084	0	0	0	0	0.05	0.036	0/0	0/0	3.71	5	0	0.11		
13	Santa Clarita Valley	090	3	0	0	0	0.10	0.084	0/0	0/0	1.33	3	0	0.05		
ORANGE COUNTY																
16	North Orange County	3177	2	0	0	0	0.11	0.070	0/0	0/0	2.57	5	0	0.13		
17	Central Orange County	3176	2	0	0	0	0.11	0.070	0/0	0/0	2.14	3	0	0.12		
18	North Coastal Orange County	3195	1	0	0	0	0.10	0.073	0/0	0/0	1.29	2	0	0.07	0.005	0.01
19	Saddleback Valley	3812	4	0	1	2	0.13	0.099	0/0	0/0	1.00	1				
RIVERSIDE COUNTY																
22	Norco/Corona	4155														
23	Metropolitan Riverside County 1	4144	4	0	1	2	0.13	0.105	0/0	0/0	2.00	3	0	0.11	0.011	0.02
23	Metropolitan Riverside County 2	4146							0/0	0/0	1.88	3				
24	Perris Valley	4149	6	0	0	5	0.11	0.096								
25	Lake Elsinore	4158	9	0	0	5	0.12	0.109	0/0	0/0	1.14	2	0	0.06		
29	Banning Airport Pass	4164	10	0	0	7	0.12	0.096					0	0.10		
30	Coachella Valley 1**	4137	7	0	0	2	0.11	0.095	0/0	0/0	1.00	1	0	0.05		
30	Coachella Valley 2**	4157	1	0	0	0	0.10	0.081								
SAN BERNARDINO COUNTY																
32	Northwest San Bernardino Valley	5175	4	0	1	1	0.13	0.091	0/0	0/0	0.86	2	0	0.10		
33	Southwest San Bernardino Valley	5817														
34	Central San Bernardino Valley 1	5197	4	1	1	1	0.15	0.109					0	0.09	0.008	0.01
34	Central San Bernardino Valley 2	5203	7	0	1	3	0.13	0.109	0/0	0/0	2.25	3	0	0.09		
35	East San Bernardino Valley	5204	6	0	0	2	0.12	0.106								
37	Central San Bernardino Mountains	5181	10	0	0	7	0.12	0.106								
District maximum			10	1	1	7	0.15	0.109	0/0	0/0	3.71	5	0	0.14	0.011	0.04

** Salton Sea air basin

Table 2 - continued
September 2001
Exceedances of Standards and Maximum Concentrations

Source/Receptor		PM10				Lead***		Sulfate		PM2.5			
		No. (%) Days Exceeding State Standard	No. (%) Days Exceeding Federal Standard	Number Days Sampled	Max 24-hr Average	Number Days Sampled	Monthly Average ug/m3	Number Days Sampled	Maximum 24-hr Average ug/m3	Number Days Sampled	Number days Exceeding Federal Standard	Maximum 24-hr Conc. ug/m3	
LOS ANGELES COUNTY													
1	Central LA	087	1(20%)	0(0%)	5	53	5	0.06	5	8.3	24	0	36.0
2	Northwest Coastal LA County	091							5	7.9			
3	Southwest Coastal LA County	094	0(0%)	0(0%)	5	41	5	0.03	5	15.6			
4	South Coastal LA County	072	1(25%)	0(0%)	4	53	5	0.05	5	15.9	25	0	37.6
6	West San Fernando Valley	074									9	0	26.0
7	East San Fernando Valley	069	0(0%)	0(0%)	5	41					10	0	39.0
8	West San Gabriel Valley	088							5	6.5	10	0	34.5
9	East San Gabriel Valley 1	060	2(40%)	0(0%)	5	71			5	7.7	27	0	45.4
9	East San Gabriel Valley 2	591											
10	Pomona/Walnut Valley	075											
11	South San Gabriel Valley	085					5	0.04	5	10.2	7	0	42.5
12	South Central LA County 1	084					4	0.04	4	13.8	9	0	36.6
13	Santa Clarita Valley	090	0(0%)	0(0%)	5	42							
ORANGE COUNTY													
16	North Orange County	3177											
17	Central Orange County	3176	0(0%)	0(0%)	4	41					20	0	40.5
18	North Coastal Orange County	3195											
19	Saddleback Valley	3812	0(0%)	0(0%)	4	36					8	0	24.5
RIVERSIDE COUNTY													
22	Norco/Corona	4155	2(40%)	0(0%)	5	65							
23	Metropolitan Riverside County 1	4144	10(100%)	0(0%)	10	112	5	0.04	5	7.8	30	0	59.4
23	Metropolitan Riverside County 2	4146					4	0.03	5	6.4	5	0	50.8
24	Perris Valley	4149	2(40%)	0(0%)	5	52							
25	Lake Elsinore	4158											
29	Banning Airport	4164	3(60%)	0(0%)	5	60							
30	Coachella Valley 1**	4137	0(0%)	0(0%)	3	31					9	0	15.9
30	Coachella Valley 2**	4157	8(80%)	1(10%)	10	165++					8	0	15.0
SAN BERNARDINO COUNTY													
32	Northwest San Bernardino Valley	5175					3	0.03	3	6.0			
33	Southwest San Bernardino Valley	5817	2(33%)	0(0%)	6	86					9	0	43.7
34	Central San Bernardino Valley 1	5197	3(75%)	0(0%)	4	63			5	7.2	10	0	45.0
34	Central San Bernardino Valley 2	5203	4(80%)	0(0%)	5	78	4	0.03	5	9.6	8	0	46.9
35	East San Bernardino Valley	5204	1(50%)	0(0%)	2	55							
37	Central San Bernardino Mountains	5181	0(0%)	0(0%)	5	33							
District maximum			10	1		165		0.06		15.9		0	59.4

** Salton Sea air basin

***Special monitoring of lead near stationary sources was carried out in September 2001 and the maximum monthly average was 0.39 ug/m3.

++ This high PM10 concentration was recorded in the desert portion of the Salton Sea Air Basin. The data for this sample may be excluded according to the EPA's Natural Events Policy.

Table 3
 January - September 2001
 Year-to-Date Total Exceedances of Standards and Maximum Concentrations

Source/Receptor	Ozone								Carbon Monoxide				Nitrogen Dioxide		Sulfur Dioxide	
	Days Exceeding State Std	Days Exceeding Health Advisory	Days Exceeding Fed Std	Max 1-hr ppm	Max 8-hr ppm	Days Exceeding State Std	Days Exceeding Fed Std	Max 8-hr ppm	Max 1-hr ppm	Days Exceeding State Std	Max 1-hr ppm	Max 24-hr ppm	Max 1-hr ppm			
	1-hr	8-hr	1-hr	8-hr	8-hr/1-hr	8-hr/1-hr	ppm	ppm	ppm	ppm	ppm	ppm	ppm			
=====																
LOS ANGELES COUNTY																
1 Central LA	087	6	0	1	0.12	0.099	0/0	0/0	4.29	6	0	0.14	0.010	0.08		
2 Northwest Coastal LA County	091	1	0	0	0.10	0.080	0/0	0/0	3.00	4	0	0.10				
3 Southwest Coastal LA County	094	1	0	0	0.10	0.080	0/0	0/0	5.00	7	0	0.10	0.012	0.09		
4 South Coastal LA County	072	0	0	0	0.09	0.070	0/0	0/0	3.86	6	0	0.13	0.012	0.04		
6 West San Fernando Valley	074	24	0	2	0.14	0.118	0/0	0/0	6.00	7	0	0.08				

7 East San Fernando Valley	069	15	0	2	0.13	0.105	0/0	0/0	4.71	6	0	0.12	0.003	0.01*		
8 West San Gabriel Valley	088	27	1	1	0.16	0.123	0/0	0/0	5.00	7	0	0.14				
9 East San Gabriel Valley 1	060	35	3	9	0.19	0.131	0/0	0/0	2.29	3	0	0.11				
9 East San Gabriel Valley 2	591	59	5	13	0.19	0.138	0/0	0/0	2.25	3	0	0.12				
10 Pomona/Walnut Valley	075	12	0	1	0.14	0.109	0/0	0/0	3.29	5	0	0.11				
11 South San Gabriel Valley	085	6	0	1	0.13	0.100	0/0	0/0	4.00	6	0	0.14				
12 South Central LA County 1	084	0	0	0	0.08	0.061	0/0	0/0	7.71	12	0	0.11				
13 Santa Clarita Valley	090	48	2	9	0.18	0.129	0/0	0/0	3.14	6	0	0.08				
=====																
ORANGE COUNTY																
16 North Orange County	3177	4	0	0	0.11	0.091	0/0	0/0	4.71	11	0	0.13				
17 Central Orange County	3176	2*	0*	0*	0.11	0.070	0/0	0/0	4.71	8	0	0.12				
18 North Coastal Orange County	3195	1	0	0	0.10	0.073	0/0	0/0	4.57	6	0	0.08	0.005	0.01		
19 Saddleback Valley	3812	8	0	1	0.13	0.089	0/0	0/0	2.38	3						
=====																
RIVERSIDE COUNTY																
22 Norco/Corona	4155															
23 Metropolitan Riverside County 1	4144	40	0	7	0.14	0.121	0/0	0/0	2.71	4	0	0.15	0.011	0.02		
23 Metropolitan Riverside County 2	4146						0/0	0/0	4.50	6						
24 Perris Valley	4149	73	5	19	0.15	0.136										

25 Lake Elsinore	4158	61	1	12	0.15	0.123	0/0	0/0	1.33	2	0	0.10				
29 Banning Airport	4164	62	2	16	0.15	0.129					0	0.24				
30 Coachella Valley 1**	4137	53	0	6	0.14	0.115	0/0	0/0	1.38	2	0	0.06				
30 Coachella Valley 2**	4157	21	0	0	0.11	0.100										
=====																
SAN BERNARDINO COUNTY																
32 Northwest San Bernardino Valley	5175	52	6	14	0.17	0.140	0/0	0/0	1.75	2	0	0.10				
33 Southwest San Bernardino Valley	5817															
34 Central San Bernardino Valley 1	5197	44	6	13	0.17	0.136					0	0.11	0.010	0.01		
34 Central San Bernardino Valley 2	5203	55	5	18	0.18	0.144	0/0	0/0	3.14	4	0*	0.10				
35 East San Bernardino Valley	5204	68*	7*	21*	0.17	0.146										
37 Central San Bernardino Mountains	5181	88	12	26	0.17	0.139										
=====																
District maximum		88	12	26	0.19	0.146	0/0	0/0	7.71	12	0	0.24	0.012	0.09		
=====																

* = incomplete data
 ** Salton Sea air basin

Table 3 - continued
 January - September 2001
 Year-to-Date Total Exceedances of Standards and Maximum Concentrations

Source/Receptor	PM10				Lead***		Sulfate		PM2.5		
	No. (%) Days Exceeding State Standard	No. (%) Days Exceeding Federal Standard	Number Days Sampled	Max 24-hr Average	Number Days Sampled	Monthly Average ug/m3	Number Days Sampled	Maximum 24-hr Average ug/m3	Number Days Sampled	Number days Exceeding Federal Standard	Maximum 24-hr Conc. ug/m3
LOS ANGELES COUNTY											
1 Central LA	087	13(28%)	46	82	45	0.06	46	15.9	253	1	66.3
2 Northwest Coastal LA County	091						45	15.6			
3 Southwest Coastal LA County	094	7(16%)	44	75	46	0.04	46	20.6			
4 South Coastal LA County	072	7(16%)	45	91	48	0.05	50	15.9	230	0	52.2
6 West San Fernando Valley	074								78	0	56.9
7 East San Fernando Valley	069	8(17%)	46	86					86	2	69.4
8 West San Gabriel Valley	088						46	13.4	83	0	55.3
9 East San Gabriel Valley 1	060	17(37%)	46	91			44	14.1	223	0	61.7
9 East San Gabriel Valley 2	591										
10 Pomona/Walnut Valley	075										
11 South San Gabriel Valley	085				45	0.07	45	12.1	65	1	77.3 *
12 South Central LA County 1	084				43	0.23	43	15.4	86	1	73.1
13 Santa Clarita Valley	090	3(7%)	46	62							
ORANGE COUNTY											
16 North Orange County	3177										
17 Central Orange County	3176	6(19%)*	31*	93*					163	0	55.0*
18 North Coastal Orange County	3195										
19 Saddleback Valley	3812	2(5%)	42	55					78	0	40.3
RIVERSIDE COUNTY											
22 Norco/Corona	4155	12(30%)	40	109							
23 Metropolitan Riverside County 1	4144	63(71%)	89	133	42	0.04	42	10.7	240	8	87.9
23 Metropolitan Riverside County 2	4146				42	0.03	43	9.2	77	2	65.8
24 Perris Valley	4149	11(24%)	45	79							
25 Lake Elsinore	4158										
29 Banning Airport	4164	7(17%)	42	219							
30 Coachella Valley 1**	4137	2(6%)*	36*	432++					83	0	44.7
30 Coachella Valley 2**	4157	47(54%)	87	604++					85	0	33.5
SAN BERNARDINO COUNTY											
32 Northwest San Bernardino Valley	5175				43	0.05	43	10.3			
33 Southwest San Bernardino Valley	5817	19(40%)	48	166					89	0	63.1
34 Central San Bernardino Valley 1	5197	27(60%)	45	106			45	10.7	87	1	74.8
34 Central San Bernardino Valley 2	5203	25(56%)	45	106	39	0.05	40	11.5	84	3	78.5
35 East San Bernardino Valley	5204	18(47%)*	38*	102*							
37 Central San Bernardino Mountains	5181	2(4%)	45	69							
District maximum	63	5		604++		0.23		20.6		8	87.9

* = incomplete data

** Salton Sea air basin

***Special monitoring of lead near stationary sources was carried out in 2001 and the maximum monthly average was 0.57 ug/m3.

++ These high PM10 concentrations were recorded in the desert portion of the Salton Sea Air Basin. The data for these samples may be excluded according to the EPA's Natural Events Policy.

**Table 4
AMBIENT AIR QUALITY STANDARDS**

AIR POLLUTANT	CALIFORNIA		FEDERAL		
	CONCENTRATION	DISTRICT METHOD	PRIMARY (>)	SECONDARY (>)	METHOD ^{a)}
Ozone ^{b)}	0.09 ppm, 1-hour average >	U.V. Photometry	0.12 ppm, 1-hour average 0.08 ppm, 8-hour average ^{b)}	Same as Primary Standrd	Chemiluminescence
Carbon Monoxide	9.0 ppm, 8-hour average > ^{c)} 20 ppm, 1-hour average >	Gas Correlation	9 ppm, 8-hour average ^{d)} 35 ppm, 1-hour average	None	Non-dispersive Infra-Red Spectrophotometry
Nitrogen Dioxide	0.25 ppm, 1-hour average > ^{e)}	Gas Phase Chemiluminescence	0.053 ppm, annual average ^{f)}	Same as Primary Standrd	Gas Phase Chemiluminescence
Sulfur Dioxide	0.04 ppm, 24-hour average > ^{g)} 0.25 ppm, 1-hour average > ^{h)}	Ultraviolet PulseFluorescence	0.03 ppm, annual average 0.14 ppm, 24-hour average	0.50 ppm, 3-hour average	Para-roaniline
Suspended Particulate Matter (PM10)	30 µg/m ³ , annual geometric mean > 50 µg/m ³ , 24-hour average > ⁱ⁾	Size Segregation Inlet High Volume Sampling	50 µg/m ³ , annual arithmetic mean 150 µg/m ³ , 24-hour average ^{j)}	Same as Primary Standrd	Inertial Separation and Gravimetric Analysis
Suspended Particulate Matter (PM2.5) ^{k)}			15 µg/m ³ , annual arithmetic mean ^{k)} 65 µg/m ³ , 24-hour average ^{k)}	Same as Primary Standrd	Inertial Separation and Gravimetric Analysis
Lead	1.5 µg/m ³ , 30-day average >=	High Vol. Sampling Atomic Absorption	1.5 µg/m ³ , calendar quarter	Same as Primary Standrd	High Vol. Sampling Atomic Absorption
Sulfates	25 µg/m ³ , 24-hour average >=	High Vol. Sampling Ion Chouromatography	NO FEDERAL STANDARDS		
Hydrogen Sulfide	0.03 ppm, 1-hour average >=	Cadmium Hydroxide Stractan			
Vinyl Chloride	0.010 ppm, 24-hour average >=	Gas Chouromatography			
Visibility Reducing Particles	In sufficient amount to give an extinction coefficient > 0.23 inverse kilometers (visual range less than 10 miles), with relative humidity <70%, 8-hour average (10am-6pm, PST) ^{l)} .	Nephelometry and AISI Tape Sampler (COH)			

a) Reference method as described by the federal government. An equivalent method of measurement may be used as approved by the federal government.

b) In September 1997, a new federal 8-hour average standard was proposed by EPA. A 1999 federal court ruling blocked the implementation of this standard.

The status of this standard is pending the EPA's appeal.

c) Effective December 15, 1982. The previous standards were 10 ppm, 12-hour average and 40 ppm, 1-hour average.

d) Effective September 13, 1985, standard changed from >10 µg/m³ (>=9.3 ppm) to > 9 ppm (>=9.5 ppm).

e) Effective March 9, 1987, standard changed from >=0.25 ppm to > 0.25 ppm.

f) Effective July 1, 1985, standard changed from > 100 µg/m³ (>0.0532 ppm) to > 0.053 ppm (>= 0.0535 ppm).

g) Effective July 29, 1992. The previous standard was >= 0.05 ppm, 24-hour average with ozone >=0.1 ppm, 1-hour average or TSP >=100 µg/m³, 24-hour average.

h) Effective October 5, 1984. The previous standard was 0.5 ppm, 1-hour average.

i) Effective August 19, 1983. The previous standards were 60 µg/m³ TSP, annual geometric mean, and 100 µg/m³ TSP, 24-hour average.

j) Effective July 1, 1987. The previous standards were :

Primary - annual geometric mean TSP > 75 µg/m³, and 24 hour average TSP > 260 µg/m³.

Secondary - annual geometric mean TSP > 60 µg/m³, and 24-hour average TSP > 150 µg/m³.

k) In September 1997, new federal standards were proposed for PM2.5. There were no previous standards for PM2.5. A 1999 federal court ruling blocked the implementation of these standards.

l) Effective October 18, 1989. The previous standard was "In sufficient amount to reduce the prevailing visibility to less than 10 miles at relative humidity less than 70%, 1 observation", and was based on human observation rather than instrumental measurement.

*Revised
Jan. 2002*