

South Coast Air Quality Management District

BEST AVAILABLE CONTROL TECHNOLOGY GUIDELINES

Scientific Review Committee Meeting

Thursday, October 26, 2017, 10:00am – 12:00noon

Conference Room GB

Teleconference Locations

<p>San Diego County Air Pollution Control District 10124 Old Grove Road APCD Library San Diego, CA Contact: Steve Moore 858-586-2750</p>	<p>Bay Area Air Quality Management District 375 Beale St. Room CR-6205 (San Francisco) San Francisco, CA Contact: Nicholas Maiden 415-749-4718 <i>For security reasons, please provide at least a 24 hour advance notice.</i></p>	<p>Air Resources Board 1001 I Street Conference Rm. 720 Sacramento, CA Contact: Dave Mehl 916-323-1491</p>
--	--	--

(Public may attend at the above locations. Committee members may only participate from noticed locations)

Call-in for listening purposes only is available by dialing 888-394-8197. Listen only Passcode: 8271339

For instructions, contact Tom Lee at tlee@aqmd.gov.

- | | | |
|---------|---|---------|
| 10:00am | <p>Welcome & Introductions</p> <ul style="list-style-type: none"> ◆ Minutes of 5/24/17 Meeting | Al Baez |
| 10:10am | <p>Proposed updates to Part B, Major Polluting Facilities</p> <ul style="list-style-type: none"> ◆ New Section I Listings, SCAQMD LAER/BACT Determinations <ul style="list-style-type: none"> ⇒ Furnace (Heat Treating Aluminum ≤900°F) ⇒ Food Oven, Bakery w/ CatOx ⇒ Food Oven, Tortilla Chip ⇒ Food Oven, Snack Food ⇒ Flare (Biogas) ⇒ Flare (Landfill) ◆ Section I Updates, SCAQMD LAER/BACT Determinations <ul style="list-style-type: none"> ⇒ Boilers ⇒ I.C. Engine – Digester Gas Fired ◆ New Section III Listing, Other Technologies (Pending LAER/BACT)
 <i>These are emerging technologies which have been in operation with an air quality permit, however do not yet qualify as LAER</i> <ul style="list-style-type: none"> ⇒ I.C. Engine, Emergency, Compression Ignition with Particulate Filter Trap and SCR ⇒ Fuel Cell, Electrical Power Generation, Digester Gas-Fired, with Gas Clean up system | Al Baez |
| 10:45am | <p>Proposed New/Updates to Part D, Non-Major Polluting Facilities</p> <p>New Listings</p> <ul style="list-style-type: none"> ◆ Printing (Graphic Arts) – Flexographic <ul style="list-style-type: none"> ⇒ or use of UV/EB or water-based inks/coatings ≤180 g/L. | Al Baez |

