

1 **BEFORE THE HEARING BOARD OF THE**
2 **SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**

3 **In The Matter Of**

Case No. 6177-4

4 SOUTH COAST AIR QUALITY
5 MANAGEMENT DISTRICT,

**EXHIBIT I TO DECLARATION OF
PATRICK SULLIVAN, BCES, CPP,
REPA**

6 Petitioner,

Health and Safety Code § 41700, and
District Rules 402, 431.1, 3002, 203, 1150

7 vs.

8 CHIQUITA CANYON, LLC a Delaware
9 Corporation,
[Facility ID No. 119219]

Hearing Date: May 28, 2026

Hearing Time: 9:30 A.M.

Place: Hearing Board
South Coast Air Quality
Management District,
21865 Copley Drive
Diamond Bar, CA 91765

10 Respondent.
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

March 20, 2026
File No. 01204123.42, Task 10

Baitong Chen, Air Quality Engineer, bchen@aqmd.gov
Nathaniel Dickel, Senior Air Quality Engineer, ndickel@aqmd.gov
Christina Ojeda, Air Quality Inspector, cojeda@aqmd.gov
South Coast Air Quality Management District
21865 East Copley Drive
Diamond Bar, CA 91765-4182

Subject: February 2026 Monthly Report for Modified Stipulated Order for Abatement (Case No. 6177-4), Chiquita Canyon Landfill (Facility ID 119219), Castaic, California

To Whom It May Concern:

SCS Engineers (SCS), on behalf of Chiquita Canyon, LLC (Chiquita), hereby provides the South Coast Air Quality Management District (SCAQMD) with a monthly report per the Modified Stipulated Order for Abatement (SOFA) (Case No. 6177-4). The SOFA was initially approved on September 6, 2023, and was subsequently modified on January 17, 2024, March 21, 2024, April 24, 2024, August 27, 2024, November 13, 2024, April 16, 2025, June 24, 2025, and December 9, 2025.

This report covers the monthly period for February 2026. Per Condition No. 8, the monthly report for February 2026 is due on the 20th of the month (or the next business day), which is Friday, March 20, 2026.

BACKGROUND

Chiquita Canyon Landfill (CCL) is a landfill/solid waste disposal facility located at 29201 Henry Mayo Dr., Castaic, California, 91384 (SCAQMD Facility No. 119219). In connection with the landfill, Chiquita operates a landfill gas collection and control system.

In 2023, CCL began experiencing increased levels of total reduced sulfur and sulfur oxides, in alleged noncompliance with its Title V permit.¹ In addition, CCL became the subject of odor complaints from the public and was issued Notices of Violation by SCAQMD. The conditions at CCL indicate that the landfill is undergoing an elevated temperature landfill (ETLF) event. On September 6, 2023, a hearing was held before the SCAQMD Hearing Board to approve the SOFA which includes numerous measures to mitigate emissions resulting from the landfill's ETLF conditions. The SOFA was approved on September 6, 2023. Since then, the SOFA was modified on January 17, 2024, March 21, 2024, April 24, 2024, August 27, 2024, November 13, 2024, April 16, 2025, June 24, 2025, and December 9,

¹ CCL operated under an Ex Parte Emergency Variance (approved on February 8, 2023), an Interim Variance (approved on February 15, 2023 and issued in final on March 7, 2023), and a Regular Variance (approved on May 3, 2023 and issued in final on May 16, 2023). The Regular Variance ended on September 6, 2023, the effective date of the initial SOFA. The SOFA was modified on January 17, 2024, March 21, 2024, April 24, 2024, August 27, 2024, November 13, 2024, April 16, 2025, June 24, 2025, and December 9, 2025.



2025, after hearings before the SCAQMD Hearing Board. This monthly report follows the approved conditions for the SOFA last modified on December 9, 2025, as appropriate.

Condition No. 8 of the SOFA requires monthly reports to be submitted via email to Baitong Chen, Nathaniel Dickel, and Christina Ojeda of the SCAQMD, which include the following information:

- A. *The landfill gas sulfur compounds measurements and laboratory analysis with the time and date of each measurement or sample collection, as identified in Condition No. 5.*
- B. *The landfill gas records and calculations identified in Condition No. 7, in a Microsoft Excel spreadsheet format. If the landfill gas records show any landfill gas combustion/control equipment (flares or thermal oxidizers) are offline for a period exceeding 7 consecutive calendar days, or offline for more than 15 calendar days in any one calendar month, Respondent shall report a detailed description of the reason(s) the equipment was offline (equipment breakdown, maintenance, construction, whether there was sufficient landfill gas control redundancy to control the collected landfill gas, etc.).*
- C. *The integrated landfill surface sample analysis and landfill surface monitoring readings identified in Condition Nos. 9 and 10, in a Microsoft Excel spreadsheet format. The aerial surveillance maps, follow-up field inspection measurements with associated dates/times, cause of exceedances, any corrective actions performed, and documentation (date, time, reasoning) of field inspections not performed due to inaccessibility or dangerous conditions identified in Condition 77.*
- D. *Estimated schedule for any replacement or refurbishment of granular activated carbon media in the Landfill Gas Treatment System (under Permit G55163, A/N 603249) identified in Condition No. 3. The landfill gas temperature at inlet of the Landfill Gas Treatment System (under Permit G55163, A/N 603249) identified in Condition No. 3(a).*
- E. *Description of any problems or delays, if any, encountered or projected to occur pertinent to the execution of contracts, as well as the delivery, replacement, startup, and testing of any operation necessary to replenish and/or replace spent granular activated carbon media in the Landfill Gas Treatment System (under Permit G55163, A/N 603249). Respondent shall submit copies of documents or other records to support any problems or delays noted pursuant to this Condition No. 8(e) along with such description.*
- F. *Specifications of the equipment and materials used for the weekly colorimetric tests (only if there is a change from the previously provided specifications of the colorimetric instrumentation or method used).*
- G. *All wellhead temperature, temperature probe, and CO concentration measurements for those wells requiring analytical data, H₂ concentration measurements for those wells requiring analytical data, CH₄ measurements, O₂ measurements, CO₂ measurements, CH₄:CO₂ ratios, lab analysis, and Draeger tube readings for landfill gas from the past month in a Microsoft Excel spreadsheet format.*
- H. *A graphic map showing location of each well with temperature exceedances (above 145 degrees Fahrenheit), each well with CO exceedances (above 1,000 ppmv and less than or equal to 1,500 ppmv, above 1,500 ppmv and less than or equal to 2,000 ppmv, and above 2,000 ppmv), and stratification of temperature ranges during that month, which includes a description of any remedial measures taken to address or lower gas well temperatures.*
- I. *All vertical liquid impacted landfill gas wells, per Condition No. 17, including a description of any remedial measures taken to address or reduce liquids in landfill gas wells.*
- J. *Updates on the investigation into the availability, viability, and utilization, including pilot testing if needed, of an alternative sulfur compound treatment system that controls, treats, or removes dimethyl sulfide (“DMS”) and other sulfur compounds, if any.*

- K. *A summary report on Respondent's implemented improvements to the landfill gas collection system beyond the additions to the landfill gas collection system required pursuant to Condition No. 15 and 8(m).*
- L. *An inspection and repair log for the landfill cover and geosynthetic cover inspections, pursuant to Condition No. 30 and any connection points, seams, and seals of the geosynthetic cover, pursuant to Condition 97.*
- M. *Any subsequent additions to the landfill gas collection system, pursuant to Condition No. 15; an updated vertical extraction well map detailing all existing fully functional working vertical extraction wells and the vertical extraction well additions completed within the month; a map showing an overlay of fully operational working wells and landfill surface monitoring grids, and outlines of the areas demarcated as exempt in the attached Exhibit A pursuant to Condition 15(b); copies of as-built well logs (regarding well depth installations and updates) for vertical extraction wells completed within the month; and an updated map or drawing of as-built landfill gas collection and conveyance infrastructure, current with respect to any substantial modifications to the main headers of the landfill gas collection and control system, with the boundaries of the Reaction Area included..*
- N. *Any subsequent additions to the landfill gas condensate or leachate collection system, such as dewatering sumps/pumps, or other dewatering work performed per the dewatering guidelines and implementation plan pursuant to Condition No. 18.*
- O. *Updates on the procurement and installation of the geosynthetic cover(s), pursuant to Condition No. 31, and including changes required or approved by the Local Enforcement Agency.*
- P. *Updates on landfill excavation work subject to Rule 1150, including excavation location(s) (that are identified on graphic map(s) of the landfill), and excavated/exposed waste characteristics (saturated, semi-dry, dry, odor type and intensity, etc.) Excavation work occurring pursuant to an exemption as listed in South Coast AQMD Rule 1150(c)(3), or Rule 1150(c)(2) that is performed in the Reaction Area, must also be included in these updates.*
- Q. *Updates regarding leachate including:*
 - i. *Leachate temperature recordings pursuant to Condition No. 27(a);*
 - ii. *Daily log of inspection findings and containment activities pursuant to Condition 27(b);*
 - iii. *Weekly record of leachate seepage and pooling pursuant to Condition 27(c);*
 - iv. *Quantity of leachate measured, and associated company name and physical address of the off-site disposal/treatment facility(ies) that receive leachate generated by the landfill, pursuant to Condition 27(d); and*
 - v. *A list of all hazardous and non-hazardous liquid storage and treatment facilities that have been contacted and current status of each facility including available, contracted, and utilized capacity to receive hazardous and non-hazardous landfill liquids; and*
 - vi. *An update regarding the number of tanks in each leachate tank group; the total number of leachate tanks treated; the monthly and year-to-date total quantity of liquid collected; the monthly and year-to-date total quantity of liquid treated; and the monthly and year-to-date total quantity of seeping, pooling, or ponding leachate collected.*
- R. *Daily landfill gas composition analysis, including CH₄%, CO concentration (ppm), CO₂%, and O₂%, as recorded by a real time analyzer and/or sample collected, at the inlets of the control equipment (TO_x, Flares, and any additional control equipment brought on site to combust landfill gas). The analysis shall be conducted by a South Coast AQMD approved*

- analyzer for CH₄, CO₂, or O₂ and analyzed pursuant to U.S. EPA Method 10 or Method ALT-144 for CO. Request for approval shall include submittal of analyzer specifications.*
- S. *Updates regarding the procurement of the equipment needed to construct Flare No. 4 pursuant to Condition No. 74.*

Pursuant to Condition No. 29, these monthly reports must also include the following:

Respondent shall ensure it has proper landfill leachate and landfill gas condensate capacity (based on liquid production and collection reporting pursuant to Condition 8) to accumulate onsite and/or dispose of collected liquids/leachate at an appropriate facility or facilities.

Pursuant to Condition No. 35, these monthly reports must also include the following:

Respondent shall provide updates to these QA/QC documents (if any) and a log for calibration, and maintenance activities performed on the monitors in the monthly reports pursuant to Condition No. 8.

Pursuant to Condition No. 42(w), these monthly reports must also include the following, in relevant part:

If a South Coast AQMD Rule 402 Nuisance Notice of Violation is received by the Respondent during excavation, or a distinct odor (level 3 or greater per below Odor Scale) resulting from the excavation is detected at or beyond the property line, then the Respondent shall, in accordance with its Health and Safety Plan, conduct ambient air quality sampling within 2 hours of receipt of Rule 402 Nuisance Notice of Violation or of when a distinct odor (level 3 or greater) is detected at or beyond the property line and analyze for TOC and speciated TOCs as follows:

<i>Odor Scale</i>	<i>Description of Odor Intensity</i>
<i>0</i>	<i>No odor detected</i>
<i>1</i>	<i>Very light odor detected</i>
<i>2</i>	<i>Light odor detected, distinguishable</i>
<i>3</i>	<i>Moderate odor, very distinguishable</i>
<i>4</i>	<i>Strong odor, very distinguishable, irritable</i>
<i>5</i>	<i>Very strong odor, very distinguishable, overpowering</i>

- i. *Samples shall be collected at the following locations: immediately upwind of the excavation site, immediately downwind of the excavation site, within 3 inches of the exposed excavation workface, safety permitting, and at the downwind property line, or other location(s) approved in writing by South Coast AQMD. If deemed unsafe, Respondent shall document the date and conditions preventing compliance with this condition. Records of such conditions shall be submitted in the following monthly report pursuant to Condition 8.*

Pursuant to Condition No. 42(x), these monthly reports must also include the following, in relevant part:

During excavation, TOC and speciated TOC ambient air sampling shall be conducted at least once between the hours of 6:00am and 11:00am, and at least once between the hours of

2:00pm and 6:00pm, according to Respondent's Health and Safety Plan and the following requirements:

- i. Samples shall be collected at the following locations: immediately upwind of the excavation site, immediately downwind of the excavation site, within 3 inches of the exposed excavation workface, safety permitting, and at the downwind property line, or other location(s) approved in writing by South Coast AQMD. If deemed unsafe, Respondent shall document the date and conditions preventing compliance with this condition. Records of such conditions shall be submitted in the following monthly report pursuant to Condition 8.

Pursuant to Condition No. 55(g), these monthly reports must also include the following:

Respondent maintains records of condensate sampling/analysis results to demonstrate the liquid is non-hazardous, maintains records of daily condensate injection flows (gallons per day), and provides these records in the monthly report pursuant to Condition No. 8.

Pursuant to Condition No. 68, these monthly reports must also include the following:

Respondent shall by June 15, 2024, install appropriately ranged differential pressure gauges, with at least 0.01 inches water column resolution, or pressure gauge otherwise approved in writing by South Coast AQMD, on each leachate storage tank. Respondent shall monitor and record daily the differential pressure of each leachate tank, tank identification number, date and time of the reading, and the personnel that conducted the reading. Pressure readings that indicate the lowest value of the gauge or the highest value of the gauge, shall be reported using significant digits to the hundredths place as " \leq [lowest value on gauge] (e.g. ≤ -0.50 inches water column)" and " \geq [highest value on gauge] (e.g. ≥ 0.50 inches water column)", respectively. The tanks shall be maintained under negative pressure, as demonstrated by differential pressure readings. Zero and positive pressure readings do not demonstrate negative pressure. Pressure gauges shall be calibrated according to manufacturer specifications and schedule. Respondent shall report all the recordings in the monthly report pursuant to Condition No. 8.

Pursuant to Condition No. 72, these monthly reports must also include the following:

Respondent shall conduct sampling and analysis, testing, installation, and monitoring of the leachate and landfill gas condensate collection and storage tank system, as specified below:

- A. *At least quarterly, conduct testing to sample and analyze the vapor flow in the piping used to vent the leachate storage tanks and landfill gas condensate tanks and route the vapors to the landfill gas control system. The testing shall at least include the following items and the results of this testing shall be provided in the monthly report pursuant to Condition No. 8:*
 - i. *vented leachate tank vapor flowrate,*
 - ii. *vented condensate tank vapor flowrate,*
 - iii. *vapor temperature,*
 - iv. *concentrations of speciated organics (including but not limited to Rule 1150.1 Table 1 Carcinogenic and Toxic Air Contaminants),*
 - v. *the total sulfur compounds as H₂S and speciated sulfur compounds, and*

- vi. testing at each of the locations indicated below:
 - 1. The tank vents or manifolds which are representative of a set of tanks;
 - 2. The header/manifold from each leachate tank farm or manifold including Tank Farm #7, Tank Farm #9, North Perimeter Manifold, New East Perimeter Manifold, LC Manifold, landfill gas condensate storage tanks, and any other future tank farms or manifolds, with testing performed upstream of the piping connection to the LFG Collection and Conveyance System where landfill gas may affect results; and
 - 3. The inlet of the flare(s) prior to combustion.
- B. A source test protocol for this testing shall be submitted to South Coast AQMD by May 17, 2024, unless otherwise approved in writing by South Coast AQMD. Testing shall be conducted within 45 days of receiving written approval of the source test protocol by South Coast AQMD, and the final results in a source test report format shall be submitted within 30 days of testing, unless otherwise approved in writing by South Coast AQMD.
- C. Within 30 days of the initial source test report, Respondent shall submit a recommendation from the Reaction Committee on additional vapor flow testing to the South Coast AQMD [attn: Baitong Chen, bchen@aqmd.gov; Nathaniel Dickel, ndickel@aqmd.gov; Christina Ojeda, cojeda@aqmd.gov]. The Reaction Committee may submit further recommendations regarding additional vapor flow testing to the South Coast AQMD within 30 days of additional source testing under this condition.
- D. Beginning April 29, 2024, at least daily, conduct pressure testing and monitoring within the HDPE header(s) venting the leachate storage tanks to quantify the vacuum from the flare station blowers exerted on the leachate tanks, in inches of Water Column (W.C.). Pressure testing and monitoring as specified in this condition is not required upon complete installation of pressure gauges as specified in Condition 68.
 - i. Daily pressure readings, pressure testing location, indication of the tank farm represented by the test results, and indication of each tank within the tank farm represented by the test results shall be submitted in the monthly report per Condition No. 8.
- E. By June 28, 2024, unless otherwise approved in writing by South Coast AQMD, install flow meters within the HDPE piping headers for associated leachate tank farms to accurately measure and record the flow rate (scfm) and total daily volume of vented leachate tank vapors being sent to the flare station for combustion. The flow meters shall be installed according to manufacturer specifications and recommendations to ensure accurate flow readings.
 - i. Daily flow rate (scf/day), flow meter location, indication of the tank farm whose flow is being measured, and indication of each tank within the tank farm vented and represented in the flow rate shall be submitted in the monthly report per Condition No. 8.

Pursuant to Condition No. 77, in relevant part, these monthly reports must also include the following:

Respondent shall conduct aerial surveillance over the entire landfill surface on a monthly basis, and over the Reaction Area defined in Condition 9(a) on a weekly basis, employing a drone equipped with sensors with a minimum detection level of 1 ppmv methane, and in accordance with OTM-51. If an aerial surveillance reading reaches or exceeds 200 ppmv methane, Respondent shall conduct follow-up ground-based surface emission monitoring field inspections according to the procedures of OTM-51 and U.S. EPA Method 21, unless Respondent is unable to monitor the subject locations due to

inaccessibility or dangerous conditions for a technician. The follow-up field inspection shall be performed within 2 hours of becoming aware of aerial surveillance exceedances. If an exceedance of 500 ppmv methane is found or confirmed during the follow-up inspection, Respondent shall implement corrective actions within 2 calendar days, including but not limited to, geosynthetic cover maintenance or repair, landfill cover maintenance or repair, wellfield vacuum adjustments, and piping/gas component maintenance or repair. Respondent shall develop 1) a color-coordinated geospatial interpolated methane map displaying the absolute value results of the methane readings, 2) a color-coordinated geospatial interpolated methane map displaying the change in methane readings as compared to the prior aerial surveillance, 3) a map displaying geolocated coordinates with local methane peaks and ground-based follow-up peak verification, and 4) a map displaying the drone flight path. The local methane peak map (map #3) shall include a color legend to differentiate locations displaying methane readings of 1) < 200 ppmv, 2) ≥ 200 and < 500 ppmv, 3) ≥ 500 and < 1,000 ppmv, 4) ≥ 1,000 and < 2,000 ppmv, 5) ≥ 2,000 and < 5,000 ppmv, and 6) ≥ 5000 ppmv, or as otherwise approved in writing by South Coast AQMD. The interpolated maps displaying the absolute value (map #1) and change in methane readings (map #2) shall include a color legend to differentiate the magnitude of the reading, as determined by Respondent, or as otherwise requested by South Coast AQMD. The maps, follow-up field inspection measurements and locations with associated dates/times, causes of exceedances (500 ppmv methane or greater), any corrective actions performed, and documentation (date, time, reasoning) of field inspections not performed due to inaccessibility or dangerous conditions shall be provided in the subsequent monthly report pursuant to Condition 8(c). Raw data used to create any of the above documents shall be provided to South Coast AQMD within 5 working days of request.

Pursuant to Condition No. 80, these monthly reports must also include the following:

Whenever South Coast AQMD permitted Various Location equipment or CARB Statewide Portable Equipment Registration (PERP) permitted equipment is brought or operated on site, the Respondent shall:

- a. Notify South Coast AQMD in writing of the date and time that the equipment is brought to the facility in the corresponding monthly report per Condition No. 8 and include a copy of the various locations permit(s) and/or PERP permit(s) in the corresponding monthly report per Condition No. 8.*
- b. Maintain a daily log including the following information for each permit unit: permit number and/or registration number, application number (if applicable), equipment location, and start and end time of equipment operation (as applicable). Respondent shall submit the daily log in the in the corresponding monthly report per Condition No. 8.*
- c. Notify South Coast AQMD in writing of the date and time that the equipment is removed from the facility in the corresponding monthly report per Condition No. 8.*

Section A – LFG Sulfur Compound Measurements During Reporting Period

The LFG sulfur compounds measurements and laboratory analysis with the time and date of each measurement or sample collection, as identified in Condition No. 5.

Condition No. 5: Respondent shall sample, analyze, and record the landfill gas sulfur compounds combusted in each flare (as measured at sampling location FL-150 that

is representative of the gas combusted in the flares under Permit G73696, A/N 45450; A/N 624296), in the thermal oxidizer/flare, and in any other landfill gas control equipment operating on site at least once each week using colorimetric tests for H₂S and at least once each day sample for analysis for total sulfur compounds as H₂S using South Coast AQMD Method 307-91. Additionally, Respondent shall sample, analyze, and record the landfill gas sulfur compounds and speciated organic compounds found in the raw, pre-treatment and pre-control, landfill gas collected from the Reaction Area (as defined in Condition 9(a)) at least once each calendar month for total sulfur compounds as H₂S using South Coast AQMD Method 307-91 and for speciated organic compounds using U.S. Environmental Protection Agency (EPA) Method TO-15.

- a. Respondent shall record South Coast AQMD Method 307-91 analysis upon receipt of laboratory analysis report. Each recorded measurement or result shall be documented with the time and date when the measurement or sample collection was conducted, and initialed by the personnel that conducted the measurement or sample collection.*
- b. Sulfur compound readings and analysis shall be reported to South Coast AQMD pursuant to Condition No. 8.*
 - i. Tedlar bags used for Method 307-91 sampling and analysis shall not contain droplets or debris.*
 - ii. Colorimetric tube readings shall be conducted by taking a reading from a Tedlar bag sample using an appropriate colorimetric tube sample collection pump. All sampling shall be performed in accordance with the operational manual for the colorimetric tube sample collection pump.*
 - iii. Colorimetric tube readings shall use colorimetric tubes of appropriate concentration range and shall be reported as follows:*
 - 1. Respondent shall first use the estimated appropriately ranged colorimetric tube.*
 - 2. If the resulting reading reaches the upper concentration of the colorimetric tube concentration range, subsequent reading(s) shall be taken using a colorimetric tube with a concentration range that has a larger upper concentration threshold until the result is not the upper concentration threshold of the concentration range. Report the tube concentration range and tube concentration result for each reading.*
 - 3. If the reading results in the lower concentration of the colorimetric tube concentration range or does not*

register a result, subsequent reading(s) shall be taken using a colorimetric tube with a concentration range that has a smaller lower concentration threshold, if available, until the colorimetric tubes available to the facility result in:

- a. A reading that is within the concentration range of the tube,*
 - b. A reading is the lower concentration of the colorimetric tube concentration range, or*
 - c. The colorimetric tube does not register a result.*
- 4. When the result is the lower concentration of the colorimetric tube concentration range or does not register a result, the lower concentration of the colorimetric tube concentration shall be considered the concentration result. Report the tube concentration range and tube concentration result for each reading. If a lower range colorimetric tube is not used and the tube concentration result is below the lower range of the colorimetric tube used, Respondent shall report the result as "less than" or "<" the lower range value of the tube. Notwithstanding the forgoing, Respondent shall ensure that the colorimetric tube result is below the upper range of the colorimetric tube used and shall report the precise result of all results above the lowest range of the colorimetric tube used.*

The lab analyses performed, and reports received for the reporting period that are required by Condition 5, are presented in **Attachment A**. The FL-1995 (Flare 1), FL-2009 (Flare 2), and FL-2023 (Flare 3) samples are representative of the landfill gas combusted in the flares under Permit G73696 (A/N 645450; A/N 624296), in the thermal oxidizers (TOx), and in any other LFG equipment operating on site. The Zeeco, Parnel, and Hero Inlet samples are raw, pre-treatment and pre-control landfill gas (LFG) collected from the Reaction Area. This report includes analytical data sampled between February 1, 2026 and February 28, 2026. Tedlar bag samples were collected and analyzed using SCAQMD Method 307.91 for hydrogen sulfide, reduced sulfur compounds, carbon monoxide (CO), permanent gases (methane, carbon dioxide, oxygen, and nitrogen), and speciated organic compounds. Speciated organic compounds are sampled using EPA Method TO-15. FL-2009 and the Hero, Parnel, and Zeeco TOx were sampled for TO-15 analysis on February 4, 2026 (reported on February 27, 2026 and March 3, 2026).

Weekly colorimetric tests (Draeger tube) samples required by, and conducted pursuant to, Condition 5(b)(ii) and (iii) are identified in **Attachment F**. Daily colorimetric testing began on February 14, 2024 as required by the Rule 431.1, Alternative Monitoring Plan with total reduced sulfur (TRS) above 150 parts per million by volume (ppmv).

A summary of the colorimetric tests and laboratory analyses for LFG sulfur analyses is provided in the following table, covering the period of February 2026.

Date Sampled	Flare*	Permanent Flare Station				Zeeco TOx (Reaction Area)				Parnel TOx (Reaction Area)				Hero TOx (Reaction Area)			
		Draeger Tube (ppmv)	Lab Analysis (ppmv)			Draeger Tube (ppmv)	Lab Analysis (ppmv)			Draeger Tube (ppmv)	Lab Analysis (ppmv)			Draeger Tube (ppmv)	Lab Analysis (ppmv)		
			H2S	H2S	DMS		TRS	H2S	H2S		DMS	TRS	H2S		H2S	DMS	TRS
02/01/26	FL-2009	100	151.0	281	531.7	170	256.0	280	644.4	140	173.0	681	1130.9	120	160.0	689	1132.4
02/02/26	FL-1995	100	120.0	269	472	150	228.0	282	611.4	160	157.0	620	1030.8	130	168.0	697	1153.8
02/03/26	FL-2009	120	161.0	267	522	210	227.0	257	568.7	150	163.0	653	1081.7	110	168.0	729	1215.9
02/04/26	FL-2009	80	145.0	247	479.1	175	225.0	245	549.4	125	155.0	584	979.5	120	178.0	757	1267.1
02/05/26	FL-1995	80	143.0	220	444.6	180	245.0	276	607.6	120	173.0	656	1102.2	120	174.0	732	1231.1
02/06/26	FL-2009	90	152.0	238	476.5	150	235.0	269	591.1	100	157.0	578	977.6	150	166.0	679	1144.5
02/07/26	FL-1995	100	120.0	291	511.1	250	266.0	284	645.1	170	188.0	779	1296.1	140	141.0	505	860.1
02/08/26	FL-1995	65	108.0	284	491.3	100	260.0	290	645.6	110	189.0	836	1392.8	100	162.0	630	1063
02/09/26	FL-1995	80	141.0	273	510.9	200	271.0	296	662.2	120	186	768	1277.8	100	173	600	1031.7
02/10/26	FL-1995	100	176.0	325	630.3	200	215.0	304	616.2	190	192	821	1383.7	100	137	385	633.4
02/11/26	FL-1995	160	167.0	261	532.8	180	190.0	301	585.4	210	211	698	1208.3	180	152	589	988.3
02/12/26	FL-2009	180	176.0	202	457	100	94.3	324	524.4	230	203	813	1368.9	180	152	711	1166.8
02/13/26	FL-2009	140	182.0	204	463.5	100	89.4	278	450.5	210	213	889	1484	200	163	731	1200.4
02/14/26	FL-2009	110	164.0	196	431.4	80	86.7	347	545.9	200	212	895	1489.6	200	156	706	1166.7
02/15/26	FL-2009	120	176.0	193	443.3	85	111.0	431	703.1	200	211	875	1458.9	160	177	792	1311.2
02/16/26	FL-2009	140	163.0	166	392.2	100	103.0	337	563.3	200	230.0	841	1434.5	200	181.0	773	1289
02/17/26	FL-2009	160	165.0	179	414.4	100	88.0	324	525.9	210	194.0	798	1332.2	200	170.0	793	1302
02/18/26	FL-2009	160	158.0	223	471.7	80	90.1	316	516.6	160	182.0	765	1259.7	200	172.0	747	1250.8
02/19/26	FL-2009	120	169.0	185	423.2	80	91.5	283	473.1	210	187.0	778	1289.5	200	162.0	729	1202.4
02/20/26	FL-2009	150	146.0	157	363.7	90	79.9	288	468.1	220	177.0	718	1199.5	200	153.0	744	1213.3
02/21/26	FL-2009	140	164.0	179	411.4	80	86.6	283	467.8	180	217.0	890	1488.6	160	162.0	764	1252.2
02/22/26	FL-2009	120	166.0	186	424.6	75	92.6	308	515.7	160	183.0	826	1354.9	160	160.0	806	1304.2
02/23/26	FL-2009	140	151.0	159	370	80	80.0	249	418.3	170	165.0	739	1206.7	140	140.0	684	1109.7
02/24/26	FL-2009	150	156.0	168	389.7	80	88.4	309	507.7	200	183.0	758	1254.1	200	164.0	768	1252.5
02/25/26	FL-2009	130	141.0	154	352.6	80	82.4	256	431.5	190	174.0	763	1251.5	150	144.0	707	1145
02/26/26	FL-2009	140	146.0	168	373.3	75	94.1	341	564.9	210	195.0	891	1460.5	200	164.0	835	1352.2
02/27/26	FL-2009	135	140.0	132	323	90	89.3	310	517.4	150	146.0	672	1075.8	150	126.0	599	977.7
02/28/26	FL-2009	130	133.0	123	301.8	110	93.5	327	543.1	140	167.0	852	1346.4	140	134.0	727	1162.3

*Flare 1 is FL-1995, Flare 2 is FL-2009, and Flare 3 is FL-2023

The above summarized lab analyses are included in **Attachment A** and **Attachment F**.

Section B – LFG Records and Calculations

The landfill gas records and calculations identified in Condition No. 7, in a Microsoft Excel spreadsheet format. If the landfill gas records show any landfill gas combustion/control equipment (flares or thermal oxidizers) are offline for a period exceeding 7 consecutive calendar days, or offline for more than 15 calendar days in any one calendar month, Respondent shall report a detailed description of the reason(s) the equipment was offline (equipment breakdown, maintenance, construction, whether there was sufficient landfill gas control redundancy to control the collected landfill gas, etc.).

Condition No. 7: Respondent shall maintain a record of the following information, and provide such records to the South Coast AQMD pursuant to Condition No. 8:

- a. The hourly and daily flow of landfill gas combusted, in standard cubic feet, in each flare (flares No. 1 & No. 2 under Permit G73696, A/N 645450; flare No. 3 under A/N 624296), the thermal oxidizer/flare (under Zeeco A/N 653611), and any other equipment used to combust or control landfill gas at the facility, and the total amount of landfill gas combusted at the facility;*
- b. The daily flow of landfill gas not flared, in standard cubic feet, if applicable; and*
- c. The results of the sulfur readings, sampling, and analyses, calculated as H₂S with the time and date when each measurement or sample collection was conducted.*

The above-mentioned lab analyses required by Condition 7(c) are included in **Attachment A** and the calculations are available in **Attachment B**.

In accordance with Condition 7(a), the flow rates for each flare as standard cubic feet per minute, scf per hour, and scf per day are provided in the calculation tables, and the hourly and daily flow of LFG combusted for the Zeeco TOx, Parnel TOx, and Hero TOx are available in **Attachment B**.

In accordance with Condition 7(b), the daily flow of LFG not flared is available in Attachment B. The Ameresco Plant was offline the entire month, and each of the flares experienced downtime on various days; there were zero (0) days including excess emissions of LFG not flared in February 2026, as shown in Attachment B. The Ameresco Plant has been offline since January 31, 2024 as Ameresco determines the proper disposal of their condensate. No landfill gas combustion/control equipment

went offline for a period exceeding 7 consecutive calendar days or for more than 15 calendar days in February 2026.

Section C – Surface Emissions Monitoring

The integrated landfill surface sample analysis and landfill surface monitoring readings identified in Condition Nos. 9 and 10, in a Microsoft Excel spreadsheet format.

Condition No. 9: Respondent shall collect integrated landfill surface samples for analysis across the Reaction Area (as defined in Condition 9(a)) at least three times per month, at intervals no more than once every 7 days (unless conducting additional monitoring events exceeding three per month), and additionally across the remainder of the landfill at least four times per quarter as specified in Rule 1150.1 Attachment A 2.0. In the event Respondent is unable to sample specific landfill surface area(s) or grid(s) due to inaccessibility or dangerous conditions for a technician, Respondent shall document the date and the conditions that do not allow the sampling of the specific area(s) or grid(s). Documentation shall be sufficient to show the inaccessibility or dangerous conditions and may include weather forecasts and actual rainfall measurements, or photographs and/or videos that depict the site conditions that prevent such sampling activities for each specific area or grid affected.

- a. *The “Reaction Area” shall be defined initially by the boundary of Cells 1/2A, 2B/3, 4, and Module 2B/3/4 P2. The boundary of the Reaction Area shall be modified to include the associated landfill surface area of the cells and modules that experience well temperatures of at least 170 degrees Fahrenheit, settlement, cracks in the landfill cover, presence and quantity of liquids, the presence of hydrogen in the landfill gas, and readings of temperature probes (once data is available). The Reaction Committee (defined in Condition 12), shall transmit to the South Coast AQMD [attn: Baitong Chen, bchen@aqmd.gov; Nathaniel Dickel, ndickel@aqmd.gov; Christina Ojeda, cojeda@aqmd.gov]: 1) the revised map which clearly displays the proposed boundary change(s) and depicts the new Reaction Area; 2) a narrative summary explaining the rationale behind the proposed changes, including memorializing any dissenting view of any member of the Reaction Committee; 3) any supporting data relied upon in the decision to revise the Reaction Area; and 4) locations of each temperature probe, clearly distinguished from the landfill gas wells on the map*
- b. *The Reaction Committee shall review applicable data to determine the extent and boundary of the ongoing Reaction. The Reaction Committee shall consider revision to this data determined Reaction boundary, and the Reaction Area as defined in Condition 9(a), as frequently as appropriate but shall make a determination about whether to revise the data determined Reaction boundary, and the Condition 9(a) Reaction Area map at least once per month. The determination shall be made according to landfill gas wellhead temperatures, temperature probe measurements, landfill gas quality*

and methane to CO₂ ratio, landfill gas concentrations of carbon monoxide and hydrogen, landfill settlement, leachate quantities, pressurized leachate releases, odor characteristics, and waste conditions according to borehole drilling logs. Supporting evidence, assumptions, and explanation for the determination, revised Reaction boundary, Reaction Area map (if applicable), isothermal gradient range map consisting of wellhead temperature measurements, wellhead carbon monoxide range map, wellhead hydrogen range map, wellhead CH₄:CO₂ ratio range map, quarterly landfill settlement isopach map, and vertical temperature profiles for temperature probes shall be submitted to the South Coast AQMD [attn: Baitong Chen, bchen@aqmd.gov; Nathaniel Dickel, ndickel@aqmd.gov; Christina Ojeda, cojeda@aqmd.gov] no later than 10 days following the end of the month.

Condition No. 10: Respondent shall conduct instantaneous landfill surface monitoring across the Reaction Area (as defined in Condition 9(a)) at least three times per month, at intervals no more than once every 7 days (unless conducting additional monitoring events exceeding three per month), and additionally across the remainder of the landfill at least four times per quarter as specified in Rule 1150.1, Attachment A 3.0, beginning no later than seven (7) days after the issuance of this Order. In the event Respondent is unable to monitor specific landfill surface area(s) or grid(s) due to inaccessibility or dangerous conditions for a technician, Respondent shall document the date and the conditions that do not allow the monitoring of the specific area(s) or grid(s).

- February's integrated landfill surface sampling was completed on February 4, 5, 9, 10, 23, 24, 25 and 26, 2026, resulting in exceedances on February 4, 5, 9 and 23, 2026.
 - The 10-day Corrective Action and follow-up monitoring was completed for February 4 and 5, 2026 exceedances on February 12, 2026, and showed compliant readings.
 - The 10-day Corrective Action and follow-up monitoring was completed for February 9, 2026 exceedances on February 20, 2026, and showed compliant readings.
 - The 10-day Corrective Action and follow-up monitoring was completed for February 23, 2026 exceedances on March 4, 2026, and showed compliant readings.
- February's instantaneous landfill surface monitoring was conducted on February 2, 3, 4, 10, 13, 20 and 21, 2026, resulting in exceedances on February 2, 3, 10, 13, 20 and 21, 2026.
 - The 10-day Corrective Action and follow-up monitoring was completed for February 2 and 3, 2026 exceedances on February 12, 2026, and showed compliant readings.
 - The 10-day Corrective Action and follow-up monitoring was completed for February 10, 2026 exceedances on February 20, 2026, and showed compliant readings.

- The 10-day Corrective Action and follow-up monitoring was completed for February 13, 2026 exceedances on February 25, 2026, and showed compliant readings.
- The 10-day Corrective Action and follow-up monitoring was completed for February 20 and 21, 2026 exceedances on February 27, 2026, and showed compliant readings.
- The 1-month re-monitoring events for February 2 and 3, 2026 exceedances were performed on February 26 and 27, 2026, and showed compliant readings.
- The 1-month re-monitoring events for January 7, 8, 16, 26, 27 and 28, 2026 exceedances were performed on February 5, 6, 12, 25 and 26, 2026 and showed compliant readings.

The integrated landfill surface sample analysis and landfill surface monitoring readings are included in **Attachment C-1**.

Include in the monthly Condition 8 report the three (3) aerial surveillance maps, follow-up field inspection measurements and locations with associated dates/times, cause of exceedances (500 ppmv methane or greater), any corrective actions performed, and documentation (date, time, reasoning) of field inspections not performed due to inaccessibility or dangerous conditions identified in Condition 77.

Chiquita's contractor conducted weekly aerial surveillance over the Reaction Area defined in Condition 9(a) on February 3-4, 10, 19, and 24, 2026, employing a drone equipped with sensors with a minimum detection level of 1 ppmv methane, and in accordance with OTM-51. If a reading reached or exceeded 200 ppmv methane, the consultant conducted follow-up ground-based surface emission monitoring field inspections according to the procedures of OTM-51 and U.S. EPA Method 21. If an exceedance of 500 ppmv methane was found or confirmed during the follow-up inspection, Chiquita implemented corrective actions in accordance with Condition 77. **Appendix C-2** includes: a narrative discussing the readings; color-coordinated geospatial interpolated methane maps displaying the absolute value results of the methane readings; color-coordinated geospatial interpolated methane maps displaying the change in methane readings as compared to the prior aerial surveillance; maps displaying geolocated coordinates with local methane peaks and ground-based follow-up peak verification; a map displaying the drone flight path; follow-up field inspection records with inspection measurements and locations with associated dates and times; and a chart describing the causes of exceedances of 500 ppm methane or greater as well as the corrective actions performed.

Section D – Schedule for Replacement or Refurbishment of Granular Activated Carbon Media

Estimated schedule for any replacement or refurbishment of granular activated carbon media in the Landfill Gas Treatment System (under Permit G55163, A/N 603249) identified in Condition No. 3. The landfill gas temperature at inlet of the Landfill Gas Treatment System (under Permit G55163, A/N 603249) identified in Condition No. 3(a).

Condition No. 3: Respondent shall expedite, to the maximum extent feasible, replacement of granular activated carbon media in the Landfill Gas Treatment System (under Permit G55163, A/N 603249), including the execution of contracts, as well as the delivery, replacement, startup, and testing of any operation necessary to replenish and/or replace spent granular activated carbon media in the Landfill Gas Treatment

System. Respondent shall ensure adequate stock of all odor control products and supplies are maintained on site.

- a. Respondent shall monitor and record the landfill gas temperature at least daily at the inlet of the Landfill Gas Treatment System. The temperature of the landfill gas shall not exceed 145 F.***

The Landfill Gas Treatment System (LFGTS) currently consists of four carbon adsorber vessels. Typically, three of the four vessels had been fully online during normal operations, with one vessel offline awaiting servicing to replace spent media or with fresh granular activated carbon media slowly brought online to control the rise in temperature. A vessel had been typically serviced every 4 to 8 weeks. Colorimetric tests were performed on the outlet of the operating vessels approximately weekly to determine if a vessel may require an adjustment to the flow or schedule service to replace the media.

At the start of the reporting period (February 1, 2026), two vessels (ST-1 and ST-4) were online processing the LFG with no media in vessel ST-1. At the end of the reporting period (February 28, 2026), two vessels (ST-1 and ST-4) were online with no media in vessel ST-1. The other two vessels (ST-2 and ST-3) were closed throughout the reporting period, due to undergoing repairs.

The LFGTS inlet temperatures have been below 145 °F. Daily vessel inlet temperatures are manually recorded and available in **Attachment D**.

Section E – Description of Problems or Delays

Description of any problems or delays, if any, encountered or projected to occur pertinent to the execution of contracts, as well as the delivery, replacement, startup, and testing of any operation necessary to replenish and/or replace spent granular activated carbon media in the Landfill Gas Treatment System (under Permit G55163, A/N 603249). Respondent shall submit copies of documents or other records to support any problems or delays noted pursuant to this Condition No. 8(e) along with such description.

On December 31, 2025, vessel ST-3 was slowly brought online to control the rise in temperature of the outlet gas but was closed on January 12, 2026 following elevated outlet temperature readings and the observation of a localized area of elevated surface temperature on the vessel. Per the January 12, 2026 notification to South Coast AQMD, the closure was necessary to cool the vessel and prevent damage. Vessel ST-2 was also closed in January 2026; more details will follow in the next monthly report. On January 23, 2026, the granular activated carbon media in vessel ST-1 was removed and mesh screen replaced. No media was installed and vessel ST-1 was placed online. The change out interval was suspended due to the issues at the vessels as mentioned above.

Section F – Specifications of Equipment and Materials for Weekly Colorimetric Tests

Specifications of the equipment and materials used for the weekly colorimetric tests (only if there is a change from the previously provided specifications of the colorimetric instrumentation or method used).

The weekly colorimetric tests are completed with the Draeger Accuro 64000 bellows hand pump with either Draeger hydrogen sulfide colorimetric tubes Model 6728821 (2 to 200 ppm) or Model CH29801

(5 to 60 ppm). With the higher concentrations at the Zeeco TOx, Model CH29101 (100 to 2000 ppm) colorimetric tubes are used. The specifications of the equipment and materials that have been used for the colorimetric test were previously included in the initial weekly variance report provided on February 13, 2023 in Case No. 6177-3, as required under the previous emergency variance, in the March 2024 report with the addition of the model CH29101 data sheet and in the March 2025 report with the addition of the model CH29801 (2 to 60 ppm) data sheet.

Section G – Wellhead Temperature and Gas Measurements

All wellhead temperature, temperature probe, and CO concentration measurements for those wells requiring analytical data, H2 concentration measurements for those wells requiring analytical data, CH4 measurements, O2 measurements, CO2 measurements, CH4:CO2 ratios, lab analysis, and Draeger tube readings for landfill gas from the past month in a Microsoft Excel spreadsheet format.

Wellhead temperature, temperature probe, and required CO, H2, CH4, O2, CO2 measurements, with CH4:CO2 ratios, for the past month are included in **Attachment E**. Lab analysis and Draeger tube readings for the past month are included in **Attachment A** and **Attachment F**, respectively.

The original 20 temperature monitoring probes (TP-1 through TP-20) and an additional 20 temperature monitoring probes (TP-21 through TP-40) have been installed and are operational as of February 2026. Temperature probe daily average data for the past month is included in **Attachment E**.

Section H – Graphic Map

A graphic map showing location of each well with temperature exceedances (above 145 degrees Fahrenheit), CO measurements of each well (above 1,000 ppmv and less than or equal to 1,500 ppmv, above 1,500 ppmv and less than or equal to 2,000 ppmv, and above 2,000 ppmv), and stratification of temperature ranges during that month, which includes a description of any remedial measures taken to address or lower gas well temperatures & gas concentrations.

Graphic maps with the above information are included in **Attachment G**. An increased volume of gas and leachate is being extracted from elevated temperature wells located in the Reaction Area to help remove accumulated heat in the waste mass.

Section I – Status of Vertical Liquid Impacted Landfill Gas Wells

All vertical liquid impacted landfill gas wells, per Condition No. 17, including a description of any remedial measures taken to address or reduce liquids in landfill gas wells.

Condition No. 17: Respondent shall expeditiously dewater wells being impacted by liquids to the maximum extent feasible, and shall take proactive measures to remove additional liquids in the Reaction Area to limit the reaction severity and spread. This shall be accomplished through the installation of dewatering sumps/pumps of at least 60 percent of the landfill gas vertical extraction wells in the Reaction Area (as defined in Condition 9(a)) that are capable of extracting liquids by March 15, 2024 unless otherwise determined infeasible per Condition No. 17(a) below. Respondent shall provide updates in the monthly reports pursuant to Condition No. 8.

- a. *In the event Respondent determines that the installation of dewatering sump/pump of at least 60 percent of the landfill gas vertical extraction wells that are capable of extracting liquids to be infeasible, Respondent shall provide detailed rationale and reasoning in the monthly report submitted pursuant to Condition No. 8, and shall continue with implementation of the dewatering guidelines pursuant to Condition No. 18 to remove liquids to the maximum extent possible.*

Chiquita continued to install new pumps and replace existing pumps in vertical extraction wells to expeditiously dewater wells impacted by liquids in the month of February 2026. Chiquita completed the installation of, and was operating, 38 pumps in vertical extraction wells as of March 5, 2026. Chiquita took several pumps offline during the month of February due in large part to reduced off-site leachate disposal capacity and the ongoing EVOH/HDPE geomembrane cover deployment. Chiquita continued installing additional leachate and air supply line infrastructure and electrical infrastructure in preparation for additional pump installations and continued cleaning and maintaining the already installed pumps.

Section J – Status of Investigation for Alternate Sulfur Compound Treatment Systems

Updates on the investigation into the availability, viability, and utilization, including pilot testing if needed, of an alternatives sulfur compound treatment system that controls, treats, or removes dimethyl sulfide (“DMS”) and other sulfur compounds, if any.

There were no updates for February 2026. Chiquita considers the investigation into the availability, viability, and utilization of an alternative sulfur compound treatment system that controls, treats, or removes DMS and other sulfur compounds complete after submission of its investigation results to SCAQMD and exhaustion of the feasibility of the alternatives identified by Chiquita’s consultants.

Section K – SCS’s Implemented Improvements

A summary report on Respondent’s implemented improvements to the landfill gas collection system beyond the additions to the landfill gas collection system required pursuant to Condition No. 15 and 8(m).

In addition to the pump installation, Chiquita continued the expansion of headers and laterals and leachate collection infrastructure in February 2026, including the optimization of the three TOx units. Chiquita completed the process of installing a third TOx (the Hero TOx) along with associated headers to the TOx, and the TOx began online in September 2025 to continue to expand the liquids and gas collection capacity. The Parnel TOx was relocated in September 2025, causing an extended period wherein the TOx was offline but became operational on November 5, 2025.

Section L – Cover Inspections to the LFG Collection System

An inspection log for landfill cover and geosynthetic cover inspections, pursuant to Condition No. 30.

Condition No. 30: Respondent shall visually inspect the landfill cover and geosynthetic cover(s) in and around the Reaction Area (as defined in Condition 9(a)) each operating day and shall promptly repair any cover issues identified, which may include adding

and spreading of clean soil, wetting, retracking the damaged area, and repairing or resealing of the geosynthetic cover. Any repair of the geosynthetic cover which includes addition of material to add or replace to the existing cover shall be done using an EVOH, or, if EVOH is unavailable and repair is on or before three months from the date DTSC approves the EVOH, an HDPE geomembrane. The EVOH or HDPE geomembrane shall be of at least 60 mil thickness continuously seamed and continuously welded to the existing 30 mil HDPE geomembrane. All repair and correction actions to the landfill cover, and interim repair of geosynthetic cover shall be conducted promptly and no later than two hours after identification during inspection, safety permitting. Permanent repair of geosynthetic cover shall be scheduled immediately and shall take place as soon as possible following identification of cover issue. Respondent shall maintain a log demonstrating that it has addressed any damages to the landfill cover or geosynthetic cover, including the date the damage was identified, the action taken to repair the damage, and the time at which the repair was completed. Results of the daily inspection and the repair log required by this condition shall be included in the monthly reports required pursuant to Condition No. 8.

Routine landfill cover and geosynthetic cover inspections and repairs, as needed, were performed and logged throughout the month of February 2026. Results of the daily inspection and the repair logs are provided in Attachment H.

Section M – Subsequent Additions to the LFG Collection System

Any subsequent additions to the landfill gas collection system, pursuant to Condition No. 15; an updated vertical extraction well map detailing all existing fully functional working vertical extraction wells and the vertical extraction well additions completed within the month; a map showing an overlay of fully operational working wells and landfill surface monitoring grids, and outlines of the areas demarcated as exempt in the attached Exhibit A pursuant to Condition 15(b); copies of as-built well logs (regarding well depth installations and updates) for vertical extraction wells completed within the month; and an updated map or drawing of as-built landfill gas collection and conveyance infrastructure, current with respect to any substantial modifications to the main headers of the landfill gas collection and control system, with the boundaries of the Reaction Area included.

Condition No. 15: Respondent shall continue to evaluate and install, as needed, vertical dual extraction wells to collect both landfill gas and leachate. Respondent shall continue to expand the well-field as needed, and notify South Coast AQMD by October 31, 2023 of the number of wells added, attention to Baitong Chen, Air Quality Engineer, (bchen@aqmd.gov); Nathaniel Dickel, Senior Air Quality Engineer, (ndickel@aqmd.gov), and Christina Ojeda, Air Quality Inspector, (cojeda@aqmd.gov). Any subsequent additions to the well-field shall be documented in the monthly reports pursuant to Condition 8. In installing any additional wells, Respondent shall ensure it complies with all conditions in Respondent's currently operative landfill gas collection system permit. In installing any additional wells pursuant to this Condition, Respondent shall additionally take the following measures: (...)

In the month of February 2026, no new vertical LFG extraction wells were installed inside or outside of the 9(a) Reaction area. A map of all installed and functional wells, surface monitoring grids, and

outlines of the areas demarcated as exempt are included in **Attachment I**. Subsequent additions to the system will be documented in these monthly reports. Chiquita has completed the installation of a total of 247 wells within the 9(a) Reaction area, bringing the total number of wells installed within the 9(a) Reaction area to greater than the required density of three (3) wells per acre (equivalent to 113%).

Condition No. 15(o): Respondent shall, on a monthly basis determine whether any of the existing landfill gas collection wells in the Reaction Area (as defined in Condition 9(a)), which were not able to be drilled and installed at the desired well depth (generally approximately 30 ft above the bottom liner), can be expanded deeper or drilled to achieve the initially desired depth, or whether new replacement wells can be drilled nearby to achieve the initially desired depth. This determination shall include an evaluation of the landfill gas well/wellbore conditions, landfill liquid/leachate flow data, pressurized liquid/leachate release data, and landfill gas data, wellhead temperature data, temperature probe data, and any additional parameters as necessary. Respondent shall report on the monthly determination, along with any supporting evidence and reasoning for the determination, as part of the monthly report pursuant to Condition No. 8, beginning with the report submitted in October 2024 covering data from September 2024.

Chiquita reviewed in February 2026 the liquid levels for wells installed in the 9(a) Reaction Area to determine if any of the newly installed wells could be expanded to deeper depths. All wells within the 9(a) Reaction Area were determined to still be functioning from a gas and liquid flow showing intact wellbores. Based on the included leachate data, temperature probe data, and landfill gas monitoring data including temperature, all wells within the 9(a) Reaction Area were productive. While leachate levels within wells have been decreasing, none of the wells within the 9(a) Reaction Area were dewatered to the point of requiring deeper wells to continue to extract liquids and deeper landfill gas.

An updated as-built of the landfill gas collection and conveyance infrastructure is provided in **Attachment I**. As explained in Chiquita's weekly updates provided separately to the South Coast AQMD, multiple headers and laterals are being modified, and due to the amount of work being done, a full survey of the piping was required to update the drawings. The attached as-built shows the locations of the new wells installed through March 4, 2026.

Section N – Additions to the LFG Condensate or Leachate Collection System

Any subsequent additions to the landfill gas condensate or leachate collection system, such as dewatering sumps/pumps, or other dewatering work performed per the dewatering guidelines and implementation plan pursuant to Condition No. 18.

Condition No. 18: Respondent shall, in addition to the installation of dewatering sumps/pumps specified in Condition No. 17 above, within ninety (90) days of the issuance of the Initial Order, provide proposed Reaction Area dewatering guidelines and implementation procedures for the landfill to South Coast AQMD (Baitong Chen, Air Quality Engineer, (bchen@aqmd.gov); Nathaniel Dickel, Senior Air Quality Engineer, (ndickel@aqmd.gov)) that include but are not limited to the following: (...)

The dewatering guidelines were submitted to SCAQMD on December 5, 2023, and are posted on Chiquita's website. Revised dewatering guidelines to address SCAQMD comments received on March 13, 2024, were submitted to SCAQMD on April 4, 2024. Further revised dewatering guidelines to

address SCAQMD's additional comments received on May 21, 2024 were submitted to SCAQMD on June 7, 2024.

The evaluation of vertical wells for the installation of dewatering pumps is ongoing. Chiquita had completed the installation of, and was operating, 38 pumps in vertical extraction wells as of March 5, 2026. Additional time beyond installing new pumps was spent installing additional leachate and air supply line infrastructure, and electrical infrastructure, as well as cleaning and maintaining the already installed pumps.

Section O – Updates of the Geosynthetic Cover

Updates on the procurement and installation of the geosynthetic cover(s), pursuant to Condition No. 31, and including changes required or approved by the Local Enforcement Agency.

Condition No. 31: Respondent shall install a geosynthetic cover over western portions of Module 2B/3/4 Phase 2, Module 2B/3, and Module 4 to limit the migration of landfill gas from the site. Respondent shall submit the completed design for the cover, which will provide greater definition to the cover location, including associated landfill gas extraction infrastructure to be installed underneath the cover, to the South Coast AQMD by September 12, 2023 (Baitong Chen, Air Quality Engineer, (bchen@aqmd.gov); Nathaniel Dickel, Senior Air Quality Engineer, (ndickel@aqmd.gov), and Christina Ojeda, Air Quality Inspector, (cojeda@aqmd.gov)). Respondent shall then obtain and install the geosynthetic cover material of at least 30 mil thickness. Respondent shall notify South Coast AQMD by October 31, 2023 (Baitong Chen, Air Quality Engineer, (bchen@aqmd.gov); Nathaniel Dickel, Senior Air Quality Engineer, (ndickel@aqmd.gov), and Christina Ojeda, Air Quality Inspector, (cojeda@aqmd.gov)) on the progress of procuring and installing the geosynthetic cover. Respondent shall include updates on the procurement and installation of the geosynthetic cover in the monthly reports pursuant to Condition 8.

As of December 31, 2024, Chiquita had installed approximately 44.6 acres of geosynthetic cover at the Landfill which completes the work associated with Milestone 2A-1 of the LEA's Compliance Order issued June 6, 2024. Additionally, as of January 3, 2025, approximately 1.3 acres of geosynthetic cover was installed over the disposal area in accordance with the west toe drain workplan. The Final Completion Report of Milestone 2A-1 (Formerly Mitigation Measure #2A) was submitted on January 17, 2025. The LEA, in collaboration with the California Department of Resources Recycling and Recovery (CalRecycle), conditionally approved the Final Completion Report on April 9, 2025, contingent on Chiquita submitting an Operations and Maintenance Plan. Chiquita submitted an Operations and Maintenance Plan to the LEA on May 9, 2025, and a revised Operations and Maintenance Plan on October 3, 2025.

Additionally, as of February 27, 2026, Chiquita had installed approximately 1,065,227 square feet of tan 60-mil EVOH/HDPE geomembrane cover on the top deck of the Landfill, in accordance with Mitigation Measure 4.1 of the LEA's Compliance Order issued May 1, 2025, and installed an additional approximately 140,955 square feet of tan 60-mil EVOH/HDPE cover over the area known as "the bowl"—currently covered with the 30-mil HDPE geomembrane cover. Chiquita also continued to perform repairs of the existing 30-mil HDPE geomembrane cover using the 60-mil EVOH/HDPE geomembrane.

Section P – Updates of the Landfill Excavation Work Subject to Rule 1150

Updates on landfill excavation work subject to Rule 1150, including excavation location(s) (that are identified on graphic map(s) of the landfill), and excavated/exposed waste characteristics (saturated, semi-dry, dry, odor type and intensity, etc.) Excavation work occurring pursuant to an exemption as listed in South Coast AQMD Rule 1150(c)(3), or Rule 1150(c)(2) that is performed in the Reaction Area, must also be included in these updates.

Chiquita did not perform any work related to the west slope excavation project or the toe drain termination project; both projects are complete.

Section Q – Updates of the Leachate

Updates regarding leachate including:

Condition No. 27: Respondent shall conduct the following actions and report them to South Coast AQMD [Baitong Chen, Air Quality Engineer, (bchen@aqmd.gov); Nathaniel Dickel, Senior Air Quality Engineer, (ndickel@aqmd.gov), and Christina Ojeda, Air Quality Inspector, (cojeda@aqmd.gov)] in each monthly report submitted pursuant to Condition No. 8 beginning with the report due on February 19, 2024:

i. Leachate temperature recordings pursuant to Condition No. 27(a);

a. Measure and record the leachate temperature within all the 6-inch leachate pipes feeding into the onsite frac tanks, and at the piping leading into the tanks at all tank farms. The temperature measurements reported shall include a map clearly indicating temperature monitoring location(s), and the reported results shall clearly state which tank(s) or tank farm(s) are downstream of the monitoring location, receiving the measured leachate;

The leachate temperature data for the leachate pipes feeding into the onsite frac tanks and into the tanks at all tank farms were collected on February 24, 2026 and are included in **Attachment J**.

ii. Daily log of inspection findings and containment activities pursuant to Condition 27(b);

b. Respondent shall have dedicated staff or a contractor conduct and document inspections twice each calendar day, once in the morning, completing the inspection prior to 10 am, and once in the afternoon, starting the inspection at 1 pm at the earliest. The inspections shall begin with the surface of the Western and Northern slopes of the Reaction Area for liquid/leachate seepage and pooling and shall additionally consist of inspecting the facility's stormwater channel(s), and the facility's stormwater basin(s). Respondent shall maintain records from each inspection that include the details of any leachate seepage and pooling, including location(s) (identified on graphic map(s) of the landfill, with the subject landfill grid, and GPS coordinates), time discovered, estimated duration of presence of leachate at such locations, the characteristics of the leachate (estimated quantity in gallons, extent of area impacted in square footage, odor type and intensity), the leachate saturation level of surrounding soils (standing free

liquid, saturated, semi-dry, dry), and additional containment systems or measures deployed to route, collect, and contain the exposed leachate and prevent further leachate exposure;

i. In the event that two weeks of twice daily inspections show no exposed liquid/leachate seepage or pooling, Respondent may reduce the inspection frequency to once daily. If after another two weeks of daily inspections, no exposed liquid/leachate seepage or pooling is observed, Respondent may reduce the inspection frequency to once every other day during the operating week (i.e., three times each operating week). If at any point inspections show exposed liquid/leachate seepage or pooling, inspection frequency shall return to twice daily inspections.

iii. Weekly record of leachate seepage and pooling pursuant to Condition 27(c);

c. On a weekly basis, compile and report the details of the inspection logs from that calendar week required under Condition 27(b). Respondent shall additionally report on any ongoing leachate seepage and pooling at the landfill, found to have occurred at a location more than once within the calendar week, including location(s) (identified on graphic map(s) of the landfill), estimated duration of presence of leachate at such locations, characteristics of leachate (estimated quantity, extent of area impacted, odor type and intensity), leachate saturation of surrounding soils (standing free liquid, saturated, semi-dry, dry), and containment systems or measures deployed to route, collect, and contain the exposed leachate and prevent further leachate exposure. By no later than January 23, 2024, Respondent shall submit to South Coast AQMD [Baitong Chen, Air Quality Engineer, (bchen@aqmd.gov); Nathaniel Dickel, Senior Air Quality Engineer, (ndickel@aqmd.gov), and Christina Ojeda, Air Quality Inspector, (cojeda@aqmd.gov)], the first weekly report, and shall submit an additional weekly report every 7 calendar days thereafter;

The daily logs of inspection findings and containment activities and the weekly reports of leachate seepage and pooling required by Conditions 27(b) and 27(c) are included in **Attachment K**.

iv. Quantity of leachate measured, and associated company name and physical address of the off-site disposal/treatment facility(ies) that receive leachate generated by the landfill, pursuant to Condition 27(d); and

d. Measure and record quantities of leachate sent off-site for disposal/treatment during the previous week for so long as all leachate is transported offsite for disposal. Records shall include the associated company name and physical address of the off-site disposal/treatment facility(ies) that receive leachate generated by the landfill. If Respondent begins onsite treatment, it shall also record on a weekly basis quantities of leachate collected and leachate treated onsite. Respondent shall report this information in the monthly reports pursuant to Condition 8(c). Respondent

shall submit copies of the manifests to South Coast AQMD within three weeks of request.

The quantity of leachate sent offsite for disposal/treatment, associated company name and physical address of the off-site disposal/treatment facilities are included in **Attachment L**. Chiquita began treating leachate onsite in February 2024. Details regarding the quantity of leachate treated onsite are also included in **Attachment L**. Chiquita is providing this information to the best of its knowledge; this information is subject to change based on further review and verification.

- v. **A list of all hazardous and non-hazardous liquid storage and treatment facilities that have been contacted and current status of each facility including available, contracted, and utilized capacity to receive hazardous and non-hazardous landfill liquids.**

The chart below provides a list of each hazardous and non-hazardous liquid storage and treatment facility and its respective contracted and maximum available capacities as of February 28, 2026. There have been some changes to facilities under contract in February 2026, as detailed below. The available capacity is established by the storage and treatment facility and fluctuates daily, subject to change and adjustment by the facility. Chiquita utilizes all capacity made available by the facility to the extent liquids are available for disposal and to the extent feasible by the receiving facility.

Facility Name	Hazardous/Non-Hazardous	Contracted Capacity	Maximum Available Capacity
Avalon	Non-Hazardous	150,000 gal/day during week (50,000 gal/day Saturday)	150,000 gal/day during week (50,000 gal/day Saturday)*
East Valley Remediation	Non-Hazardous	13 trucks/day (approx. 65,000 gal/day); 6 days/week	13 trucks/day (approx. 65,000 gal/day); 6 days/week
Clean Harbors - UT	Hazardous	2 trucks/day (approx. 10,000 gal/day); 5 days/week	2 trucks/day (approx. 10,000 gal/day); 5 days/week
Clean Harbors - NE**	Hazardous	4 trucks/day (approx. 20,000 gal/day); 5 days/week	4 trucks/day (approx. 20,000 gal/day); 5 days/week
Clean Harbors - TX	Hazardous	3 rail cars/week (approx. 60,000 gal/week)	3 rail cars/week (approx. 60,000 gal/week)
Clean Harbors - ISO	Non-Hazardous	4 trucks/day (approx. 20,000 gal/day); 5 days/week	4 trucks/day (approx. 20,000 gal/day); 5 days/week
US Ecology - Nevada	Non-Hazardous	5 trucks/day (approx. 25,000 gal/day); 5 days/week	5 trucks/day (approx. 25,000 gal/day); 5 days/week
Durham - Arizona	Non-Hazardous	Approx. 80,000 gal/day	Approx. 80,000 gal/day
Crystal Clean Wyoming	Non-Hazardous	Approx. 150,000 gal/week	Approx. 150,000 gal/week
Crystal Clean Bakersfield	Non-Hazardous	Approx. 100,000 gal/day	Approx. 100,000 gal/day

Facility Name	Hazardous/Non-Hazardous	Contracted Capacity	Maximum Available Capacity
ReWorld Advanced Processing, Inc.	Non-Hazardous	5 trucks/day (approx. 25,000 gal/day); 5 days/week	5 trucks/day (approx. 25,000 gal/day); 5 days/week
Industrial Recycling, Baja***	Non-Hazardous	10 trucks/day (approx. 50,000 gal/day); 5 days/week	10 trucks/day (approx. 50,000 gal/day); 5 days/week

*Avalon Environmental Services (Avalon) remains under contract but because of contradictions in agency allowances between LA County Sanitation Districts, Public Works and Regional Planning, Avalon is not currently able to accept shipments of treated, non-hazardous leachate from Chiquita consistently. Avalon’s total daily acceptance was therefore significantly reduced during February 2026.

**As previously noted, Chiquita recently learned from Clean Harbors that Clean Harbors – Nebraska may receive and transfer liquid to Clean Harbors – Arkansas without Chiquita’s knowledge or approval.

*** Chiquita entered into a new contract with Industrial Recycling, Baja, which is located in Mexico. The facility completed a few test loads in February and is continuing to work with Chiquita to increase its ability to transport liquids.

- vi. **An update regarding the number of tanks in each leachate tank group; the total number of leachate tanks treated; the monthly and year-to-date total quantity of liquid collected; the monthly and year-to-date total quantity of liquid treated; and the monthly and year-to-date total quantity of seeping, pooling, or ponding leachate collected.**

In accordance with Conditions 8(q) and 53 of the Stipulated Order, Chiquita provides the following update for the month of February 2026. Chiquita is providing this information to the best of its knowledge; this information is subject to change based on further review and verification.

- **Number of tanks in each leachate tank group.** There were approximately 252 leachate frac tanks at the Chiquita Canyon Landfill as of February 28, 2026, as follows:
 - #1 Top Deck Tank Manifold: 0
 - #2 East Perimeter Manifold: 0
 - #4 LC Manifold: 1
 - #6 North Perimeter Manifold: 0
 - #7 Tank Farm: 25
 - #9 Tank Farm: 0
 - #10 Canyon D: 37
 - #13 Tank Farm: 151
 - Primary Canyon: 14
 - Staging area, not in use: 23
 - Need Repair: 1
- **Total number of leachate tanks treated.** Chiquita treated 237 tanks in February 2026. Chiquita treated 2,638 tanks from February 17, 2024 (the beginning of treatment) through December

31, 2024, 3,249 tanks from January 1, 2025 through December 31, 2025, and 449 tanks from January 1 through February 28, 2026.

- **Monthly and year-to-date total quantity of liquid collected.** Chiquita estimates that it collected approximately 10,314,335 gallons of liquid in February 2026 (not counting flare condensate). Chiquita estimates that it collected approximately 62,576,218 gallons from January 1, 2024 to December 31, 2024 (not counting flare condensate), approximately 101,384,450 gallons from January 1, 2025 through December 31, 2025, and approximately 21,765,432 from January 1 through February 28, 2026.*
- **Monthly and year-to-date total quantity of liquid treated.** Assuming 17,000 gallons per tank, Chiquita treated approximately 3,940,398 gallons in February 2026. Chiquita estimates that it treated approximately 46,368,981 gallons from February 17, 2024 (the beginning of treatment) to December 31, 2024, approximately 54,795,437 gallons from January 1, 2025 through December 31, 2025, and approximately 7,282,364 from January 1 through February 28, 2026.
- **Monthly and year-to-date total quantity of seeping, pooling, or ponding leachate collected.** Chiquita estimates approximately 5,501 gallons of seeping, pooling, or ponding leachate was observed in February 2026. These seeps were corrected as described in the weekly leachate inspection report submitted pursuant to SOFA Condition 27(c). The year-to-date estimate from first quarter of 2024 to December 31, 2024, is approximately 175,051 gallons. The year-to-date estimate for January 1, 2025 through December 31, 2025 was less than 185 gallons. The year-to-date estimate for January 1 through February 28, 2026 was approximately 5,525 gallons. These numbers are based on Chiquita's twice-daily inspections of leachate seeps/pooling and the logged estimates of the number of gallons of seeping/pooling leachate, as well as estimates of stormwater and leachate pumped from the dammed stormwater channel during storm events early in the year. This overestimates the amount of leachate collected because it includes these previously reported events where leachate seepage entered the channel and came into contact with stormwater. Note that the volume of any leachate seeps/pooling that are collected is also captured in the totals above, because those liquids are transferred to the frac tanks for eventual disposal. Also note that Chiquita continues to report leachate leaks/spills separately, pursuant to Condition 27(e) of the Stipulated Order.

* Chiquita is currently investigating potential over-reporting by the on-site flow meters which may be resulting in overestimating the amount of leachate extraction volumes. Chiquita is continuing to evaluate this issue and potential corrective actions.

Section R – Proper Capacity

Updates on proper capacity:

Condition No. 29. Respondent shall ensure it has proper landfill leachate and landfill condensate capacity (based on liquid production and collection reporting pursuant to

Condition 8) to accumulate onsite and/or dispose of collected liquids/leachate at an appropriate facility or facilities.

As demonstrated above in Section Q, Chiquita had reduced off-site leachate disposal capacity as of February 7, 2026, and continued to accumulate onsite and/or dispose of collected liquids/leachate/condensate at appropriate facilities in February 2026.

Section S – Monitoring Station Data

Updates regarding air monitoring stations:

Condition No. 35. Respondent shall, by January 19, 2024, provide all standard operating procedures (SOPs) and any other Quality Control and Quality Assurance (QA/QC) documents describing the operation and maintenance of all instruments used at the air monitoring stations and/or enhanced monitoring stations specified in Condition No. 34. These QA/QC documents shall include detailed information on the calibration, and maintenance of the monitoring equipment and associated instrumentation, and procedures used for data handling, validation, and analysis. They shall additionally include the frequency/schedule of these actions. Respondent shall provide these QA/QC documents to South Coast AQMD [Baitong Chen, Air Quality Engineer, (bchen@aqmd.gov); Nathaniel Dickel, Senior Air Quality Engineer, (ndickel@aqmd.gov); Christina Ojeda, Air Quality Inspector, Payam Pakbin, Atmospheric Measurements Manager, ppakbin@aqmd.gov)]. Respondent shall provide updates to these QA/QC documents (if any) and a log for calibration, and maintenance activities performed on the monitors in the monthly reports pursuant to Condition No. 8. (...)

There were no updates or changes to the Air Monitoring QA/QC documents during the reporting period. No maintenance events that required field data sheets were performed in February 2026.

Section T – Total Organic Carbon (TOC) Sampling During Nuisance Events and Excavation

Pursuant to Condition No. 42(w), these monthly reports must include the following:

Condition No. 42(w). If a South Coast AQMD Rule 402 Nuisance Notice of Violation is received by the Respondent during excavation, or a distinct odor (level 3 or greater per below Odor Scale) resulting from the excavation is detected at or beyond the property line, then the Respondent shall, in accordance with its Health and Safety Plan, conduct ambient air quality sampling within 2 hours of receipt of Rule 402 Nuisance Notice of Violation or of when a distinct odor (level 3 or greater) is detected at or beyond the property line and analyze for TOC and speciated TOCs as follows:

<i>Odor Scale</i>	<i>Description of Odor Intensity</i>
<i>0</i>	<i>No odor detected</i>
<i>1</i>	<i>Very light odor detected</i>
<i>2</i>	<i>Light odor detected, distinguishable</i>
<i>3</i>	<i>Moderate odor, very distinguishable</i>
<i>4</i>	<i>Strong odor, very distinguishable, irritable</i>

5 *Very strong odor, very distinguishable, overpowering*

- ii. Samples shall be collected at the following locations: immediately upwind of the excavation site, immediately downwind of the excavation site, within 3 inches of the exposed excavation workface, safety permitting, and at the downwind property line, or other location(s) approved in writing by South Coast AQMD. If deemed unsafe, Respondent shall document the date and conditions preventing compliance with this condition. Records of such conditions shall be submitted in the following monthly report pursuant to Condition 8.*

During the month of February 2026, there were no instances of Condition 42(w) event trigger criteria being met, thus there were no Condition 42(w) monitoring events.

Pursuant to Condition No. 42(x), these monthly reports must also include the following:

Condition No. 42(x). During excavation, TOC and speciated TOC ambient air sampling shall be conducted at least once between the hours of 6:00am and 11:00am, and at least once between the hours of 2:00pm and 6:00pm, according to Respondent's Health and Safety Plan and the following requirements:

- i. Samples shall be collected at the following locations: immediately upwind of the excavation site, immediately downwind of the excavation site, within 3 inches of the exposed excavation workface, safety permitting, and at the downwind property line, or other location(s) approved in writing by South Coast AQMD. If deemed unsafe, Respondent shall document the date and conditions preventing compliance with this condition. Records of such conditions shall be submitted in the following monthly report pursuant to Condition 8.*

During the month of February 2026, there were no instances of Condition 42(x) event trigger criteria being met, thus there were no Condition 42(x) monitoring events.

Section U – Condensate Sampling/Analysis

Records of condensate sampling/analysis results:

Condition No. 55(g). Respondent maintains records of condensate sampling/analysis results to demonstrate the liquid is non-hazardous, maintains records of daily condensate injection flows (gallons per day), and provides these records in the monthly report pursuant to Condition No. 8

Condensate injection is recorded at the flare station but is currently off until the condensate is analyzed and confirmed to be non-hazardous. Therefore, the condensate injection flows for February 2026 are zero.

Section V – Records of Leachate Tank Pressure/Flow Information

Condition No. 68. Respondent shall by June 15, 2024, install appropriately ranged differential pressure gauges, with at least 0.01 inches water column resolution, or pressure gauge otherwise approved in writing by South Coast AQMD, on each leachate storage tank.

Respondent shall monitor and record daily the differential pressure of each leachate tank, tank identification number, date and time of the reading, and the personnel that conducted the reading. Pressure readings that indicate the lowest value of the gauge or the highest value of the gauge, shall be reported using significant digits to the hundredths place as " \leq [lowest value on gauge] (e.g. ≤ -0.50 inches water column)" and " \geq [highest value on gauge] (e.g. ≥ 0.50 inches water column)", respectively. The tanks shall be maintained under negative pressure, as demonstrated by differential pressure readings. Zero and positive pressure readings do not demonstrate negative pressure. Pressure gauges shall be calibrated according to manufacturer specifications and schedule. Respondent shall report all the recordings in the monthly report pursuant to Condition No. 8.

As required by Condition 68, Chiquita completed installation of differential pressure gauges on each leachate storage tank on July 10, 2024, following its June 12, 2024 request for an extension and subsequent documentation of manufacturer delays in delivering the pressure gauges to the site. Following installation, Chiquita experienced complications with regards to their implementation. As a result, records began on August 28, 2024. Readings for the month of February 2026 are included as Attachment M.

Condition No. 72. Respondent shall conduct sampling and analysis, testing, installation, and monitoring of the leachate and landfill gas condensate collection and storage tank system, as specified below:

- A. At least quarterly, conduct testing to sample and analyze the vapor flow in the piping used to vent the leachate storage tanks and landfill gas condensate tanks and route the vapors to the landfill gas control system. The testing shall at least include the following items and the results of this testing shall be provided in the monthly report pursuant to Condition No. 8:*
- i. vented leachate tank vapor flowrate,*
 - ii. vented condensate tank vapor flowrate,*
 - iii. vapor temperature,*
 - iv. concentrations of speciated organics (including but not limited to Rule 1150.1 Table 1 Carcinogenic and Toxic Air Contaminants),*
 - v. the total sulfur compounds as H₂S and speciated sulfur compounds, and*
 - vi. testing at each of the locations indicated below:*
 - 1. The tank vents or manifolds which are representative of a set of tanks;*
 - 2. The header/manifold from each leachate tank farm or manifold including Tank Farm #7, Tank Farm #9, North Perimeter Manifold, New East Perimeter Manifold, LC Manifold, landfill gas condensate storage tanks, and any other future tank farms or manifolds, with testing performed upstream of the piping connection to the LFG Collection and Conveyance System where landfill gas may affect results; and*
 - 3. The inlet of the flare(s) prior to combustion.*
- B. A source test protocol for this testing shall be submitted to South Coast AQMD by May 17, 2024, unless otherwise approved in writing by South Coast AQMD. Testing shall be conducted within 45 days of receiving written approval of the source test protocol by South Coast AQMD, and the final results in a source test report format shall be submitted within 30 days of testing, unless otherwise approved in writing by South Coast AQMD.*
- C. Within 30 days of the initial source test report, Respondent shall submit a recommendation from the Reaction Committee on additional vapor flow testing to the*

South Coast AQMD [attn: Baitong Chen, bchen@aqmd.gov; Nathaniel Dickel, ndickel@aqmd.gov; Christina Ojeda, cojeda@aqmd.gov]. The Reaction Committee may submit further recommendations regarding vapor flow testing to the South Coast AQMD within 30 days of additional source testing under this condition.

A Source Test Plan for Leachate and Condensate Vapor Sampling was submitted to the South Coast AQMD on behalf of Chiquita on July 12, 2024, in accordance with Condition No. 72(b). The source test protocol was originally submitted on May 17, 2024 but was revised and re-submitted on July 12, 2024 to address concerns raised by the South Coast AQMD. The revised plan was approved on September 6, 2024, and the source test was performed on October 17, 2024. The final source test report was submitted to the South Coast AQMD on November 15, 2024. The most recent source test, for the fourth quarter of 2025, was completed on November 24, 2025, by Montrose Environmental, and reported to SCAQMD on December 24, 2025. The source test for the first quarter of 2026 has been scheduled for March 30, 2026.

Condition No. 72(e). By June 28, 2024, unless otherwise approved in writing by South Coast AQMD, install flow meters within the HDPE piping headers for associated leachate tank farms to accurately measure and record the flow rate (scfm) and total daily volume of vented leachate tank vapors being sent to the flare station for combustion. The flow meters shall be installed according to manufacturer specifications and recommendations to ensure accurate flow readings.

- i. Daily flow rate (scf/day), flow meter location, indication of the tank farm whose flow is being measured, and indication of each tank within the tank farm vented and represented in the flow rate shall be submitted in the monthly report per Condition No. 8.***

For the reasons described in Chiquita's May 13, 2024 correspondence to South Coast AQMD, Chiquita requested and received an extension of the deadline for installation of the flow meters until July 19, 2024. Chiquita completed installation of the flow meters within the HDPE piping headers for associated leachate tank farms in accordance with Condition No. 72(e) on July 16, 2024. The flow meters were installed according to manufacturer specifications and recommendations to ensure accurate flow readings. A report of the daily flow rate (scf/day), flow meter location, indication of the tank farm whose flow is being measured, and indication of each tank within the tank farm vented and represented in the flow rate is included as **Attachment N**.

Section W – Landfill Gas Composition Readings

Condition No. 8(r). Daily landfill gas composition analysis, including CH₄%, CO concentration (ppm), CO₂%, and O₂%, as recorded by a real time analyzer and/or sample collected, at the inlets of the control equipment (TO_x, Flares, and any additional control equipment brought on site to combust landfill gas). The analysis shall be conducted by a South Coast AQMD approved analyzer for CH₄, CO₂, or O₂ and analyzed pursuant to U.S. EPA Method 10 or Method ALT-144 for CO. Request for approval shall include submittal of analyzer specifications.

Beginning on August 28, 2024, additional analyses for the TO_x and flares were requested with permanent gases (CO₂, O₂, and N₂) analyzed by ASTM Method D1946 and CO by EPA Method ALT-144. Analytical results are included in **Attachment A**.

Section X – Progress on Construction of Flare No. 4

Condition No. 74. Respondent shall expedite the procurement of the equipment needed to construct Flare No. 4 to the maximum extent feasible such that Flare No. 4 is ready to be constructed and put into operation as soon as possible after Respondent receives all necessary permits or other approvals. Respondent shall provide updates on the procurement of this equipment in the monthly report pursuant to Condition 8(s).

Chiquita and SCS Engineers completed the initial ordering of Flare 4 from John Zink in the month of January. Additionally, John Zink completed the inspection of Flare 2 in January 2025 and confirmed that the flare height can be extended without any additional modifications. Work on the permitting of Flare 4 and John Zink work on design and procurement of Flare 4 was ongoing during the month of February 2026.

Section Y – Various Location Equipment Tracking

Condition No. 80. Whenever South Coast AQMD permitted Various Location equipment or CARB Statewide Portable Equipment Registration (PERP) permitted equipment is brought or operated on site, the Respondent shall:

- a. Notify South Coast AQMD in writing of the date and time that the equipment is brought to the facility in the corresponding monthly report per Condition No. 8 and include a copy of the various locations permit(s) and/or PERP permit(s) in the corresponding monthly report per Condition No. 8.**
- b. Maintain a daily log including the following information for each permit unit: permit number and/or registration number, application number (if applicable), equipment location, and start and end time of equipment operation (as applicable). Respondent shall submit the daily log in the in the corresponding monthly report per Condition No. 8.**
- c. Notify South Coast AQMD in writing of the date and time that the equipment is removed from the facility in the corresponding monthly report per Condition No. 8.**

The PERP log for February 2026 and copies of the relevant permits are provided as Attachment O.

Section Z – Weekly Inspections to the Geosynthetic Cover

Condition No. 97. Respondent shall visually inspect all connection points, seams, and seals of the geosynthetic cover(s) in and around the Reaction Area (as defined in Condition No. 9(a)) at least once every seven (7) calendar days, and shall promptly repair any cover issues identified, Respondent shall maintain a log demonstrating that it has completed each inspection and addressed any issues with any connection points, seams, or seals of the geosynthetic cover, including the date the issue was identified, the action taken to repair the damage, and the time at which the repair was completed. Results of the inspection and the repair log required by this condition shall be included in the monthly reports required pursuant to Condition No. 8.

Chiquita visually inspects all connection points, seams, and seals of the geosynthetic cover at least once every seven (7) calendar days, promptly repairs any cover issues identified, and maintains a log demonstrating completion of these inspections and repairs, pursuant to Condition 97. The weekly logs detailing the visual inspection of connection points, seams, and seals of the geosynthetic cover in and around the Reaction Area and the repairs for February 2026 are included as **Attachment P**.

CLOSING

If you have any questions or need any additional information, please contact Cornelius Fong of SCS Field Services at (562) 743-7895 or Gabrielle Stephens of SCS at (562) 355-6510.

Sincerely,



Chuck Rainey
Project Professional
SCS Engineers



Gabrielle F. Stephens
Vice President
SCS Engineers

GFS/PSS

cc: Cornelius Fong, SCS Engineers;
Dylan Smith, Chiquita Canyon Landfill

Enclosures

Attachment A

Lab Analyses from the Reporting Period



LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 3, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 1, 2026
Date Received: February 2, 2026
Date Analyzed: February 2, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20336-10	20336-11	20336-12	20336-13
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	256	151	160	173
Carbonyl sulfide	<1.00	0.66	<1.50	<1.50
Methyl mercaptan	89.8	78.4	248	239
Ethyl mercaptan	1.64	1.15	3.49	3.54
Dimethyl sulfide	280	281	689	681
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	2.09	1.55	1.68	2.01
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.66	3.20	8.53	8.44
s-Butyl mercaptan	3.57	3.04	6.68	6.76
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.04	2.98	3.19	3.64
Tetrahydrothiophene	<1.00	0.78	2.11	2.17
Unidentified sulfurs	6.12	4.94	7.55	9.22

(Concentration in ppmv, as H₂S)

Total Sulfur	644.4	531.7	1132.4	1130.9
--------------	-------	-------	--------	--------

Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 1, 2026
 Date Received: February 2, 2026
 Date Analyzed: February 2, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	256	256	256	0.00
	FL-2009 Inlet	154	148	151	4.0
	Hero Inlet	156	163	160	4.4
	Parnel Inlet	175	170	173	2.9
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.68	0.63	0.66	7.6
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	89.2	90.3	89.8	1.2
	FL-2009 Inlet	81.3	75.5	78.4	7.4
	Hero Inlet	243	253	248	4.0
	Parnel Inlet	241	236	239	2.1
Ethyl mercaptan	Zeeco Inlet	1.61	1.66	1.64	3.1
	FL-2009 Inlet	1.22	1.07	1.15	13
	Hero Inlet	3.43	3.54	3.49	3.2
	Parnel Inlet	3.55	3.52	3.54	0.85
Dimethyl sulfide	Zeeco Inlet	277	282	280	1.8
	FL-2009 Inlet	288	274	281	5.0
	Hero Inlet	674	703	689	4.2
	Parnel Inlet	684	677	681	1.0
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	2.00	2.18	2.09	8.6
	FL-2009 Inlet	1.61	1.48	1.55	8.4
	Hero Inlet	1.66	1.69	1.68	1.8
	Parnel Inlet	1.96	2.05	2.01	4.5
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.59	3.73	3.66	3.8
	FL-2009 Inlet	3.32	3.07	3.20	7.8
	Hero Inlet	8.46	8.60	8.53	1.6
	Parnel Inlet	8.25	8.62	8.44	4.4
s-Butyl mercaptan	Zeeco Inlet	3.54	3.60	3.57	1.7
	FL-2009 Inlet	3.20	2.88	3.04	11
	Hero Inlet	6.40	6.95	6.68	8.2
	Parnel Inlet	6.78	6.74	6.76	0.59
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.06	1.01	1.04	4.8
	FL-2009 Inlet	2.98	2.97	2.98	0.34
	Hero Inlet	3.02	3.35	3.19	10
	Parnel Inlet	3.66	3.62	3.64	1.1
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.79	0.77	0.78	2.6
	Hero Inlet	2.07	2.14	2.11	3.3
	Parnel Inlet	2.12	2.21	2.17	4.2
Unidentified sulfurs	Zeeco Inlet	5.92	6.32	6.12	6.5
	FL-2009 Inlet	5.00	4.88	4.94	2.4
	Hero Inlet	7.17	7.92	7.55	9.9
	Parnel Inlet	9.71	8.73	9.22	11

Four Tedlar bag samples, laboratory numbers 20336-(10-13), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 4.6%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 2, 2026


Date Analyzed: February 2, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20336-10	Zeeco Inlet	3.97	16.97	31.78	41.62
20336-11	FL-2009 Inlet	4.97	24.37	29.28	35.66
20336-12	Hero Inlet	5.70	25.16	15.98	44.77
20336-13	Parnel Inlet	5.80	24.56	17.70	43.74

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 2, 2026
 Date Analyzed: February 2, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
		<i>(Concentration in %,v)</i>				
Oxygen	Zeeco Inlet	3.97	3.97	3.97	0.0	<0.1
Nitrogen	Zeeco Inlet	16.97	16.96	16.97	0.06	<0.1
Methane	Zeeco Inlet	31.75	31.80	31.78	0.16	<0.1
Carbon Dioxide	Zeeco Inlet	41.62	41.62	41.62	0.0	<0.1

Four Tedlar bag samples, laboratory numbers 20336-(10-13), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.05%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples
Report Date: February 27, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 2, 2026
Date Analyzed: February 2, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20336-10	Zeeco Inlet	337
20336-11	FL-2009 Inlet	317
20336-12	Hero Inlet	713
20336-13	Parnel Inlet	656


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)


Project Name: Chiquita Canyon Landfill
 Date Received: February 2, 2026
 Date Analyzed: February 2, 2026

Components	Sample ID	Repeat	Analysis	Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Carbon Monoxide	Zeeco Inlet	335	338	337	0.89

Four Tedlar bag samples, laboratory numbers 20336-(10-13), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.89%.









CHAIN OF CUSTODY RECORD

Client/Project Name
 SCS Engineers / Chiquita Canyon Landfill
Project No.
 07224200.24 Task 1
Sampler: (Signature)


Project Location
 29201 Henry Mayo Drive, Castaic, CA 91384
Field Logbook No.


Chain of Custody Tape No.

Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	ANALYSES REQUESTED				Special Remarks
					TRS (307.91)	CH4, CO2, O2 (1946)	CO (EPA alt-144)		
Zeeco Inlet	LFG	20336-10	2/1/26	1:45PM	X	X	X		H2S 170 PPM
FL-2009 Inlet	LFG	-11	2/1/26	1:10PM	X	X	X		H2S 100 PPM
Hero Inlet	LFG	-12	2/1/26	1:40PM	X	X	X		H2S 120 PPM
Parnel Inlet	LFG	-13	2/1/26	1:50PM	X	X	X		H2S 140 PPM

Relinquished by: (Signature)

Received by: (Signature)

Relinquished by: (Signature)

Received by: (Signature)

Relinquished by: (Signature)

Received by: (Signature)


Date 2/1/26 **Time** 3:30PM
Date 2/2/26 **Time** 8:48
Date 2/2/26 **Time** 9:50
Send Report to:
 Company: SCS Engineers
 Street Address: 3900 Kilroy Airport Way Suite 300
 City/State/Zip: Long Beach / CA / 90806
 Project Manager: Cornelius Fong
 Email Address: CFong@scsengineers.com

Date 2/2/26 **Time** 8:00AM
Date 2/2/26 **Time** 8:48
Date 2/2/26 **Time** 9:50
Analytical Laboratory
 AtmAA Inc.
 5107 Douglas Fir Rd.
 Calabasas, CA 91302
 TEL: (818) 223-3277
 Email Address: info@atmaa.com





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 3, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 2, 2026
Date Received: February 2, 2026
Date Analyzed: February 2, 2026

ANALYSIS DESCRIPTION


Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20336-14	20336-15	20336-16	20336-17
Sample I.D.:	Zeeco Inlet	FL-1995 Inlet	Hero Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	228	120	168	157
Carbonyl sulfide	<1.00	0.73	<1.50	<1.50
Methyl mercaptan	88.7	66.2	257	223
Ethyl mercaptan	1.54	1.02	3.69	3.07
Dimethyl sulfide	282	269	697	620
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	2.09	1.51	2.00	1.97
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.63	3.01	8.48	7.87
s-Butyl mercaptan	3.75	3.01	6.62	6.33
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	<1.00	2.70	2.40	2.42
Tetrahydrothiophene	<1.00	0.75	1.98	1.97
Unidentified sulfurs	2.73	2.43	5.22	5.25

(Concentration in ppmv, as H₂S)

Total Sulfur	611.4	472.0	1153.8	1030.8
--------------	-------	-------	--------	--------



Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 2, 2026
 Date Received: February 2, 2026
 Date Analyzed: February 2, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	233	222	228	4.8
	FL-1995 Inlet	117	122	120	4.2
	Hero Inlet	169	167	168	1.2
	Parnel Inlet	156	158	157	1.3
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	0.70	0.76	0.73	8.2
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	91.9	85.5	88.7	7.2
	FL-1995 Inlet	64.5	67.9	66.2	5.1
	Hero Inlet	256	257	257	0.39
	Parnel Inlet	225	220	223	2.2
Ethyl mercaptan	Zeeco Inlet	1.66	1.41	1.54	16
	FL-1995 Inlet	1.02	1.02	1.02	0.00
	Hero Inlet	3.74	3.64	3.69	2.7
	Parnel Inlet	3.16	2.98	3.07	5.9
Dimethyl sulfide	Zeeco Inlet	291	272	282	6.7
	FL-1995 Inlet	264	273	269	3.4
	Hero Inlet	687	706	697	2.7
	Parnel Inlet	627	613	620	2.3
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	2.17	2.01	2.09	7.7
	FL-1995 Inlet	1.40	1.62	1.51	15
	Hero Inlet	2.14	1.86	2.00	14
	Parnel Inlet	1.85	2.09	1.97	12
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---




QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.79	3.46	3.63	9.1
	FL-1995 Inlet	3.00	3.02	3.01	0.66
	Hero Inlet	8.36	8.59	8.48	2.7
	Parnel Inlet	7.95	7.78	7.87	2.2
s-Butyl mercaptan	Zeeco Inlet	3.99	3.50	3.75	13
	FL-1995 Inlet	2.95	3.06	3.01	3.7
	Hero Inlet	6.17	7.07	6.62	14
	Parnel Inlet	6.11	6.55	6.33	7.0
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	2.64	2.75	2.70	4.1
	Hero Inlet	2.38	2.41	2.40	1.3
	Parnel Inlet	2.43	2.41	2.42	0.83
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	0.79	0.70	0.75	12
	Hero Inlet	1.96	2.00	1.98	2.0
	Parnel Inlet	1.94	1.99	1.97	2.5
Unidentified sulfurs	Zeeco Inlet	2.70	2.76	2.73	2.2
	FL-1995 Inlet	2.59	2.27	2.43	13
	Hero Inlet	5.22	5.22	5.22	0.00
	Parnel Inlet	5.32	5.18	5.25	2.6

Four Tedlar bag samples, laboratory numbers 20336-(14-17), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 39 repeat measurements from four Tedlar bag samples is 5.5%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 2, 2026


Date Analyzed: February 2, 2026

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20336-14	Zeeco Inlet	4.92	20.98	29.46	40.53
20336-15	FL-1995 Inlet	6.29	27.18	28.36	34.23
20336-16	Hero Inlet	6.98	29.64	14.16	41.46
20336-17	Parnel Inlet	7.57	30.26	15.46	40.34

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 2, 2026
 Date Analyzed: February 2, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
		<i>(Concentration in %,v)</i>				
Oxygen	Hero Inlet	6.97	6.98	6.98	0.14	<0.1
Nitrogen	Hero Inlet	29.59	29.69	29.64	0.34	<0.1
Methane	Hero Inlet	14.15	14.17	14.16	0.14	<0.1
Carbon Dioxide	Hero Inlet	41.50	41.42	41.46	0.19	<0.1

Four Tedlar bag samples, laboratory numbers 20336-(14-17), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.20%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 2, 2026

Date Analyzed: February 2, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20336-14	Zeeco Inlet	345
20336-15	FL-1995 Inlet	254
20336-16	Hero Inlet	587
20336-17	Parnel Inlet	619


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)








Project Name: Chiquita Canyon Landfill
 Date Received: February 2, 2026
 Date Analyzed: February 2, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Hero Inlet	587	587	587	0.0

Four Tedlar bag samples, laboratory numbers 20336-(14-17), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.0%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) 		Chain of Custody Tape No.		CH4, CO2, O2 (1946)	CO (EPA alt-144)		
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	TRS (307.91)	Special Remarks	
Zeeco Inlet	LFG	20336-14	2/2/26	7:25am	X	H2S 150 PPM	
FL-1945 Inlet FL-2009 Inlet EA	LFG	-15	2/2/26	7:35am	X	H2S 100 PPM	
Hero Inlet	LFG	-16	2/2/26	7:10am	X	H2S 130 PPM	
Parnel Inlet	LFG	-17	2/2/26	7:20am	X	H2S 160 PPM	
Relinquished by: (Signature) 		Date 2/2/26	Time 8:48	Received by: (Signature) 		Date 2/2/26	Time 8:48
Relinquished by: (Signature) 		Date 2/2/26	Time 9:50	Received by: (Signature) 		Date	Time
Relinquished by: (Signature) 		Date	Time	Received for Laboratory by: (Signature) 		Date 2/2/26	Time 9:50
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 3, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 3, 2026
Date Received: February 3, 2026
Date Analyzed: February 3, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20346-15	20346-16	20346-17	20346-18
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	227	161	168	163
Carbonyl sulfide	<1.00	0.65	<1.50	<1.50
Methyl mercaptan	71.7	74.1	285	231
Ethyl mercaptan	1.43	1.16	3.99	3.17
Dimethyl sulfide	257	267	729	653
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.94	1.73	2.00	1.90
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.11	3.08	8.80	8.08
s-Butyl mercaptan	3.02	3.32	6.99	6.51
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	<1.00	2.60	2.61	2.95
Tetrahydrothiophene	<1.00	0.89	1.83	1.83
Unidentified sulfurs	3.48	4.34	6.60	7.78

(Concentration in ppmv, as H₂S)

Total Sulfur	568.7	522.0	1215.9	1081.7
--------------	-------	-------	--------	--------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 3, 2026
 Date Received: February 3, 2026
 Date Analyzed: February 3, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	
		Run #1	Run #2			
		<i>(Concentration in ppmv)</i>				
Hydrogen sulfide	Zeeco Inlet	227	227	227	0.00	
	FL-2009 Inlet	165	156	161	5.6	
	Hero Inlet	177	158	168	11	
	Parnel Inlet	165	161	163	2.5	
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---	
	FL-2009 Inlet	0.67	0.63	0.65	6.2	
	Hero Inlet	<1.50	<1.50	---	---	
	Parnel Inlet	<1.50	<1.50	---	---	
Methyl mercaptan	Zeeco Inlet	71.5	71.9	71.7	0.56	
	FL-2009 Inlet	76.0	72.2	74.1	5.1	
	Hero Inlet	293	276	285	6.0	
	Parnel Inlet	232	230	231	0.87	
Ethyl mercaptan	Zeeco Inlet	1.44	1.41	1.43	2.1	
	FL-2009 Inlet	1.22	1.10	1.16	10	
	Hero Inlet	4.10	3.88	3.99	5.5	
	Parnel Inlet	3.22	3.12	3.17	3.2	
Dimethyl sulfide	Zeeco Inlet	254	260	257	2.3	
	FL-2009 Inlet	272	262	267	3.7	
	Hero Inlet	746	711	729	4.8	
	Parnel Inlet	663	642	653	3.2	
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---	
	FL-2009 Inlet	<0.50	<0.50	---	---	
	Hero Inlet	<1.50	<1.50	---	---	
	Parnel Inlet	<1.50	<1.50	---	---	
i-Propyl mercaptan	Zeeco Inlet	1.84	2.04	1.94	10	
	FL-2009 Inlet	1.79	1.66	1.73	7.5	
	Hero Inlet	2.06	1.93	2.00	6.5	
	Parnel Inlet	1.99	1.80	1.90	10	
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---	
	FL-2009 Inlet	<0.50	<0.50	---	---	
	Hero Inlet	<1.50	<1.50	---	---	
	Parnel Inlet	<1.50	<1.50	---	---	



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.13	3.08	3.11	1.6
	FL-2009 Inlet	3.17	2.99	3.08	5.8
	Hero Inlet	9.07	8.53	8.80	6.1
	Parnel Inlet	8.30	7.85	8.08	5.6
s-Butyl mercaptan	Zeeco Inlet	2.96	3.08	3.02	4.0
	FL-2009 Inlet	3.36	3.28	3.32	2.4
	Hero Inlet	7.11	6.86	6.99	3.6
	Parnel Inlet	6.53	6.48	6.51	0.77
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	2.64	2.56	2.60	3.1
	Hero Inlet	2.78	2.44	2.61	13
	Parnel Inlet	2.93	2.97	2.95	1.4
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.92	0.85	0.89	7.9
	Hero Inlet	1.93	1.72	1.83	12
	Parnel Inlet	1.87	1.79	1.83	4.4
Unidentified sulfurs	Zeeco Inlet	3.60	3.36	3.48	6.9
	FL-2009 Inlet	4.55	4.13	4.34	9.7
	Hero Inlet	6.59	6.60	6.60	0.15
	Parnel Inlet	8.31	7.25	7.78	14

Four Tedlar bag samples, laboratory numbers 20346-(15-18), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.4%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 3, 2026


Date Analyzed: February 3, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20346-15	Zeeco Inlet	4.47	20.03	30.02	40.72
20346-16	FL-2009 Inlet	5.32	25.55	28.96	35.05
20346-17	Hero Inlet	5.87	26.49	14.18	44.88
20346-18	Parnel Inlet	6.39	27.25	15.94	42.40

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst


QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 3, 2026
Date Analyzed: February 3, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Hero Inlet	5.86	5.87	5.87	0.17	<0.1
Nitrogen	Hero Inlet	26.45	26.53	26.49	0.30	<0.1
Methane	Hero Inlet	14.17	14.18	14.18	0.07	<0.1
Carbon Dioxide	Hero Inlet	44.90	44.86	44.88	0.09	<0.1

Four Tedlar bag samples, laboratory numbers 20346-(15-18), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.16%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1


Date Received: February 3, 2026

Date Analyzed: February 3, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20346-15	Zeeco Inlet	322
20346-16	FL-2009 Inlet	252
20346-17	Hero Inlet	677
20346-18	Parnel Inlet	587



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 3, 2026
 Date Analyzed: February 3, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Carbon Monoxide	Hero Inlet	676	677	677	0.15

Four Tedlar bag samples, laboratory numbers 20346-(15-18), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.15%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) <i>Water Sawyer</i>		Chain of Custody Tape No.		CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)	Special Remarks	
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	TRS (307.91)		
Zeeco Inlet	LFG	20346-15	2/13/26	7:25AM	X	H2S 210 PPM	
FL-2009 Inlet	LFG	-16	2/13/26	7:35AM	X	H2S 120 PPM	
Hero Inlet	LFG	-17	2/13/26	7:05AM	X	H2S 150 PPM	
Parnel Inlet	LFG	-18	2/13/26	7:15AM	X	H2S 150 PPM	
Relinquished by: (Signature) <i>Water Sawyer</i>	Date 2/13/26	Time 7:55AM	Received by: (Signature) <i>[Signature]</i>		Date 2/13/26	Time 8:01	
Relinquished by: (Signature) <i>[Signature]</i>	Date 2/13/26	Time 9:10	Received by: (Signature) <i>[Signature]</i>		Date	Time	
Relinquished by: (Signature) <i>[Signature]</i>	Date	Time	Received for Laboratory by: (Signature) <i>[Signature]</i>		Date 2/13/26	Time 9:16	
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 3, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 4, 2026
Date Received: February 4, 2026
Date Analyzed: February 4, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20356-2	20356-3	20356-4
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>		
Hydrogen sulfide	225	145	155
Carbonyl sulfide	<1.00	0.62	<1.50
Methyl mercaptan	68.7	71.5	212
Ethyl mercaptan	1.40	1.06	2.95
Dimethyl sulfide	245	247	584
Carbon disulfide	<1.00	<0.50	<1.50
i-Propyl mercaptan	2.00	1.53	1.84
t-Butyl mercaptan	<1.00	<0.50	<1.50
n-Propyl mercaptan	3.08	2.81	7.15
s-Butyl mercaptan	2.95	2.76	5.57
i-Butyl mercaptan	<1.00	<0.50	<1.50
Dimethyl disulfide	<1.00	1.95	2.83
Tetrahydrothiophene	<1.00	0.74	1.61
Unidentified sulfurs	1.31	2.70	4.76

(Concentration in ppmv, as H₂S)

Total Sulfur	549.4	479.1	979.5
--------------	-------	-------	-------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 4, 2026
 Date Received: February 4, 2026
 Date Analyzed: February 4, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	Zeeco Inlet	226	224	225	0.89
	FL-2009 Inlet	150	139	145	7.6
	Parnel Inlet	161	148	155	8.4
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.64	0.59	0.62	8.1
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	68.7	68.7	68.7	0.00
	FL-2009 Inlet	74.3	68.7	71.5	7.8
	Parnel Inlet	219	205	212	6.6
Ethyl mercaptan	Zeeco Inlet	1.40	1.39	1.40	0.72
	FL-2009 Inlet	1.09	1.02	1.06	6.6
	Parnel Inlet	3.03	2.86	2.95	5.8
Dimethyl sulfide	Zeeco Inlet	244	246	245	0.82
	FL-2009 Inlet	256	238	247	7.3
	Parnel Inlet	600	567	584	5.7
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	2.06	1.93	2.00	6.5
	FL-2009 Inlet	1.55	1.51	1.53	2.6
	Parnel Inlet	1.90	1.78	1.84	6.5
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
n-Propyl mercaptan	Zeeco Inlet	3.06	3.09	3.08	0.98
	FL-2009 Inlet	2.95	2.66	2.81	10
	Parnel Inlet	7.23	7.07	7.15	2.2
s-Butyl mercaptan	Zeeco Inlet	2.74	3.16	2.95	14
	FL-2009 Inlet	2.84	2.67	2.76	6.2
	Parnel Inlet	5.71	5.4	5.57	5.2



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	1.98	1.92	1.95	3.1
	Parnel Inlet	2.83	2.83	2.83	0.00
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.84	0.64	0.74	27
	Parnel Inlet	1.77	1.44	1.61	21
Unidentified sulfurs	Zeeco Inlet	1.13	1.50	1.31	28
	FL-2009 Inlet	2.96	2.43	2.70	20
	Parnel Inlet	4.98	4.54	4.76	9.2

Three Tedlar bag samples, laboratory numbers 20356-(2-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from three Tedlar bag samples is 7.9%.





TO-15 Component Analysis in Tedlar Bag Sample, by GC/MS Method EPA TO-15

Report Date: February 27, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 4, 2026
Date Analyzed: February 5, 2026


AtmAA Lab No.:	20356-2	20356-3	20356-4
Sample ID:	Zeeco Inlet	FL-2009 Inlet	Parnel Inlet
Components	<i>(Concentrations in ppmv)</i>		
Freon 12	<1.50	<1.50	<1.50
Chloromethane	2.94	<1.90	<1.90
Freon 114	<1.10	<1.10	<1.10
Vinyl Chloride	<1.50	<1.50	<1.50
1,3-Butadiene	<1.80	<1.80	<1.80
Bromomethane	<1.90	<1.90	<1.90
Chloroethane	<1.50	<1.50	<1.50
Acetone	142	199	375
Freon 11	<1.40	<1.40	<1.40
Isopropyl Alcohol	182	145	228
1,1-Dichloroethene	<1.90	<1.90	<1.90
Methylene Chloride	<2.20	<2.20	<2.20
Carbon Disulfide	<1.30	<1.30	<1.30
Freon 113	<1.00	<1.00	<1.00
trans-1,2-Dichloroethene	<1.90	<1.90	<1.90
1,1-Dichloroethane	<1.90	<1.90	<1.90
MTBE	<2.10	<2.10	<2.10
Vinyl Acetate	<2.60	<2.60	<2.60
2-Butanone	59.2	81.9	159
cis-1,2-Dichloroethene	<1.90	<1.90	<1.90
n-Hexane	<2.20	<2.20	2.93
Chloroform	<1.60	<1.60	<1.60
Ethyl Acetate	9.39	7.30	11.8
Tetrahydrofuran	27.2	44.3	107
1,2-Dichloroethane	<1.90	<1.90	<1.90
1,1,1-Trichloroethane	<1.40	<1.40	<1.40
Benzene	38.9	40.3	101
Carbon Tetrachloride	<1.20	<1.20	<1.20
Cyclohexane	<2.20	<2.20	<2.20
1,2-Dichloropropane	<1.70	<1.70	<1.70
Bromodichloromethane	<1.20	<1.20	<1.20
Trichloroethene	<1.40	<1.40	<1.40
1,4-Dioxane	<2.10	<2.10	<2.10
n-Heptane	<1.90	<1.90	<1.90
cis-1,3-Dichloropropene	<1.70	<1.70	<1.70
4-Methyl-2-pentanone	<1.85	<1.85	2.90
trans-1,3-Dichloropropene	<1.70	<1.70	<1.70
1,1,2-Trichloroethane	<1.40	<1.40	<1.40
Toluene	2.36	2.77	4.37
2-Hexanone	<1.90	<1.90	<1.90
Dibromochloromethane	<0.90	<0.90	<0.90
1,2-Dibromoethane	<1.00	<1.00	<1.00
Tetrachloroethene	<1.10	<1.10	<1.10
Chlorobenzene	<1.70	<1.70	<1.70
Ethylbenzene	<1.75	<1.75	<1.75
m,p-Xylene	<1.75	<1.75	<1.75
Bromoform	<0.80	<0.80	<0.80
Styrene	<1.80	<1.80	<1.80
1,1,2,2-Tetrachloroethane	<1.10	<1.10	<1.10
o-Xylene	<1.80	<1.80	<1.80
Benzyl Chloride	<1.40	<1.40	<1.40
4-Ethyl Toluene	<1.60	<1.60	<1.60
1,3,5-Trimethyl Benzene	<1.60	<1.60	<1.60
1,2,4-Trimethyl Benzene	<1.60	<1.60	<1.60
1,3-Dichlorobenzene	<1.30	<1.30	<1.30
1,4-Dichlorobenzene	<1.30	<1.30	<1.30
1,2-Dichlorobenzene	<1.30	<1.30	<1.30
1,2,4-Trichlorobenzene	<4.10	<4.10	<4.10
Hexachlorobutadiene	<2.90	<2.90	<2.90


Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 4, 2026
Date Analyzed: February 5, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Freon-12	Parnel Inlet	<1.50	<1.50	---	---
Chloromethane	Parnel Inlet	<1.90	<1.90	---	---
Freon 114	Parnel Inlet	<1.10	<1.10	---	---
Vinyl Chloride	Parnel Inlet	<1.50	<1.50	---	---
1,3-Butadiene	Parnel Inlet	<1.80	<1.80	---	---
Bromomethane	Parnel Inlet	<1.90	<1.90	---	---
Chloroethane	Parnel Inlet	<1.50	<1.50	---	---
Acetone	Parnel Inlet	404	346	375	15
Freon 11	Parnel Inlet	<1.40	<1.40	---	---
Isopropyl Alcohol	Parnel Inlet	230	225	228	2.2
1,1-Dichloroethene	Parnel Inlet	<1.90	<1.90	---	---
Methylene Chloride	Parnel Inlet	<2.20	<2.20	---	---
Carbon Disulfide	Parnel Inlet	<1.30	<1.30	---	---
Freon 113	Parnel Inlet	<1.00	<1.00	---	---
trans-1,2-Dichloroethene	Parnel Inlet	<1.90	<1.90	---	---
1,1-Dichloroethane	Parnel Inlet	<1.90	<1.90	---	---
MTBE	Parnel Inlet	<2.10	<2.10	---	---
Vinyl Acetate	Parnel Inlet	<2.60	<2.60	---	---
2-Butanone	Parnel Inlet	154	163	159	5.7
cis-1,2-Dichloroethene	Parnel Inlet	<1.90	<1.90	---	---
n-Hexane	Parnel Inlet	2.84	3.01	2.93	5.8
Chloroform	Parnel Inlet	<1.60	<1.60	---	---
Ethyl Acetate	Parnel Inlet	11.6	12.0	11.8	3.4
Tetrahydrofuran	Parnel Inlet	106	108	107	1.9
1,2-Dichloroethane	Parnel Inlet	<1.90	<1.90	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
1,1,1-Trichloroethane	Parnel Inlet	<1.40	<1.40	---	---
Benzene	Parnel Inlet	101	101	101	0.00
Carbon Tetrachloride	Parnel Inlet	<1.20	<1.20	---	---
Cyclohexane	Parnel Inlet	<2.20	<2.20	---	---
1,2-Dichloropropane	Parnel Inlet	<1.70	<1.70	---	---
Bromodichloromethane	Parnel Inlet	<1.20	<1.20	---	---
Trichloroethene	Parnel Inlet	<1.40	<1.40	---	---
1,4-Dioxane	Parnel Inlet	<2.10	<2.10	---	---
n-Heptane	Parnel Inlet	<1.90	<1.90	---	---
cis-1,3-Dichloropropene	Parnel Inlet	<1.70	<1.70	---	---
4-Methyl-2-pentanone	Parnel Inlet	2.61	3.19	2.90	20
trans-1,3-Dichloropropene	Parnel Inlet	<1.70	<1.70	---	---
1,1,2-Trichloroethane	Parnel Inlet	<1.40	<1.40	---	---
Toluene	Parnel Inlet	4.37	4.37	4.37	0.00
2-Hexanone	Parnel Inlet	<1.90	<1.90	---	---
Dibromochloromethane	Parnel Inlet	<0.90	<0.90	---	---
1,2-Dibromoethane	Parnel Inlet	<1.00	<1.00	---	---
Tetrachloroethene	Parnel Inlet	<1.10	<1.10	---	---
Chlorobenzene	Parnel Inlet	<1.70	<1.70	---	---
Ethylbenzene	Parnel Inlet	<1.75	<1.75	---	---
m,p-Xylene	Parnel Inlet	<1.75	<1.75	---	---
Bromoform	Parnel Inlet	<0.80	<0.80	---	---
Styrene	Parnel Inlet	<1.80	<1.80	---	---
1,1,2,2-Tetrachloroethane	Parnel Inlet	<1.10	<1.10	---	---
o-Xylene	Parnel Inlet	<1.80	<1.80	---	---



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Benzyl Chloride	Parnel Inlet	<1.40	<1.40	---	---
4-Ethyl Toluene	Parnel Inlet	<1.60	<1.60	---	---
1,3,5-Trimethyl Benzene	Parnel Inlet	<1.60	<1.60	---	---
1,2,4-Trimethyl Benzene	Parnel Inlet	<1.60	<1.60	---	---
1,3-Dichlorobenzene	Parnel Inlet	<1.30	<1.30	---	---
1,4-Dichlorobenzene	Parnel Inlet	<1.30	<1.30	---	---
1,2-Dichlorobenzene	Parnel Inlet	<1.30	<1.30	---	---
1,2,4-Trichlorobenzene	Parnel Inlet	<4.10	<4.10	---	---
Hexachlorobutadiene	Parnel Inlet	<2.90	<2.90	---	---

Three Tedlar bag samples, laboratory numbers 20356-(2-4), were analyzed for TO-15 components, by GC/MS. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from three Tedlar bag samples is 6.0%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 4, 2026


Date Analyzed: February 4, 2026

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/gas chromatography analysis (TCD/GC), ASTM D1946-90.

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20356-2	Zeeco Inlet	5.63	23.92	28.15	36.37
20356-3	FL-2009 Inlet	6.09	28.33	26.95	33.32
20356-4	Parnel Inlet	7.04	28.74	16.43	40.27

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 4, 2026
 Date Analyzed: February 4, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Oxygen	Zeeco Inlet	5.63	5.62	5.63	0.18	<0.1
Nitrogen	Zeeco Inlet	23.98	23.86	23.92	0.50	<0.1
Methane	Zeeco Inlet	28.17	28.13	28.15	0.14	<0.1
Carbon Dioxide	Zeeco Inlet	37.86	34.88	36.37	8.19	<0.1

Three Tedlar bag samples, laboratory numbers 20356-(2-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 3 Tedlar bag samples is 2.2%.





LABORATORY ANALYSIS REPORT

Hydrogen Analysis in Tedlar Bag Samples


Report Date: February 27, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 4, 2026
Date Analyzed: February 4, 2026

ANALYSIS DESCRIPTION

*Hydrogen was measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Hydrogen (%v)
20356-2	Zeeco Inlet	1.82
20356-3	FL-2009 Inlet	1.77
20356-4	Parnel Inlet	3.39

*The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported.
Actual analysis results are reported on a "wet" basis.*


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 4, 2026
 Date Analyzed: February 4, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Hydrogen	Zeeco Inlet	1.82	1.82	1.82	0.0	<0.1

Three Tedlar bag samples, laboratory number 20356-(2-4), were analyzed for Hydrogen. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 3 Tedlar bag samples is 0.0%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 2, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 4, 2026
Date Analyzed: February 4, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20356-2	Zeeco Inlet	313
20356-3	FL-2009 Inlet	244
20356-4	Parnel Inlet	607


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 4, 2026
 Date Analyzed: February 4, 2026

Components	Sample ID	Repeat	Analysis	Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Carbon Monoxide	Zeeco Inlet	317	308	313	2.9

Three Tedlar bag samples, laboratory numbers 20356-(2-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 3 Tedlar bag samples is 2.9%.



CHAIN OF CUSTODY RECORD

Client/Project Name
SCS Engineers / Chiquita Canyon Landfill

Project Location
29201 Henry Mayo Drive, Castaic, CA 91384

Project No.
07224200.24 Task 1

Field Logbook No.

Sampler: (Signature)
[Signature]

Chain of Custody Tape No.

Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time
Zeeco Inlet	LFG	20356-2	2/4/26	7:30 AM
Hero Inlet	LFG		2/4/26	7:15 AM
FL-2009 Inlet	LFG	-3	2/4/26	7:40 AM
Parnel Inlet	LFG	-4	2/4/26	7:25 AM

ANALYSES REQUESTED	
CH ₄ , CO ₂ , O ₂ (1946)	X
CO (EPA ALT-144)	X
VOCs (TO-15)	X
H ₂ (ASTM D1946)	X

Special Remarks	Date	Time
H ₂ S 175 ppm	2/4/26	8:19 AM
H ₂ S 110 ppm		
H ₂ S 80 ppm		
H ₂ S 125 ppm		

Relinquished by: (Signature)
[Signature]

Date: 2/4/26 Time: 8:00 AM

Received by: (Signature)
LUIS FAREAN

Relinquished by: (Signature)
LUIS FAREAN

Date: 2/4/26 Time: 9:25 AM

Received by: (Signature)

Relinquished by: (Signature)

Date: 2/4/26 Time: 9:25 AM

Received for Laboratory by: (Signature)
[Signature]

Company Info:

Company: SCS Engineers

Street Address: 3900 Kilroy Airport Way Suite 300

City/State/Zip: Long Beach / CA / 90806

Telephone No.: 562-743-7895 / 562-335-0002

Fax No.:

Send Report to:

Company: SCS Engineers

Street Address: 3900 Kilroy Airport Way Suite 300

City/State/Zip: Long Beach / CA / 90806

Project Manager: Cornelius Fong

Email Address: CFong@scsengineers.com


Company: AtmAA Inc.

Street Address: 5107 Douglas Fir Rd.

City/State/Zip: Calabasas, CA 91302

TEL: (818) 223-3277

Email Address: info@atmaa.com



* received flat



LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 3, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 4, 2026
Date Received: February 5, 2026
Date Analyzed: February 5, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.: 20366-11
Sample I.D.: Hero Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>
Hydrogen sulfide	178
Carbonyl sulfide	<1.50
Methyl mercaptan	298
Ethyl mercaptan	4.01
Dimethyl sulfide	757
Carbon disulfide	<1.50
i-Propyl mercaptan	2.13
t-Butyl mercaptan	<1.50
n-Propyl mercaptan	9.41
s-Butyl mercaptan	7.37
i-Butyl mercaptan	<1.50
Dimethyl disulfide	<1.50
Tetrahydrothiophene	1.97
Unidentified sulfurs	9.70

(Concentration in ppmv, as H₂S)

Total Sulfur 1267.1



Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 4, 2026
 Date Received: February 5, 2026
 Date Analyzed: February 5, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Hydrogen sulfide	Hero Inlet	182	173	178	5.1
Carbonyl sulfide	Hero Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Hero Inlet	302	294	298	2.7
Ethyl mercaptan	Hero Inlet	4.02	4.00	4.01	0.50
Dimethyl sulfide	Hero Inlet	760	754	757	0.79
Carbon disulfide	Hero Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Hero Inlet	2.19	2.07	2.13	5.6
t-Butyl mercaptan	Hero Inlet	<1.50	<1.50	---	---
n-Propyl mercaptan	Hero Inlet	9.52	9.29	9.41	2.4
s-Butyl mercaptan	Hero Inlet	7.20	7.54	7.37	4.6
i-Butyl mercaptan	Hero Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Hero Inlet	<1.50	<1.50	---	---
Tetrahydrothiophene	Hero Inlet	2.08	1.86	1.97	11
Unidentified sulfurs	Hero Inlet	9.29	10.1	9.70	8.4

One Tedlar bag sample, laboratory number 20366-11, was analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from one Tedlar bag sample is 4.6%.





TO-15 Component Analysis in Tedlar Bag Sample, by GC/MS Method EPA TO-15

Report Date: February 27, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 5, 2026
Date Analyzed: February 5, 2026

AtmAA Lab No.: 20366-11
Sample ID: Hero Inlet
(Concentrations in ppmv)


Components	
Freon 12	<1.50
Chloromethane	<1.90
Freon 114	<1.10
Vinyl Chloride	<1.50
1,3-Butadiene	<1.80
Bromomethane	<1.90
Chloroethane	<1.50
Acetone	624
Freon 11	<1.40
Isopropyl Alcohol	371
1,1-Dichloroethene	<1.90
Methylene Chloride	<2.20
Carbon Disulfide	<1.30
Freon 113	<1.00
trans-1,2-Dichloroethene	<1.90
1,1-Dichloroethane	<1.90
MTBE	<2.10
Vinyl Acetate	<2.60
2-Butanone	247
cis-1,2-Dichloroethene	<1.90
n-Hexane	3.21
Chloroform	<1.60
Ethyl Acetate	17.2
Tetrahydrofuran	148
1,2-Dichloroethane	<1.90
1,1,1-Trichloroethane	<1.40
Benzene	137
Carbon Tetrachloride	<1.20
Cyclohexane	<2.20
1,2-Dichloropropane	<1.70
Bromodichloromethane	<1.20
Trichloroethene	<1.40
1,4-Dioxane	3.56
n-Heptane	<1.90
cis-1,3-Dichloropropene	<1.70
4-Methyl-2-pentanone	3.54
trans-1,3-Dichloropropene	<1.70
1,1,2-Trichloroethane	<1.40
Toluene	5.89
2-Hexanone	<1.90
Dibromochloromethane	<0.90
1,2-Dibromoethane	<1.00
Tetrachloroethene	<1.10
Chlorobenzene	<1.70
Ethylbenzene	<1.75
m,p-Xylene	<1.75
Bromoform	<0.80
Styrene	<1.80
1,1,2,2-Tetrachloroethane	<1.10
o-Xylene	<1.80
Benzyl Chloride	<1.40
4-Ethyl Toluene	<1.60
1,3,5-Trimethyl Benzene	<1.60
1,2,4-Trimethyl Benzene	<1.60
1,3-Dichlorobenzene	<1.30
1,4-Dichlorobenzene	<1.30
1,2-Dichlorobenzene	<1.30
1,2,4-Trichlorobenzene	<4.10
Hexachlorobutadiene	<2.90


Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 5, 2026
Date Analyzed: February 5, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Freon-12	Hero Inlet	<1.50	<1.50	---	---
Chloromethane	Hero Inlet	<1.90	<1.90	---	---
Freon 114	Hero Inlet	<1.10	<1.10	---	---
Vinyl Chloride	Hero Inlet	<1.50	<1.50	---	---
1,3-Butadiene	Hero Inlet	<1.80	<1.80	---	---
Bromomethane	Hero Inlet	<1.90	<1.90	---	---
Chloroethane	Hero Inlet	<1.50	<1.50	---	---
Acetone	Hero Inlet	619	629	624	1.6
Freon 11	Hero Inlet	<1.40	<1.40	---	---
Isopropyl Alcohol	Hero Inlet	399	342	371	15
1,1-Dichloroethene	Hero Inlet	<1.90	<1.90	---	---
Methylene Chloride	Hero Inlet	<2.20	<2.20	---	---
Carbon Disulfide	Hero Inlet	<1.30	<1.30	---	---
Freon 113	Hero Inlet	<1.00	<1.00	---	---
trans-1,2-Dichloroethene	Hero Inlet	<1.90	<1.90	---	---
1,1-Dichloroethane	Hero Inlet	<1.90	<1.90	---	---
MTBE	Hero Inlet	<2.10	<2.10	---	---
Vinyl Acetate	Hero Inlet	<2.60	<2.60	---	---
2-Butanone	Hero Inlet	252	242	247	4.0
cis-1,2-Dichloroethene	Hero Inlet	<1.90	<1.90	---	---
n-Hexane	Hero Inlet	3.48	2.94	3.21	17
Chloroform	Hero Inlet	<1.60	<1.60	---	---
Ethyl Acetate	Hero Inlet	18.3	16.0	17.2	13
Tetrahydrofuran	Hero Inlet	151	144	148	4.7
1,2-Dichloroethane	Hero Inlet	<1.90	<1.90	---	---



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
1,1,1-Trichloroethane	Hero Inlet	<1.40	<1.40	---	---
Benzene	Hero Inlet	139	134	137	3.7
Carbon Tetrachloride	Hero Inlet	<1.20	<1.20	---	---
Cyclohexane	Hero Inlet	<2.20	<2.20	---	---
1,2-Dichloropropane	Hero Inlet	<1.70	<1.70	---	---
Bromodichloromethane	Hero Inlet	<1.20	<1.20	---	---
Trichloroethene	Hero Inlet	<1.40	<1.40	---	---
1,4-Dioxane	Hero Inlet	3.88	3.23	3.56	18
n-Heptane	Hero Inlet	<1.90	<1.90	---	---
cis-1,3-Dichloropropene	Hero Inlet	<1.70	<1.70	---	---
4-Methyl-2-pentanone	Hero Inlet	3.53	3.55	3.54	0.56
trans-1,3-Dichloropropene	Hero Inlet	<1.70	<1.70	---	---
1,1-2-Trichloroethane	Hero Inlet	<1.40	<1.40	---	---
Toluene	Hero Inlet	6.07	5.71	5.89	6.1
2-Hexanone	Hero Inlet	<1.90	<1.90	---	---
Dibromochloromethane	Hero Inlet	<0.90	<0.90	---	---
1,2-Dibromoethane	Hero Inlet	<1.00	<1.00	---	---
Tetrachloroethene	Hero Inlet	<1.10	<1.10	---	---
Chlorobenzene	Hero Inlet	<1.70	<1.70	---	---
Ethylbenzene	Hero Inlet	<1.75	<1.75	---	---
m,p-Xylene	Hero Inlet	<1.75	<1.75	---	---
Bromoform	Hero Inlet	<0.80	<0.80	---	---
Styrene	Hero Inlet	<1.80	<1.80	---	---
1,1,2,2-Tetrachloroethane	Hero Inlet	<1.10	<1.10	---	---
o-Xylene	Hero Inlet	<1.80	<1.80	---	---



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Benzyl Chloride	Hero Inlet	<1.40	<1.40	---	---
4-Ethyl Toluene	Hero Inlet	<1.60	<1.60	---	---
1,3,5-Trimethyl Benzene	Hero Inlet	<1.60	<1.60	---	---
1,2,4-Trimethyl Benzene	Hero Inlet	<1.60	<1.60	---	---
1,3-Dichlorobenzene	Hero Inlet	<1.30	<1.30	---	---
1,4-Dichlorobenzene	Hero Inlet	<1.30	<1.30	---	---
1,2-Dichlorobenzene	Hero Inlet	<1.30	<1.30	---	---
1,2,4-Trichlorobenzene	Hero Inlet	<4.10	<4.10	---	---
Hexachlorobutadiene	Hero Inlet	<2.90	<2.90	---	---

One Tedlar bag sample, laboratory number 20366-11, was analyzed for TO-15 components, by GC/MS. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from one Tedlar bag sample is 8.5%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 5, 2025


Date Analyzed: February 5, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20366-11	Hero Inlet	5.75	24.94	15.60	45.16

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 5, 2025
Date Analyzed: February 5, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Hero Inlet	5.74	5.75	5.75	0.17	<0.1
Nitrogen	Hero Inlet	24.91	24.97	24.94	0.24	<0.1
Methane	Hero Inlet	15.58	15.62	15.60	0.26	<0.1
Carbon Dioxide	Hero Inlet	45.14	45.17	45.16	0.07	<0.1

One Tedlar bag sample, laboratory number 20366-11, was analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 1 Tedlar bag sample is 0.18%.





LABORATORY ANALYSIS REPORT

Hydrogen Analysis in Tedlar Bag Samples

Report Date: February 27, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 5, 2025
Date Analyzed: February 5, 2026

ANALYSIS DESCRIPTION

*Hydrogen was measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Hydrogen (%v)
20366-11	Hero Inlet	4.11

*The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported.
Actual analysis results are reported on a "wet" basis.*


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 5, 2025
 Date Analyzed: February 5, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Hydrogen	Hero Inlet	4.11	4.10	4.11	0.24	<0.1

One Tedlar bag sample, laboratory number 20366-11, was analyzed for Hydrogen. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 1 Tedlar bag sample is 0.24%.





AtmAA Inc.

5107 Douglas Fir Rd., Calabasas, CA 91302 • (818) 223-3277

specialized air assessment laboratory
atmaa.com

LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 5, 2025

Date Analyzed: February 5, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20366-11	Hero Inlet	763


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 5, 2025
 Date Analyzed: February 5, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
Carbon Monoxide	Hero Inlet	772	754	763	2.4

(Concentration in ppmv)

One Tedlar bag sample, laboratory number 20366-11, was analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 1 Tedlar bag sample is 2.4%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384	
Project No. 07224200.24 Task 1		Field Logbook No.	
Sampler: (Signature) 			
Sample No. / Identification	Type of Sample	AtmAA Lab Number	Chain of Custody Tape No.
	LFS	20340-11	2/2/26
Special Remarks		H2S	150 ppm
ANALYSES REQUESTED			
CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA ALT-144)	VOCs (TO-15)	H ₂ (ASTM D1946)
X	X	X	X
Special Remarks		H2S	150 ppm

Relinquished by: (Signature) 	Date 2-5-26	Time 8:00 AM	Received by: (Signature) 	Date 2/5/26	Time 8:00 AM
Relinquished by: (Signature) 	Date 2/5/26	Time 8:00 AM	Received by: (Signature) LUIS FONG	Date 2/5/26	Time 9:30 AM
Relinquished by: (Signature) LUIS F	Date 2/5/26	Time 11:53	Received for Laboratory by: (Signature) 	Date 2/5/26	Time 11:53

Company Info:	Analytical Laboratory
Company: SCS Engineers	AtmAA Inc.
Street Address: 3900 Kilroy Airport Way Suite 300	5107 Douglas Fir Rd.
City/State/Zip: Long Beach / CA / 90806	Calabasas, CA 91302
Telephone No.: 562-743-7895 / 562-335-0002	TEL: (818) 223-3277
Fax No.:	Email Address: info@atmaa.com



LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 3, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 5, 2026
Date Received: February 5, 2026
Date Analyzed: February 5, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20366-12	20366-13	20366-14	20366-15
Sample I.D.:	Zeeco Inlet	Hero Inlet	Parnel Inlet	FL-1995

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	245	174	173	143
Carbonyl sulfide	<1.00	<1.50	<1.50	0.61
Methyl mercaptan	73.8	295	244	66.8
Ethyl mercaptan	1.42	3.94	3.34	1.00
Dimethyl sulfide	276	732	656	220
Carbon disulfide	<1.00	<1.50	<1.50	<0.50
i-Propyl mercaptan	1.97	2.01	2.03	1.49
t-Butyl mercaptan	<1.00	<1.50	<1.50	<0.50
n-Propyl mercaptan	3.46	8.96	7.87	2.57
s-Butyl mercaptan	3.33	6.61	6.16	2.53
i-Butyl mercaptan	<1.00	<1.50	<1.50	<0.50
Dimethyl disulfide	<1.00	<1.50	<1.50	<0.50
Tetrahydrothiophene	<1.00	1.76	1.75	0.64
Unidentified sulfurs	3.16	7.86	9.06	6.51

(Concentration in ppmv, as H₂S)

Total Sulfur	607.6	1231.1	1102.2	444.6
--------------	-------	--------	--------	-------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 5, 2026
 Date Received: February 5, 2026
 Date Analyzed: February 5, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	242	247	245	2.0
	Hero Inlet	176	171	174	2.9
	Parnel Inlet	180	166	173	8.1
	FL-1995	137	148	143	7.7
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	0.58	0.64	0.61	9.8
Methyl mercaptan	Zeeco Inlet	74.0	73.6	73.8	0.54
	Hero Inlet	301	288	295	4.4
	Parnel Inlet	253	234	244	7.8
	FL-1995	63.1	70.4	66.8	11
Ethyl mercaptan	Zeeco Inlet	1.44	1.39	1.42	3.5
	Hero Inlet	4.03	3.85	3.94	4.6
	Parnel Inlet	3.52	3.15	3.34	11
	FL-1995	0.98	1.02	1.00	4.0
Dimethyl sulfide	Zeeco Inlet	277	275	276	0.72
	Hero Inlet	736	728	732	1.1
	Parnel Inlet	676	635	656	6.3
	FL-1995	214	226	220	5.5
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---
i-Propyl mercaptan	Zeeco Inlet	2.02	1.91	1.97	5.6
	Hero Inlet	1.97	2.05	2.01	4.0
	Parnel Inlet	2.12	1.94	2.03	8.9
	FL-1995	1.45	1.53	1.49	5.4
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
n-Propyl mercaptan	Zeeco Inlet	3.46	3.45	3.46	0.29
	Hero Inlet	8.87	9.05	8.96	2.0
	Parnel Inlet	8.05	7.68	7.87	4.7
	FL-1995	2.52	2.62	2.57	3.9
s-Butyl mercaptan	Zeeco Inlet	3.40	3.26	3.33	4.2
	Hero Inlet	6.73	6.48	6.61	3.8
	Parnel Inlet	6.31	6.00	6.16	5.0
	FL-1995	2.41	2.64	2.53	9.1
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---
Dimethyl disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	1.79	1.72	1.76	4.0
	Parnel Inlet	1.79	1.70	1.75	5.2
	FL-1995	0.63	0.65	0.64	3.1
Unidentified sulfurs	Zeeco Inlet	3.24	3.07	3.16	5.4
	Hero Inlet	7.65	8.07	7.86	5.3
	Parnel Inlet	8.99	9.12	9.06	1.4
	FL-1995	6.22	6.79	6.51	8.8

Four Tedlar bag samples, laboratory numbers 20366-(12-15), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.0%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 5, 2026


Date Analyzed: February 5, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20366-12	Zeeco Inlet	5.37	22.87	27.91	38.54
20366-13	Hero Inlet	6.40	27.04	14.64	44.15
20366-14	Parnel Inlet	7.11	28.26	16.25	40.85
20366-15	FL-1995 Inlet	5.97	27.98	27.94	33.10

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 5, 2026
Date Analyzed: February 5, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Zeeco Inlet	5.36	5.37	5.37	0.19	<0.1
Nitrogen	Zeeco Inlet	22.89	22.84	22.87	0.22	<0.1
Methane	Zeeco Inlet	27.95	27.86	27.91	0.32	<0.1
Carbon Dioxide	Zeeco Inlet	38.53	38.55	38.54	0.05	<0.1

Four Tedlar bag samples, laboratory numbers 20366-(12-15), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.20%.





LABORATORY ANALYSIS REPORT


Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: February 27, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 5, 2026
Date Analyzed: February 5, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20366-12	Zeeco Inlet	325
20366-13	Hero Inlet	783
20366-14	Parnel Inlet	609
20366-15	FL-1995 Inlet	262



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 5, 2026
 Date Analyzed: February 5, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	325	325	325	0.0

Four Tedlar bag samples, laboratory numbers 20366-(12-15), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.0%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) <i>Victor Chong</i>		Chain of Custody Tape No.		CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)	Special Remarks	
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	TRS (307.91)		
Zeeco Inlet	LFG	20366-12	2/5/26	7:20AM	X	X	H ₂ S 180 PPM
FL-2009 Inlet	LFG				X	X	H ₂ S PPM
Hero Inlet	LFG	-13	2/5/26	7:35AM	X	X	H ₂ S 170 PPM
Parnel Inlet	LFG	-14	2/5/26	7:25AM	X	X	H ₂ S 120 PPM
FL-1995	LFG	-15	2/5/26	7:45AM	X	X	H₂S 80 PPM
Relinquished by: (Signature) <i>Victor Chong</i>		Date	Time	Received by: (Signature) LULS FONG		Date	Time
Relinquished by: (Signature) LULS F		2/5/26	8:00AM	Received by: (Signature)		2/5/26	9:34AM
Relinquished by: (Signature)		2/5/26	11:53	Received for Laboratory by: (Signature)		2/5/26	11:53
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 3, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 6, 2026
Date Received: February 6, 2026
Date Analyzed: February 6, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20376-2	20376-3	20376-4	20376-5
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	235	152	166	157
Carbonyl sulfide	<1.00	0.65	<1.50	<1.50
Methyl mercaptan	76.9	70.3	267	214
Ethyl mercaptan	1.40	1.08	3.54	2.94
Dimethyl sulfide	269	238	679	578
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.92	1.62	2.02	1.84
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.17	2.77	8.59	6.71
s-Butyl mercaptan	3.30	2.99	6.75	5.77
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	<1.00	2.30	2.63	2.97
Tetrahydrothiophene	<1.00	0.81	1.98	1.53
Unidentified sulfurs	1.52	2.75	5.86	4.87

(Concentration in ppmv, as H₂S)

Total Sulfur	591.1	476.5	1144.5	977.6
--------------	-------	-------	--------	-------


Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 6, 2026
 Date Received: February 6, 2026
 Date Analyzed: February 6, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	239	230	235	3.8
	FL-2009 Inlet	155	148	152	4.6
	Hero Inlet	158	173	166	9.1
	Parnel Inlet	152	161	157	5.8
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.67	0.63	0.65	6.2
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	78.1	75.6	76.9	3.3
	FL-2009 Inlet	71.2	69.3	70.3	2.7
	Hero Inlet	256	277	267	7.9
	Parnel Inlet	209	218	214	4.2
Ethyl mercaptan	Zeeco Inlet	1.42	1.38	1.40	2.9
	FL-2009 Inlet	1.10	1.06	1.08	3.7
	Hero Inlet	3.49	3.58	3.54	2.5
	Parnel Inlet	2.85	3.02	2.94	5.8
Dimethyl sulfide	Zeeco Inlet	271	266	269	1.9
	FL-2009 Inlet	242	233	238	3.8
	Hero Inlet	656	701	679	6.6
	Parnel Inlet	564	592	578	4.8
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.98	1.85	1.92	6.8
	FL-2009 Inlet	1.57	1.66	1.62	5.6
	Hero Inlet	2.00	2.03	2.02	1.5
	Parnel Inlet	1.80	1.88	1.84	4.3
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
n-Propyl mercaptan	Zeeco Inlet	3.23	3.10	3.17	4.1
	FL-2009 Inlet	2.78	2.76	2.77	0.72
	Hero Inlet	8.33	8.85	8.59	6.1
	Parnel Inlet	6.50	6.91	6.71	6.1
s-Butyl mercaptan	Zeeco Inlet	3.23	3.36	3.30	3.9
	FL-2009 Inlet	3.05	2.93	2.99	4.0
	Hero Inlet	6.61	6.88	6.75	4.0
	Parnel Inlet	5.82	5.71	5.77	1.9
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	2.30	2.30	2.30	0.00
	Hero Inlet	2.55	2.71	2.63	6.1
	Parnel Inlet	2.93	3.01	2.97	2.7
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.84	0.78	0.81	7.4
	Hero Inlet	1.81	2.15	1.98	17
	Parnel Inlet	1.55	1.50	1.53	3.3
Unidentified sulfurs	Zeeco Inlet	1.62	1.42	1.52	13
	FL-2009 Inlet	2.74	2.76	2.75	0.85
	Hero Inlet	5.65	6.06	5.86	7.0
	Parnel Inlet	4.98	4.76	4.87	4.5

Four Tedlar bag samples, laboratory numbers 20376-(2-5), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 4.9%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 6, 2026


Date Analyzed: February 6, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20376-2	Zeeco Inlet	5.15	22.12	28.12	39.38
20376-3	FL-2009 Inlet	5.72	27.60	28.32	33.54
20376-4	Hero Inlet	6.21	27.96	14.33	43.01
20376-5	Parnel Inlet	7.59	31.26	15.73	38.70

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 6, 2026
Date Analyzed: February 6, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Zeeco Inlet	5.15	5.15	5.15	0.0	<0.1
Nitrogen	Zeeco Inlet	22.09	22.14	22.12	0.23	<0.1
Methane	Zeeco Inlet	28.10	28.13	28.12	0.11	<0.1
Carbon Dioxide	Zeeco Inlet	39.36	39.40	39.38	0.10	<0.1

Four Tedlar bag samples, laboratory numbers 20376-(2-5), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.11%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 2, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1


Date Received: February 6, 2026

Date Analyzed: February 6, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20376-2	Zeeco Inlet	324
20376-3	FL-2009 Inlet	229
20376-4	Hero Inlet	629
20376-5	Parnel Inlet	827



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 6, 2026
 Date Analyzed: February 6, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	328	319	324	2.8

Four Tedlar bag samples, laboratory numbers 20376-(2-5), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 2.8%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED				
Project No. 07224200.24 Task 1		Field Logbook No.						
Sampler: (Signature) <i>Teeter Umayra</i>		Chain of Custody Tape No.		CH4, CO2, O2 (1946)	CO (EPA alt-144)			
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	TRIS (307.91)	CH4, CO2, O2 (1946)	CO (EPA alt-144)	Special Remarks
Zeeco Inlet	LFG	20376-2	2/6/26	5:25 AM	X	X	X	H2S 150 PPM
FL-2009 Inlet	LFG	-3	2/6/26	5:50 AM	X	X	X	H2S 10 PPM
Hero Inlet	LFG	-4	2/6/26	5:30 AM	X	X	X	H2S 150 PPM
Parnel Inlet	LFG	-5	2/6/26	5:15 AM	X	X	X	H2S 100 PPM
Relinquished by: (Signature) <i>Teeter Umayra</i>		Date 2/6/26	Time 8:45 AM	Received by: (Signature) LUIS FARFAN		Date 2/6/26	Time 8:56	
Relinquished by: (Signature) LUIS FARFAN		Date 2/6/26	Time 9:40	Received by: (Signature)		Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature) <i>[Signature]</i> AtmAA		Date 2/6/26	Time 9:40	
Company Info:		Send Report to:		Analytical Laboratory				
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.				
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.				
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302				
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277				
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com				





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 3, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 7, 2026
Date Received: February 7, 2026
Date Analyzed: February 7, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20386-1	20386-2	20386-3	20386-4
Sample I.D.:	Zeeco Inlet	FL-1995	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	266	120	141	188
Carbonyl sulfide	<1.00	0.65	<1.50	<1.50
Methyl mercaptan	78.7	78.7	190	288
Ethyl mercaptan	1.41	1.13	2.62	3.76
Dimethyl sulfide	284	291	505	779
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	2.32	1.47	1.65	2.13
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.72	3.35	6.52	9.38
s-Butyl mercaptan	3.90	3.24	5.39	8.04
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.40	3.50	1.91	3.89
Tetrahydrothiophene	<1.00	0.94	1.50	2.54
Unidentified sulfurs	2.72	4.13	4.09	8.52

(Concentration in ppmv, as H₂S)

Total Sulfur	645.1	511.1	860.1	1296.1
--------------	-------	-------	-------	--------


Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 7, 2026
 Date Received: February 7, 2026
 Date Analyzed: February 7, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	269	263	266	2.3
	FL-1995	123	116	120	5.9
	Hero Inlet	136	145	141	6.4
	Parnel Inlet	192	183	188	4.8
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995	0.67	0.63	0.65	6.2
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	79.5	77.9	78.7	2.0
	FL-1995	82.0	75.3	78.7	8.5
	Hero Inlet	185	194	190	4.7
	Parnel Inlet	293	282	288	3.8
Ethyl mercaptan	Zeeco Inlet	1.43	1.39	1.41	2.8
	FL-1995	1.14	1.12	1.13	1.8
	Hero Inlet	2.56	2.68	2.62	4.6
	Parnel Inlet	3.78	3.73	3.76	1.3
Dimethyl sulfide	Zeeco Inlet	284	283	284	0.35
	FL-1995	302	280	291	7.6
	Hero Inlet	493	516	505	4.6
	Parnel Inlet	796	762	779	4.4
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	2.36	2.27	2.32	3.9
	FL-1995	1.49	1.45	1.47	2.7
	Hero Inlet	1.66	1.64	1.65	1.2
	Parnel Inlet	2.22	2.04	2.13	8.5
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.75	3.68	3.72	1.9
	FL-1995	3.46	3.24	3.35	6.6
	Hero Inlet	6.61	6.42	6.52	2.9
	Parnel Inlet	9.53	9.22	9.38	3.3
s-Butyl mercaptan	Zeeco Inlet	3.89	3.91	3.90	0.51
	FL-1995	3.37	3.11	3.24	8.0
	Hero Inlet	5.27	5.50	5.39	4.3
	Parnel Inlet	8.14	7.93	8.04	2.6
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.36	1.43	1.40	5.0
	FL-1995	3.61	3.39	3.50	6.3
	Hero Inlet	1.87	1.94	1.91	3.7
	Parnel Inlet	3.92	3.85	3.89	1.8
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995	1.02	0.86	0.94	17
	Hero Inlet	1.36	1.64	1.50	19
	Parnel Inlet	2.58	2.50	2.54	3.1
Unidentified sulfurs	Zeeco Inlet	2.74	2.70	2.72	1.5
	FL-1995	4.12	4.13	4.13	0.24
	Hero Inlet	3.68	4.50	4.09	20
	Parnel Inlet	8.91	8.13	8.52	9.2

Four Tedlar bag samples, laboratory numbers 20386-(1-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.1%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: February 27, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 7, 2026


Date Analyzed: February 9, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20386-1	Zeeco Inlet	5.74	24.37	28.23	37.31
20386-2	FL-1995 Inlet	6.21	29.35	26.93	33.36
20386-3	Hero Inlet	6.45	29.20	16.19	40.90
20386-4	Parnel Inlet	7.34	30.50	14.79	40.06

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 7, 2026
Date Analyzed: February 9, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v	
		Run #1	Run #2				
		<i>(Concentration in %,v)</i>					
Oxygen	FL-1995 Inlet	6.20	6.21	6.21	0.16	<0.1	
Nitrogen	FL-1995 Inlet	29.35	29.35	29.35	0.0	<0.1	
Methane	FL-1995 Inlet	26.96	26.89	26.93	0.26	<0.1	
Carbon Dioxide	FL-1995 Inlet	33.39	33.33	33.36	0.18	<0.1	

Four Tedlar bag samples, laboratory numbers 20386-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.15%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: February 27, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 7, 2026
Date Analyzed: February 9, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20386-1	Zeeco Inlet	276
20386-2	FL-1995 Inlet	243
20386-3	Hero Inlet	576
20386-4	Parnel Inlet	596



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)




Project Name: Chiquita Canyon Landfill
 Date Received: February 7, 2026
 Date Analyzed: February 9, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	FL-1995 Inlet	242	244	243	0.82

Four Tedlar bag samples, laboratory numbers 20386-(1-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.82%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) 		Chain of Custody Tape No.		CH4, CO2, O2 (1946)	CO (EPA alt-144)		
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks	Date	Time
Zeeco Inlet	LFG	203886-1	2/7/26	8:15am	H2S 250 PPM	2/7/26	9:00AM
FL-1995 FL-2009 Inlet	LFG	-2	2/7/26	8:30am	H2S 100 PPM		
Hero Inlet	LFG	-3	2/7/26	8:05am	H2S 140 PPM		
Parnel Inlet	LFG	-4	2/7/26	8:10am	H2S 170 PPM		
Relinquished by: (Signature) 		Date 2/7/26	Time 9:00am	Received by: (Signature) LUS FARFAN		Date 2/7/26	Time 9:00AM
Relinquished by: (Signature) LUS FARFAN		Date 2/7/26	Time 9:57	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature) 		Date 2/7/26	Time 9:57
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 5, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 8, 2026
Date Received: February 9, 2026
Date Analyzed: February 9, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20406-1	20406-2	20406-3	20406-4
Sample I.D.:	Zeeco Inlet	FL-1995 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	260	108	162	189
Carbonyl sulfide	0.98	0.64	<1.50	<1.50
Methyl mercaptan	84.7	80.0	243	330
Ethyl mercaptan	1.51	1.06	3.49	4.06
Dimethyl sulfide	290	284	630	836
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	2.01	1.34	1.80	2.08
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.54	3.03	7.67	9.07
s-Butyl mercaptan	3.13	2.78	5.98	7.18
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.95	3.26	1.79	3.17
Tetrahydrothiophene	<1.00	0.72	1.76	1.97
Unidentified sulfurs	4.87	3.79	5.20	8.15

(Concentration in ppmv, as H₂S)

Total Sulfur	654.6	491.3	1063.0	1392.8
--------------	-------	-------	--------	--------


Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 8, 2026
 Date Received: February 9, 2026
 Date Analyzed: February 9, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	267	253	260	5.4
	FL-1995 Inlet	107	108	108	0.93
	Hero Inlet	157	166	162	5.6
	Parnel Inlet	190	187	189	1.6
Carbonyl sulfide	Zeeco Inlet	1.00	0.95	0.98	5.1
	FL-1995 Inlet	0.63	0.65	0.64	3.1
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	87.0	82.4	84.7	5.4
	FL-1995 Inlet	79.0	80.9	80.0	2.4
	Hero Inlet	239	246	243	2.9
	Parnel Inlet	327	333	330	1.8
Ethyl mercaptan	Zeeco Inlet	1.55	1.46	1.51	6.0
	FL-1995 Inlet	1.07	1.04	1.06	2.8
	Hero Inlet	3.40	3.58	3.49	5.2
	Parnel Inlet	4.02	4.10	4.06	2.0
Dimethyl sulfide	Zeeco Inlet	292	288	290	1.4
	FL-1995 Inlet	280	288	284	2.8
	Hero Inlet	618	641	630	3.7
	Parnel Inlet	834	837	836	0.36
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	2.05	1.96	2.01	4.5
	FL-1995 Inlet	1.35	1.32	1.34	2.2
	Hero Inlet	1.76	1.83	1.80	3.9
	Parnel Inlet	2.03	2.12	2.08	4.3
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.61	3.47	3.54	4.0
	FL-1995 Inlet	3.03	3.03	3.03	0.00
	Hero Inlet	7.52	7.82	7.67	3.9
	Parnel Inlet	8.75	9.38	9.07	6.9
s-Butyl mercaptan	Zeeco Inlet	3.01	3.24	3.13	7.4
	FL-1995 Inlet	2.75	2.80	2.78	1.8
	Hero Inlet	5.89	6.07	5.98	3.0
	Parnel Inlet	7.09	7.27	7.18	2.5
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.95	1.95	1.95	0.00
	FL-1995 Inlet	3.19	3.33	3.26	4.3
	Hero Inlet	1.75	1.82	1.79	3.9
	Parnel Inlet	3.09	3.24	3.17	4.7
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-1995 Inlet	0.75	0.68	0.72	10
	Hero Inlet	1.78	1.74	1.76	2.3
	Parnel Inlet	2.05	1.89	1.97	8.1
Unidentified sulfurs	Zeeco Inlet	5.26	4.47	4.87	16
	FL-1995 Inlet	3.62	3.96	3.79	9.0
	Hero Inlet	5.53	4.87	5.20	13
	Parnel Inlet	8.16	8.15	8.15	0.08

Four Tedlar bag samples, laboratory numbers 20406-(1-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 4.2%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample


Report Date: March 4, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 9, 2026
Date Analyzed: February 9, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20406-1	Zeeco Inlet	5.12	21.68	29.04	39.86
20406-2	FL-1995 Inlet	5.00	25.55	28.48	35.23
20406-3	Hero Inlet	5.19	25.51	17.16	44.58
20406-4	Parnel Inlet	7.34	30.50	14.79	40.06

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 9, 2026
 Date Analyzed: February 9, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Oxygen	Hero Inlet	5.19	5.18	5.19	0.19	<0.1
Nitrogen	Hero Inlet	25.48	25.53	25.51	0.20	<0.1
Methane	Hero Inlet	17.16	17.16	17.16	0.0	<0.1
Carbon Dioxide	Hero Inlet	44.56	44.59	44.58	0.07	<0.1

Four Tedlar bag samples, laboratory numbers 20406-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.11%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 4, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 9, 2026

Date Analyzed: February 9, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20406-1	Zeeco Inlet	315
20406-2	FL-1995 Inlet	261
20406-3	Hero Inlet	621
20406-4	Parnel Inlet	565


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 9, 2026
 Date Analyzed: February 9, 2026

Components	Sample ID	Repeat	Analysis	Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Carbon Monoxide	Hero Inlet	621	620	621	0.16

Four Tedlar bag samples, laboratory numbers 20406-(1-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.16%.




CHAIN OF CUSTODY RECORD

Client/Project Name: SCS Engineers / Chiquita Canyon Landfill
 Project Location: 29201 Henry Mayo Drive, Castaic, CA 91384
 Project No.: 07224200_24 Task 1
 Field Logbook No.:
 Sampler: (Signature) *[Signature]*

Chain of Custody Tape No.:
 AtmAA Lab Number: 20406-1
 Type of Sample: LFG

Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks	ANALYSES REQUESTED		
						CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)	TRS (307.91)
Zeeco Inlet 1995 FL-2007 Inlet	LFG	20406-1	2/8/26	12:45pm	H2S 100 PPM	X	X	X
Hero Inlet	LFG	-2	2/8/26	12:19pm	H2S 65 PPM	X	X	X
Parnel Inlet	LFG	-3	2/8/26	12:35pm	H2S 100 PPM	X	X	X
	LFG	-4	2/8/26	12:40pm	H2S 110 PPM	X	X	X
Relinquished by: (Signature) <i>[Signature]</i>			Date: 2/9/26	Time: 7:50AM	Received by: (Signature) <i>[Signature]</i>	Date: 2/9/26	Time: 7:50AM	
Relinquished by: (Signature) <i>[Signature]</i>			Date: 2/9/26	Time: 7:50AM	Received by: (Signature) LUIS FAJAN	Date: 2/9/26	Time: 8:02	
Relinquished by: (Signature) LUIS FAJAN			Date: 2/9/26	Time: 9:07 AM	Received for Laboratory by: (Signature) <i>[Signature]</i>	Date: 2/9/26	Time: 9:07 AM	



Company Info:
 Company: SCS Engineers
 Street Address: 3900 Kilroy Airport Way Suite 300
 City/State/Zip: Long Beach / CA / 90806
 Telephone No.: 562-743-7895 / 562-335-0002
 Fax No.:

Company: AtmAA Inc.
 Street Address: 5107 Douglas Fir Rd.
 City/State/Zip: Calabasas, CA 91302
 Project Manager: Cornelius Fong
 Email Address: CFong@scsengineers.com
 TEL: (818) 223-3277
 Email Address: info@atmaa.com



LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 5, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 9, 2026
Date Received: February 9, 2026
Date Analyzed: February 9, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20406-5	20406-6	20406-7	20406-8
Sample I.D.:	Zeeco Inlet	Hero Inlet	Parnel Inlet	FL-1995

Components	(Concentration in ppmv)			
Hydrogen sulfide	271	173	186	141
Carbonyl sulfide	0.99	<1.50	<1.50	0.59
Methyl mercaptan	80.9	234	291	79.8
Ethyl mercaptan	1.51	3.20	3.75	1.15
Dimethyl sulfide	296	600	768	273
Carbon disulfide	<1.00	<0.50	<1.50	<0.50
i-Propyl mercaptan	2.19	1.73	2.02	1.46
t-Butyl mercaptan	<1.00	<1.50	<1.50	<0.50
n-Propyl mercaptan	3.77	7.19	8.62	3.08
s-Butyl mercaptan	3.93	5.73	6.57	3.13
i-Butyl mercaptan	<1.00	<1.50	<1.50	<0.50
Dimethyl disulfide	<1.00	1.73	2.74	2.19
Tetrahydrothiophene	<1.00	<1.50	1.83	0.81
Unidentified sulfurs	2.40	4.46	4.53	2.58

(Concentration in ppmv, as H₂S)

Total Sulfur	662.2	1031.7	1277.8	510.9
--------------	-------	--------	--------	-------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 9, 2026
 Date Received: February 9, 2026
 Date Analyzed: February 9, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	Zeeco Inlet	270	272	271	0.74
	Hero Inlet	180	165	173	8.7
	Parnel Inlet	189	183	186	3.2
	FL-1995	142	140	141	1.4
Carbonyl sulfide	Zeeco Inlet	0.97	1.00	0.99	3.0
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	0.59	0.58	0.59	1.7
Methyl mercaptan	Zeeco Inlet	80.7	81.1	80.9	0.49
	Hero Inlet	240	227	234	5.6
	Parnel Inlet	293	289	291	1.4
	FL-1995	80.4	79.1	79.8	1.6
Ethyl mercaptan	Zeeco Inlet	1.52	1.50	1.51	1.3
	Hero Inlet	3.28	3.12	3.20	5.0
	Parnel Inlet	3.75	3.75	3.75	0.00
	FL-1995	1.22	1.08	1.15	12
Dimethyl sulfide	Zeeco Inlet	292	299	296	2.4
	Hero Inlet	623	577	600	7.7
	Parnel Inlet	772	764	768	1.0
	FL-1995	273	273	273	0.00
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<0.50	<0.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---
i-Propyl mercaptan	Zeeco Inlet	2.21	2.17	2.19	1.8
	Hero Inlet	1.75	1.70	1.73	2.9
	Parnel Inlet	2.05	1.98	2.02	3.5
	FL-1995	1.49	1.43	1.46	4.1
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.87	3.67	3.77	5.3
	Hero Inlet	7.56	6.81	7.19	10
	Parnel Inlet	8.74	8.50	8.62	2.8
	FL-1995	3.10	3.06	3.08	1.3
s-Butyl mercaptan	Zeeco Inlet	3.85	4.00	3.93	3.8
	Hero Inlet	5.86	5.60	5.73	4.5
	Parnel Inlet	6.84	6.29	6.57	8.4
	FL-1995	3.10	3.15	3.13	1.6
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---
Dimethyl disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	1.76	1.69	1.73	4.1
	Parnel Inlet	2.72	2.76	2.74	1.5
	FL-1995	2.22	2.16	2.19	2.7
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	1.80	1.86	1.83	3.3
	FL-1995	0.81	0.81	0.81	0.00
Unidentified sulfurs	Zeeco Inlet	2.48	2.32	2.40	6.7
	Hero Inlet	4.49	4.42	4.46	1.6
	Parnel Inlet	4.43	4.63	4.53	4.4
	FL-1995	2.59	2.56	2.58	1.2

Four Tedlar bag samples, laboratory numbers 20406-(5-8), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 3.4%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample


Report Date: March 4, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 9, 2026
Date Analyzed: February 9, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20406-5	Zeeco Inlet	5.06	21.55	29.40	39.05
20406-6	Hero Inlet	5.06	23.83	18.28	45.14
20406-7	Parnel Inlet	6.60	27.06	15.70	43.29
20406-8	FL-1995 Inlet	5.48	26.20	29.13	35.03

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 9, 2026
 Date Analyzed: February 9, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v	
		Run #1	Run #2				
		<i>(Concentration in %_v)</i>					
Oxygen	FL-1995 Inlet	5.47	5.48	5.48	0.18	<0.1	
Nitrogen	FL-1995 Inlet	26.23	26.16	26.20	0.27	<0.1	
Methane	FL-1995 Inlet	29.11	29.14	29.13	0.10	<0.1	
Carbon Dioxide	FL-1995 Inlet	35.02	35.03	35.03	0.03	<0.1	

Four Tedlar bag samples, laboratory numbers 20406-(5-8), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.14%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 4, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 9, 2026

Date Analyzed: February 9, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20406-5	Zeeco Inlet	279
20406-6	Hero Inlet	629
20406-7	Parnel Inlet	656
20406-8	FL-1995 Inlet	242



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 9, 2026
 Date Analyzed: February 9, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	FL-1995 Inlet	243	240	242	1.24

Four Tedlar bag samples, laboratory numbers 20406-(5-8), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 1.2%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) <i>Victor Chuang</i>		Chain of Custody Tape No.		CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)		
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	TRS (307.91)		
Zeeco Inlet	LFG	20406-5	2/19/26	7:30 AM	X	X	H ₂ S 200 PPM
FL-2009 Inlet	LFG	20406-5	2/19/26		X	X	H ₂ S PPM
Hero Inlet	LFG	-26	2/19/26	7:20 AM	X	X	H ₂ S 100 PPM
Parnel Inlet	LFG	-7	2/19/26	7:35 AM	X	X	H ₂ S 120 PPM
FL-1495	LFG	-8	2/19/26	7:05 AM			H ₂ S 8 PPM
Relinquished by: (Signature) <i>Victor Chuang</i>		Date 2/19/26	Time 7:30 AM	Received by: (Signature) LUIS FADFAW		Date 2/19/26	Time 8:02
Relinquished by: (Signature) LUIS FADFAW		Date 2/19/26	Time 9:07 AM	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature) <i>[Signature]</i>		Date 2/19/26	Time 9:07 AM
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 5, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 10, 2026
Date Received: February 10, 2026
Date Analyzed: February 10, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20416-4	20416-5	20416-6	20416-7
Sample I.D.:	Zeeco Inlet	Hero Inlet	Parnel Inlet	FL-1995

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	215	137	192	176
Carbonyl sulfide	<1.00	<1.50	<1.50	0.66
Methyl mercaptan	83.8	97.0	331	111
Ethyl mercaptan	1.72	1.96	4.14	1.41
Dimethyl sulfide	304	385	821	325
Carbon disulfide	<1.00	<1.50	<1.50	<0.50
i-Propyl mercaptan	1.95	<1.50	2.32	1.68
t-Butyl mercaptan	<1.00	<1.50	<1.50	<0.50
n-Propyl mercaptan	3.82	4.20	10.0	3.52
s-Butyl mercaptan	3.67	3.19	8.13	3.42
i-Butyl mercaptan	<1.00	<1.50	<1.50	<0.50
Dimethyl disulfide	<1.00	2.02	2.55	2.20
Tetrahydrothiophene	<1.00	<1.50	2.37	0.85
Unidentified sulfurs	2.71	2.00	8.17	2.90

(Concentration in ppmv, as H₂S)

Total Sulfur	616.2	633.4	1383.7	630.3
--------------	-------	-------	--------	-------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 10, 2026
 Date Received: February 10, 2026
 Date Analyzed: February 10, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	211	219	215	3.7
	Hero Inlet	139	134	137	3.7
	Parnel Inlet	191	192	192	0.52
	FL-1995	180	172	176	4.5
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	0.69	0.62	0.66	11
Methyl mercaptan	Zeeco Inlet	82.7	84.9	83.8	2.6
	Hero Inlet	98.0	96.0	97.0	2.1
	Parnel Inlet	331	331	331	0.00
	FL-1995	112	110	111	1.8
Ethyl mercaptan	Zeeco Inlet	1.65	1.79	1.72	8.1
	Hero Inlet	2.05	1.87	1.96	9.2
	Parnel Inlet	4.20	4.08	4.14	2.9
	FL-1995	1.44	1.37	1.41	5.0
Dimethyl sulfide	Zeeco Inlet	298	309	304	3.6
	Hero Inlet	391	378	385	3.4
	Parnel Inlet	820	822	821	0.24
	FL-1995	329	320	325	2.8
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.94	1.96	1.95	1.0
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	2.30	2.33	2.32	1.3
	FL-1995	1.63	1.73	1.68	6.0
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.76	3.88	3.82	3.1
	Hero Inlet	4.36	4.03	4.20	7.9
	Parnel Inlet	10.1	9.95	10.0	1.5
	FL-1995	3.58	3.46	3.52	3.4
s-Butyl mercaptan	Zeeco Inlet	3.54	3.79	3.67	6.8
	Hero Inlet	3.52	2.85	3.19	21
	Parnel Inlet	8.30	7.95	8.13	4.3
	FL-1995	3.49	3.34	3.42	4.4
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---
Dimethyl disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	2.06	1.98	2.02	4.0
	Parnel Inlet	2.52	2.57	2.55	2.0
	FL-1995	2.19	2.21	2.20	0.91
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	2.54	2.19	2.37	15
	FL-1995	0.92	0.77	0.85	18
Unidentified sulfurs	Zeeco Inlet	2.56	2.86	2.71	11
	Hero Inlet	2.10	1.90	2.00	10
	Parnel Inlet	8.27	8.08	8.17	2.3
	FL-1995	3.06	2.73	2.90	11

Four Tedlar bag samples, laboratory numbers 20416-(4-7), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.4%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample


Report Date: March 4, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 10, 2026
Date Analyzed: February 10, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20416-4	Zeeco Inlet	5.31	21.85	27.39	39.76
20416-5	Hero Inlet	6.35	28.44	39.86	18.18
20416-6	Parnel Inlet	5.09	22.46	16.54	46.67
20416-7	FL-1995 Inlet	5.12	24.81	28.59	36.31

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 10, 2026
Date Analyzed: February 10, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Zeeco Inlet	5.31	5.31	5.31	0.0	<0.1
Nitrogen	Zeeco Inlet	21.86	21.83	21.85	0.14	<0.1
Methane	Zeeco Inlet	27.43	27.35	27.39	0.29	<0.1
Carbon Dioxide	Zeeco Inlet	39.78	39.73	39.76	0.13	<0.1

Four Tedlar bag samples, laboratory numbers 20416-(4-7), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.14%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 4, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 10, 2026

Date Analyzed: February 10, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20416-4	Zeeco Inlet	325
20416-5	Hero Inlet	484
20416-6	Parnel Inlet	778
20416-7	FL-1995 Inlet	335



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 10, 2026
 Date Analyzed: February 10, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	326	324	325	0.62

Four Tedlar bag samples, laboratory numbers 20416-(4-7), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.62%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.		CH ₄ , CO ₂ , O ₂ (1946)		CO (EPA alt-144)	
Sampler: (Signature) <i>Vester Umaya</i>		Chain of Custody Tape No.		TRS (307.91)			
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks		
Zeeco Inlet	LFG	20416-4	2/10/26	7:30 AM	H2S 200 PPM		
FL-2009 Inlet	LFG		2/10/26		H2S PPM		
Hero Inlet	LFG	-5	2/10/26	7:10 AM	H2S 100 PPM		
Parnel Inlet	LFG	-6	2/10/26	7:15 AM	H2S 190 PPM		
FL-1445	LFG	-7	2/10/26	6:55 AM	H2S 100 PPM		
Relinquished by: (Signature) <i>Vester Umaya</i>		Date 2/10/26	Time 8:00 AM	Received by: (Signature) LUIS FONG		Date 2/10/26	
Relinquished by: (Signature) LUIS F		Date 2/10/26	Time 9:12	Received by: (Signature)		Date 2/10/26	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature)		Date 2/10/26	
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 5, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 11, 2026
Date Received: February 11, 2026
Date Analyzed: February 11, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20426-1	20426-2	20426-3	20426-4
Sample I.D.:	Zeeco Inlet	Hero Inlet	Parnel Inlet	FL-1995

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	190	152	211	167
Carbonyl sulfide	<1.00	<1.50	<1.50	0.60
Methyl mercaptan	81.5	223	266	88.4
Ethyl mercaptan	1.51	2.91	3.28	1.13
Dimethyl sulfide	301	589	698	261
Carbon disulfide	<1.00	<1.50	<1.50	<0.50
i-Propyl mercaptan	1.69	1.78	2.25	1.57
t-Butyl mercaptan	<1.00	<1.50	<1.50	<0.50
n-Propyl mercaptan	3.55	6.99	7.87	2.86
s-Butyl mercaptan	3.05	5.21	6.47	2.90
i-Butyl mercaptan	<1.00	<1.50	<1.50	<0.50
Dimethyl disulfide	1.15	2.00	3.06	2.15
Tetrahydrothiophene	<1.00	<1.50	1.93	0.68
Unidentified sulfurs	1.35	3.98	5.85	2.41

(Concentration in ppmv, as H₂S)

Total Sulfur	585.4	988.3	1208.3	532.8
--------------	-------	-------	--------	-------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 11, 2026
 Date Received: February 11, 2026
 Date Analyzed: February 11, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	193	187	190	3.2
	Hero Inlet	145	159	152	9.2
	Parnel Inlet	216	206	211	4.7
	FL-1995	167	167	167	0.00
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	0.58	0.61	0.60	5.0
Methyl mercaptan	Zeeco Inlet	82.2	80.7	81.5	1.8
	Hero Inlet	212	233	223	9.4
	Parnel Inlet	271	261	266	3.8
	FL-1995	88.3	88.5	88.4	0.23
Ethyl mercaptan	Zeeco Inlet	1.52	1.50	1.51	1.3
	Hero Inlet	2.80	3.01	2.91	7.2
	Parnel Inlet	3.32	3.24	3.28	2.4
	FL-1995	1.12	1.14	1.13	1.8
Dimethyl sulfide	Zeeco Inlet	302	299	301	1.0
	Hero Inlet	566	612	589	7.8
	Parnel Inlet	715	680	698	5.0
	FL-1995	260	262	261	0.77
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.65	1.72	1.69	4.2
	Hero Inlet	1.69	1.86	1.78	9.6
	Parnel Inlet	2.23	2.27	2.25	1.8
	FL-1995	1.58	1.55	1.57	1.9
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
(Concentration in ppmv)					
n-Propyl mercaptan	Zeeco Inlet	3.54	3.55	3.55	0.28
	Hero Inlet	6.87	7.10	6.99	3.3
	Parnel Inlet	7.86	7.87	7.87	0.13
	FL-1995	2.89	2.82	2.86	2.5
s-Butyl mercaptan	Zeeco Inlet	3.06	3.03	3.05	1.0
	Hero Inlet	4.92	5.49	5.21	11
	Parnel Inlet	6.58	6.36	6.47	3.4
	FL-1995	2.86	2.93	2.90	2.4
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
	FL-1995	<0.50	<0.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.11	1.19	1.15	7.0
	Hero Inlet	1.88	2.11	2.00	12
	Parnel Inlet	3.10	3.01	3.06	2.9
	FL-1995	2.07	2.23	2.15	7.4
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	2.01	1.85	1.93	8.3
	FL-1995	0.64	0.72	0.68	12
Unidentified sulfurs	Zeeco Inlet	1.37	1.32	1.35	3.7
	Hero Inlet	3.87	4.08	3.98	5.3
	Parnel Inlet	5.99	5.70	5.85	5.0
	FL-1995	2.44	2.38	2.41	2.5

Four Tedlar bag samples, laboratory numbers 20426-(1-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 4.4%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 4, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 11, 2026
Date Analyzed: February 11, 2026

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20426-1	Zeeco Inlet	7.19	28.19	24.22	36.31
20426-2	Hero Inlet	6.32	29.62	14.51	42.94
20426-3	Parnel Inlet	6.37	26.48	17.23	41.81
20426-4	FL-1995 Inlet	6.27	28.39	27.79	34.22

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 11, 2026
 Date Analyzed: February 11, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Oxygen	Parnel Inlet	6.37	6.36	6.37	0.16	<0.1
Nitrogen	Parnel Inlet	26.45	26.50	26.48	0.19	<0.1
Methane	Parnel Inlet	17.20	17.26	17.23	0.35	<0.1
Carbon Dioxide	Parnel Inlet	41.82	41.80	41.81	0.05	<0.1

Four Tedlar bag samples, laboratory numbers 20426-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.19%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 4, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 11, 2026

Date Analyzed: February 11, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20426-1	Zeeco Inlet	233
20426-2	Hero Inlet	668
20426-3	Parnel Inlet	596
20426-4	FL-1995 Inlet	289



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 11, 2026
 Date Analyzed: February 11, 2026


Components	Sample ID	Repeat	Analysis	Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Carbon Monoxide	Parnel Inlet	597	595	596	0.34

Four Tedlar bag samples, laboratory numbers 20426-(1-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.34%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) <i>Center Unmanned</i>		Chain of Custody Tape No.		CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)	Special Remarks	
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	TRS (307.91)		
Zeeco Inlet	LFG	20426-1	2/11/26	7:40	X	X	H2S 180 PPM
FL-2009 Inlet	LFG				X	X	H2S PPM
Hero Inlet	LFG	-2	2/11/26	7:30 AM	X	X	H2S 180 PPM
Parnel Inlet	LFG	-3	2/11/26	7:35 AM	X	X	H2S 210 PPM
FL-1945	LFG	-4	2/11/26	6:55 AM	X	X	H2S 160 PPM
Relinquished by: (Signature) <i>Center Unmanned</i>		Date 2/11/26	Time 8:05 AM	Received by: (Signature) LUIS F	Date 2/11/26	Time 8:12	
Relinquished by: (Signature) LUIS F		Date 2/11/26	Time 9:08	Received by: (Signature)	Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature) <i>[Signature]</i>	Date 2/11/26	Time 9:06	
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 5, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 12, 2026
Date Received: February 12, 2026
Date Analyzed: February 12, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20436-3	20436-4	20436-5	20436-6
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	94.3	176	152	203
Carbonyl sulfide	<1.00	0.80	<1.50	<1.50
Methyl mercaptan	91.2	66.6	272	317
Ethyl mercaptan	1.66	0.99	3.57	3.81
Dimethyl sulfide	324	202	711	813
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	<1.00	1.67	1.94	2.27
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	4.02	2.19	8.53	9.04
s-Butyl mercaptan	3.08	2.36	6.64	7.04
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.82	1.27	2.45	3.34
Tetrahydrothiophene	<1.00	<0.50	1.86	1.89
Unidentified sulfurs	2.58	1.88	5.38	6.17

(Concentration in ppmv, as H₂S)

Total Sulfur	524.4	457.0	1166.8	1368.9
--------------	-------	-------	--------	--------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 12, 2026
 Date Received: February 12, 2026
 Date Analyzed: February 12, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	95.9	92.6	94.3	3.5
	FL-2009 Inlet	173	179	176	3.4
	Hero Inlet	151	152	152	0.66
	Parnel Inlet	206	199	203	3.5
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.80	0.80	0.80	0.00
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	92.5	89.8	91.2	3.0
	FL-2009 Inlet	66.0	67.1	66.6	1.7
	Hero Inlet	271	272	272	0.37
	Parnel Inlet	316	318	317	0.63
Ethyl mercaptan	Zeeco Inlet	1.69	1.62	1.66	4.2
	FL-2009 Inlet	0.94	1.04	0.99	10
	Hero Inlet	3.66	3.47	3.57	5.3
	Parnel Inlet	3.76	3.86	3.81	2.6
Dimethyl sulfide	Zeeco Inlet	328	320	324	2.5
	FL-2009 Inlet	201	203	202	0.99
	Hero Inlet	711	711	711	0.00
	Parnel Inlet	807	818	813	1.4
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	1.65	1.68	1.67	1.8
	Hero Inlet	1.96	1.91	1.94	2.6
	Parnel Inlet	2.30	2.23	2.27	3.1
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
(Concentration in ppmv)					
n-Propyl mercaptan	Zeeco Inlet	4.14	3.90	4.02	6.0
	FL-2009 Inlet	2.26	2.12	2.19	6.4
	Hero Inlet	8.55	8.51	8.53	0.47
	Parnel Inlet	9.09	8.99	9.04	1.1
s-Butyl mercaptan	Zeeco Inlet	3.21	2.94	3.08	8.8
	FL-2009 Inlet	2.30	2.41	2.36	4.7
	Hero Inlet	6.62	6.66	6.64	0.60
	Parnel Inlet	7.08	7.00	7.04	1.1
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.85	1.78	1.82	3.9
	FL-2009 Inlet	1.25	1.28	1.27	2.4
	Hero Inlet	2.36	2.53	2.45	7.0
	Parnel Inlet	3.34	3.33	3.34	0.30
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	1.84	1.88	1.86	2.2
	Parnel Inlet	1.96	1.82	1.89	7.4
Unidentified sulfurs	Zeeco Inlet	2.72	2.43	2.58	11
	FL-2009 Inlet	1.82	1.94	1.88	6.4
	Hero Inlet	5.26	5.51	5.38	4.6
	Parnel Inlet	6.34	5.99	6.17	5.7

Four Tedlar bag samples, laboratory numbers 20436-(3-6), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 3.4%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample


Report Date: March 4, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 12, 2026
Date Analyzed: February 12, 2026

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20436-3	Zeeco Inlet	11.25	43.66	14.11	26.85
20436-4	FL-2009 Inlet	5.35	24.79	31.07	34.98
20436-5	Hero Inlet	6.24	30.16	13.00	43.19
20436-6	Parnel Inlet	5.82	24.74	15.28	46.90

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 12, 2026
 Date Analyzed: February 12, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
		<i>(Concentration in %,v)</i>				
Oxygen	Zeeco Inlet	11.24	11.25	11.25	0.09	<0.1
Nitrogen	Zeeco Inlet	43.65	43.66	43.66	0.02	<0.1
Methane	Zeeco Inlet	14.13	14.09	14.11	0.28	<0.1
Carbon Dioxide	Zeeco Inlet	26.83	26.86	26.85	0.11	<0.1

Four Tedlar bag samples, laboratory numbers 20436-(3-6), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.13%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 4, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 12, 2026
Date Analyzed: February 13, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20436-3	Zeeco Inlet	256
20436-4	FL-2009 Inlet	186
20436-5	Hero Inlet	601
20436-6	Parnel Inlet	673



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 12, 2026
 Date Analyzed: February 13, 2026

Components	Sample ID	Repeat	Analysis	Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Carbon Monoxide	Zeeco Inlet	252	259	256	2.7

Four Tedlar bag samples, laboratory numbers 20436-(3-6), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 2.7%.



CHAIN OF CUSTODY RECORD

Client/Project Name
SCS Engineers / Chiquita Canyon Landfill

Project Location
29201 Henry Mayo Drive, Castaic, CA 91384

Project No.
07224200.24 Task 1

Field Logbook No.

ANALYSES REQUESTED			
TRS (307.91)	CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)	

Sampler: (Signature)
V. Uruya

Chain of Custody Tape No.

Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks
Zeeco Inlet	LFG	20436-3	2-12-26	7:35AM	H2S 100 PPM
FL-2009 Inlet	LFG	-4	2-12-26	7:15AM	H2S 180 PPM
Hero Inlet	LFG	-5	2-12-26	7:25AM	H2S 180 PPM
Parnel Inlet	LFG	-6	2-12-26	7:30AM	H2S 230 PPM

Relinquished by: (Signature)
V. Uruya

Received by: (Signature)
LUIS F

Date 2/12/26 **Time** 7:50AM

Date 2/12/26 **Time** 9:07

Relinquished by: (Signature)

Received for Laboratory by: (Signature)
[Signature]

Date 2/12/26 **Time** 9:07

Company Info:

Company: SCS Engineers

Street Address: 3900 Kilroy Airport Way Suite 300

City/State/Zip: Long Beach / CA / 90806

Telephone No.: 562-743-7895 / 562-335-0002

Fax No.:

Send Report to:

Company: SCS Engineers

Street Address: 3900 Kilroy Airport Way Suite 300

City/State/Zip: Long Beach / CA / 90806

Project Manager: Cornelius Fong

Email Address: CFong@scsengineers.com


Company: AtmAA Inc.

Street Address: 5107 Douglas Fir Rd.

City/State/Zip: Calabasas, CA 91302

TEL: (818) 223-3277

Email Address: info@atmaa.com





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 5, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 13, 2026
Date Received: February 13, 2026
Date Analyzed: February 13, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20446-39	20446-40	20446-41	20446-42
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	89.4	182	163	213
Carbonyl sulfide	<1.00	0.80	<1.50	<1.50
Methyl mercaptan	69.1	67.0	272	338
Ethyl mercaptan	1.30	0.94	3.40	3.87
Dimethyl sulfide	278	204	731	889
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.04	1.70	1.96	2.47
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.40	2.14	8.40	10.1
s-Butyl mercaptan	2.66	2.22	6.68	8.43
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.53	1.13	2.28	4.41
Tetrahydrothiophene	<1.00	<0.50	1.84	2.29
Unidentified sulfurs	2.66	1.49	7.54	8.53

(Concentration in ppmv, as H₂S)

Total Sulfur	450.5	463.5	1200.4	1484.0
--------------	-------	-------	--------	--------



Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 13, 2026
 Date Received: February 13, 2026
 Date Analyzed: February 13, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	83.0	95.8	89.4	14
	FL-2009 Inlet	182	181	182	0.55
	Hero Inlet	170	156	163	8.6
	Parnel Inlet	204	222	213	8.5
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.79	0.81	0.80	2.5
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	63.9	74.2	69.1	15
	FL-2009 Inlet	67.0	66.9	67.0	0.15
	Hero Inlet	281	263	272	6.6
	Parnel Inlet	329	347	338	5.3
Ethyl mercaptan	Zeeco Inlet	1.21	1.39	1.30	14
	FL-2009 Inlet	0.94	0.94	0.94	0.00
	Hero Inlet	3.46	3.33	3.40	3.8
	Parnel Inlet	3.75	3.98	3.87	6.0
Dimethyl sulfide	Zeeco Inlet	258	298	278	14
	FL-2009 Inlet	204	203	204	0.49
	Hero Inlet	753	709	731	6.0
	Parnel Inlet	868	909	889	4.6
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	0.95	1.13	1.04	17
	FL-2009 Inlet	1.72	1.67	1.70	2.9
	Hero Inlet	1.98	1.94	1.96	2.0
	Parnel Inlet	2.48	2.45	2.47	1.2
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.19	3.60	3.40	12
	FL-2009 Inlet	2.16	2.11	2.14	2.3
	Hero Inlet	8.71	8.08	8.40	7.5
	Parnel Inlet	10.0	10.2	10.1	2.0
s-Butyl mercaptan	Zeeco Inlet	2.48	2.83	2.66	13
	FL-2009 Inlet	2.26	2.17	2.22	4.1
	Hero Inlet	6.69	6.66	6.68	0.45
	Parnel Inlet	8.38	8.48	8.43	1.2
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.43	1.62	1.53	12
	FL-2009 Inlet	1.13	1.12	1.13	0.89
	Hero Inlet	2.33	2.22	2.28	4.8
	Parnel Inlet	4.42	4.39	4.41	0.68
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	1.92	1.76	1.84	8.7
	Parnel Inlet	2.34	2.23	2.29	4.8
Unidentified sulfurs	Zeeco Inlet	2.86	2.45	2.66	15
	FL-2009 Inlet	1.51	1.46	1.49	3.4
	Hero Inlet	8.11	6.97	7.54	15
	Parnel Inlet	8.22	8.83	8.53	7.2

Four Tedlar bag samples, laboratory numbers 20446-(39-42), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 6.4%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 4, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 13, 2026
Date Analyzed: February 13, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20446-39	Zeeco Inlet	11.09	42.94	15.57	27.32
20446-40	FL-2009 Inlet	4.72	22.11	33.04	36.87
20446-41	Hero Inlet	5.39	26.44	14.50	45.85
20446-42	Parnel Inlet	5.39	26.48	14.55	45.80

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 13, 2026
 Date Analyzed: February 13, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Oxygen	Zeeco Inlet	11.06	11.12	11.09	0.54	<0.1
Nitrogen	Zeeco Inlet	42.91	42.96	42.94	0.12	<0.1
Methane	Zeeco Inlet	15.52	15.61	15.57	0.58	<0.1
Carbon Dioxide	Zeeco Inlet	27.34	27.30	27.32	0.15	<0.1

Four Tedlar bag samples, laboratory numbers 20446-(39-42), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.35%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 4, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 13, 2026
Date Analyzed: February 13, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20446-39	Zeeco Inlet	225
20446-40	FL-2009 Inlet	161
20446-41	Hero Inlet	635
20446-42	Parnel Inlet	736


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 13, 2026
 Date Analyzed: February 13, 2026


Components	Sample ID	Repeat	Analysis	Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Carbon Monoxide	Zeeco Inlet	227	223	225	1.8

Four Tedlar bag samples, laboratory numbers 20446-(39-42), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 1.8%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.		CH ₄ , CO ₂ , O ₂ (1946)		CO (EPA alt-144)	
Sampler: (Signature) <i>Victor Umey</i>		Chain of Custody Tape No.		TRS (307.91)			
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks		
Zeeco Inlet	LFG	20446-39	2/13/26	7:25 AM	H2S 100 PPM		
FL-2009 Inlet	LFG	-40	2/13/26	6:50 AM	H2S 140 PPM		
Hero Inlet	LFG	-41	2/13/26	7:10 AM	H2S 200 PPM		
Parnel Inlet	LFG	-42	2/17/26	7:20 AM	H2S 210 PPM		
Relinquished by: (Signature) <i>Victor Umey</i>		Date 2/13/26	Time 7:55 AM	Received by: (Signature) LVLS F	Date 2/13/26	Time 9:48	
Relinquished by: (Signature) LVLS F		Date 2/13/26	Time 12:24	Received by: (Signature) <i>[Signature]</i>	Date 2/13/26	Time 12:20 PM	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature)	Date	Time	
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 5, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 14, 2026
Date Received: February 14, 2026
Date Analyzed: February 14, 2026

ANALYSIS DESCRIPTION


Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20456-1	20456-2	20456-3	20456-4
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	86.7	164	156	212
Carbonyl sulfide	<1.00	0.74	<1.50	<1.50
Methyl mercaptan	96.5	61.0	276	343
Ethyl mercaptan	1.73	0.85	3.26	3.98
Dimethyl sulfide	347	196	706	895
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.09	1.54	1.97	2.43
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	4.27	1.97	7.93	9.68
s-Butyl mercaptan	3.21	2.20	6.04	7.61
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.51	1.02	1.90	3.69
Tetrahydrothiophene	<1.00	<0.50	1.38	1.77
Unidentified sulfurs	2.98	1.56	4.39	7.29

(Concentration in ppmv, as H₂S)

Total Sulfur	545.9	431.4	1166.7	1489.6
--------------	-------	-------	--------	--------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 14, 2026
 Date Received: February 14, 2026
 Date Analyzed: February 14, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	Zeeco Inlet	88.6	84.7	86.7	4.5
	FL-2009 Inlet	164	163	164	0.61
	Hero Inlet	163	149	156	9.0
	Parnel Inlet	209	214	212	2.4
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.74	0.74	0.74	0.00
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	99.0	94.0	96.5	5.2
	FL-2009 Inlet	60.5	61.5	61.0	1.6
	Hero Inlet	289	263	276	9.4
	Parnel Inlet	339	347	343	2.3
Ethyl mercaptan	Zeeco Inlet	1.85	1.60	1.73	14
	FL-2009 Inlet	0.85	0.85	0.85	0.00
	Hero Inlet	3.44	3.07	3.26	11
	Parnel Inlet	3.96	4.00	3.98	1.0
Dimethyl sulfide	Zeeco Inlet	356	337	347	5.5
	FL-2009 Inlet	196	196	196	0.00
	Hero Inlet	735	677	706	8.2
	Parnel Inlet	876	914	895	4.2
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.11	1.06	1.09	4.6
	FL-2009 Inlet	1.53	1.55	1.54	1.3
	Hero Inlet	2.08	1.85	1.97	12
	Parnel Inlet	2.38	2.48	2.43	4.1
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	4.26	4.28	4.27	0.47
	FL-2009 Inlet	1.97	1.97	1.97	0.00
	Hero Inlet	8.36	7.49	7.93	11
	Parnel Inlet	9.36	10.0	9.68	6.6
s-Butyl mercaptan	Zeeco Inlet	3.32	3.09	3.21	7.2
	FL-2009 Inlet	2.22	2.17	2.20	2.3
	Hero Inlet	6.24	5.84	6.04	6.6
	Parnel Inlet	7.39	7.82	7.61	5.7
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.54	1.47	1.51	4.7
	FL-2009 Inlet	0.98	1.05	1.02	6.9
	Hero Inlet	1.98	1.81	1.90	9.0
	Parnel Inlet	3.56	3.81	3.69	6.8
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	1.52	1.24	1.38	20
	Parnel Inlet	1.74	1.79	1.77	2.8
Unidentified sulfurs	Zeeco Inlet	3.23	2.73	2.98	17
	FL-2009 Inlet	1.48	1.63	1.56	9.6
	Hero Inlet	4.50	4.28	4.39	5.0
	Parnel Inlet	6.83	7.74	7.29	12

Four Tedlar bag samples, laboratory numbers 20456-(1-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 6.0%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 4, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 14, 2026


Date Analyzed: February 14, 2026

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20456-1	Zeeco Inlet	11.80	45.61	12.58	26.48
20456-2	FL-2009 Inlet	5.15	24.13	31.12	36.23
20456-3	Hero Inlet	5.00	25.19	13.95	47.64
20456-4	Parnel Inlet	5.18	22.20	16.09	48.71

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 14, 2026
 Date Analyzed: February 14, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Zeeco Inlet	11.70	11.89	11.80	1.6	<0.1
Nitrogen	Zeeco Inlet	45.46	45.75	45.61	0.64	<0.1
Methane	Zeeco Inlet	12.56	12.59	12.58	0.24	<0.1
Carbon Dioxide	Zeeco Inlet	26.43	26.52	26.48	0.34	<0.1

Four Tedlar bag samples, laboratory numbers 20456-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.71%.





LABORATORY ANALYSIS REPORT


Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 4, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 14, 2026
Date Analyzed: February 14, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20456-1	Zeeco Inlet	322
20456-2	FL-2009 Inlet	208
20456-3	Hero Inlet	762
20456-4	Parnel Inlet	806



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)




Project Name: Chiquita Canyon Landfill
 Date Received: February 14, 2026
 Date Analyzed: February 14, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	315	328	322	4.0

Four Tedlar bag samples, laboratory numbers 20456-(1-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 4.0%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) 		Chain of Custody Tape No.		CO (EPA alt-144)			
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	CH4, CO2, O2 (1946)	CO (EPA alt-144)	Special Remarks
Zeeco Inlet	LFG	20456-1	2/14/26	8:15Am	X	X	H2S 80 PPM
FL-2009 Inlet	LFG	-2	2/14/26	7:50Am	X	X	H2S 110 PPM
Hero Inlet	LFG	-3	2/14/26	8:00Am	X	X	H2S 200 PPM
Parnel Inlet	LFG	-4	2/14/26	8:10Am	X	X	H2S 200 PPM
Relinquished by: (Signature) 		Date 2/14/26	Time 9:00Am	Received by: (Signature) LVLS F		Date 2/14/26	Time 9:00
Relinquished by: (Signature) LVLS F		Date 2/14/26	Time 9:41	Received by: (Signature) 		Date 2/14/26	Time 10:4/20M
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature)		Date	Time
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 15, 2026
Date Received: February 16, 2026
Date Analyzed: February 16, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20476-33	20476-34	20476-35	20476-36
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	111	176	177	211
Carbonyl sulfide	<1.00	0.81	<1.50	<1.50
Methyl mercaptan	139	60.5	309	331
Ethyl mercaptan	2.23	0.90	3.77	3.91
Dimethyl sulfide	431	193	792	875
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.27	1.56	2.05	2.50
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	5.44	2.13	9.12	9.70
s-Butyl mercaptan	3.96	2.32	7.35	7.79
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.92	1.17	2.10	4.05
Tetrahydrothiophene	1.01	0.50	2.03	2.09
Unidentified sulfurs	4.84	3.30	5.72	8.85

(Concentration in ppmv, as H₂S)

Total Sulfur	703.1	443.3	1311.2	1458.9
--------------	-------	-------	--------	--------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 15, 2026
 Date Received: February 16, 2026
 Date Analyzed: February 16, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	109	113	111	3.6
	FL-2009 Inlet	168	184	176	9.1
	Hero Inlet	173	181	177	4.5
	Parnel Inlet	213	209	211	1.9
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.77	0.84	0.81	8.7
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	134	143	139	6.5
	FL-2009 Inlet	58.6	62.4	60.5	6.3
	Hero Inlet	299	318	309	6.2
	Parnel Inlet	334	327	331	2.1
Ethyl mercaptan	Zeeco Inlet	2.13	2.32	2.23	8.5
	FL-2009 Inlet	0.86	0.93	0.90	7.8
	Hero Inlet	3.59	3.95	3.77	9.5
	Parnel Inlet	3.96	3.85	3.91	2.8
Dimethyl sulfide	Zeeco Inlet	414	448	431	7.9
	FL-2009 Inlet	188	198	193	5.2
	Hero Inlet	768	815	792	5.9
	Parnel Inlet	875	874	875	0.11
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.25	1.28	1.27	2.4
	FL-2009 Inlet	1.52	1.60	1.56	5.1
	Hero Inlet	1.98	2.11	2.05	6.4
	Parnel Inlet	2.57	2.42	2.50	6.0
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	5.22	5.65	5.44	7.9
	FL-2009 Inlet	2.01	2.24	2.13	11
	Hero Inlet	8.86	9.38	9.12	5.7
	Parnel Inlet	9.71	9.68	9.70	0.31
s-Butyl mercaptan	Zeeco Inlet	3.77	4.15	3.96	9.6
	FL-2009 Inlet	2.28	2.35	2.32	3.0
	Hero Inlet	6.92	7.77	7.35	12
	Parnel Inlet	7.59	7.98	7.79	5.0
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.81	2.02	1.92	11
	FL-2009 Inlet	1.16	1.17	1.17	0.86
	Hero Inlet	1.96	2.24	2.10	13
	Parnel Inlet	3.97	4.13	4.05	4.0
Tetrahydrothiophene	Zeeco Inlet	0.96	1.06	1.01	10
	FL-2009 Inlet	0.46	0.53	0.50	14
	Hero Inlet	1.97	2.08	2.03	5.4
	Parnel Inlet	2.14	2.04	2.09	4.8
Unidentified sulfurs	Zeeco Inlet	4.92	4.76	4.84	3.3
	FL-2009 Inlet	3.01	3.58	3.30	17
	Hero Inlet	5.50	5.95	5.72	7.8
	Parnel Inlet	9.12	8.57	8.85	6.2

Four Tedlar bag samples, laboratory numbers 20476-(33-36), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 6.6%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample


Report Date: March 6, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 16, 2026
Date Analyzed: February 16, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20476-33	Zeeco Inlet	9.44	37.63	14.97	32.53
20476-34	FL-2009 Inlet	4.10	19.87	33.21	38.15
20476-35	Hero Inlet	3.82	20.76	14.91	50.23
20476-36	Parnel Inlet	4.10	18.10	17.54	50.66

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 16, 2026
Date Analyzed: February 16, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Zeeco Inlet	9.42	9.46	9.44	0.42	<0.1
Nitrogen	Zeeco Inlet	37.65	37.60	37.63	0.13	<0.1
Methane	Zeeco Inlet	14.96	14.97	14.97	0.07	<0.1
Carbon Dioxide	Zeeco Inlet	32.51	32.54	32.53	0.09	<0.1

Four Tedlar bag samples, laboratory numbers 20476-(33-36), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.18%.





LABORATORY ANALYSIS REPORT


Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 16, 2026
Date Analyzed: February 16, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20476-33	Zeeco Inlet	407
20476-34	FL-2009 Inlet	180
20476-35	Hero Inlet	808
20476-36	Parnel Inlet	761



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)








Project Name: Chiquita Canyon Landfill
 Date Received: February 16, 2026
 Date Analyzed: February 16, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	405	409	407	1.0

Four Tedlar bag samples, laboratory numbers 20476-(33-36), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.98%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.		CH4, CO2, O2 (1946)	CO (EPA alt-144)		
Sampler: (Signature) 		Chain of Custody Tape No.		TRS (307.91)			
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	<input type="checkbox"/>	<input type="checkbox"/>	Special Remarks
Zeeco Inlet	LFG	20470-33	2/15/20	1:25 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	H2S 85 PPM
FL-2009 Inlet	LFG	-34	2/15/20	1:35 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	H2S 120 PPM
Hero Inlet	LFG	-35	2/15/20	1:15 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	H2S 160 PPM
Parnel Inlet	LFG	-36	2/15/20	1:20 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	H2S 200 PPM
Relinquished by: (Signature) 		Date 2/15/20	Time 4:30 PM	Received by: (Signature) 		Date 2/16/26	Time 9:50 AM
Relinquished by: (Signature) 		Date 2/16/26	Time 9:50 AM	Received by: (Signature) 		Date 2/16	Time 10:08
Relinquished by: (Signature) 		Date	Time	Received for Laboratory by: (Signature) 		Date 2/16	Time 10:48 AM
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 16, 2026
Date Received: February 16, 2026
Date Analyzed: February 16, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20476-29	20476-30	20476-31	20476-32
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Panel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	103	163	181	230
Carbonyl sulfide	<1.00	0.74	<1.50	<1.50
Methyl mercaptan	109	53.2	304	329
Ethyl mercaptan	1.87	0.79	3.74	3.90
Dimethyl sulfide	337	166	773	841
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.18	1.56	2.12	2.50
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	4.35	1.83	8.92	8.79
s-Butyl mercaptan	3.04	2.02	6.95	6.94
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.37	0.88	1.86	3.15
Tetrahydrothiophene	<1.00	<0.50	1.64	1.47
Unidentified sulfurs	2.16	1.37	4.96	6.14

(Concentration in ppmv, as H₂S)

Total Sulfur	563.3	392.2	1289.0	1434.5
--------------	-------	-------	--------	--------



Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 16, 2026
 Date Received: February 16, 2026
 Date Analyzed: February 16, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	102	103	103	0.98
	FL-2009 Inlet	169	157	163	7.4
	Hero Inlet	182	179	181	1.7
	Parnel Inlet	227	232	230	2.2
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.76	0.71	0.74	6.8
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	108	109	109	0.92
	FL-2009 Inlet	55.2	51.1	53.2	7.7
	Hero Inlet	308	300	304	2.6
	Parnel Inlet	328	329	329	0.30
Ethyl mercaptan	Zeeco Inlet	1.95	1.78	1.87	9.1
	FL-2009 Inlet	0.81	0.77	0.79	5.1
	Hero Inlet	3.71	3.76	3.74	1.3
	Parnel Inlet	3.90	3.89	3.90	0.26
Dimethyl sulfide	Zeeco Inlet	334	340	337	1.8
	FL-2009 Inlet	171	161	166	6.0
	Hero Inlet	762	783	773	2.7
	Parnel Inlet	847	834	841	1.5
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.20	1.16	1.18	3.4
	FL-2009 Inlet	1.61	1.51	1.56	6.4
	Hero Inlet	2.01	2.23	2.12	10
	Parnel Inlet	2.46	2.54	2.50	3.2
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---




QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
(Concentration in ppmv)					
n-Propyl mercaptan	Zeeco Inlet	4.27	4.42	4.35	3.5
	FL-2009 Inlet	1.85	1.80	1.83	2.7
	Hero Inlet	8.72	9.11	8.92	4.4
	Parnel Inlet	8.82	8.75	8.79	0.80
s-Butyl mercaptan	Zeeco Inlet	3.04	3.03	3.04	0.33
	FL-2009 Inlet	2.08	1.96	2.02	5.9
	Hero Inlet	6.87	7.02	6.95	2.2
	Parnel Inlet	6.78	7.09	6.94	4.5
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.37	1.36	1.37	0.73
	FL-2009 Inlet	0.89	0.86	0.88	3.4
	Hero Inlet	1.82	1.90	1.86	4.3
	Parnel Inlet	3.08	3.22	3.15	4.4
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	1.59	1.69	1.64	6.1
	Parnel Inlet	1.41	1.52	1.47	7.5
Unidentified sulfurs	Zeeco Inlet	2.25	2.07	2.16	8.3
	FL-2009 Inlet	1.47	1.26	1.37	15
	Hero Inlet	4.93	4.98	4.96	1.0
	Parnel Inlet	6.18	6.10	6.14	1.3

Four Tedlar bag samples, laboratory numbers 20476-(29-32), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 4.1%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 16, 2026


Date Analyzed: February 16, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20476-29	Zeeco Inlet	9.97	39.55	14.94	30.52
20476-30	FL-2009 Inlet	4.43	20.83	33.52	37.59
20476-31	Hero Inlet	4.18	21.71	15.07	49.75
20476-32	Parnel Inlet	4.26	18.91	17.89	50.28

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst


QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 16, 2026
 Date Analyzed: February 16, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Oxygen	Zeeco Inlet	9.97	9.96	9.97	0.1	<0.1
Nitrogen	Zeeco Inlet	39.65	39.45	39.55	0.51	<0.1
Methane	Zeeco Inlet	15.01	14.86	14.94	1.0	<0.1
Carbon Dioxide	Zeeco Inlet	30.59	30.45	30.52	0.46	<0.1

Four Tedlar bag samples, laboratory numbers 20476-(29-32), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.52%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 16, 2026

Date Analyzed: February 16, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20476-29	Zeeco Inlet	335
20476-30	FL-2009 Inlet	182
20476-31	Hero Inlet	792
20476-32	Parnel Inlet	790



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 16, 2026
 Date Analyzed: February 16, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	337	332	335	1.5

Four Tedlar bag samples, laboratory numbers 20476-(29-32), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 1.5%.



CHAIN OF CUSTODY RECORD

Client/Project Name
SCS Engineers / Chiquita Canyon Landfill

Project No.
07224200.24 Task 1

Project Location
29201 Henry Mayo Drive, Castaic, CA 91384

Field Logbook No.

Chain of Custody Tape No.

Sampler: (Signature)
[Signature]

Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time
Zeeco Inlet	LFG	20476-29	2/16/26	6:55AM
FL-2009 Inlet	LFG	-30	2/16/26	6:40AM
Hero Inlet	LFG	-31	2/16/26	6:45AM
Parnel Inlet	LFG	-32	2/16/26	6:50AM

ANALYSES REQUESTED	Special Remarks			
	TRs (307.91)	CH4, CO2, O2 (1946)	CO (EPA alt-144)	
	X	X	X	H2S 100 PPM
	X	X	X	H2S 140 PPM
	X	X	X	H2S 200 PPM
	X	X	X	H2S 200 PPM

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
<i>[Signature]</i>	2/16/26	9:50AM	<i>[Signature]</i>	2/16	10:00
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
<i>[Signature]</i>			<i>[Signature]</i>	2/16	10:48AM
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: (Signature)	Date	Time
			<i>[Signature]</i>		

Company Info:

Company: SCS Engineers

Street Address: 3900 Kilroy Airport Way Suite 300

City/State/Zip: Long Beach / CA / 90806

Telephone No.: 562-743-7895 / 562-335-0002

Fax No.:

Send Report to:

Company: SCS Engineers

Street Address: 3900 Kilroy Airport Way Suite 300

City/State/Zip: Long Beach / CA / 90806

Project Manager: Cornelius Fong

Email Address: CFong@scsengineers.com


Analytical Laboratory: AtmAA Inc.

Street Address: 5107 Douglas Fir Rd.

City/State/Zip: Calabasas, CA 91302

TEL: (818) 223-3277

Email Address: info@atmaa.com





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 17, 2026
Date Received: February 17, 2026
Date Analyzed: February 17, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20486-3	20486-4	20486-5	20486-6
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	88.0	165	170	194
Carbonyl sulfide	<1.00	0.81	<1.50	<1.50
Methyl mercaptan	97.8	57.1	301	299
Ethyl mercaptan	1.58	0.83	3.72	3.54
Dimethyl sulfide	324	179	793	798
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.15	1.76	2.10	2.59
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	4.17	2.13	9.60	9.39
s-Butyl mercaptan	3.17	2.52	7.82	7.56
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.96	1.42	3.01	4.69
Tetrahydrothiophene	<1.00	0.60	2.25	2.17
Unidentified sulfurs	2.72	2.39	6.48	7.05

(Concentration in ppmv, as H₂S)

Total Sulfur	525.9	414.4	1302.0	1332.2
--------------	-------	-------	--------	--------


Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 17, 2026
 Date Received: February 17, 2026
 Date Analyzed: February 17, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	84.7	91.2	88.0	7.4
	FL-2009 Inlet	169	161	165	4.8
	Hero Inlet	166	174	170	4.7
	Parnel Inlet	189	199	194	5.2
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.80	0.82	0.81	2.5
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	96.4	99.2	97.8	2.9
	FL-2009 Inlet	57.9	56.2	57.1	3.0
	Hero Inlet	300	302	301	0.66
	Parnel Inlet	299	299	299	0.00
Ethyl mercaptan	Zeeco Inlet	1.51	1.64	1.58	8.3
	FL-2009 Inlet	0.84	0.81	0.83	3.6
	Hero Inlet	3.60	3.84	3.72	6.5
	Parnel Inlet	3.55	3.53	3.54	0.56
Dimethyl sulfide	Zeeco Inlet	317	330	324	4.0
	FL-2009 Inlet	184	173	179	6.2
	Hero Inlet	789	797	793	1.0
	Parnel Inlet	803	792	798	1.4
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.11	1.18	1.15	6.1
	FL-2009 Inlet	1.81	1.70	1.76	6.3
	Hero Inlet	2.19	2.00	2.10	9.1
	Parnel Inlet	2.42	2.76	2.59	13
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.94	4.39	4.17	11
	FL-2009 Inlet	2.23	2.02	2.13	9.9
	Hero Inlet	9.30	9.90	9.60	6.3
	Parnel Inlet	9.49	9.29	9.39	2.1
s-Butyl mercaptan	Zeeco Inlet	3.01	3.33	3.17	10
	FL-2009 Inlet	2.61	2.42	2.52	7.6
	Hero Inlet	7.82	7.82	7.82	0.00
	Parnel Inlet	7.52	7.60	7.56	1.1
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.78	2.13	1.96	18
	FL-2009 Inlet	1.43	1.41	1.42	1.4
	Hero Inlet	2.99	3.02	3.01	1.0
	Parnel Inlet	4.64	4.74	4.69	2.1
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.63	0.57	0.60	10
	Hero Inlet	2.26	2.23	2.25	1.3
	Parnel Inlet	2.27	2.07	2.17	9.2
Unidentified sulfurs	Zeeco Inlet	2.53	2.91	2.72	14
	FL-2009 Inlet	2.58	2.20	2.39	16
	Hero Inlet	6.80	6.16	6.48	9.9
	Parnel Inlet	7.01	7.08	7.05	0.95

Four Tedlar bag samples, laboratory numbers 20496-(29-32), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.7%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 17, 2026


Date Analyzed: February 17, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20486-3	Zeeco Inlet	11.52	45.51	13.01	26.10
20486-4	FL-2009 Inlet	5.64	26.15	31.01	34.14
20486-5	Hero Inlet	5.46	26.96	14.03	45.24
20486-6	Parnel Inlet	5.51	23.78	16.86	46.56

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 17, 2026
Date Analyzed: February 17, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	FL-2009 Inlet	5.64	5.64	5.64	0.0	<0.1
Nitrogen	FL-2009 Inlet	26.19	26.10	26.15	0.34	<0.1
Methane	FL-2009 Inlet	31.02	30.99	31.01	0.10	<0.1
Carbon Dioxide	FL-2009 Inlet	34.10	34.17	34.14	0.21	<0.1

Four Tedlar bag samples, laboratory numbers 20486-(3-6), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.16%.





LABORATORY ANALYSIS REPORT


Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 17, 2026
Date Analyzed: February 17, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20486-3	Zeeco Inlet	440
20486-4	FL-2009 Inlet	191
20486-5	Hero Inlet	797
20486-6	Parnel Inlet	660


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 17, 2026
 Date Analyzed: February 17, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	FL-2009 Inlet	191	190	191	0.52

Four Tedlar bag samples, laboratory numbers 20486-(3-6), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.52%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED				
Project No. 07224200.24 Task 1		Field Logbook No.		CH ₄ , CO ₂ , O ₂ (1946)		CO (EPA alt-144)		
Sampler: (Signature) <i>[Signature]</i>		Chain of Custody Tape No.		TRS (307.91)		Special Remarks		
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	TRS (307.91)	CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)	Special Remarks
Zeeco Inlet	LFG	20496-3	2/17/26	6:50AM	X	X	X	H2S 100 PPM
FL-2009 Inlet	LFG	-4	2/17/26	7:20AM	X	X	X	H2S 160 PPM
Hero Inlet	LFG	-5	2/17/26	7:10AM	X	X	X	H2S 200 PPM
Parnel Inlet	LFG	-6	2/17/26	6:55AM	X	X	X	H2S 210 PPM
Relinquished by: (Signature) <i>[Signature]</i>		Date 2/17/26	Time 7:35AM	Received by: (Signature) LUIS F		Date 2/17/26	Time 8:00	
Relinquished by: (Signature) LUIS F		Date 2/17/26	Time 8:56	Received by: (Signature)		Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature)		Date	Time 2/17/26 8:56	
Company Info:		Send Report to:		Analytical Laboratory				
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.				
Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.				
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302				
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277				
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com				





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 18, 2026
Date Received: February 18, 2026
Date Analyzed: February 18, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20496-1	20496-2	20496-3
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>		
Hydrogen sulfide	90.1	158	172
Carbonyl sulfide	<1.00	0.74	<1.50
Methyl mercaptan	93.4	76.6	300
Ethyl mercaptan	1.59	1.08	3.67
Dimethyl sulfide	316	223	747
Carbon disulfide	<1.00	<0.50	<1.50
i-Propyl mercaptan	1.10	1.82	2.06
t-Butyl mercaptan	<1.00	<0.50	<1.50
n-Propyl mercaptan	4.19	2.59	8.39
s-Butyl mercaptan	3.19	2.88	6.47
i-Butyl mercaptan	<1.00	<0.50	<1.50
Dimethyl disulfide	2.08	1.37	2.19
Tetrahydrothiophene	<1.00	0.77	1.76
Unidentified sulfurs	3.36	2.02	6.08

(Concentration in ppmv, as H₂S)

Total Sulfur	516.6	471.7	1250.8
--------------	-------	-------	--------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 18, 2026
 Date Received: February 18, 2026
 Date Analyzed: February 18, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	Zeeco Inlet	89.9	90.3	90.1	0.44
	FL-2009 Inlet	157	158	158	0.63
	Hero Inlet	171	172	172	0.58
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.74	0.74	0.74	0.00
	Hero Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	91.8	95.0	93.4	3.4
	FL-2009 Inlet	76.4	76.8	76.6	0.52
	Hero Inlet	303	296	300	2.3
Ethyl mercaptan	Zeeco Inlet	1.55	1.63	1.59	5.0
	FL-2009 Inlet	1.05	1.10	1.08	4.7
	Hero Inlet	3.77	3.57	3.67	5.4
Dimethyl sulfide	Zeeco Inlet	312	319	316	2.2
	FL-2009 Inlet	223	223	223	0.00
	Hero Inlet	758	736	747	2.9
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.10	1.10	1.10	0.00
	FL-2009 Inlet	1.82	1.82	1.82	0.00
	Hero Inlet	2.11	2.00	2.06	5.4
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
n-Propyl mercaptan	Zeeco Inlet	4.14	4.23	4.19	2.2
	FL-2009 Inlet	2.60	2.58	2.59	0.77
	Hero Inlet	8.58	8.19	8.39	4.7
s-Butyl mercaptan	Zeeco Inlet	3.12	3.26	3.19	4.4
	FL-2009 Inlet	2.85	2.90	2.88	1.7
	Hero Inlet	6.64	6.29	6.47	5.4



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	2.05	2.11	2.08	2.9
	FL-2009 Inlet	1.38	1.36	1.37	1.5
	Hero Inlet	2.19	2.19	2.19	0.00
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.78	0.76	0.77	2.6
	Hero Inlet	1.84	1.67	1.76	9.7
Unidentified sulfurs	Zeeco Inlet	3.23	3.49	3.36	7.7
	FL-2009 Inlet	2.00	2.03	2.02	1.5
	Hero Inlet	6.52	5.64	6.08	14

Four Tedlar bag samples, laboratory numbers 20496-(1-3), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 3.1%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 18, 2026

Date Analyzed: February 18, 2026

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/gas chromatography analysis (TCD/GC), ASTM D1946-90.

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20496-1	Zeeco Inlet	11.12	44.68	13.13	26.49
20496-2	FL-2009 Inlet	5.23	24.58	29.78	35.19
20496-3	Hero Inlet	5.43	26.55	13.93	45.71

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 18, 2026
 Date Analyzed: February 18, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Hero Inlet	5.42	5.43	5.43	0.18	<0.1
Nitrogen	Hero Inlet	26.55	26.54	26.55	0.04	<0.1
Methane	Hero Inlet	13.90	13.95	13.93	0.36	<0.1
Carbon Dioxide	Hero Inlet	45.70	45.72	45.71	0.04	<0.1

Three Tedlar bag samples, laboratory numbers 20496-(1-3), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 3 Tedlar bag samples is 0.16%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1


Date Received: February 18, 2026

Date Analyzed: February 18, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20496-1	Zeeco Inlet	336
20496-2	FL-2009 Inlet	221
20496-3	Hero Inlet	771


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 18, 2026
 Date Analyzed: February 18, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Hero Inlet	771	770	771	0.13

Three Tedlar bag samples, laboratory numbers 20496-(1-3), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 3 Tedlar bag samples is 0.13%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) <i>Viter Omega</i>		Chain of Custody Tape No.		CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)		
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks	Date	Time
Zeeco Inlet	LFG	20496-1	2/18/26	7:30 ^{AM}	H ₂ S 80 PPM	2/18/26	8:06
FL-2009 Inlet	LFG	-2	2/18/26	6:30AM	H ₂ S 60 PPM		
Hero Inlet	LFG	-3	2/18/26	7:10AM	H ₂ S 200 PPM		
Parnel Inlet	LFG	4			H ₂ S PPM		
Relinquished by: (Signature) <i>Viter Omega</i>		Date 2-18-26		Received by: (Signature) LUI S F		Date 2/18/26	
Relinquished by: (Signature) LUI S F		Date 2/18/26		Received by: (Signature)		Date	
Relinquished by: (Signature)		Date		Received for Laboratory by: (Signature)		Date 2/18/26 9:10A	
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 18, 2026
Date Received: February 19, 2026
Date Analyzed: February 19, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.: 20506-2
Sample I.D.: Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>
Hydrogen sulfide	182
Carbonyl sulfide	<1.50
Methyl mercaptan	278
Ethyl mercaptan	3.26
Dimethyl sulfide	765
Carbon disulfide	<1.50
i-Propyl mercaptan	2.40
t-Butyl mercaptan	<1.50
n-Propyl mercaptan	8.05
s-Butyl mercaptan	6.19
i-Butyl mercaptan	<1.50
Dimethyl disulfide	4.28
Tetrahydrothiophene	1.72
Unidentified sulfurs	5.00

(Concentration in ppmv, as H₂S)

Total Sulfur 1259.7

Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 18, 2026
 Date Received: February 19, 2026
 Date Analyzed: February 19, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Hydrogen sulfide	Parnel Inlet	180	184	182	2.2
Carbonyl sulfide	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Parnel Inlet	269	286	278	6.1
Ethyl mercaptan	Parnel Inlet	3.21	3.31	3.26	3.1
Dimethyl sulfide	Parnel Inlet	750	780	765	3.9
Carbon disulfide	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Parnel Inlet	2.24	2.55	2.40	13
t-Butyl mercaptan	Parnel Inlet	<1.50	<1.50	---	---
n-Propyl mercaptan	Parnel Inlet	7.85	8.25	8.05	5.0
s-Butyl mercaptan	Parnel Inlet	6.11	6.27	6.19	2.6
i-Butyl mercaptan	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Parnel Inlet	4.32	4.24	4.28	1.9
Tetrahydrothiophene	Parnel Inlet	1.71	1.72	1.72	0.58
Unidentified sulfurs	Parnel Inlet	4.96	5.04	5.00	1.6

One Tedlar bag sample, laboratory number 20506-2, was analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from one Tedlar bag sample is 4.0%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 19, 2026


Date Analyzed: February 19, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20506-2	Parnel Inlet	4.80	21.12	17.53	48.69

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 19, 2026
 Date Analyzed: February 19, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Parnel Inlet	4.80	4.79	4.80	0.21	<0.1
Nitrogen	Parnel Inlet	21.15	21.09	21.12	0.28	<0.1
Methane	Parnel Inlet	17.52	17.54	17.53	0.11	<0.1
Carbon Dioxide	Parnel Inlet	48.71	48.66	48.69	0.10	<0.1

One Tedlar bag sample, laboratory number 20506-2, was analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 1 Tedlar bag sample is 0.18%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1


Date Received: February 19, 2026

Date Analyzed: February 19, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20506-2	Parnel Inlet	744


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 19, 2026
 Date Analyzed: February 19, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Carbon Monoxide	Parnel Inlet	750	737	744	1.7

One Tedlar bag sample, laboratory number 20506-2, was analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 1 Tedlar bag sample is 1.7%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) <i>Victor Uyuga</i>		Chain of Custody Tape No.		TRS (307.91)			
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Special Remarks
Zeeco Inlet	LFG				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	H ₂ S PPM
FL-2009 Inlet	LFG				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	H ₂ S PPM
Hero Inlet	LFG				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	H ₂ S PPM
Parnel Inlet	LFG	20506-2	2/18/26	16:22	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	H ₂ S 160 PPM
Relinquished by: (Signature) <i>Victor Uyuga</i>		Date 2/19/26	Time 8:05 Am	Received by: (Signature) <i>[Signature]</i>	Date 2/19/26	Time 8:15	
Relinquished by: (Signature) <i>[Signature]</i>		Date 2/19/26	Time 9:20	Received by: (Signature) <i>[Signature]</i>	Date	Time	
Relinquished by: (Signature) <i>[Signature]</i>		Date	Time	Received for Laboratory by: (Signature) <i>[Signature]</i>	Date 2/19/26	Time 9:20	
Company Info:		Send Report to:		AtmAA Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 19, 2026
Date Received: February 19, 2026
Date Analyzed: February 19, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20506-3	20506-4	20506-5	20506-6
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	91.5	169	162	187
Carbonyl sulfide	<1.00	0.78	<1.50	<1.50
Methyl mercaptan	85.5	57.7	282	290
Ethyl mercaptan	1.45	0.85	3.32	3.50
Dimethyl sulfide	283	185	729	778
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	0.98	1.73	2.05	2.32
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.42	2.00	8.06	8.42
s-Butyl mercaptan	2.57	2.40	6.24	6.32
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.74	1.16	2.23	4.26
Tetrahydrothiophene	<1.00	0.49	1.62	1.61
Unidentified sulfurs	1.72	1.91	4.18	4.84

(Concentration in ppmv, as H₂S)

Total Sulfur	473.1	423.2	1202.4	1289.5
--------------	-------	-------	--------	--------



Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 19, 2026
 Date Received: February 19, 2026
 Date Analyzed: February 19, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	91.5	91.5	91.5	0.00
	FL-2009 Inlet	170	167	169	1.8
	Hero Inlet	166	158	162	4.9
	Parnel Inlet	184	189	187	2.7
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.79	0.77	0.78	2.6
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	86.5	84.4	85.5	2.5
	FL-2009 Inlet	58.7	56.7	57.7	3.5
	Hero Inlet	288	276	282	4.3
	Parnel Inlet	286	294	290	2.8
Ethyl mercaptan	Zeeco Inlet	1.39	1.51	1.45	8.3
	FL-2009 Inlet	0.88	0.82	0.85	7.1
	Hero Inlet	3.45	3.19	3.32	7.8
	Parnel Inlet	3.31	3.68	3.50	11
Dimethyl sulfide	Zeeco Inlet	284	281	283	1.1
	FL-2009 Inlet	189	180	185	4.9
	Hero Inlet	746	711	729	4.8
	Parnel Inlet	780	775	778	0.64
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.11	0.85	0.98	27
	FL-2009 Inlet	1.75	1.70	1.73	2.9
	Hero Inlet	2.13	1.96	2.05	8.3
	Parnel Inlet	2.55	2.09	2.32	20
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.56	3.27	3.42	8.5
	FL-2009 Inlet	2.01	1.98	2.00	1.5
	Hero Inlet	8.14	7.98	8.06	2.0
	Parnel Inlet	8.25	8.59	8.42	4.0
s-Butyl mercaptan	Zeeco Inlet	2.66	2.48	2.57	7.0
	FL-2009 Inlet	2.45	2.35	2.40	4.2
	Hero Inlet	6.38	6.10	6.24	4.5
	Parnel Inlet	6.27	6.37	6.32	1.6
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.74	1.74	1.74	0.00
	FL-2009 Inlet	1.16	1.15	1.16	0.87
	Hero Inlet	2.23	2.23	2.23	0.00
	Parnel Inlet	4.24	4.28	4.26	0.94
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.46	0.51	0.49	10
	Hero Inlet	1.57	1.66	1.62	5.6
	Parnel Inlet	1.72	1.50	1.61	14
Unidentified sulfurs	Zeeco Inlet	1.74	1.70	1.72	2.3
	FL-2009 Inlet	2.05	1.77	1.91	15
	Hero Inlet	4.15	4.20	4.18	1.2
	Parnel Inlet	5.04	4.63	4.84	8.5

Four Tedlar bag samples, laboratory numbers 20506-(3-6), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.5%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample


Report Date: March 6, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 19, 2026
Date Analyzed: February 19, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20506-3	Zeeco Inlet	10.60	43.75	13.70	26.72
20506-4	FL-2009 Inlet	5.00	23.67	31.92	35.03
20506-5	Hero Inlet	4.80	24.83	14.31	46.35
20506-6	Parnel Inlet	5.18	22.75	16.91	47.07

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 19, 2026
 Date Analyzed: February 19, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
		<i>(Concentration in %,v)</i>				
Oxygen	Hero Inlet	4.80	4.79	4.80	0.21	<0.1
Nitrogen	Hero Inlet	24.83	24.82	24.83	0.04	<0.1
Methane	Hero Inlet	14.31	14.30	14.31	0.07	<0.1
Carbon Dioxide	Hero Inlet	46.37	46.32	46.35	0.11	<0.1

Four Tedlar bag samples, laboratory numbers 20106-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.11%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 19, 2026
Date Analyzed: February 19, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20506-3	Zeeco Inlet	164
20506-4	FL-2009 Inlet	249
20506-5	Hero Inlet	845
20506-6	Parnel Inlet	895


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)








Project Name: Chiquita Canyon Landfill
 Date Received: February 19, 2026
 Date Analyzed: February 19, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Hero Inlet	855	835	845	2.4

Four Tedlar bag samples, laboratory numbers 20506-(3-6), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 2.4%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.		CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)		
Sampler: (Signature) 		Chain of Custody Tape No.		TRS (307.91)			
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)	Special Remarks
Zeeco Inlet	LFG	20506-3	2/19/26	7:45AM	X	X	H2S 80 PPM
FL-2009 Inlet	LFG	-4	2/19/26	7:05AM	X	X	H2S 120 PPM
Hero Inlet	LFG	-5	2/19/26	7:30AM	X	X	H2S 200 PPM
Parnel Inlet	LFG	-6	2/19/26	7:35AM	X	X	H2S 210 PPM
Relinquished by: (Signature) 		Date 2/19/26	Time 8:05AM	Received by: (Signature) 		Date 2/19/26	Time 8:15
Relinquished by: (Signature) 		Date 2/19/26	Time 9:20	Received by: (Signature) 		Date 2/19/26	Time 9:20
Relinquished by: (Signature) 		Date 2/19/26	Time 9:20	Received for Laboratory by: (Signature) 		Date 2/19/26	Time 9:20
Company Info:				Send Report to:			
Company: SCS Engineers		Company: SOS Engineers		Analytical Laboratory			
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		AtmAA Inc.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		5107 Douglas Fir Rd.			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		Calabasas, CA 91302			
Fax No.:		Email Address: CFong@scsengineers.com		TEL: (818) 223-3277			
				Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon
Project No.: 07224200.24 Task 1
Date Sampled: February 20, 2026
Date Received: February 20, 2026
Date Analyzed: February 20, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20516-1	20516-2	20516-3	20516-4
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	79.9	146	153	177
Carbonyl sulfide	<1.00	0.71	<1.50	<1.50
Methyl mercaptan	83.7	49.9	283	274
Ethyl mercaptan	1.41	0.78	3.54	3.34
Dimethyl sulfide	288	157	744	718
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.04	1.57	2.01	2.19
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.80	1.83	8.84	7.75
s-Butyl mercaptan	3.06	2.22	7.14	5.73
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.67	1.00	2.40	3.27
Tetrahydrothiophene	<1.00	0.57	2.00	<1.50
Unidentified sulfurs	4.40	1.66	6.54	5.44

(Concentration in ppmv, as H₂S)

Total Sulfur	468.1	363.7	1213.3	1199.5
--------------	-------	-------	--------	--------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon
 Date Sampled: February 20, 2026
 Date Received: February 20, 2026
 Date Analyzed: February 20, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	80.3	79.5	79.9	1.0
	FL-2009 Inlet	139	153	146	9.6
	Hero Inlet	146	159	153	8.5
	Parnel Inlet	176	177	177	0.57
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.66	0.76	0.71	14
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	82.4	85.0	83.7	3.1
	FL-2009 Inlet	47.7	52.1	49.9	8.8
	Hero Inlet	268	297	283	10
	Parnel Inlet	269	279	274	3.6
Ethyl mercaptan	Zeeco Inlet	1.36	1.45	1.41	6.4
	FL-2009 Inlet	0.74	0.82	0.78	10
	Hero Inlet	3.41	3.66	3.54	7.1
	Parnel Inlet	3.31	3.36	3.34	1.5
Dimethyl sulfide	Zeeco Inlet	286	289	288	1.0
	FL-2009 Inlet	149	164	157	9.6
	Hero Inlet	711	776	744	8.7
	Parnel Inlet	711	725	718	1.9
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.03	1.05	1.04	1.9
	FL-2009 Inlet	1.53	1.60	1.57	4.5
	Hero Inlet	1.90	2.12	2.01	11
	Parnel Inlet	2.13	2.24	2.19	5.0
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.70	3.90	3.80	5.3
	FL-2009 Inlet	1.76	1.90	1.83	7.7
	Hero Inlet	8.52	9.15	8.84	7.1
	Parnel Inlet	7.55	7.94	7.75	5.0
s-Butyl mercaptan	Zeeco Inlet	3.14	2.98	3.06	5.2
	FL-2009 Inlet	2.19	2.24	2.22	2.3
	Hero Inlet	6.86	7.41	7.14	7.7
	Parnel Inlet	5.47	5.99	5.73	9.1
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.68	1.66	1.67	1.2
	FL-2009 Inlet	0.98	1.02	1.00	4.0
	Hero Inlet	2.38	2.41	2.40	1.3
	Parnel Inlet	3.15	3.39	3.27	7.3
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.58	0.56	0.57	3.5
	Hero Inlet	2.04	1.96	2.00	4.0
	Parnel Inlet	<1.50	<1.50	---	---
Unidentified sulfurs	Zeeco Inlet	4.53	4.26	4.40	6.1
	FL-2009 Inlet	1.63	1.69	1.66	3.6
	Hero Inlet	6.49	6.58	6.54	1.4
	Parnel Inlet	5.87	5.01	5.44	16

Four Tedlar bag samples, laboratory numbers 20516-(1-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.8%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 20, 2026


Date Analyzed: February 20, 2026

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20516-1	Zeeco Inlet	11.46	46.14	13.09	25.82
20516-2	FL-2009 Inlet	5.63	26.32	30.60	33.63
20516-3	Hero Inlet	5.62	27.82	13.65	44.62
20516-4	Parnel Inlet	5.91	25.23	16.05	45.02

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst


QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 20, 2026
 Date Analyzed: February 20, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Oxygen	Zeeco Inlet	11.42	11.49	11.46	0.61	<0.1
Nitrogen	Zeeco Inlet	46.11	46.16	46.14	0.11	<0.1
Methane	Zeeco Inlet	13.10	13.08	13.09	0.15	<0.1
Carbon Dioxide	Zeeco Inlet	25.85	25.78	25.82	0.27	<0.1

Four Tedlar bag samples, laboratory numbers 20516-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.29%.





LABORATORY ANALYSIS REPORT


Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 20, 2026
Date Analyzed: February 20, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20516-1	Zeeco Inlet	314
20516-2	FL-2009 Inlet	176
20516-3	Hero Inlet	793
20516-4	Parnel Inlet	752


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 20, 2026
 Date Analyzed: February 20, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	314	313	314	0.32

Four Tedlar bag samples, laboratory numbers 20516-(1-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.32%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED				
Project No. 07224200.24 Task 1		Field Logbook No.						
Sampler: (Signature) <i>Victor Amaya</i>		Chain of Custody Tape No.						
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	TRIS (307.91)	CH4, CO2, O2 (1946)	CO (EPA alt-144)	Special Remarks
Zeeco Inlet	LFG	20516-1	2/20/26	7:25 AM	X	X	X	H2S 90 PPM
FL-2009 Inlet	LFG	-2	2/20/26	7:00 AM	X	X	X	H2S 150 PPM
Hero Inlet	LFG	-3	2/20/26	7:10 AM	X	X	X	H2S 200 PPM
Parnel Inlet	LFG	-4	2/20/26	7:20 AM	X	X	X	H2S 220 PPM
Relinquished by: (Signature) <i>Victor Amaya</i>		Date	Time	Received by: (Signature) LUI SF		Date	Time	
Relinquished by: (Signature) LUI SF		Date	Time	Received by: (Signature)		Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature) <i>[Signature]</i> AtmAA		Date	Time	
Company Info:		Send Report to:		Analytical Laboratory				
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.				
Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.				
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302				
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277				
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com				





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon
Project No.: 07224200.24 Task 1
Date Sampled: February 21, 2026
Date Received: February 21, 2026
Date Analyzed: February 21, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20526-1	20526-2	20526-3	20526-4
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	86.6	164	162	217
Carbonyl sulfide	<1.00	0.77	<1.50	<1.50
Methyl mercaptan	82.1	55.8	292	338
Ethyl mercaptan	1.30	0.85	3.46	4.02
Dimethyl sulfide	283	179	764	890
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.04	1.78	2.14	2.56
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.75	2.07	8.91	9.56
s-Butyl mercaptan	2.90	2.45	6.88	7.59
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.82	1.25	2.57	5.16
Tetrahydrothiophene	<1.00	0.56	1.93	2.11
Unidentified sulfurs	3.57	2.65	6.76	8.41

(Concentration in ppmv, as H₂S)

Total Sulfur	467.8	411.4	1252.2	1488.6
--------------	-------	-------	--------	--------



Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon
 Date Sampled: February 21, 2026
 Date Received: February 21, 2026
 Date Analyzed: February 21, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	86.3	86.9	86.6	0.69
	FL-2009 Inlet	167	160	164	4.3
	Hero Inlet	162	161	162	0.62
	Parnel Inlet	230	203	217	12
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.82	0.72	0.77	13
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	82.1	82.0	82.1	0.12
	FL-2009 Inlet	56.7	54.8	55.8	3.4
	Hero Inlet	295	289	292	2.1
	Parnel Inlet	349	326	338	6.8
Ethyl mercaptan	Zeeco Inlet	1.37	1.23	1.30	11
	FL-2009 Inlet	0.88	0.81	0.85	8.3
	Hero Inlet	3.56	3.36	3.46	5.8
	Parnel Inlet	4.06	3.98	4.02	2.0
Dimethyl sulfide	Zeeco Inlet	284	282	283	0.71
	FL-2009 Inlet	185	172	179	7.3
	Hero Inlet	764	763	764	0.13
	Parnel Inlet	909	871	890	4.3
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.04	1.04	1.04	0.00
	FL-2009 Inlet	1.84	1.72	1.78	6.7
	Hero Inlet	2.23	2.05	2.14	8.4
	Parnel Inlet	2.61	2.51	2.56	3.9
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.71	3.78	3.75	1.9
	FL-2009 Inlet	2.16	1.97	2.07	9.2
	Hero Inlet	8.92	8.90	8.91	0.22
	Parnel Inlet	9.27	9.84	9.56	6.0
s-Butyl mercaptan	Zeeco Inlet	2.89	2.90	2.90	0.35
	FL-2009 Inlet	2.56	2.34	2.45	9.0
	Hero Inlet	6.86	6.89	6.88	0.44
	Parnel Inlet	7.70	7.48	7.59	2.9
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.87	1.76	1.82	6.1
	FL-2009 Inlet	1.27	1.22	1.25	4.0
	Hero Inlet	2.56	2.58	2.57	0.78
	Parnel Inlet	5.09	5.23	5.16	2.7
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.55	0.57	0.56	3.6
	Hero Inlet	1.96	1.90	1.93	3.1
	Parnel Inlet	2.15	2.07	2.11	3.8
Unidentified sulfurs	Zeeco Inlet	3.75	3.39	3.57	10
	FL-2009 Inlet	2.60	2.70	2.65	3.8
	Hero Inlet	6.96	6.55	6.76	6.1
	Parnel Inlet	8.46	8.37	8.41	1.1

Four Tedlar bag samples, laboratory numbers 20526-(1-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 4.4%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample


Report Date: March 6, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 21, 2026
Date Analyzed: February 23, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20526-1	Zeeco Inlet	11.48	46.17	13.22	25.71
20526-2	FL-2009 Inlet	5.11	25.01	31.47	34.71
20526-3	Hero Inlet	5.51	27.64	13.29	44.79
20526-4	Parnel Inlet	6.14	26.14	15.44	44.75

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 21, 2026
Date Analyzed: February 23, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Zeeco Inlet	11.45	11.50	11.48	0.44	<0.1
Nitrogen	Zeeco Inlet	46.19	46.14	46.17	0.11	<0.1
Methane	Zeeco Inlet	13.20	13.24	13.22	0.30	<0.1
Carbon Dioxide	Zeeco Inlet	25.71	25.71	25.71	0.0	<0.1

Four Tedlar bag samples, laboratory numbers 20526-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.21%.





LABORATORY ANALYSIS REPORT


Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 21, 2026
Date Analyzed: February 23, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20526-1	Zeeco Inlet	242
20526-2	FL-2009 Inlet	151
20526-3	Hero Inlet	650
20526-4	Parnel Inlet	678


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)




Project Name: Chiquita Canyon Landfill
 Date Received: February 21, 2026
 Date Analyzed: February 23, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	242	242	242	0.0

Four Tedlar bag samples, laboratory numbers 20526-(1-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.0%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED				
Project No. 07224200.24 Task 1		Field Logbook No.		CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)			
Sampler: (Signature) 		Chain of Custody Tape No.		TRS (307.91)				
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks	Date	Time	
Zeeco Inlet	LFG	20526-1	2/21/26	8:00am	H2S 80 PPM	2/21/26	9:07	
FL-2009 Inlet	LFG	-2	2/21/26	8:10am	H2S 140 PPM			
Hero Inlet	LFG	-3	2/21/26	7:45am	H2S 160 PPM			
Parnel Inlet	LFG	-4	2/21/26	7:55am	H2S 180 PPM			
Relinquished by: (Signature) 		Date	Time	Received by: (Signature) LOIS F		Date	Time	
Relinquished by: (Signature) LOIS F		Date	Time	Received by: (Signature)		Date	Time	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature)  Analytical Laboratory		Date	Time	
Company Info:		Send Report to:		Company: SCS Engineers 3900 Kilroy Airport Way Suite 300 Long Beach / CA / 90806		AtmAA Inc. 5107 Douglas Fir Rd. Calabasas, CA 91302 TEL: (818) 223-3277 Email Address: info@atmaa.com		





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon
Project No.: 07224200.24 Task 1
Date Sampled: February 22, 2026
Date Received: February 23, 2026
Date Analyzed: February 23, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20546-25	20546-26	20546-27	20546-28
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	92.6	166	160	183
Carbonyl sulfide	<1.00	0.79	<1.50	<1.50
Methyl mercaptan	95.7	57.9	299	297
Ethyl mercaptan	1.72	0.90	3.72	3.80
Dimethyl sulfide	308	186	806	826
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.02	1.64	2.13	2.26
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	4.04	2.10	9.52	9.56
s-Butyl mercaptan	3.16	2.36	7.52	8.04
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	2.11	1.41	2.98	5.92
Tetrahydrothiophene	<1.00	0.56	2.24	2.56
Unidentified sulfurs	5.39	4.10	8.65	11.9

(Concentration in ppmv, as H₂S)

Total Sulfur	515.7	424.6	1304.2	1354.9
--------------	-------	-------	--------	--------



Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon
 Date Sampled: February 22, 2026
 Date Received: February 23, 2026
 Date Analyzed: February 23, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	94.8	90.3	92.6	4.9
	FL-2009 Inlet	160	172	166	7.2
	Hero Inlet	159	161	160	1.3
	Parnel Inlet	179	186	183	3.8
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.76	0.81	0.79	6.4
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	97.4	93.9	95.7	3.7
	FL-2009 Inlet	56.2	59.5	57.9	5.7
	Hero Inlet	288	310	299	7.4
	Parnel Inlet	291	302	297	3.7
Ethyl mercaptan	Zeeco Inlet	1.77	1.66	1.72	6.4
	FL-2009 Inlet	0.87	0.93	0.90	6.7
	Hero Inlet	3.57	3.86	3.72	7.8
	Parnel Inlet	3.76	3.84	3.80	2.1
Dimethyl sulfide	Zeeco Inlet	313	303	308	3.2
	FL-2009 Inlet	180	191	186	5.9
	Hero Inlet	784	827	806	5.3
	Parnel Inlet	799	853	826	6.5
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	0.99	1.05	1.02	5.9
	FL-2009 Inlet	1.60	1.67	1.64	4.3
	Hero Inlet	2.17	2.08	2.13	4.2
	Parnel Inlet	2.22	2.30	2.26	3.5
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
(Concentration in ppmv)					
n-Propyl mercaptan	Zeeco Inlet	4.02	4.06	4.04	1.0
	FL-2009 Inlet	2.03	2.17	2.10	6.7
	Hero Inlet	9.60	9.44	9.52	1.7
	Parnel Inlet	9.11	10.0	9.56	9.3
s-Butyl mercaptan	Zeeco Inlet	3.22	3.09	3.16	4.1
	FL-2009 Inlet	2.30	2.41	2.36	4.7
	Hero Inlet	7.41	7.63	7.52	2.9
	Parnel Inlet	7.78	8.30	8.04	6.5
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	2.11	2.11	2.11	0.00
	FL-2009 Inlet	1.38	1.43	1.41	3.6
	Hero Inlet	2.82	3.13	2.98	10
	Parnel Inlet	5.70	6.13	5.92	7.3
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.56	0.56	0.56	0.00
	Hero Inlet	2.19	2.29	2.24	4.5
	Parnel Inlet	2.50	2.62	2.56	4.7
Unidentified sulfurs	Zeeco Inlet	5.71	5.07	5.39	12
	FL-2009 Inlet	4.14	4.05	4.10	2.2
	Hero Inlet	8.58	8.73	8.65	1.8
	Parnel Inlet	11.8	12.0	11.9	1.7

Four Tedlar bag samples, laboratory numbers 20546-(25-28), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 4.8%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 23, 2026

Date Analyzed: February 23, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20546-25	Zeeco Inlet	10.00	42.17	13.84	27.70
20546-26	FL-2009 Inlet	4.38	22.30	32.40	35.91
20546-27	Hero Inlet	4.62	24.70	14.43	47.56
20546-28	Parnel Inlet	4.77	21.62	16.35	47.58

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 23, 2026
Date Analyzed: February 23, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Hero Inlet	4.62	4.61	4.62	0.22	<0.1
Nitrogen	Hero Inlet	24.71	24.69	24.70	0.08	<0.1
Methane	Hero Inlet	14.44	14.42	14.43	0.14	<0.1
Carbon Dioxide	Hero Inlet	47.52	47.60	47.56	0.17	<0.1

Four Tedlar bag samples, laboratory numbers 20546-(25-28), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.15%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 23, 2026

Date Analyzed: February 23, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20546-25	Zeeco Inlet	278
20546-26	FL-2009 Inlet	144
20546-27	Hero Inlet	704
20546-28	Parnel Inlet	671


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 23, 2026
 Date Analyzed: February 23, 2026


<u>Components</u>	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		<i>(Concentration in ppmv)</i>			
Carbon Monoxide	Hero Inlet	702	705	704	0.43

Four Tedlar bag samples, laboratory numbers 20546-(25-28), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.43%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED								
Project No. 07224200.24 Task 1		Field Logbook No.										
Sampler: (Signature) <i>[Signature]</i>		Chain of Custody Tape No.		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">CH₄, CO₂, O₂ (1946)</td> <td style="width: 33%;">CO (EPA alt-144)</td> <td style="width: 33%;"></td> </tr> <tr> <td>TRS (307.91)</td> <td></td> <td></td> </tr> </table>			CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)		TRS (307.91)		
CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)											
TRS (307.91)												
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks	Date	Time					
Zeeco Inlet	LFG	20546-25	2/22/26	2:20PM	H2S 75 PPM	2/23/26	8:45AM					
FL-2009 Inlet	LFG	-26	2/22/26	1:55PM	H2S 120 PPM	2/23/26	9:50					
Hero Inlet	LFG	-27	2/22/26	2:05PM	H2S 160 PPM							
Parnel Inlet	LFG	-28	2/22/26	2:50PM	H2S 160 PPM							
Relinquished by: (Signature) <i>[Signature]</i>		Date 2/22/26	Time 4:30PM	Received by: (Signature) ERIC AVIAS								
Relinquished by: (Signature) <i>[Signature]</i>		Date 2/23/26	Time 8:45	Received by: (Signature) <i>[Signature]</i>								
Relinquished by: (Signature) <i>[Signature]</i>		Date	Time	Received for Laboratory by: (Signature) <i>[Signature]</i>								
Company Info:		Send Report to:		Analytical Laboratory								
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.								
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.								
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302								
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277								
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com								





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 9, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon
Project No.: 07224200.24 Task 1
Date Sampled: February 23, 2026
Date Received: February 23, 2026
Date Analyzed: February 23, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20546-29	20546-30	20546-31	20546-32
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	80.0	151	140	165
Carbonyl sulfide	<1.00	0.72	<1.50	<1.50
Methyl mercaptan	76.8	49.5	256	262
Ethyl mercaptan	1.33	0.79	3.30	3.17
Dimethyl sulfide	249	159	684	739
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	<1.00	1.53	1.83	2.24
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.20	1.80	7.74	8.34
s-Butyl mercaptan	2.44	1.99	6.29	7.15
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.61	0.96	2.29	4.68
Tetrahydrothiophene	<1.00	<0.50	1.82	2.28
Unidentified sulfurs	2.35	1.80	5.17	8.62

(Concentration in ppmv, as H₂S)

Total Sulfur	418.3	370.0	1109.7	1206.7
--------------	-------	-------	--------	--------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon
 Date Sampled: February 23, 2026
 Date Received: February 23, 2026
 Date Analyzed: February 23, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	80.7	79.3	80.0	1.8
	FL-2009 Inlet	151	151	151	0.00
	Hero Inlet	136	143	140	5.0
	Parnel Inlet	164	166	165	1.2
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.69	0.74	0.72	7.0
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	76.4	77.2	76.8	1.0
	FL-2009 Inlet	48.5	50.4	49.5	3.8
	Hero Inlet	244	267	256	9.0
	Parnel Inlet	264	259	262	1.9
Ethyl mercaptan	Zeeco Inlet	1.34	1.31	1.33	2.3
	FL-2009 Inlet	0.76	0.82	0.79	7.6
	Hero Inlet	3.14	3.46	3.30	9.7
	Parnel Inlet	3.25	3.09	3.17	5.0
Dimethyl sulfide	Zeeco Inlet	251	247	249	1.6
	FL-2009 Inlet	156	162	159	3.8
	Hero Inlet	657	711	684	7.9
	Parnel Inlet	747	731	739	2.2
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	1.49	1.57	1.53	5.2
	Hero Inlet	1.75	1.90	1.83	8.2
	Parnel Inlet	2.28	2.20	2.24	3.6
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.21	3.19	3.20	0.63
	FL-2009 Inlet	1.72	1.87	1.80	8.4
	Hero Inlet	7.39	8.08	7.74	8.9
	Parnel Inlet	8.48	8.20	8.34	3.4
s-Butyl mercaptan	Zeeco Inlet	2.35	2.52	2.44	7.0
	FL-2009 Inlet	1.92	2.05	1.99	6.5
	Hero Inlet	5.96	6.61	6.29	10
	Parnel Inlet	7.09	7.20	7.15	1.5
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.60	1.62	1.61	1.2
	FL-2009 Inlet	0.93	0.99	0.96	6.2
	Hero Inlet	2.18	2.39	2.29	9.2
	Parnel Inlet	4.62	4.74	4.68	2.6
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	1.68	1.95	1.82	15
	Parnel Inlet	2.47	2.08	2.28	17
Unidentified sulfurs	Zeeco Inlet	2.38	2.31	2.35	3.0
	FL-2009 Inlet	1.93	1.66	1.80	15
	Hero Inlet	4.98	5.35	5.17	7.2
	Parnel Inlet	8.81	8.43	8.62	4.4

Four Tedlar bag samples, laboratory numbers 20546-(29-32), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.7%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 6, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 23, 2026


Date Analyzed: February 23, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20546-29	Zeeco Inlet	10.82	44.53	13.57	26.05
20546-30	FL-2009 Inlet	4.56	23.43	32.18	34.93
20546-31	Hero Inlet	5.28	26.11	13.84	45.63
20546-32	Parnel Inlet	5.41	23.87	16.76	46.04

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst


QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 23, 2026
 Date Analyzed: February 23, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
		<i>(Concentration in %,v)</i>				
Oxygen	Parnel Inlet	5.40	5.41	5.41	0.19	<0.1
Nitrogen	Parnel Inlet	23.91	23.82	23.87	0.38	<0.1
Methane	Parnel Inlet	16.74	16.77	16.76	0.18	<0.1
Carbon Dioxide	Parnel Inlet	46.05	46.03	46.04	0.04	<0.1

Four Tedlar bag samples, laboratory numbers 20546-(29-32), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.20%.





LABORATORY ANALYSIS REPORT


Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 6, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 23, 2026
Date Analyzed: February 23, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20546-29	Zeeco Inlet	259
20546-30	FL-2009 Inlet	152
20546-31	Hero Inlet	635
20546-32	Parnel Inlet	690


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 23, 2026
 Date Analyzed: February 23, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Parnel Inlet	696	684	690	1.7

Four Tedlar bag samples, laboratory numbers 20546-(29-32), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 1.7%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.					
Sampler: (Signature) <i>[Signature]</i>		Chain of Custody Tape No.		CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA alt-144)		
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks	Date	Time
Zeeco Inlet	LFG	20546-29	2/23/26	7:20 am	H2S 80 PPM	2/23/26	8:45
FL-2009 Inlet	LFG	-30	2/23/26	7:30 am	H2S 140 PPM	2/23/26	
Hero Inlet	LFG	-31	2/23/26	7:00 am	H2S 190 PPM	2/23/26	
Parnel Inlet	LFG	-32	2/23/26	7:10 am	H2S 170 PPM	2/23/26	
Relinquished by: (Signature) <i>[Signature]</i>		Date 2/23/26		Received by: (Signature) <i>[Signature]</i>		Date 2/23/26	
Relinquished by: (Signature) <i>[Signature]</i>		Date 2/23/26		Received by: (Signature) <i>[Signature]</i>		Date 2/23/26	
Relinquished by: (Signature) <i>[Signature]</i>		Date 2/23/26		Received by: (Signature) <i>[Signature]</i>		Date 2/23/26	
Company Info:		Send Report to:		Analytical Laboratory			
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.			
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 12, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon
Project No.: 07224200.24 Task 1
Date Sampled: February 24, 2026
Date Received: February 24, 2026
Date Analyzed: February 24, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20556-1	20556-2	20556-3	20556-4
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	88.4	156	164	183
Carbonyl sulfide	<1.00	0.73	<1.50	<1.50
Methyl mercaptan	92.2	52.2	285	274
Ethyl mercaptan	1.60	0.79	3.76	3.52
Dimethyl sulfide	309	168	768	758
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.12	1.70	2.41	2.34
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	4.08	1.95	8.99	8.84
s-Butyl mercaptan	3.20	2.34	6.94	7.35
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	2.10	1.29	2.58	4.48
Tetrahydrothiophene	<1.00	0.52	2.00	2.15
Unidentified sulfurs	4.50	3.92	6.78	6.41

(Concentration in ppmv, as H₂S)

Total Sulfur	507.7	389.7	1252.5	1254.1
--------------	-------	-------	--------	--------


Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon
 Date Sampled: February 24, 2026
 Date Received: February 24, 2026
 Date Analyzed: February 24, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	93.0	83.7	88.4	11
	FL-2009 Inlet	156	155	156	0.64
	Hero Inlet	161	167	164	3.7
	Parnel Inlet	188	178	183	5.5
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.73	0.73	0.73	0.00
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	96.9	87.5	92.2	10
	FL-2009 Inlet	52.6	51.7	52.2	1.7
	Hero Inlet	280	289	285	3.2
	Parnel Inlet	281	266	274	5.5
Ethyl mercaptan	Zeeco Inlet	1.68	1.52	1.60	10
	FL-2009 Inlet	0.84	0.74	0.79	13
	Hero Inlet	3.64	3.88	3.76	6.4
	Parnel Inlet	3.64	3.39	3.52	7.1
Dimethyl sulfide	Zeeco Inlet	319	298	309	6.8
	FL-2009 Inlet	168	167	168	0.60
	Hero Inlet	755	781	768	3.4
	Parnel Inlet	777	739	758	5.0
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.10	1.13	1.12	2.7
	FL-2009 Inlet	1.71	1.69	1.70	1.2
	Hero Inlet	2.22	2.59	2.41	15
	Parnel Inlet	2.31	2.37	2.34	2.6
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
n-Propyl mercaptan	Zeeco Inlet	4.33	3.83	4.08	12
	FL-2009 Inlet	2.00	1.90	1.95	5.1
	Hero Inlet	9.04	8.94	8.99	1.1
	Parnel Inlet	8.92	8.75	8.84	1.9
s-Butyl mercaptan	Zeeco Inlet	3.37	3.02	3.20	11
	FL-2009 Inlet	2.38	2.29	2.34	3.9
	Hero Inlet	6.81	7.06	6.94	3.6
	Parnel Inlet	7.44	7.26	7.35	2.4
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	2.20	1.99	2.10	10
	FL-2009 Inlet	1.29	1.28	1.29	0.78
	Hero Inlet	2.57	2.59	2.58	0.78
	Parnel Inlet	4.49	4.47	4.48	0.45
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.58	0.46	0.52	23
	Hero Inlet	1.81	2.18	2.00	19
	Parnel Inlet	2.16	2.14	2.15	0.93
Unidentified sulfurs	Zeeco Inlet	4.89	4.11	4.50	17
	FL-2009 Inlet	4.16	3.67	3.92	13
	Hero Inlet	6.60	6.96	6.78	5.3
	Parnel Inlet	6.46	6.37	6.41	1.4

Four Tedlar bag samples, laboratory numbers 20556-(1-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 6.2%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 11, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 24, 2026


Date Analyzed: February 24, 2026

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20556-1	Zeeco Inlet	10.62	43.10	14.43	27.94
20556-2	FL-2009 Inlet	4.70	23.55	31.70	35.00
20556-3	Hero Inlet	4.93	25.30	14.16	46.35
20556-4	Parnel Inlet	5.05	22.65	16.80	47.04

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst


QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 24, 2026
 Date Analyzed: February 24, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Oxygen	Zeeco Inlet	10.64	10.59	10.62	0.47	<0.1
Nitrogen	Zeeco Inlet	43.07	43.13	43.10	0.14	<0.1
Methane	Zeeco Inlet	14.45	14.40	14.43	0.35	<0.1
Carbon Dioxide	Zeeco Inlet	27.92	27.96	27.94	0.14	<0.1

Four Tedlar bag samples, laboratory numbers 20556-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.28%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 11, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1


Date Received: February 24, 2026

Date Analyzed: February 24, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20556-1	Zeeco Inlet	328
20556-2	FL-2009 Inlet	251
20556-3	Hero Inlet	847
20556-4	Parnel Inlet	799



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 24, 2026
 Date Analyzed: February 24, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	329	327	328	0.61

Four Tedlar bag samples, laboratory numbers 20556-(1-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.61%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.		CH ₄ , CO ₂ , O ₂ (1946)		CO (EPA alt-144)	
Sampler: (Signature) 		Chain of Custody Tape No.		TRS (307.91)			
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Special Remarks	Date	Time
Zeeco Inlet	LFG	20556-1	2/24/26	06:47	H2S 80 PPM	2/24/26	8:59
FL-2009 Inlet	LFG	-2	2/24/26	06:55	H2S 150 PPM		
Hero Inlet	LFG	-3	2/24/26	06:38	H2S 200 PPM		
Parnel Inlet	LFG	-4	2/24/26	06:43	H2S 200 PPM		
Relinquished by: (Signature) 		Date 2/24/26		Received by: (Signature) 		Date 2/24/26	
Relinquished by: (Signature) 		Date 2/24/26		Received by: (Signature) 		Date 2/24/26	
Relinquished by: (Signature) 		Date 2/24/26		Received for Laboratory by: (Signature) 		Date 2/24/26	
Company Info:		Company: SCS Engineers		Analytical Laboratory			
Street Address 3900 Kilroy Airport Way Suite 300		Company: SCS Engineers		AtmAA Inc.			
City/State/Zip: Long Beach / CA / 90806		Street Address 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.			
Telephone No.: 562-743-7895 / 562-335-0002		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302			
Fax No.:		Project Manager: Cornelius Fong		TEL: (818) 223-3277			
		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com			





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 12, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon
Project No.: 07224200.24 Task 1
Date Sampled: February 25, 2026
Date Received: February 25, 2026
Date Analyzed: February 25, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20566-1	20566-2	20566-3	20566-4
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	82.4	141	144	174
Carbonyl sulfide	<1.00	0.69	<1.50	<1.50
Methyl mercaptan	78.0	48.1	264	278
Ethyl mercaptan	1.38	0.72	3.29	3.44
Dimethyl sulfide	256	154	707	763
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	0.97	1.48	1.90	2.32
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.36	1.72	7.90	8.22
s-Butyl mercaptan	2.60	2.03	6.17	6.67
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.82	1.04	2.34	3.69
Tetrahydrothiophene	<1.00	<0.50	1.81	1.78
Unidentified sulfurs	3.31	1.84	4.77	7.23

(Concentration in ppmv, as H₂S)

Total Sulfur	431.5	352.6	1145.0	1251.5
--------------	-------	-------	--------	--------


Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon
 Date Sampled: February 25, 2026
 Date Received: February 25, 2026
 Date Analyzed: February 25, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	79.9	84.8	82.4	6.0
	FL-2009 Inlet	142	139	141	2.1
	Hero Inlet	142	146	144	2.8
	Parnel Inlet	179	169	174	5.7
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.70	0.67	0.69	4.4
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	76.0	79.9	78.0	5.0
	FL-2009 Inlet	48.5	47.6	48.1	1.9
	Hero Inlet	255	273	264	6.8
	Parnel Inlet	284	272	278	4.3
Ethyl mercaptan	Zeeco Inlet	1.33	1.42	1.38	6.5
	FL-2009 Inlet	0.72	0.71	0.72	1.4
	Hero Inlet	3.13	3.44	3.29	9.4
	Parnel Inlet	3.55	3.32	3.44	6.7
Dimethyl sulfide	Zeeco Inlet	252	260	256	3.1
	FL-2009 Inlet	154	153	154	0.65
	Hero Inlet	690	723	707	4.7
	Parnel Inlet	780	745	763	4.6
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	0.88	1.05	0.97	18
	FL-2009 Inlet	1.46	1.50	1.48	2.7
	Hero Inlet	1.87	1.92	1.90	2.6
	Parnel Inlet	2.47	2.16	2.32	13
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
(Repeat Analyses)
(continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.20	3.52	3.36	10
	FL-2009 Inlet	1.75	1.69	1.72	3.5
	Hero Inlet	7.82	7.97	7.90	1.9
	Parnel Inlet	8.50	7.94	8.22	6.8
s-Butyl mercaptan	Zeeco Inlet	2.40	2.79	2.60	15
	FL-2009 Inlet	2.06	2.00	2.03	3.0
	Hero Inlet	5.98	6.35	6.17	6.0
	Parnel Inlet	6.64	6.70	6.67	0.90
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.76	1.87	1.82	6.1
	FL-2009 Inlet	1.05	1.03	1.04	1.9
	Hero Inlet	2.24	2.44	2.34	8.5
	Parnel Inlet	3.69	3.69	3.69	0.00
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	1.77	1.84	1.81	3.9
	Parnel Inlet	1.72	1.83	1.78	6.2
Unidentified sulfurs	Zeeco Inlet	3.36	3.25	3.31	3.3
	FL-2009 Inlet	1.87	1.81	1.84	3.0
	Hero Inlet	4.38	5.17	4.77	16
	Parnel Inlet	7.36	7.10	7.23	3.6

Four Tedlar bag samples, laboratory numbers 20566-(1-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.4%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 11, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 25, 2026


Date Analyzed: February 25, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20566-1	Zeeco Inlet	10.59	43.64	13.87	27.10
20566-2	FL-2009 Inlet	4.59	23.19	32.45	35.97
20566-3	Hero Inlet	4.57	23.98	13.49	47.50
20566-4	Parnel Inlet	4.48	20.58	16.36	48.13

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 25, 2026
 Date Analyzed: February 25, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Hero Inlet	4.57	4.56	4.57	0.22	<0.1
Nitrogen	Hero Inlet	23.94	24.02	23.98	0.33	<0.1
Methane	Hero Inlet	13.47	13.50	13.49	0.22	<0.1
Carbon Dioxide	Hero Inlet	47.49	47.50	47.50	0.02	<0.1

Four Tedlar bag samples, laboratory numbers 20566-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.20%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 11, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 25, 2026
Date Analyzed: February 25, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20566-1	Zeeco Inlet	266
20566-2	FL-2009 Inlet	156
20566-3	Hero Inlet	630
20566-4	Parnel Inlet	641


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 25, 2026
 Date Analyzed: February 25, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
Carbon Monoxide	Hero Inlet	636	623	630	2.1


(Concentration in ppmv)

Four Tedlar bag samples, laboratory numbers 20566-(1-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 2.1%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED			
Project No. 07224200.24 Task 1		Field Logbook No.		CH ₄ , CO ₂ , O ₂ (1946)		CO (EPA alt-144)	
Sampler: (Signature) <i>Vester Amgen</i>		Chain of Custody Tape No.		TRS (307.91)		Special Remarks	
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	Received by: (Signature)	Date	Time
Zeeco Inlet	LFG	20566-1	2/25/26	5:55AM	<i>[Signature]</i>	2/25/26	8:30
FL-2009 Inlet	LFG	-2	2/25/26	5:30AM	<i>[Signature]</i>	2/25/26	8:27
Hero Inlet	LFG	-3	2/25/26	5:40AM	<i>[Signature]</i>	2/25/26	8:27
Parnel Inlet	LFG	-4	2/25/26	5:50AM	<i>[Signature]</i>	2/25/26	8:27
Relinquished by: (Signature) <i>Vester Amgen</i>		Relinquished by: (Signature) <i>[Signature]</i>		Relinquished by: (Signature) <i>[Signature]</i>		Relinquished by: (Signature) <i>[Signature]</i>	
Company Info:		Company: SCS Engineers		Company: SCS Engineers		Company: SCS Engineers	
Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300		Street Address 3900 Kilroy Airport Way Suite 300	
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806	
Telephone No.: 562-743-7895 /562-335-0002		Project Manager: Cornelius Fong		Project Manager: Cornelius Fong		Project Manager: Cornelius Fong	
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: CFong@scsengineers.com		Email Address: CFong@scsengineers.com	





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 12, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon
Project No.: 07224200.24 Task 1
Date Sampled: February 26, 2026
Date Received: February 26, 2026
Date Analyzed: February 26, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20576-22	20576-23	20576-24
Sample I.D.:	FL-2009 Inlet	Hero Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>		
Hydrogen sulfide	146	164	195
Carbonyl sulfide	0.66	<1.50	<1.50
Methyl mercaptan	49.4	319	329
Ethyl mercaptan	0.76	3.77	3.87
Dimethyl sulfide	168	835	891
Carbon disulfide	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.39	2.04	2.23
t-Butyl mercaptan	<0.50	<1.50	<1.50
n-Propyl mercaptan	1.85	9.08	9.62
s-Butyl mercaptan	1.93	7.13	7.69
i-Butyl mercaptan	<0.50	<1.50	<1.50
Dimethyl disulfide	1.24	2.74	5.58
Tetrahydrothiophene	<0.50	2.00	2.69
Unidentified sulfurs	1.84	5.70	9.28

(Concentration in ppmv, as H₂S)

Total Sulfur	373.3	1352.2	1460.5
--------------	-------	--------	--------



Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon
 Date Sampled: February 26, 2026
 Date Received: February 26, 2026
 Date Analyzed: February 26, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	FL-2009 Inlet	148	143	146	3.4
	Hero Inlet	167	160	164	4.3
	Parnel Inlet	195	195	195	0.00
Carbonyl sulfide	FL-2009 Inlet	0.67	0.65	0.66	3.0
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	FL-2009 Inlet	50.6	48.2	49.4	4.9
	Hero Inlet	324	314	319	3.1
	Parnel Inlet	326	331	329	1.5
Ethyl mercaptan	FL-2009 Inlet	0.78	0.73	0.76	6.6
	Hero Inlet	3.95	3.58	3.77	9.8
	Parnel Inlet	3.88	3.86	3.87	0.52
Dimethyl sulfide	FL-2009 Inlet	173	162	168	6.6
	Hero Inlet	847	822	835	3.0
	Parnel Inlet	882	899	891	1.9
Carbon disulfide	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	FL-2009 Inlet	1.43	1.34	1.39	6.5
	Hero Inlet	2.06	2.02	2.04	2.0
	Parnel Inlet	2.26	2.20	2.23	2.7
t-Butyl mercaptan	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
n-Propyl mercaptan	FL-2009 Inlet	1.84	1.85	1.85	0.54
	Hero Inlet	9.29	8.87	9.08	4.6
	Parnel Inlet	9.70	9.53	9.62	1.8
s-Butyl mercaptan	FL-2009 Inlet	2.01	1.85	1.93	8.3
	Hero Inlet	7.40	6.85	7.13	7.7
	Parnel Inlet	7.52	7.85	7.69	4.3



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
i-Butyl mercaptan	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	FL-2009 Inlet	1.26	1.22	1.24	3.2
	Hero Inlet	2.72	2.76	2.74	1.5
	Parnel Inlet	5.42	5.74	5.58	5.7
Tetrahydrothiophene	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	2.03	1.97	2.00	3.0
	Parnel Inlet	2.95	2.43	2.69	19
Unidentified sulfurs	FL-2009 Inlet	1.90	1.77	1.84	7.1
	Hero Inlet	5.68	5.72	5.70	0.70
	Parnel Inlet	9.67	8.89	9.28	8.4

Three Tedlar bag samples, laboratory numbers 20576-(22-24), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from three Tedlar bag samples is 4.5%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample


Report Date: March 11, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 26, 2026
Date Analyzed: February 26, 2026

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/gas chromatography analysis (TCD/GC), ASTM D1946-90.

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20576-22	FL-2009 Inlet	5.08	23.98	30.94	35.62
20576-23	Hero Inlet	4.72	23.06	14.26	48.84
20576-24	Parnel Inlet	4.75	20.51	17.05	49.16

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 26, 2026
 Date Analyzed: February 26, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL % _v
		Run #1	Run #2			
<i>(Concentration in %_v)</i>						
Oxygen	Hero Inlet	4.72	4.71	4.72	0.21	<0.1
Nitrogen	Hero Inlet	23.10	23.01	23.06	0.39	<0.1
Methane	Hero Inlet	14.25	14.26	14.26	0.07	<0.1
Carbon Dioxide	Hero Inlet	48.87	48.81	48.84	0.12	<0.1

Three Tedlar bag samples, laboratory numbers 20576-(22-24), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 3 Tedlar bag samples is 0.20%.





LABORATORY ANALYSIS REPORT


Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 11, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 26, 2026
Date Analyzed: February 26, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20576-22	FL-2009 Inlet	182
20576-23	Hero Inlet	806
20576-24	Parnel Inlet	741


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 26, 2026
 Date Analyzed: February 26, 2026


Components	Sample ID	Repeat	Analysis	Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Hero Inlet	818	793	806	3.1

Three Tedlar bag samples, laboratory numbers 20576-(22-24), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 3 Tedlar bag samples is 3.1%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED				
Project No. 07224200.24 Task 1		Field Logbook No.						
Sampler: (Signature) <i>AtmAA</i>		Chain of Custody Tape No.						
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	TRIS (307.91)	CH4, CO2, O2 (1946)	CO (EPA alt-144)	Special Remarks
Zeeco Inlet	LFG				X	X	X	H2S PPM
FL-2009 Inlet	LFG	20576-22	7-26-26	7:15 AM	X	X	X	H2S 140 PPM
Hero Inlet	LFG	-23	7-26-26	7:24 AM	X	X	X	H2S 200 PPM
Parnel Inlet	LFG	-24	7-26-26	7:36 AM	X	X	X	H2S 210 PPM
Relinquished by: (Signature) <i>AtmAA</i>		Date 7-26-26	Time 8:30	Received by: (Signature) <i>AtmAA</i>		Date 7-26-26	Time 9:05 AM	
Relinquished by: (Signature) <i>Hubert S</i>		Date 7-26-26	Time 9:07	Received by: (Signature) <i>Hubert S</i>		Date 7-26-26	Time 10:08	
Relinquished by: (Signature)		Date	Time	Received for Laboratory by: (Signature)		Date	Time	
Company Info:		Send Report to:		Analytical Laboratory				
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.				
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.				
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302				
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277				
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com				





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 12, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Sampled: February 26, 2026
Date Received: February 27, 2026
Date Analyzed: February 27, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.: 20586-5
Sample I.D.: Zeeco Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>
Hydrogen sulfide	94.1
Carbonyl sulfide	<1.00
Methyl mercaptan	110
Ethyl mercaptan	1.81
Dimethyl sulfide	341
Carbon disulfide	<1.00
i-Propyl mercaptan	1.07
t-Butyl mercaptan	<1.00
n-Propyl mercaptan	4.40
s-Butyl mercaptan	3.30
i-Butyl mercaptan	<1.00
Dimethyl disulfide	2.71
Tetrahydrothiophene	<1.00
Unidentified sulfurs	4.29

(Concentration in ppmv, as H₂S)

Total Sulfur 564.9

Brian W. Fung
Laboratory Director


QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Sampled: February 26, 2026
 Date Received: February 27, 2026
 Date Analyzed: February 27, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
Hydrogen sulfide	Zeeco Inlet	94.3	93.9	94.1	0.43
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
Methyl mercaptan	Zeeco Inlet	111	109	110	1.8
Ethyl mercaptan	Zeeco Inlet	1.83	1.79	1.81	2.2
Dimethyl sulfide	Zeeco Inlet	349	332	341	5.0
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
i-Propyl mercaptan	Zeeco Inlet	1.04	1.10	1.07	5.6
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
n-Propyl mercaptan	Zeeco Inlet	4.36	4.43	4.40	1.6
s-Butyl mercaptan	Zeeco Inlet	3.44	3.15	3.30	8.8
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
Dimethyl disulfide	Zeeco Inlet	2.76	2.65	2.71	4.1
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
Unidentified sulfurs	Zeeco Inlet	4.34	4.23	4.29	2.6

One Tedlar bag sample, laboratory number 20586-5, was analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from one Tedlar bag sample is 3.6%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 11, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 27, 2026


Date Analyzed: February 27, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20586-5	Zeeco Inlet	9.71	39.03	31.39	15.41

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.



Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
 Date Received: February 27, 2026
 Date Analyzed: February 27, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
		<i>(Concentration in %,v)</i>				
Oxygen	Zeeco Inlet	9.71	9.71	9.71	0.0	<0.1
Nitrogen	Zeeco Inlet	39.11	38.94	39.03	0.44	<0.1
Methane	Zeeco Inlet	31.41	31.37	31.39	0.13	<0.1
Carbon Dioxide	Zeeco Inlet	15.44	15.38	15.41	0.39	<0.1

One Tedlar bag sample, laboratory number 20586-5, was analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 1 Tedlar bag sample is 0.24%.





AtmAA Inc.

5107 Douglas Fir Rd., Calabasas, CA 91302 • (818) 223-3277

specialized air assessment laboratory
atmaa.com

LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 11, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 27, 2026

Date Analyzed: February 27, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20586-5	Zeeco Inlet	343


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 27, 2026
 Date Analyzed: February 27, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	341	345	343	1.2

One Tedlar bag sample, laboratory number 20586-5, was analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 1 Tedlar bag sample is 1.2%.





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 12, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon
Project No.: 07224200.24 Task 1
Date Sampled: February 27, 2026
Date Received: February 27, 2026
Date Analyzed: February 27, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20586-6	20586-7	20586-8	20586-9
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

Components	(Concentration in ppmv)			
Hydrogen sulfide	89.3	140	126	146
Carbonyl sulfide	<1.00	0.67	<1.50	<1.50
Methyl mercaptan	101	42.7	225	227
Ethyl mercaptan	1.79	0.63	2.93	2.85
Dimethyl sulfide	310	132	599	672
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.12	1.28	1.66	1.64
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.78	1.39	7.04	6.79
s-Butyl mercaptan	3.01	1.61	5.94	5.48
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	2.11	0.86	2.04	4.40
Tetrahydrothiophene	<1.00	<0.50	1.78	1.42
Unidentified sulfurs	3.73	1.59	5.28	4.31

(Concentration in ppmv, as H₂S)

Total Sulfur	517.4	323.0	977.7	1075.8
--------------	-------	-------	-------	--------


Brian W. Fung
Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon
 Date Sampled: February 27, 2026
 Date Received: February 27, 2026
 Date Analyzed: February 27, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	92.6	85.9	89.3	7.5
	FL-2009 Inlet	141	138	140	2.2
	Hero Inlet	130	122	126	6.3
	Parnel Inlet	140	152	146	8.2
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.68	0.66	0.67	3.0
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	105	96	101	8.9
	FL-2009 Inlet	43.5	41.8	42.7	4.0
	Hero Inlet	225	224	225	0.45
	Parnel Inlet	212	241	227	13
Ethyl mercaptan	Zeeco Inlet	1.93	1.65	1.79	16
	FL-2009 Inlet	0.63	0.63	0.63	0.00
	Hero Inlet	2.80	3.06	2.93	8.9
	Parnel Inlet	2.71	2.98	2.85	9.5
Dimethyl sulfide	Zeeco Inlet	320	300	310	6.5
	FL-2009 Inlet	134	130	132	3.0
	Hero Inlet	610	587	599	3.8
	Parnel Inlet	640	704	672	9.5
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.12	1.11	1.12	0.90
	FL-2009 Inlet	1.32	1.23	1.28	7.1
	Hero Inlet	1.76	1.56	1.66	12
	Parnel Inlet	1.50	1.78	1.64	17
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
		(Concentration in ppmv)			
n-Propyl mercaptan	Zeeco Inlet	3.81	3.74	3.78	1.9
	FL-2009 Inlet	1.42	1.36	1.39	4.3
	Hero Inlet	6.96	7.11	7.04	2.1
	Parnel Inlet	6.33	7.24	6.79	13
s-Butyl mercaptan	Zeeco Inlet	3.16	2.85	3.01	10
	FL-2009 Inlet	1.62	1.60	1.61	1.2
	Hero Inlet	5.86	6.01	5.94	2.5
	Parnel Inlet	5.25	5.70	5.48	8.2
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	2.16	2.05	2.11	5.2
	FL-2009 Inlet	0.85	0.86	0.86	1.2
	Hero Inlet	2.02	2.06	2.04	2.0
	Parnel Inlet	4.28	4.51	4.40	5.2
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	1.81	1.74	1.78	3.9
	Parnel Inlet	1.34	1.50	1.42	11
Unidentified sulfurs	Zeeco Inlet	4.02	3.44	3.73	16
	FL-2009 Inlet	1.50	1.68	1.59	11
	Hero Inlet	5.58	4.97	5.28	12
	Parnel Inlet	4.24	4.38	4.31	3.2

Four Tedlar bag samples, laboratory numbers 20586-(6-9), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 6.7%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 11, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 27, 2026


Date Analyzed: February 27, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20586-6	Zeeco Inlet	10.39	41.35	29.91	14.53
20586-7	FL-2009 Inlet	4.97	23.74	35.50	31.75
20586-8	Hero Inlet	5.30	26.45	46.26	13.68
20586-9	Parnel Inlet	5.75	24.08	46.19	16.03

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 27, 2026
Date Analyzed: February 27, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Zeeco Inlet	10.36	10.41	10.39	0.48	<0.1
Nitrogen	Zeeco Inlet	41.30	41.40	41.35	0.24	<0.1
Methane	Zeeco Inlet	29.91	29.90	29.91	0.03	<0.1
Carbon Dioxide	Zeeco Inlet	14.55	14.51	14.53	0.28	<0.1

Four Tedlar bag samples, laboratory numbers 20586-(6-9), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.26%.





LABORATORY ANALYSIS REPORT


Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 11, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: February 27, 2026
Date Analyzed: February 27, 2026

ANALYSIS DESCRIPTION


Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20586-6	Zeeco Inlet	318
20586-7	FL-2009 Inlet	170
20586-8	Hero Inlet	707
20586-9	Parnel Inlet	757


Michael S. Porter
Senior Analyst

CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED				
Project No. 07224200.24 Task 1		Field Logbook No.		CH ₄ , CO ₂ , O ₂ (1946)	CO (EPA 811-144)	Special Remarks		
Sampler: (Signature) 		Chain of Custody Tape No.		TRS (307.91)	H ₂ S	PPM		
Sample No./ Identification	Type of Sample	AtmAA Lab Number	Sampling Date	Sampling Time	<input type="checkbox"/>	<input type="checkbox"/>		
Zeeco Inlet	LFG	20586-6	2-27-26	7:10 AM	<input checked="" type="checkbox"/>	90 PPM		
FL-2009 Inlet	LFG	- 7	2-27-26	7:35 AM	<input checked="" type="checkbox"/>	135 PPM		
Hero Inlet	LFG	- 8	2-27-26	7:15 AM	<input checked="" type="checkbox"/>	150 PPM		
Parnel Inlet	LFG	- 9	2-27-26	7:25 AM	<input checked="" type="checkbox"/>	150 PPM		
Zeeco Inlet	LFG	20586-5	2-26-26	2:30 PM	<input type="checkbox"/>	H ₂ S 75 PPM		
Relinquished by: (Signature) 		Date 2/27/26	Time 08:08	Received by: (Signature) 			Date 2/27/26	Time 08:08
Relinquished by: (Signature) 		Date 2/27/26	Time 8:44	Received by: (Signature) 			Date 2/27/26	Time 8:45
Relinquished by: (Signature) 		Date 2/27/26	Time 9:55	Received by: (Signature) 			Date 2/27/26	Time 9:55
Company Info:		Send Report to:		Analytical Laboratory				
Company: SCS Engineers		Company: SCS Engineers		AtmAA Inc.				
Street Address: 3900 Kilroy Airport Way Suite 300		Street Address: 3900 Kilroy Airport Way Suite 300		5107 Douglas Fir Rd.				
City/State/Zip: Long Beach / CA / 90806		City/State/Zip: Long Beach / CA / 90806		Calabasas, CA 91302				
Telephone No.: 562-743-7895 / 562-335-0002		Project Manager: Cornelius Fong		TEL: (818) 223-3277				
Fax No.:		Email Address: CFong@scsengineers.com		Email Address: info@atmaa.com				





LABORATORY ANALYSIS REPORT

Hydrogen Sulfide and Reduced Sulfur Compounds
Analysis in Tedlar Bag Sample by SCAQMD Method 307.91

Report Date: March 12, 2026
Client: SCS Engineers
Project Name: Chiquita Canyon
Project No.: 07224200.24 Task 1
Date Sampled: February 28, 2026
Date Received: February 28, 2026
Date Analyzed: February 28, 2026

ANALYSIS DESCRIPTION

Total sulfur analysis measured by gas chromatography with sulfur chemiluminescence detector (SCD), SCAQMD 307.91.

AtmAA Lab No.:	20596-1	20596-2	20596-3	20596-4
Sample I.D.:	Zeeco Inlet	FL-2009 Inlet	Hero Inlet	Parnel Inlet

<u>Components</u>	<i>(Concentration in ppmv)</i>			
Hydrogen sulfide	93.5	133	134	167
Carbonyl sulfide	<1.00	0.63	<1.50	<1.50
Methyl mercaptan	106	38.0	267	282
Ethyl mercaptan	1.55	0.59	3.45	3.52
Dimethyl sulfide	327	123	727	852
Carbon disulfide	<1.00	<0.50	<1.50	<1.50
i-Propyl mercaptan	1.20	1.26	1.93	2.10
t-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
n-Propyl mercaptan	3.93	1.27	8.52	9.64
s-Butyl mercaptan	3.60	1.65	7.10	7.92
i-Butyl mercaptan	<1.00	<0.50	<1.50	<1.50
Dimethyl disulfide	1.76	0.79	2.34	5.41
Tetrahydrothiophene	<1.00	<0.50	2.49	3.12
Unidentified sulfurs	3.37	1.44	7.65	9.79

(Concentration in ppmv, as H₂S)

Total Sulfur	543.1	301.8	1162.3	1346.4
--------------	-------	-------	--------	--------


 Brian W. Fung
 Laboratory Director

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon
 Date Sampled: February 28, 2026
 Date Received: February 28, 2026
 Date Analyzed: February 28, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Hydrogen sulfide	Zeeco Inlet	96.1	90.8	93.5	5.7
	FL-2009 Inlet	129	137	133	6.0
	Hero Inlet	135	132	134	2.2
	Parnel Inlet	169	164	167	3.0
Carbonyl sulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	0.62	0.63	0.63	1.6
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Methyl mercaptan	Zeeco Inlet	109	102	106	6.6
	FL-2009 Inlet	37.1	38.8	38.0	4.5
	Hero Inlet	266	267	267	0.38
	Parnel Inlet	288	275	282	4.6
Ethyl mercaptan	Zeeco Inlet	1.54	1.56	1.55	1.3
	FL-2009 Inlet	0.60	0.57	0.59	5.1
	Hero Inlet	3.41	3.49	3.45	2.3
	Parnel Inlet	3.48	3.56	3.52	2.3
Dimethyl sulfide	Zeeco Inlet	333	321	327	3.7
	FL-2009 Inlet	120	125	123	4.1
	Hero Inlet	720	733	727	1.8
	Parnel Inlet	856	847	852	1.1
Carbon disulfide	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
i-Propyl mercaptan	Zeeco Inlet	1.15	1.24	1.20	7.5
	FL-2009 Inlet	1.24	1.27	1.26	2.4
	Hero Inlet	1.94	1.92	1.93	1.0
	Parnel Inlet	2.16	2.04	2.10	5.7
t-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---



QUALITY ASSURANCE SUMMARY
 (Repeat Analyses)
 (continued)

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
n-Propyl mercaptan	Zeeco Inlet	3.98	3.87	3.93	2.8
	FL-2009 Inlet	1.34	1.20	1.27	11
	Hero Inlet	8.57	8.47	8.52	1.2
	Parnel Inlet	9.72	9.56	9.64	1.7
s-Butyl mercaptan	Zeeco Inlet	3.74	3.45	3.60	8.1
	FL-2009 Inlet	1.60	1.69	1.65	5.5
	Hero Inlet	7.01	7.18	7.10	2.4
	Parnel Inlet	8.13	7.71	7.92	5.3
i-Butyl mercaptan	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	<1.50	<1.50	---	---
	Parnel Inlet	<1.50	<1.50	---	---
Dimethyl disulfide	Zeeco Inlet	1.83	1.68	1.76	8.5
	FL-2009 Inlet	0.78	0.80	0.79	2.5
	Hero Inlet	2.22	2.46	2.34	10
	Parnel Inlet	5.66	5.15	5.41	9.4
Tetrahydrothiophene	Zeeco Inlet	<1.00	<1.00	---	---
	FL-2009 Inlet	<0.50	<0.50	---	---
	Hero Inlet	2.49	2.49	2.49	0.00
	Parnel Inlet	3.53	2.71	3.12	26
Unidentified sulfurs	Zeeco Inlet	3.55	3.18	3.37	11
	FL-2009 Inlet	1.41	1.46	1.44	3.5
	Hero Inlet	7.67	7.63	7.65	0.50
	Parnel Inlet	10.4	9.17	9.79	13

Four Tedlar bag samples, laboratory numbers 20596-(1-4), were analyzed for total sulfur compounds. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD from four Tedlar bag samples is 5.0%.





LABORATORY ANALYSIS REPORT

Permanent Gases Analysis in Tedlar Bag Sample

Report Date: March 11, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1

Date Received: February 28, 2026


Date Analyzed: March 2, 2026

ANALYSIS DESCRIPTION

*Permanent gases were measured by thermal conductivity detection/
gas chromatography (TCD/GC) ASTM D1946-90.*

AtmAA Lab No.	Sample ID	Oxygen (%v)	Nitrogen (%v)	Methane (%v)	Carbon Dioxide (%v)
20596-1	Zeeco Inlet	9.26	38.18	15.78	31.69
20596-2	FL-2009 Inlet	5.10	25.41	30.96	33.34
20596-3	Hero Inlet	6.01	29.84	12.22	43.46
20596-4	Parnel Inlet	6.35	26.64	14.79	43.91

The reported oxygen concentration includes any argon present in the sample. Calibration is based on a standard atmosphere containing 20.95% oxygen and 0.93% argon. The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. Actual analysis results are reported on a "wet" basis.


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Chiquita Canyon Landfill
Date Received: February 28, 2026
Date Analyzed: March 2, 2026

Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD	MRL %v
		Run #1	Run #2			
<i>(Concentration in %,v)</i>						
Oxygen	Zeeco Inlet	9.26	9.25	9.26	0.11	<0.1
Nitrogen	Zeeco Inlet	38.15	38.20	38.18	0.13	<0.1
Methane	Zeeco Inlet	15.75	15.80	15.78	0.32	<0.1
Carbon Dioxide	Zeeco Inlet	31.71	31.66	31.69	0.16	<0.1

Four Tedlar bag samples, laboratory numbers 20596-(1-4), were analyzed for permanent gases. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 4 repeat measurements from 4 Tedlar bag samples is 0.18%.





LABORATORY ANALYSIS REPORT

Carbon Monoxide Analysis in Tedlar Bag Samples

Report Date: March 11, 2026

Client: SCS Engineers

Project Name: Chiquita Canyon Landfill

Project No.: 07224200.24 Task 1


Date Received: February 28, 2026

Date Analyzed: March 2, 2026

ANALYSIS DESCRIPTION

Carbon monoxide was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method ALT-144.

AtmAA Lab No.	Sample ID	Carbon Monoxide (Conc. in ppmv)
20596-1	Zeeco Inlet	421
20596-2	FL-2009 Inlet	170
20596-3	Hero Inlet	707
20596-4	Parnel Inlet	831


Michael S. Porter
Senior Analyst

QUALITY ASSURANCE SUMMARY
(Repeat Analysis)

Project Name: Chiquita Canyon Landfill
 Date Received: February 28, 2026
 Date Analyzed: March 2, 2026


Components	Sample ID	Repeat Analysis		Mean Conc.	% RPD
		Run #1	Run #2		
<i>(Concentration in ppmv)</i>					
Carbon Monoxide	Zeeco Inlet	422	419	421	0.71

Four Tedlar bag samples, laboratory numbers 20596-(1-4), were analyzed for carbon monoxide. Agreement between repeat analyses is a measure of precision and is shown above in the column "% RPD". The average % RPD for 1 repeat measurement from 4 Tedlar bag samples is 0.71%.



CHAIN OF CUSTODY RECORD

Client/Project Name SCS Engineers / Chiquita Canyon Landfill		Project Location 29201 Henry Mayo Drive, Castaic, CA 91384		ANALYSES REQUESTED					
Project No. 07224200 24 Task 1		Field Logbook No.							
Sampler: (Signature) <i>[Signature]</i>		Chain of Custody Tape No.							
Type of Sample		AtmAA Lab Number		Sampling Date		Sampling Time			
Zeeco Inlet		20596-1		2-28-26		7:20 AM		Special Remarks H2S 110 PPM	
FL-2009 Inlet		-2		2-28-26		7:35 AM		H2S 130 PPM	
Hero Inlet		-3		2-28-26		7:15 AM		H2S 140 PPM	
Parnel Inlet		-4		2-28-26		7:23 AM		H2S 140 PPM	
Relinquished by: (Signature) <i>[Signature]</i>		Date 2-28-26		Time 9:01 AM		Received by: (Signature) LUIS F		Date 2/28/26	
Relinquished by: (Signature) LUIS F		Date 2/28/26		Time 9:55		Received by: (Signature)		Date 2/28/26	
Relinquished by: (Signature)		Date		Time		Received for Laboratory by: (Signature)		Date 2/28/26	
Company Info:		Company: SCS Engineers		Street Address: 3900 Kilroy Airport Way Suite 300		City/State/Zip: Long Beach / CA / 90806		Telephone No.: 562-743-7895 / 562-335-0002	
		Company: SCS Engineers		Street Address: 5107 Douglas Fir Rd.		City/State/Zip: Calabasas, CA 91302		TEL: (818) 223-3277	
		Street Address: 3900 Kilroy Airport Way Suite 300		City/State/Zip: Long Beach / CA / 90806		Project Manager: Cornelius Fong		Email Address: info@atmaa.com	
		Telephone No.: 562-743-7895 / 562-335-0002		Fax No.:		Analytical Laboratory: AtmAA Inc.		Email Address: info@atmaa.com	



Attachment B
Calculations

Chiquita Canyon Landfill
LFG Not Combusted
Monthly Report Period: February 2026

Date	Flare 1, 2, 3, Zeeco, Parnel, Hero Total Flow Rate (scf/day)	2024 Baseline Flow Rate (scf/day)	LFG Not Combusted (scf/day)¹	Ameresco LFG Processed (scf/day)²	LFG Not Combusted (scfm)
2/1/2026	21,938,516	--	--	0	--
2/2/2026	20,526,046	--	--	0	--
2/3/2026	20,411,687	--	--	0	--
2/4/2026	21,391,526	--	--	0	--
2/5/2026	20,890,559	--	--	0	--
2/6/2026	21,575,037	--	--	0	--
2/7/2026	21,472,847	--	--	0	--
2/8/2026	20,295,990	--	--	0	--
2/9/2026	20,743,868	--	--	0	--
2/10/2026	20,480,280	--	--	0	--
2/11/2026	22,219,139	--	--	0	--
2/12/2026	22,361,478	--	--	0	--
2/13/2026	21,766,327	--	--	0	--
2/14/2026	22,525,929	--	--	0	--
2/15/2026	22,317,274	--	--	0	--
2/16/2026	21,884,852	--	--	0	--
2/17/2026	22,035,261	--	--	0	--
2/18/2026	21,637,179	--	--	0	--
2/19/2026	22,034,284	--	--	0	--
2/20/2026	21,883,641	--	--	0	--
2/21/2026	21,995,322	--	--	0	--
2/22/2026	22,099,850	--	--	0	--
2/23/2026	21,394,085	--	--	0	--
2/24/2026	22,599,920	--	--	0	--
2/25/2026	21,043,848	--	--	0	--
2/26/2026	22,150,662	--	--	0	--
2/27/2026	23,276,538	--	--	0	--
2/28/2026	23,231,153	--	--	0	--
Total/Average					

¹Total LFG not combusted is calculated based on the difference from modeled flow rate from all control devices in 2024 (baseline) and flow rate from Flares 1, 2, 3, and the Zeeco & Parnel Thermal Oxidizers during the reporting period. Ameresco applied for variance to operate the LFG turbine plant under a variance order, and their variance was approved on February 15, 2023. Ameresco restarted operations on February 16, 2023, returning LFG collection and control system at CCL to full capacity. Therefore, the daily flow of LFG not flared per Section B ended on February 17, 2023, except for periods when the Ameresco Plant and/or the Flares are offline or processing less LFG for other reasons.

²Actual Ameresco LFG flow rate after restarting operations are greater than the unflared amount while Ameresco was off-line.

*Flare Flow and Runtime from chart recorder data.

*Date of lab data based on date sampled.

2024 Baseline Flow Rate					
Devices	Gas Recovery (scf)	Flow Rate (scf/day)	Flow Rate (scfm)	LandGEM Generation (scfm)	% Change
2022	4,351,276,471	11,921,305	8,279	12,800	
2023	5,373,366,012	14,721,551	10,223	13,400	4.69%
2024	5,613,964,490	15,380,725	10,681	14,000	4.48%

*Flare flow from chart recorder data. LFGTE Facility flow from Ameresco.

Attachment C-1
Surface Emissions Monitoring

2026 Chiquita Surface Emissions Exceedance

Integrated (Monthly)

Grid	Flag	Location Description	Latitude	Longitude	Initial Date	Initial Time	Initial Exceedance >25 (PPM)	10-Day Corrective Action Date	10-Day Corrective Action	First Remonitoring Date (10-days)	PPM	2nd 10-Day Corrective Action Date	2nd 10-Day Corrective Action	Second Remonitoring Date (10-days)	PPM	Monthly Corrective Action Date	Monthly Corrective Action	Monthly Remonitoring Date	PPM	45-Day Corrective Action Deadline	45-Day Corrective Action Date	45-Day Corrective Action	45-Day Corrective Action Date / Remonitoring Date	PPM
165					2/9/26		40.78	2/20/26	Flow Increase	2/20/26	4.03													
82					2/9/26		76.65	2/20/26	Flow Increase	2/20/26	5.72													
83					2/9/26		105.00	2/20/26	Flow Increase	2/20/26	6.04													
155					2/9/26		77.67	2/20/26	Flow Increase	2/20/26	4.91													
30					2/23/26		28.20	3/4/26	Flow Increase	3/4/26	19.7													
175					2/23/26		35.75	3/4/26	Flow Increase	3/4/26	11.6													

Attachment C-2

Aerial Survey Maps

February 2026 Condition 77 Data

Chiquita Canyon Landfill (Chiquita) observed a decrease in the number of peak methane events occurring in February 2026 in comparison to January 2026. The peak value and average values also decreased in February 2026 as compared to January 2026. The drone survey conducted on February 3 and 4, 2026, occurred during a series of unplanned Flare 2 shutdowns due to flame failure between February 1 and February 8, 2026. 13 of the 30 (~43%) peak methane events in February 2026 were from the survey conducted on those two dates. The drone survey conducted on February 10, 2026, was completed following the same series of unplanned Flare 2 shutdowns previously described. 7 of the 30 (~23%) peak methane events in February were associated with this survey. The drone survey conducted on February 19, 2026, was completed following rain events starting February 10, 2026, and February 16, 2026. Rain can contribute to spots of erosion and cracking of the surface, which can contribute to methane spikes. This survey resulted in 2 of 30 (~7%) peak methane events in February. The drone survey conducted on February 24, 2026, was completed following the same rain events described above, which contributed to spots of erosion and cracking on the ground surface, and therefore an increase in methane spikes was observed during that period. This survey resulted in 8 of 30 (~27%) peak methane events in February. As systems were brought back online during February 2026, landfill gas was collected more efficiently, resulting in fewer methane spikes being observed during the February 2026 drone flights. Chiquita expects these instances and peaks to continue to trend downward provided systems remain online."

February 2026 Tracking Spreadsheet

Chiquita Canyon Landfill (February 2026) - Prepared Pursuant to Condition 77 of the Stipulated Order for Abatement in Case No. 6177-4

Aerial Surveillance Reading Date (UTC)	Aerial Surveillance Reading Time (UTC)	Follow-up Field Inspection Date (UTC)	Follow-up Field Inspection Time (UTC)	Grid	Verified Lat	Verified Long	Sniffer Drone PPM	Verified PPM	Action Required (\geq 500 PPM)	Cause of Exceedance (\geq 500 ppmv methane)	Action Taken	Date Action Taken
2/3/2026	16:18	2/3/2026	17:03	60	34.43582	-118.64358	532	950	Yes	crack on surface	added soil track walk	2/5/2026
2/3/2026	16:26	2/3/2026	16:58	63	34.43611	-118.64203	515	930	Yes	crack on surface	added soil track walk	2/5/2026
2/3/2026	20:53	2/3/2026	21:25	87	34.43127	-118.64482	392	830	Yes	crack on surface	added soil track walk	2/5/2026
2/4/2026	18:00	2/4/2026	18:27	222	34.43014	-118.64821	1,871	2,000	Yes	crack on surface	added soil track walk	2/5/2026
2/4/2026	18:07	2/4/2026	18:53	243	34.42843	-118.65101	300	180	No			
2/4/2026	18:10	2/4/2026	18:32	229	34.42913	-118.64963	671	5,000	Yes	crack on surface	added soil track walk	2/5/2026
2/4/2026	18:12	2/4/2026	18:36	229	34.42891	-118.64976	520	620	Yes	crack on surface	added soil track walk	2/5/2026
2/4/2026	18:14	2/4/2026	18:45	240	34.42828	-118.64968	209	10	No			
2/4/2026	19:15	2/4/2026	19:27	249	34.42755	-118.6487	300	2,000	Yes	crack on surface	added soil track walk	2/5/2026
2/4/2026	19:51	2/4/2026	20:14	225	34.43024	-118.65004	397	690	Yes	water erosion	added soil track walk	2/5/2026
2/4/2026	19:53	2/4/2026	20:17	226	34.43	-118.65052	331	860	Yes	crack on surface	added soil track walk	2/5/2026
2/4/2026	19:54	2/4/2026	20:23	244	34.42925	-118.65149	242	1,000	Yes	crack on surface	added soil track walk	2/5/2026
2/4/2026	21:29	2/4/2026	21:40	82	34.43443	-118.6457	433	1,000	Yes	crack on surface	added soil track walk	2/5/2026
2/10/2026	17:16	2/10/2026	17:48	169	34.43417	-118.64983	207	980	Yes	geomembrane cover had tear	repaired geomembrane cover	2/12/2026
2/10/2026	17:16	2/10/2026	17:50	173	34.43429	-118.64987	227	2,000	Yes	geomembrane cover had tear	repaired geomembrane cover	2/12/2026
2/10/2026	17:16	2/10/2026	17:53	176	34.43474	-118.65003	383	430	No			
2/10/2026	17:16	2/10/2026	17:59	169	34.43383	-118.64963	210	20,000	Yes	geomembrane cover had tear	repaired geomembrane cover	2/12/2026
2/10/2026	18:57	2/10/2026	19:12	163	34.43267	-118.64752	614	1,000	Yes	crack on surface	added soil track walk	2/12/2026
2/10/2026	18:57	2/10/2026	19:15	163	34.43261	-118.64783	219	760	Yes	crack on surface	added soil track walk	2/12/2026
2/10/2026	18:57	2/10/2026	19:19	164	34.43243	-118.64834	208	380	No			
2/19/26	21:19	2/19/2026	21:43	214	34.43104	-118.65012	358	940	Yes	crack on surface	added soil track walk	2/20/2026
2/19/26	22:31	2/19/2026	22:50	78	34.43716	-118.64607	711	990	Yes	crack on surface	added soil track walk	2/20/2026
2/24/26	15:57	2/24/2026	16:24	173	34.43459	-118.64993	221	580	Yes	unknown	no issues found; no cracks or tears of geomembrane cover	2/26/2026
2/24/26	16:38	2/24/2026	17:00	170	34.43437	-118.64896	952	1,000	Yes	unknown	no issues found; no cracks or tears of geomembrane cover	2/26/2026
2/24/26	18:17	2/24/2026	18:38	145	34.43704	-118.64722	312	1,000	Yes	unknown	no issues found; no cracks or tears of geomembrane cover	2/26/2026
2/24/26	19:00	2/24/2026	19:13	78	34.43716	-118.64606	387	5,000	Yes	water erosion	added soil track walk	2/25/2026
2/24/26	19:00	2/24/2026	19:14	78	34.43714	-118.64616	211	630	Yes	water erosion	added soil track walk	2/25/2026
2/24/26	19:38	2/24/2026	19:51	84	34.43321	-118.64571	368	2,000	Yes	water erosion	added soil track walk	2/25/2026
2/24/26	20:07	2/24/2026	20:33	211	34.43168	-118.65025	347	820	Yes	water erosion	added soil track walk	2/25/2026
2/24/26	20:09	2/24/2026	20:37	215	34.43150	-118.65051	392	650	Yes	water erosion	added soil track walk	2/25/2026

Week 6 (February 3-4, 2026)



Emission Study Daily Peaks Verification Report

Information presented within provides results from the emissions monitoring inspection performed by technicians with Sniffer Robotics, Inc. associated with the emission study site and date listed herein. Following the inspection, this report will be updated and disseminated by no later than 12:00 PM local time the next morning.

This report provides details of methane leak locations as determined by the SnifferDRONE™ and manual verification of those leak locations as determined by handheld methane detectors. When an aerial surveillance reading reaches or exceeds 200 PPM methane, a follow-up ground-based surface emissions monitoring field inspection is conducted according to the procedures of OTM-51 and U.S. EPA Method 21, except in the case(s) that the site is unable to monitor the locations due to inaccessibility or dangerous conditions. Report details include: coordinate locations of SnifferDRONE leaks and manual verifications, associated location descriptions (where applicable), date and time of verified readings, SnifferDRONE identified and manually verified PPM values, additional notes, map(s) displaying locations of leaks, and photographic documentation of leaks.

Key

Manual Verification ≥ 500 ppm
Manual Verification < 500 ppm

This daily report is not meant for compliance purposes and only intended for customer review.

WEATHER CONDITIONS		Date:	3-Feb	4-Feb
		Sky:	Clear Sky	Clear Sky
		Ground:	Dry	Dry
		Temperature:	80 °F	80 °F
		Wind Direction:	NE	N
		Wind Speed:	11 MPH	3 MPH
		Barometric Pressure:	30.75"	30.72"
		Humidity:	15%	15%

LOCATION DETAILS						INSPECTION RESULTS						
Ref	SnifferDRONE Lat	SnifferDRONE Long	Verified Lat	Verified Long	Location Description	SnifferDRONE Date (UTC)	SnifferDRONE Time (UTC)	SnifferDRONE PPM	Verified Date (UTC)	Verified Time (UTC)	Verified PPM	Notes
1	34.429149	-118.64959	34.42913353	-118.64963		2/4/2026	18:10	671	2/4/2026	18:32	5,000	
2	34.430101	-118.64822	34.43013696	-118.64821		2/4/2026	18:00	1,871	2/4/2026	18:27	2,000	
3	34.42756	-118.64869	34.42754557	-118.64870		2/4/2026	19:15	300	2/4/2026	19:27	2,000	
4	34.42920	-118.65143	34.42925152	-118.65149		2/4/2026	19:54	242	2/4/2026	20:23	1,000	
5	34.43440	-118.64572	34.43442985	-118.64570		2/4/2026	21:29	433	2/4/2026	21:40	1,000	
6	34.43579	-118.64353	34.4358248	-118.64358		2/3/2026	16:18	532	2/3/2026	17:03	950	
7	34.43603	-118.64204	34.43610884	-118.64203		2/3/2026	16:26	515	2/3/2026	16:58	930	
8	34.43003	-118.65054	34.42999509	-118.65052		2/4/2026	19:53	331	2/4/2026	20:17	860	
9	34.43131	-118.64486	34.43126879	-118.64482		2/3/2026	20:53	392	2/3/2026	21:25	830	
10	34.43026	-118.65010	34.4302443	-118.65004		2/4/2026	19:51	397	2/4/2026	20:14	690	
11	34.42890	-118.64973	34.42890834	-118.64976		2/4/2026	18:12	520	2/4/2026	18:36	620	
12	34.42848	-118.65108	34.42842775	-118.65101		2/4/2026	18:07	300	2/4/2026	18:53	180	
13	34.42837	-118.64965	34.42828247	-118.64968		2/4/2026	18:14	209	2/4/2026	18:45	10	

Peak Verification Map

Project: 2026 02 Week 06 Emission Study
 Job: Emission Study
 Report Submitted Feb 05, 2026





Legend

Peak Verification	Drone Flight Peaks
● 0 – 499 PPM	 200 - 499 PPM
● 500+ PPM	 500 + PPM

Notes:

1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
2. Projected Coordinate System: WGS 1984 UTM Zone 11N



Vantor

Peak Verification Map

Project: 2026 02 Week 06 Emission Study
 Job: Emission Study
 Report Submitted Feb 05, 2026





Legend

Peak Verification	Drone Flight Peaks
● 0 – 499 PPM	 200 - 499 PPM
● 500+ PPM	 500 + PPM

Notes:


1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
2. Projected Coordinate System: WGS 1984 UTM Zone 11N



Vantor



1. SnifferDRONE Verification



2. SnifferDRONE Verification



3. SnifferDRONE Verification



4. SnifferDRONE Verification




5. SnifferDRONE Verification




6. SnifferDRONE Verification



7. SnifferDRONE Verification



8. SnifferDRONE Verification




9. SnifferDRONE Verification



10. SnifferDRONE Verification



11. SnifferDRONE Verification



12. SnifferDRONE Verification



13. SnifferDRONE Verification



Chiquita Canyon Landfill Interpolated Methane Emissions Change as Recorded by the SnifferDRONE™, Jan 2026 to Feb 2026

01/20/26 - 02/04/26

Notes:

1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections dated Jan 2026.
2. Projected Coordinate System: WGS 1984 UTM Zone 11N
3. Mean change from Jan. 2026 to Feb. 2026 was a 10.28 PPM decrease. Colors represent standard deviations from the mean. PPMs within one standard deviation are not shown.

Legend

- 3,111 - 78 PPM Decrease
- 77 - 51 PPM Decrease
- 50 - 24 PPM Decrease
- 23 PPM Decrease - 3 PPM Increase
- 4 - 30 PPM Increase
- 31 - 219 PPM Increase



Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
3-Feb	Clear Sky	80 °F	11 MPH	NE	15%	30.75"
4-Feb	Clear Sky	80 °F	3 MPH	N	15%	30.72"





Chiquita Canyon Landfill Interpolated Methane Emissions as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 3-4, 2026

Notes:

- 1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections dated Jan 2026.
- 2. Projected Coordinate System: WGS 1984 UTM Zone 11N

Legend





Chiquita Canyon Landfill Methane Emissions Local Peak Values as Recorded by the SnifferDRONE™, over As-Built Drawing


Feb 3-4, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N

	Leak Count	Estimated Exceedance*
200-499 PPM	8	4
500-1000 PPM	4	4
1000-2000 PPM	1	1
2000-5000 PPM	0	0
5000+ PPM	0	0
Total	13	9



* Calculated using probabilities of peak locations manually verified to have emissions of 500+ ppm based on ongoing field studies

Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
3-Feb	Clear Sky	80 °F	11 MPH	NE	15%	30.75"
4-Feb	Clear Sky	80 °F	3 MPH	N	15%	30.72"



Legend

- < 200 PPM
- 200 - 499 PPM
- 500 - 999 PPM
- 1,000 - 1,999 PPM
- 2,000 - 4,999 PPM
- 5000 + PPM





Chiquita Canyon Landfill Point Methane Emissions as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 3-4, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N


Legend

- < 200 PPM
- 200 - 499 PPM
- 500 - 999 PPM
- 1,000 - 1,999 PPM
- 2,000 - 5,000 PPM
- 5,000 + PPM



0 200 400 800
Feet

Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
3-Feb	Clear Sky	80 °F	11 MPH	NE	15%	30.75"
4-Feb	Clear Sky	80 °F	3 MPH	N	15%	30.72"



Week 7 (February 10, 2026)



Waste Connections Chiquita Canyon Landfill
 Project: 2026 02 Week 07 Emission Study
 Job: Emission Study
 Report Submitted Feb 11, 2026

Emission Study Daily Peaks Verification Report

Information presented within provides results from the emissions monitoring inspection performed by technicians with Sniffer Robotics, Inc. associated with the emission study site and date listed herein. Following the inspection, this report will be updated and disseminated by no later than 12:00 PM local time the next morning.

This report provides details of methane leak locations as determined by the SnifferDRONE™ and manual verification of those leak locations as determined by handheld methane detectors. When an aerial surveillance reading reaches or exceeds 200 PPM methane, a follow-up ground-based surface emissions monitoring field inspection is conducted according to the procedures of OTM-51 and U.S. EPA Method 21, except in the case(s) that the site is unable to monitor the locations due to inaccessibility or dangerous conditions. Report details include: coordinate locations of SnifferDRONE leaks and manual verifications, associated location descriptions (where applicable), date and time of verified readings, SnifferDRONE identified and manually verified PPM values, additional notes, map(s) displaying locations of leaks, and photographic documentation of leaks.

Key

- Manual Verification ≥ 500 ppm
- Manual Verification < 500 ppm


This daily report is not meant for compliance purposes and only intended for customer review.

WEATHER CONDITIONS	Date:	10-Feb
	Sky:	Overcast Clouds
	Ground:	Dry
	Temperature:	61 °F
	Wind Direction:	N
	Wind Speed:	3 MPH
	Barometric Pressure:	30.45"
	Humidity:	68%

LOCATION DETAILS						INSPECTION RESULTS						
Ref	SnifferDRONE Lat	SnifferDRONE Long	Verified Lat	Verified Long	Location Description	SnifferDRONE Date (UTC)	SnifferDRONE Time (UTC)	SnifferDRONE PPM	Verified Date (UTC)	Verified Time (UTC)	Verified PPM	Notes
1	34.433783	-118.64965	34.4338326	-118.64963		2/10/2026	17:16	210	2/10/2026	17:59	20,000	
2	34.434283	-118.64983	34.43429289	-118.64987		2/10/2026	17:16	227	2/10/2026	17:50	2,000	
3	34.43268	-118.64754	34.43266612	-118.64752		2/10/2026	18:57	614	2/10/2026	19:12	1,000	
4	34.43413	-118.64977	34.43417439	-118.64983		2/10/2026	17:16	207	2/10/2026	17:48	980	Liner seam
5	34.43261	-118.64781	34.4326131	-118.64783		2/10/2026	18:57	219	2/10/2026	19:15	760	
6	34.43469	-118.64997	34.43474326	-118.65003		2/10/2026	17:16	383	2/10/2026	17:53	430	
7	34.43247	-118.64835	34.43242693	-118.64834		2/10/2026	18:57	208	2/10/2026	19:19	380	

Peak Verification Map

Project: 2026 02 Week 07 Emission Study
 Job: Emission Study
 Report Submitted Feb 11, 2026




Legend

Peak Verification	Drone Flight Peaks
● 0 – 499 PPM	 200 - 499 PPM
● 500+ PPM	 500 + PPM

Notes:

1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
2. Projected Coordinate System: WGS 1984 UTM Zone 11N



Microsoft, Vantor, Vantor



1. SnifferDRONE Verification



2. SnifferDRONE Verification




3. SnifferDRONE Verification



4. SnifferDRONE Verification



5. SnifferDRONE Verification



6. SnifferDRONE Verification



7. SnifferDRONE Verification




Chiquita Canyon Landfill Interpolated Methane Emissions Change as Recorded by the SnifferDRONE™, Feb 2026 to Feb 2026

02/03/26 - 02/10/26

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N
 3. Mean change from Feb. 2026 to Feb. 2026 was a 2.18 PPM increase. Colors represent standard deviations from the mean. PPMs within one standard deviation are not shown.

Legend

- 276 - 22 PPM Decrease
- 21 - 13 PPM Decrease
- 12 - 3 PPM Decrease
- 2 PPM Decrease - 7 PPM Increase
- 8 - 17 PPM Increase
- 18 - 548 PPM Increase



Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
10-Feb	Overcast Clouds	61 °F	3 MPH	N	68%	30.45"





Chiquita Canyon Landfill Interpolated Methane Emissions as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 10, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N



Legend







Chiquita Canyon Landfill Methane Emissions Local Peak Values as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 10, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N

Legend

- < 200 PPM
- 200 - 499 PPM
- 500 - 999 PPM
- 1,000 - 1,999 PPM
- 2,000 - 4,999 PPM
- 5000 + PPM



	Leak Count	Estimated Exceedance*
200-499 PPM	6	3
500-1000 PPM	1	1
1000-2000 PPM	0	0
2000-5000 PPM	0	0
5000+ PPM	0	0
Total	7	4

* Calculated using probabilities of peak locations manually verified to have emissions of 500+ ppm based on ongoing field studies


Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
10-Feb	Overcast Clouds	61 °F	3 MPH	N	68%	30.45"



Chiquita Canyon Landfill Point Methane Emissions as Recorded by the SnifferDRONE™, over As-Built Drawing


Feb 10, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N



Legend

- < 200 PPM
- 200 - 499 PPM
- 500 - 999 PPM
- 1,000 - 1,999 PPM
- 2,000 - 5,000 PPM
- 5,000 + PPM



Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
10-Feb	Overcast Clouds	61 °F	3 MPH	N	68%	30.45"

Week 8 (February 19, 2026)



Waste Connections Chiquita Canyon Landfill
 Project: 2026 02 Week 08 Emission Study
 Job: Emission Study
 Report Submitted Feb 20, 2026

Emission Study Daily Peaks Verification Report

Information presented within provides results from the emissions monitoring inspection performed by technicians with Sniffer Robotics, Inc. associated with the emission study site and date listed herein. Following the inspection, this report will be updated and disseminated by no later than 12:00 PM local time the next morning.

This report provides details of methane leak locations as determined by the SnifferDRONE™ and manual verification of those leak locations as determined by handheld methane detectors. When an aerial surveillance reading reaches or exceeds 200 PPM methane, a follow-up ground-based surface emissions monitoring field inspection is conducted according to the procedures of OTM-51 and U.S. EPA Method 21, except in the case(s) that the site is unable to monitor the locations due to inaccessibility or dangerous conditions. Report details include: coordinate locations of SnifferDRONE leaks and manual verifications, associated location descriptions (where applicable), date and time of verified readings, SnifferDRONE identified and manually verified PPM values, additional notes, map(s) displaying locations of leaks, and photographic documentation of leaks.

Key

Manual Verification ≥ 500 ppm

Manual Verification < 500 ppm


This daily report is not meant for compliance purposes and only intended for customer review.

WEATHER CONDITIONS		Date:	19-Feb
		Sky:	Overcast Clouds
		Ground:	Dry
		Temperature:	49 °F
		Wind Direction:	NE
		Wind Speed:	5 MPH
		Barometric Pressure:	30.30"
		Humidity:	78%

LOCATION DETAILS						INSPECTION RESULTS						
Ref	SnifferDRONE Lat	SnifferDRONE Long	Verified Lat	Verified Long	Location Description	SnifferDRONE Date (UTC)	SnifferDRONE Time (UTC)	SnifferDRONE PPM	Verified Date (UTC)	Verified Time (UTC)	Verified PPM	Notes
1	34.437151	-118.64611	34.43715764	-118.64607		2/19/2026	22:31	711	2/19/2026	22:50	990	
2	34.431034	-118.65017	34.43104376	-118.65012		2/19/2026	21:19	358	2/19/2026	21:43	940	

Peak Verification Map

Project: 2026 02 Week 08 Emission Study
 Job: Emission Study
 Report Submitted Feb 20, 2026




Legend

Peak Verification	Drone Flight Peaks
● 0 – 499 PPM	 200 - 499 PPM
● 500+ PPM	 500 + PPM

Notes:

1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
2. Projected Coordinate System: WGS 1984 UTM Zone 11N



Vantor



1. SnifferDRONE Verification



2. SnifferDRONE Verification



Chiquita Canyon Landfill Interpolated Methane Emissions Change as Recorded by the SnifferDRONE™, Feb 2026 to Feb 2026


02/10/26 - 02/19/26

Notes:

1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections dated Jan 2026.
2. Projected Coordinate System: WGS 1984 UTM Zone 11N
3. Mean change from Feb. 2026 to Feb. 2026 was a 3.33 PPM decrease. Colors represent standard deviations from the mean. PPMs within one standard deviation are not shown.

Legend

- 548 - 33 PPM Decrease
- 32 - 21 PPM Decrease
- 20 - 9 PPM Decrease
- 8 PPM Decrease - 3 PPM Increase
- 4 - 14 PPM Increase
- 15 - 605 PPM Increase



Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
19-Feb	Overcast Clouds	49 °F	5 MPH	NE	78%	30.30"







Chiquita Canyon Landfill Interpolated Methane Emissions as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 19, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N

Legend








Chiquita Canyon Landfill Methane Emissions Local Peak Values as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 19, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N

Legend

- < 200 PPM
- 200 - 499 PPM
- 500 - 999 PPM
- 1,000 - 1,999 PPM
- 2,000 - 4,999 PPM
- 5000 + PPM



	Leak Count	Estimated Exceedance*
200-499 PPM	1	0
500-1000 PPM	1	1
1000-2000 PPM	0	0
2000-5000 PPM	0	0
5000+ PPM	0	0
Total	2	1

* Calculated using probabilities of peak locations manually verified to have emissions of 500+ ppm based on ongoing field studies

Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
19-Feb	Overcast Clouds	49 °F	5 MPH	NE	78%	30.30"




Chiquita Canyon Landfill Point Methane Emissions as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 19, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N

Legend

- < 200 PPM
- 200 - 499 PPM
- 500 - 999 PPM
- 1,000 - 1,999 PPM
- 2,000 - 5,000 PPM
- 5,000 + PPM



Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
19-Feb	Overcast Clouds	49 °F	5 MPH	NE	78%	30.30"

Week 9 (February 24, 2026)



Waste Connections Chiquita Canyon Landfill
 Project: 2026 02 Week 09 Emission Study
 Job: Emission Study
 Report Submitted Feb 25, 2026

Emission Study Daily Peaks Verification Report

Information presented within provides results from the emissions monitoring inspection performed by technicians with Sniffer Robotics, Inc. associated with the emission study site and date listed herein. Following the inspection, this report will be updated and disseminated by no later than 12:00 PM local time the next morning.

This report provides details of methane leak locations as determined by the SnifferDRONE™ and manual verification of those leak locations as determined by handheld methane detectors. When an aerial surveillance reading reaches or exceeds 200 PPM methane, a follow-up ground-based surface emissions monitoring field inspection is conducted according to the procedures of OTM-51 and U.S. EPA Method 21, except in the case(s) that the site is unable to monitor the locations due to inaccessibility or dangerous conditions. Report details include: coordinate locations of SnifferDRONE leaks and manual verifications, associated location descriptions (where applicable), date and time of verified readings, SnifferDRONE identified and manually verified PPM values, additional notes, map(s) displaying locations of leaks, and photographic documentation of leaks.

Key

- Manual Verification ≥ 500 ppm
- Manual Verification < 500 ppm

This daily report is not meant for compliance purposes and only intended for customer review.

WEATHER CONDITIONS	
Date:	24-Feb
Sky:	Broken Clouds
Ground:	Dry
Temperature:	77 °F
Wind Direction:	SW
Wind Speed:	6 MPH
Barometric Pressure:	30.51"
Humidity:	33%

LOCATION DETAILS						INSPECTION RESULTS						
Ref	SnifferDRONE Lat	SnifferDRONE Long	Verified Lat	Verified Long	Location Description	SnifferDRONE Date (UTC)	SnifferDRONE Time (UTC)	SnifferDRONE PPM	Verified Date (UTC)	Verified Time (UTC)	Verified PPM	Notes
1	34.437141	-118.64605	34.43715724	-118.64606		2/24/2026	19:00	387	2/24/2026	19:13	5,000	
2	34.433189	-118.64577	34.43321479	-118.64571		2/24/2026	19:38	368	2/24/2026	19:51	2,000	
3	34.434456	-118.64899	34.43437217	-118.64896		2/24/2026	16:38	952	2/24/2026	17:00	1,000	
4	34.437089	-118.64728	34.43703709	-118.64722		2/24/2026	18:17	312	2/24/2026	18:38	1,000	
5	34.431682	-118.65016	34.43167962	-118.65025		2/24/2026	20:07	347	2/24/2026	20:33	820	
6	34.431559	-118.65052	34.43150381	-118.65051		2/24/2026	20:09	392	2/24/2026	20:37	650	
7	34.437168	-118.64619	34.43714298	-118.64616		2/24/2026	19:00	211	2/24/2026	19:14	630	
8	34.434602	-118.64994	34.43459339	-118.64993		2/24/2026	15:57	221	2/24/2026	16:24	580	

Peak Verification Map

Project: 2026 02 Week 09 Emission Study
 Job: Emission Study
 Report Submitted Feb 25, 2026




Legend

Peak Verification	Drone Flight Peaks
● 0 – 499 PPM	 200 - 499 PPM
● 500+ PPM	 500 + PPM

Notes:

1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
2. Projected Coordinate System: WGS 1984 UTM Zone 11N



Vantor




1. SnifferDRONE Verification




2. SnifferDRONE Verification




3. SnifferDRONE Verification



4. SnifferDRONE Verification




5. SnifferDRONE Verification



6. SnifferDRONE Verification



7. SnifferDRONE Verification



8. SnifferDRONE Verification



Chiquita Canyon Landfill Interpolated Methane Emissions Change as Recorded by the SnifferDRONE™, Feb 2026 to Feb 2026


02/19/26 - 02/24/26

Notes:

1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections dated Jan 2026.
2. Projected Coordinate System: WGS 1984 UTM Zone 11N
3. Mean change from Feb. 2026 to Feb. 2026 was a 2.95 PPM increase. Colors represent standard deviations from the mean. PPMs within one standard deviation are not shown.

Legend

- 466 - 40 PPM Decrease
- 39 - 23 PPM Decrease
- 22 - 6 PPM Decrease
- 5 PPM Decrease - 11 PPM Increase
- 12 - 29 PPM Increase
- 30 - 46 PPM Increase
- 47 - 940 PPM Increase



Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
24-Feb	Broken Clouds	77 °F	6 MPH	SW	33%	30.51"






Chiquita Canyon Landfill Interpolated Methane Emissions as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 24, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N

Legend







Chiquita Canyon Landfill Methane Emissions Local Peak Values as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 24, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N

Legend

- < 200 PPM
- 200 - 499 PPM
- 500 - 999 PPM
- 1,000 - 1,999 PPM
- 2,000 - 4,999 PPM
- 5000 + PPM



	Leak Count	Estimated Exceedance*
200-499 PPM	7	3
500-1000 PPM	1	1
1000-2000 PPM	0	0
2000-5000 PPM	0	0
5000+ PPM	0	0
Total	8	4

* Calculated using probabilities of peak locations manually verified to have emissions of 500+ ppm based on ongoing field studies

Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
24-Feb	Broken Clouds	77 °F	6 MPH	SW	33%	30.51"





Chiquita Canyon Landfill Point Methane Emissions as Recorded by the SnifferDRONE™, over As-Built Drawing

Feb 24, 2026

- Notes:
1. Basemap: As-built drawing provided by SCS Engineers, dated Dec 2023; high resolution RGB imagery provided by Waste Connections, dated Jan 2026.
 2. Projected Coordinate System: WGS 1984 UTM Zone 11N

Legend

- < 200 PPM
- 200 - 499 PPM
- 500 - 999 PPM
- 1,000 - 1,999 PPM
- 2,000 - 5,000 PPM
- 5,000 + PPM



Date	Condition	Temp	Wind Speed	Wind Direction	Humidity	Barometric Pressure
24-Feb	Broken Clouds	77 °F	6 MPH	SW	33%	30.51"

Attachment D
Daily Inlet Temperatures

Attachment D - LFGTS Vessel Inlet Temperatures

February 2026

Date Time	Inlet Temperature (F)			
	ST-1	ST-2	ST-3	ST-4
02/01/26 14:00	114	91	102	96
02/02/26 10:12	100	55	60	102
02/03/26 12:50	111	83	88	92
02/04/26 12:24	112	85	82	92
02/05/26 09:54	96	56	57	90
02/06/26 09:21	95	54	53	92
02/07/26 09:17	101	52	52	92
02/08/26 12:23	122	83	86	91
02/09/26 11:44	118	74	73	96
02/10/26 09:57	100	61	59	94
02/11/26 14:29	100	71	73	85
02/12/26 14:29	105	78	82	86
02/13/26 10:25	96	54	56	80
02/14/26 07:52	77	42	40	65
02/15/26 08:15	81	49	48	70
02/16/26 07:25	78	53	52	70
02/17/26 10:20	80	50	50	70
02/18/26 14:34	90	67	71	80
02/19/26 13:05	75	52	51	68
02/20/26 07:21	68	36	35	59
02/21/26 11:01	83	56	57	75
02/22/26 08:44	78	45	45	68
02/23/26 14:09	98	83	85	84
02/24/26 07:31	77	50	48	66
02/25/26 10:25	98	62	64	82
02/26/26 09:44	93	65	67	82
02/27/26 13:48	110	99	101	101
02/28/26 08:13	80	52	55	74

Attachment E

Well Temperature and CO Concentration Data

Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHIWA001	A-01	2/6/2026 2:26:27 PM	60.1	39.1	0.0	0.8			83.7	83.7	1.5
CHIWA002	A-02	2/10/2026 9:22:14 AM	58.6	41.4	0.0	0.0			88.3	88.4	1.4
CHIWA003	A-03	2/10/2026 9:31:06 AM	56.1	41.6	0.2	2.1			76.6	74.8	1.3
CHIWA004	A-04	2/10/2026 9:35:14 AM	58.0	42.0	0.0	0.0			84.2	86.6	1.4
CHIWB001	B-01	2/2/2026 12:19:05 PM	10.6	23.8	0.0	65.6			91.8	92.3	0.4
CHIWB02R	B-02R	2/2/2026 12:14:54 PM	34.1	29.4	1.1	35.4			79.2	79.6	1.2
CHIWB03R	B-03R	2/2/2026 12:27:28 PM	26.2	28.5	0.0	45.3			86.7	87.3	0.9
CHIWB005	B-05	2/2/2026 12:46:39 PM	23.1	29.0	0.0	47.9			87.8	87.8	0.8
CHIWB006	B-06	2/2/2026 12:54:09 PM	22.5	27.3	0.0	50.2			80.2	80.4	0.8
CHIWB07R	B-07R	2/2/2026 1:39:08 PM	47.3	36.6	0.0	16.1			83.9	85.5	1.3
CHIWB07R	B-07R	2/2/2026 1:40:27 PM	47.6	36.8	0.0	15.6			85.9	86.0	1.3
CHIWB008	B-08	2/2/2026 1:01:05 PM	17.9	25.9	0.3	55.9			81.5	81.6	0.7
CHIWB009	B-09	2/2/2026 1:31:23 PM	35.2	32.6	0.0	32.2			96.2	97.0	1.1
CHIWB010	B-10	2/2/2026 1:21:50 PM	27.2	29.5	0.0	43.3			86.0	87.6	0.9
CHIWB010	B-10	2/2/2026 1:22:55 PM	27.3	29.9	0.0	42.8			88.0	88.0	0.9
CHIWB011	B-11	2/25/2026 1:05:18 PM	37.9	31.6	0.0	30.5			102.9	102.9	1.2
CHIWB012	B-12	2/2/2026 12:31:17 PM	20.6	27.6	0.0	51.8			90.1	90.1	0.7
CHIWB013	B-13	2/2/2026 1:44:55 PM	28.2	31.2	0.0	40.6			89.4	89.5	0.9
CHIWB014	B-14	2/25/2026 1:09:49 PM	28.0	27.1	0.0	44.9			94.4	97.6	1.0
CHIWC003	C-03	2/10/2026 9:09:04 AM	56.3	40.2	0.0	3.5			58.8	60.3	1.4
CHIWC008	C-08	2/25/2026 11:12:35 AM	55.7	43.3	0.0	1.0			92.1	92.5	1.3
CHIWC010	C-10	2/25/2026 10:15:18 AM	56.4	39.0	0.0	4.6			90.0	90.7	1.4
CHIWC011	C-11	2/10/2026 9:49:37 AM	61.2	38.8	0.0	0.0			86.9	86.9	1.6
CHIWC012	C-12	2/10/2026 9:58:43 AM	60.0	40.0	0.0	0.0			66.2	66.5	1.5
CHIWC015	C-15	2/10/2026 10:04:37 AM	53.2	39.1	1.1	6.6			64.1	64.1	1.4
CHIWC17B	C-17B	2/10/2026 10:45:25 AM	58.3	41.7	0.0	0.0			108.9	108.9	1.4
CHIWC018	C-18	2/21/2026 10:06:18 AM	56.6	39.5	0.0	3.9			82.2	82.4	1.4
CHIWC019	C-19	2/21/2026 10:19:34 AM	54.3	41.5	0.0	4.2			82.2	80.7	1.3
CHIWC020	C-20	2/21/2026 10:14:14 AM	52.4	39.1	0.1	8.4			76.0	76.2	1.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHIWC023	C-23	2/21/2026 10:08:58 AM	52.9	39.8	0.1	7.2			80.7	80.9	1.3
CHIWC024	C-24	2/25/2026 9:41:15 AM	57.2	41.4	0.0	1.4			63.7	97.1	1.4
CHIWC024	C-24	2/25/2026 9:43:34 AM	55.9	42.9	0.0	1.2			97.3	97.4	1.3
CHIWC025	C-25	2/10/2026 10:25:38 AM	54.1	40.6	0.0	5.3			118.8	118.8	1.3
CHIWC026	C-26	2/10/2026 10:19:03 AM	65.5	30.6	0.6	3.3			63.7	63.9	2.1
CHIWC027	C-27	2/10/2026 10:01:41 AM	59.0	40.5	0.0	0.5			92.9	92.9	1.5
CHIWC028	C-28	2/10/2026 9:53:41 AM	57.1	42.9	0.0	0.0			99.6	99.7	1.3
CHIWC029	C-29	2/25/2026 10:05:25 AM	45.9	44.8	0.0	9.3			101.6	101.5	1.0
CHIWC030	C-30	2/25/2026 10:26:47 AM	52.1	44.2	0.0	3.7			122.8	123.1	1.2
CHIWCV02	CV-02	2/5/2026 8:22:37 AM	54.3	38.8	0.0	6.9			124.3	124.8	1.4
CHIWCV03	CV-03	2/5/2026 8:20:25 AM	53.8	39.7	0.0	6.5			119.0	119.0	1.4
CHIWCV04	CV-04	2/5/2026 8:17:56 AM	51.3	37.8	0.0	10.9			108.2	108.4	1.4
CHIWCV05	CV-05	2/5/2026 8:11:21 AM	58.0	39.8	0.0	2.2			96.9	97.0	1.5
CHIWCV06	CV-06	2/5/2026 2:22:54 PM	55.3	39.0	0.0	5.7			92.6	92.9	1.4
CHIWCV09	CV-09	2/5/2026 3:15:47 PM	54.4	43.1	0.0	2.5			82.7	89.5	1.3
CHIWCV09	CV-09	2/5/2026 3:22:08 PM	47.8	39.3	1.7	11.2			88.8	87.4	1.2
CV108-52	CV-108-52	2/6/2026 9:05:15 AM	49.1	50.9	0.0	0.0			100.4	99.8	1.0
CV108-52	CV-108-52	2/6/2026 9:10:37 AM	14.2	78.1	0.0	7.7			113.2	113.2	0.2
CV108-52	CV-108-52	2/13/2026 9:00:00 AM					40				
CV108-52	CV-108-52	2/13/2026 9:00:00 AM						3100			
CV108-52	CV-108-52	2/21/2026 10:16:13 AM	44.1	54.9	0.0	1.0			100.4	100.4	0.8
CHWCV113	CV-113	2/2/2026 8:05:00 AM						2200			
CHWCV113	CV-113	2/2/2026 8:05:00 AM					15				
CHWCV113	CV-113	2/12/2026 8:26:26 AM	23.0	42.2	7.3	27.5			59.3	59.4	0.5
CHWCV113	CV-113	2/15/2026 2:19:51 PM	23.6	40.2	7.5	28.8			67.3	67.3	0.6
CHWCV113	CV-113	2/15/2026 2:25:06 PM	7.4	15.4	16.5	60.7			66.3	66.2	0.5
CHWCV113	CV-113	2/15/2026 2:28:35 PM	0.4	3.2	20.0	76.4			66.1	66.1	0.1
CHWCV114	CV-114	2/2/2026 8:30:00 AM						160000			
CHWCV114	CV-114	2/2/2026 8:30:00 AM					2700				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHWCV114	CV-114	2/2/2026 8:35:00 AM					4220				
CHWCV114	CV-114	2/2/2026 8:35:08 AM	2.3	83.1	0.6	14.0			189.7	189.8	0.0
CHWCV114	CV-114	2/9/2026 9:53:00 AM	0.7	87.2	0.0	12.1			189.2	188.2	0.0
CHWCV114	CV-114	2/9/2026 9:55:00 AM					3540				
CHWCV114	CV-114	2/9/2026 9:55:00 AM						135000			
CHWCV114	CV-114	2/17/2026 7:50:00 AM					4460				
CHWCV114	CV-114	2/17/2026 7:52:38 AM	0.6	69.0	4.8	25.6			190.5	190.5	0.0
CHWCV114	CV-114	2/23/2026 8:44:01 AM	1.1	76.2	2.9	19.8			190.3	190.3	0.0
CHWCV114	CV-114	2/23/2026 8:50:00 AM					4770				
CHCV1424	CV-1424	2/9/2026 1:57:15 PM	53.1	43.6	0.0	3.3			112.6	113.4	1.2
CCV1532A	CV-1532A	2/4/2026 8:06:20 AM	1.3	84.4	0.0	14.3			150.7	164.2	0.0
CCV1532A	CV-1532A	2/4/2026 8:10:00 AM					2580				
CCV1532A	CV-1532A	2/4/2026 8:10:00 AM						153200			
CCV1532A	CV-1532A	2/5/2026 7:30:00 AM					1500				
CCV1532A	CV-1532A	2/5/2026 7:30:00 AM						180000			
CCV1532A	CV-1532A	2/9/2026 7:45:00 AM						140900			
CCV1532A	CV-1532A	2/9/2026 7:45:00 AM					1420				
CCV1532A	CV-1532A	2/9/2026 7:46:11 AM	0.8	81.5	3.2	14.5			183.3	187.4	0.0
CCV1532A	CV-1532A	2/17/2026 12:24:00 PM	1.1	76.0	1.1	21.8			147.7	155.8	0.0
CCV1532A	CV-1532A	2/17/2026 12:25:00 PM					1650				
CCV1532A	CV-1532A	2/25/2026 12:57:58 PM	12.8	77.3	1.3	8.6			150.6	150.5	0.2
CCV1532A	CV-1532A	2/25/2026 1:00:00 PM					1990				
CCV1534A	CV-1534A-PLR	2/4/2026 8:14:41 AM	1.5	78.1	2.8	17.6			184.0	182.5	0.0
CCV1534A	CV-1534A-PLR	2/4/2026 8:15:00 AM					2320				
CCV1534A	CV-1534A-PLR	2/4/2026 8:15:00 AM						119500			
CCV1534A	CV-1534A-PLR	2/9/2026 7:50:00 AM					2710				
CCV1534A	CV-1534A-PLR	2/9/2026 7:50:00 AM						119500			
CCV1534A	CV-1534A-PLR	2/9/2026 7:54:59 AM	1.0	73.8	3.8	21.4			186.3	185.7	0.0
CCV1534A	CV-1534A-PLR	2/25/2026 10:23:10 AM	11.3	76.2	1.4	11.1			186.2	186.6	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV1534A	CV-1534A-PLR	2/25/2026 10:30:00 AM					2430				
CHCV1535	CV-1535	2/5/2026 7:40:00 AM					150				
CHCV1535	CV-1535	2/5/2026 7:40:00 AM						9100			
CHCV1535	CV-1535	2/13/2026 12:54:31 PM	42.5	57.5	0.0	0.0			120.2	120.4	0.7
CHCV1535	CV-1535	2/21/2026 10:04:49 AM	45.6	54.2	0.0	0.2			120.4	120.4	0.8
CCV1601D	CV-1601D	2/2/2026 1:42:03 PM	47.2	47.1	0.0	5.7			110.1	110.4	1.0
CCV1601D	CV-1601D	2/23/2026 10:28:37 AM	50.4	47.7	0.0	1.9			103.7	103.8	1.1
CCV1601S	CV-1601S	2/2/2026 1:38:11 PM	44.0	50.4	0.1	5.5			110.5	110.5	0.9
CCV1601S	CV-1601S	2/23/2026 10:24:46 AM	47.5	49.4	0.0	3.1			98.9	99.0	1.0
CHCV1604	CV-1604	2/2/2026 11:32:40 AM	54.5	45.5	0.0	0.0			129.4	129.4	1.2
CHCV1605	CV-1605	2/2/2026 10:58:03 AM	52.4	46.6	0.3	0.7			86.1	86.2	1.1
CCV1701D	CV-1701D	2/5/2026 9:27:54 AM	41.0	37.8	4.2	17.0			65.5	65.4	1.1
CCV1701S	CV-1701S	2/5/2026 9:14:23 AM	24.0	56.3	2.2	17.5			142.7	122.7	0.4
CCV1701S	CV-1701S	2/5/2026 9:21:11 AM	22.3	57.5	1.8	18.4			123.6	126.4	0.4
CHCV1901	CV-1901	2/13/2026 3:22:18 PM	13.0	74.8	0.1	12.1			103.9	104.2	0.2
CHCV1901	CV-1901	2/21/2026 9:40:39 AM	12.7	75.2	1.1	11.0			86.9	88.0	0.2
CHCV1901	CV-1901	2/21/2026 9:43:49 AM	11.7	72.0	0.4	15.9			86.8	87.2	0.2
CCV1902A	CV-1902A	2/4/2026 9:12:02 AM	3.1	79.6	0.0	17.3			157.1	160.8	0.0
CCV1902A	CV-1902A	2/4/2026 9:15:00 AM					1690				
CCV1902A	CV-1902A	2/4/2026 9:15:00 AM						163000			
CCV1902A	CV-1902A	2/5/2026 8:15:00 AM					980				
CCV1902A	CV-1902A	2/5/2026 8:15:00 AM						180000			
CCV1902A	CV-1902A	2/9/2026 8:45:00 AM						163200			
CCV1902A	CV-1902A	2/9/2026 8:45:00 AM					1550				
CCV1902A	CV-1902A	2/9/2026 8:45:18 AM	1.9	84.9	0.0	13.2			163.4	163.0	0.0
CCV1902A	CV-1902A	2/17/2026 9:05:00 AM					1830				
CCV1902A	CV-1902A	2/17/2026 9:08:48 AM	1.9	80.9	0.0	17.2			162.5	162.5	0.0
CCV1902A	CV-1902A	2/17/2026 9:10:10 AM	2.1	85.2	0.0	12.7			162.5	162.5	0.0
CCV1902A	CV-1902A	2/25/2026 9:24:12 AM	7.0	82.5	0.0	10.5			176.7	175.7	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV1902A	CV-1902A	2/25/2026 9:25:00 AM					1150				
CHCV1905	CV-1905	2/2/2026 12:37:17 PM	53.5	43.1	0.0	3.4			110.7	110.7	1.2
CHCV1905	CV-1905	2/23/2026 12:22:37 PM	53.6	46.0	0.0	0.4			103.6	104.0	1.2
CHCV2001	CV-2001	2/4/2026 8:10:00 AM					140				
CHCV2001	CV-2001	2/4/2026 8:10:00 AM						13000			
CHCV2001	CV-2001	2/5/2026 1:50:56 PM	4.2	25.2	14.1	56.5			90.4	90.7	0.2
CHCV2001	CV-2001	2/24/2026 9:54:00 AM	3.4	25.2	15.3	56.1			89.0	88.8	0.1
CHCV2001	CV-2001	2/24/2026 11:41:41 AM	10.9	62.2	4.6	22.3			92.9	95.4	0.2
CHCV2002	CV-2002	2/4/2026 8:30:00 AM					1500				
CHCV2002	CV-2002	2/4/2026 8:30:00 AM						72000			
CHCV2002	CV-2002	2/5/2026 2:02:01 PM	7.2	73.8	0.7	18.3			129.3	121.6	0.1
CHCV2002	CV-2002	2/15/2026 11:11:39 AM	11.8	66.5	0.0	21.7			139.4	139.3	0.2
CHCV2002	CV-2002	2/15/2026 11:22:56 AM	9.4	67.6	0.1	22.8			137.8	137.8	0.1
CHCV2003	CV-2003	2/13/2026 12:51:24 PM	13.4	78.1	0.0	8.5			111.1	111.2	0.2
CHCV2003	CV-2003	2/21/2026 10:10:41 AM	17.1	78.0	0.0	4.9			99.5	99.9	0.2
CHCV2006	CV-2006	2/4/2026 8:56:15 AM	1.2	85.6	0.0	13.2			185.6	185.8	0.0
CHCV2006	CV-2006	2/4/2026 9:00:00 AM						106100			
CHCV2006	CV-2006	2/4/2026 9:00:00 AM					2900				
CHCV2006	CV-2006	2/9/2026 8:33:47 AM	1.0	84.1	0.0	14.9			186.2	186.2	0.0
CHCV2006	CV-2006	2/9/2026 8:35:00 AM						158600			
CHCV2006	CV-2006	2/9/2026 8:35:00 AM					3640				
CHCV2006	CV-2006	2/17/2026 8:50:00 AM					2630				
CHCV2006	CV-2006	2/17/2026 8:51:19 AM	1.0	86.5	0.0	12.5			185.4	185.4	0.0
CHCV2006	CV-2006	2/17/2026 8:52:23 AM	1.0	85.7	0.0	13.3			185.6	185.3	0.0
CHCV2006	CV-2006	2/25/2026 9:32:58 AM	8.6	81.8	0.0	9.6			183.3	185.6	0.1
CHCV2006	CV-2006	2/25/2026 9:34:01 AM	8.0	83.8	0.0	8.2			185.8	185.9	0.1
CHCV2006	CV-2006	2/25/2026 9:35:00 AM					3130				
CHCV2007	CV-2007	2/5/2026 10:05:37 AM	18.4	65.2	3.8	12.6			107.2	107.2	0.3
CHCV2007	CV-2007	2/12/2026 9:47:00 AM					540				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2007	CV-2007	2/12/2026 9:47:00 AM						26000			
CHCV2007	CV-2007	2/24/2026 1:27:24 PM	13.6	74.1	0.2	12.1			155.7	151.7	0.2
CHCV2007	CV-2007	2/24/2026 1:31:43 PM	13.6	74.9	0.1	11.4			151.3	151.3	0.2
CHCV2008	CV-2008	2/10/2026 12:04:59 PM	19.3	80.7	0.0	0.0			96.9	96.8	0.2
CHCV2009	CV-2009	2/10/2026 11:37:29 AM	41.6	57.9	0.0	0.5			121.4	133.8	0.7
CHCV2009	CV-2009	2/10/2026 11:40:05 AM	41.4	58.6	0.0	0.0			133.8	133.9	0.7
CHCV2009	CV-2009	2/10/2026 11:42:53 AM	41.3	58.7	0.0	0.0			133.9	133.9	0.7
CCV2009A	CV-2009A	2/13/2026 3:35:47 PM	38.8	61.2	0.0	0.0			127.3	127.4	0.6
CHCV2010	CV-2010	2/9/2026 9:55:44 AM	28.7	64.4	0.0	6.9			92.5	97.3	0.4
CHCV2010	CV-2010	2/9/2026 9:56:07 AM	27.4	67.8	0.0	4.8			97.3	97.2	0.4
CCV2010A	CV-2010A	2/9/2026 2:47:50 PM	33.5	56.1	0.0	10.4			136.1	141.6	0.6
CCV2010A	CV-2010A	2/9/2026 2:54:13 PM	44.0	50.9	0.0	5.1			141.2	141.2	0.9
CHCV2011	CV-2011	2/9/2026 9:03:16 AM	49.6	49.0	0.0	1.4			106.0	106.5	1.0
CCV2011A	CV-2011A	2/9/2026 2:25:44 PM	21.2	60.8	0.0	18.0			145.2	145.2	0.3
CCV2011A	CV-2011A	2/9/2026 2:26:14 PM	20.9	62.2	0.0	16.9			145.2	145.3	0.3
CCV2011A	CV-2011A	2/17/2026 10:10:46 AM	18.4	54.7	1.8	25.1			146.0	145.9	0.3
CCV2011A	CV-2011A	2/17/2026 10:15:00 AM					913				
CCV2011A	CV-2011A	2/25/2026 2:00:00 PM					636				
CCV2011A	CV-2011A	2/25/2026 2:01:41 PM	38.9	56.4	0.0	4.7			146.5	146.6	0.7
CHCV2012	CV-2012	2/6/2026 2:37:13 PM	34.1	59.4	0.0	6.5			140.4	140.3	0.6
CHCV2201	CV-2201-PLR	2/2/2026 1:25:00 PM					1420				
CHCV2201	CV-2201-PLR	2/2/2026 1:25:00 PM						66200			
CHCV2201	CV-2201-PLR	2/2/2026 1:25:38 PM	21.4	78.6	0.0	0.0			144.9	141.1	0.3
CHCV2201	CV-2201-PLR	2/2/2026 1:26:49 PM	21.7	78.3	0.0	0.0			140.0	140.0	0.3
CHCV2201	CV-2201-PLR	2/12/2026 1:00:59 PM	2.2	82.0	0.1	15.7			195.5	194.9	0.0
CHCV2201	CV-2201-PLR	2/12/2026 2:00:00 PM					2260				
CHCV2201	CV-2201-PLR	2/12/2026 2:00:00 PM						123800			
CHCV2201	CV-2201-PLR	2/20/2026 8:27:48 AM	2.3	81.3	0.9	15.5			191.7	191.4	0.0
CHCV2201	CV-2201-PLR	2/20/2026 8:30:00 AM					1620				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2201	CV-2201-PLR	2/24/2026 9:32:07 AM	38.3	60.8	0.9	0.0			116.9	115.5	0.6
CHCV2201	CV-2201-PLR	2/24/2026 9:33:29 AM	29.5	68.7	1.8	0.0			115.2	114.3	0.4
CHCV2204	CV-2204-PLR	2/2/2026 10:25:00 AM					2050				
CHCV2204	CV-2204-PLR	2/2/2026 10:25:00 AM						64500			
CHCV2204	CV-2204-PLR	2/2/2026 10:25:24 AM	12.3	83.8	0.0	3.9			189.6	189.6	0.1
CHCV2204	CV-2204-PLR	2/2/2026 10:26:05 AM	13.9	85.6	0.0	0.5			189.6	189.6	0.2
CHCV2204	CV-2204-PLR	2/11/2026 12:50:00 PM						110800			
CHCV2204	CV-2204-PLR	2/11/2026 12:50:00 PM					3730				
CHCV2204	CV-2204-PLR	2/11/2026 12:50:04 PM	2.3	87.6	0.0	10.1			189.2	189.7	0.0
CHCV2204	CV-2204-PLR	2/19/2026 7:10:00 AM					3085				
CHCV2204	CV-2204-PLR	2/19/2026 7:18:55 AM	1.5	80.3	2.5	15.7			190.0	189.3	0.0
CHCV2204	CV-2204-PLR	2/23/2026 12:52:26 PM	11.3	69.5	3.2	16.0			191.4	191.4	0.2
CHCV2204	CV-2204-PLR	2/23/2026 1:10:00 PM					2940				
CHCV2205	CV-2205	2/9/2026 9:16:37 AM	44.0	50.8	0.0	5.2			125.3	124.9	0.9
CHCV2205	CV-2205	2/9/2026 9:17:55 AM	42.9	52.3	0.0	4.8			124.7	125.1	0.8
CHCV2206	CV-2206-PLR	2/12/2026 9:44:40 AM	1.0	54.2	8.9	35.9			74.0	74.6	0.0
CHCV2206	CV-2206-PLR	2/19/2026 7:30:00 AM					2540				
CHCV2206	CV-2206-PLR	2/24/2026 2:28:47 PM	0.3	7.8	18.8	73.1			88.1	88.2	0.0
CHCV2207	CV-2207	2/4/2026 8:39:28 AM	45.4	52.7	0.0	1.9			121.6	122.8	0.9
CCV2208A	CV-2208A	2/13/2026 2:56:11 PM	31.0	65.1	0.1	3.8			123.2	123.3	0.5
CCV2208A	CV-2208A	2/13/2026 2:57:44 PM	30.2	65.4	0.0	4.4			123.8	123.9	0.5
CCV2208A	CV-2208A	2/20/2026 10:44:45 AM	34.2	61.6	0.0	4.2			119.6	107.8	0.6
CCV2208A	CV-2208A	2/20/2026 10:48:10 AM	32.8	62.0	0.0	5.2			116.7	122.7	0.5
CCV2208A	CV-2208A	2/20/2026 10:49:42 AM	33.0	62.2	0.0	4.8			123.1	122.6	0.5
CHCV2301	CV-2301	2/3/2026 10:13:58 AM	35.1	63.3	0.0	1.6			178.5	178.5	0.6
CHCV2301	CV-2301	2/3/2026 10:15:00 AM						82000			
CHCV2301	CV-2301	2/3/2026 10:15:00 AM					1002				
CHCV2301	CV-2301	2/3/2026 10:16:01 AM	32.4	66.1	0.2	1.3			175.0	175.0	0.5
CHCV2301	CV-2301	2/10/2026 10:09:00 AM					2390				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2301	CV-2301	2/10/2026 10:09:00 AM						113600			
CHCV2301	CV-2301	2/10/2026 10:11:22 AM	8.3	72.0	1.1	18.6			176.1	176.0	0.1
CHCV2301	CV-2301	2/13/2026 7:25:00 AM					1500				
CHCV2301	CV-2301	2/13/2026 7:25:00 AM						120000			
CHCV2301	CV-2301	2/18/2026 10:02:16 AM	9.4	75.0	0.4	15.2			175.5	175.8	0.1
CHCV2301	CV-2301	2/18/2026 10:05:00 AM					2250				
CHCV2301	CV-2301	2/25/2026 9:05:32 AM	2.0	88.8	0.0	9.2			82.9	83.6	0.0
CHCV2301	CV-2301	2/25/2026 9:06:19 AM	2.0	89.1	0.0	8.9			83.9	84.0	0.0
CHCV2302	CV-2302	2/3/2026 9:04:43 AM	46.6	47.6	0.7	5.1			114.9	114.6	1.0
CHCV2302	CV-2302	2/13/2026 7:30:00 AM					120				
CHCV2302	CV-2302	2/13/2026 7:30:00 AM						18000			
CHCV2302	CV-2302	2/21/2026 8:29:42 AM	44.5	44.5	1.7	9.3			69.4	69.4	1.0
CHCV2303	CV-2303	2/3/2026 12:50:00 PM						106850			
CHCV2303	CV-2303	2/3/2026 12:50:00 PM					1896.5				
CHCV2303	CV-2303	2/3/2026 12:54:32 PM	11.5	70.7	1.5	16.3			179.4	178.9	0.2
CHCV2303	CV-2303	2/3/2026 12:55:38 PM	16.0	77.1	0.2	6.7			178.5	178.5	0.2
CHCV2303	CV-2303	2/9/2026 7:50:00 AM					2000				
CHCV2303	CV-2303	2/9/2026 7:50:00 AM						160000			
CHCV2303	CV-2303	2/11/2026 8:35:00 AM					400				
CHCV2303	CV-2303	2/11/2026 10:39:43 AM	1.0	83.8	0.1	15.1			189.5	190.1	0.0
CHCV2303	CV-2303	2/11/2026 10:40:00 AM						140200			
CHCV2303	CV-2303	2/11/2026 10:40:00 AM					3710				
CHCV2303	CV-2303	2/20/2026 9:24:13 AM	1.2	78.4	0.0	20.4			191.4	191.1	0.0
CHCV2303	CV-2303	2/20/2026 9:25:00 AM					2200				
CHCV2303	CV-2303	2/20/2026 9:25:11 AM	1.2	88.7	0.0	10.1			191.9	192.2	0.0
CHCV2303	CV-2303	2/23/2026 12:42:28 PM	1.3	84.3	0.0	14.4			188.4	189.5	0.0
CHCV2303	CV-2303	2/23/2026 12:43:25 PM	1.3	88.1	0.0	10.6			189.3	190.0	0.0
CHCV2303	CV-2303	2/24/2026 8:10:45 AM	6.0	88.1	0.4	5.5			193.1	192.2	0.1
CHCV2303	CV-2303	2/24/2026 8:12:25 AM	7.1	84.5	0.0	8.4			193.1	193.5	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2303	CV-2303	2/24/2026 8:15:00 AM					2390				
CHCV2304	CV-2304	2/13/2026 2:23:29 PM	7.8	60.4	4.7	27.1			84.3	84.4	0.1
CHCV2304	CV-2304	2/13/2026 2:24:02 PM	7.8	59.7	4.7	27.8			86.1	86.2	0.1
CHCV2304	CV-2304	2/20/2026 9:54:10 AM	5.6	30.3	11.5	52.6			62.3	61.9	0.2
CHCV2304	CV-2304	2/20/2026 9:54:49 AM	6.0	26.8	11.3	55.9			60.3	60.1	0.2
CHCV2304	CV-2304	2/23/2026 9:57:36 AM	5.9	29.2	10.3	54.6			79.5	79.6	0.2
CHCV2304	CV-2304	2/23/2026 9:59:50 AM	6.1	31.8	9.9	52.2			80.0	80.0	0.2
CHCV2304	CV-2304	2/25/2026 12:59:41 PM	1.0	77.3	0.0	21.7			109.8	139.1	0.0
CHCV2304	CV-2304	2/25/2026 1:01:22 PM	2.0	73.2	0.0	24.9			147.2	149.2	0.0
CHCV2304	CV-2304	2/25/2026 1:03:35 PM	2.3	74.6	0.0	23.2			152.7	153.5	0.0
CHCV2305	CV-2305	2/9/2026 9:10:00 AM					1900				
CHCV2305	CV-2305	2/9/2026 9:10:00 AM						82000			
CHCV2305	CV-2305	2/12/2026 2:44:33 PM	19.2	74.4	0.1	6.3			159.2	158.8	0.3
CHCV2305	CV-2305	2/12/2026 2:46:45 PM	19.4	73.1	0.2	7.3			158.7	158.5	0.3
CHCV2305	CV-2305	2/12/2026 3:00:00 PM					1920				
CHCV2305	CV-2305	2/12/2026 3:00:00 PM						54700			
CHCV2305	CV-2305	2/18/2026 7:58:07 AM	13.0	79.3	0.3	7.4			156.8	156.9	0.2
CHCV2305	CV-2305	2/18/2026 8:00:00 AM					3130				
CHCV2305	CV-2305	2/24/2026 1:30:00 PM					2650				
CHCV2305	CV-2305	2/24/2026 1:31:29 PM	13.1	66.6	2.5	17.8			157.6	158.2	0.2
CHCV2306	CV-2306	2/2/2026 10:30:00 AM						58700			
CHCV2306	CV-2306	2/2/2026 10:30:00 AM					1030				
CHCV2306	CV-2306	2/2/2026 10:33:44 AM	14.2	60.4	0.0	25.4			177.2	177.2	0.2
CHCV2306	CV-2306	2/2/2026 10:36:13 AM	16.7	82.2	0.5	0.6			177.1	91.2	0.2
CHCV2306	CV-2306	2/11/2026 12:45:00 PM						146300			
CHCV2306	CV-2306	2/11/2026 12:45:00 PM					2190				
CHCV2306	CV-2306	2/11/2026 12:45:30 PM	2.6	74.7	0.4	22.3			183.0	183.0	0.0
CHCV2306	CV-2306	2/11/2026 12:46:33 PM	1.7	80.7	0.0	17.6			183.0	183.0	0.0
CHCV2306	CV-2306	2/19/2026 7:28:56 AM	1.7	93.8	0.1	4.4			185.0	185.0	0.0



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2306	CV-2306	2/23/2026 12:45:00 PM	8.7	25.1	14.2	52.0			170.0	170.0	0.3
CHCV2306	CV-2306	2/23/2026 12:46:45 PM	9.5	31.2	11.3	48.0			170.0	170.0	0.3
CHCV2306	CV-2306	2/23/2026 1:00:00 PM					1600				
CHCV2308	CV-2308-PLR	2/12/2026 1:05:19 PM	2.0	78.7	0.3	19.0			167.1	166.1	0.0
CHCV2308	CV-2308-PLR	2/12/2026 1:55:00 PM					1300				
CHCV2308	CV-2308-PLR	2/12/2026 1:55:00 PM						128400			
CHCV2308	CV-2308-PLR	2/20/2026 8:21:49 AM	1.8	84.8	0.0	13.4			148.4	151.3	0.0
CHCV2308	CV-2308-PLR	2/20/2026 8:25:00 AM					1880				
CHCV2308	CV-2308-PLR	2/24/2026 9:39:50 AM	16.4	71.7	1.6	10.3			166.1	165.9	0.2
CHCV2308	CV-2308-PLR	2/24/2026 9:45:00 AM					1560				
CHCV2310	CV-2310-PLR	2/3/2026 10:38:54 AM	13.8	82.4	0.0	3.8			177.7	178.0	0.2
CHCV2310	CV-2310-PLR	2/3/2026 10:40:00 AM						64600			
CHCV2310	CV-2310-PLR	2/3/2026 10:40:00 AM					683				
CHCV2310	CV-2310-PLR	2/20/2026 9:05:00 AM					1570				
CHCV2310	CV-2310-PLR	2/20/2026 9:07:03 AM	0.3	16.0	19.3	64.4			190.8	191.9	0.0
CHCV2310	CV-2310-PLR	2/20/2026 9:09:01 AM	0.4	23.0	19.4	57.2			191.2	191.5	0.0
CHCV2310	CV-2310-PLR	2/24/2026 9:05:00 AM					1950				
CHCV2310	CV-2310-PLR	2/24/2026 9:09:15 AM	0.2	2.4	20.2	77.2			196.8	197.3	0.1
CHCV2310	CV-2310-PLR	2/24/2026 9:12:41 AM	0.3	7.2	19.1	73.4			196.8	68.9	0.0
CHCV2311	CV-2311	2/4/2026 12:48:18 PM	1.3	69.7	0.0	29.0			85.7	85.8	0.0
CHCV2311	CV-2311	2/4/2026 12:49:18 PM	1.3	69.7	0.0	29.0			85.7	85.6	0.0
CHCV2311	CV-2311	2/21/2026 8:27:53 AM	1.4	63.5	0.0	35.1			62.2	61.8	0.0
CHCV2311	CV-2311	2/21/2026 8:28:22 AM	1.3	81.7	0.0	17.0			61.4	60.9	0.0
CHCV2311	CV-2311	2/26/2026 3:07:04 PM	1.1	77.9	0.0	21.0			163.6	164.1	0.0
CHCV2311	CV-2311	2/26/2026 3:11:39 PM	1.1	80.3	0.0	18.6			166.8	166.0	0.0
CHCV2311	CV-2311	2/26/2026 3:15:40 PM	1.1	81.0	0.0	17.9			168.7	166.5	0.0
CHCV2311	CV-2311	2/26/2026 3:21:46 PM	1.1	80.8	0.0	18.1			167.6	164.6	0.0
CHCV2312	CV-2312	2/10/2026 7:20:00 AM					2500				
CHCV2312	CV-2312	2/13/2026 7:40:00 AM					2700				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2312	CV-2312	2/13/2026 7:40:00 AM						160000			
CHCV2312	CV-2312	2/18/2026 12:45:00 PM					3710				
CHCV2312	CV-2312	2/18/2026 12:45:31 PM	1.8	86.6	0.7	10.9			163.9	163.9	0.0
CHCV2312	CV-2312	2/24/2026 2:40:00 PM					2720				
CHCV2312	CV-2312	2/24/2026 2:42:09 PM	2.4	78.5	0.0	19.1			164.0	163.6	0.0
CHCV2314	CV-2314	2/4/2026 12:50:00 PM					4120				
CHCV2314	CV-2314	2/4/2026 12:50:00 PM						112600			
CHCV2314	CV-2314	2/4/2026 12:50:07 PM	2.5	81.1	0.0	16.4			150.3	150.5	0.0
CHCV2314	CV-2314	2/9/2026 9:00:00 AM					3300				
CHCV2314	CV-2314	2/9/2026 9:00:00 AM						140000			
CHCV2314	CV-2314	2/13/2026 1:50:00 PM					4209.5				
CHCV2314	CV-2314	2/13/2026 1:51:54 PM	1.5	82.7	0.0	15.8			152.3	152.6	0.0
CHCV2314	CV-2314	2/13/2026 1:52:21 PM	1.0	85.5	0.0	13.5			152.2	152.3	0.0
CHCV2314	CV-2314	2/20/2026 10:10:00 AM					4800				
CHCV2314	CV-2314	2/20/2026 10:10:25 AM	0.8	87.7	0.4	11.1			153.5	153.5	0.0
CHCV2314	CV-2314	2/26/2026 9:09:14 AM	2.7	88.9	0.0	8.4			155.9	156.0	0.0
CHCV2314	CV-2314	2/26/2026 9:10:00 AM					3760				
CHCV2315	CV-2315	2/6/2026 8:44:05 AM	6.7	89.8	0.0	3.5			151.7	151.6	0.1
CHCV2315	CV-2315	2/6/2026 8:44:41 AM	7.1	86.4	0.0	6.5			151.7	151.6	0.1
CHCV2315	CV-2315	2/10/2026 7:25:00 AM					2600				
CHCV2315	CV-2315	2/10/2026 7:50:00 AM					2400				
CHCV2315	CV-2315	2/13/2026 7:50:00 AM						91000			
CHCV2315	CV-2315	2/13/2026 7:50:00 AM					2400				
CHCV2315	CV-2315	2/13/2026 2:03:37 PM	4.9	85.0	0.0	10.1			160.5	160.6	0.1
CHCV2315	CV-2315	2/13/2026 2:05:00 PM					3279				
CHCV2315	CV-2315	2/17/2026 9:35:44 AM	7.5	83.8	0.3	8.4			153.7	153.9	0.1
CHCV2315	CV-2315	2/17/2026 9:40:00 AM					3110				
CHCV2315	CV-2315	2/24/2026 1:50:29 PM	7.9	83.1	1.0	8.0			147.1	147.0	0.1
CHCV2315	CV-2315	2/24/2026 1:55:00 PM					3240				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2316	CV-2316	2/10/2026 12:17:29 PM	10.1	70.2	1.5	18.2			138.9	132.6	0.1
CHCV2316	CV-2316	2/10/2026 12:20:20 PM	6.1	71.3	1.7	20.9			132.6	132.6	0.1
CHCV2319	CV-2319	2/12/2026 2:23:38 PM	2.4	85.8	0.0	11.8			129.9	129.7	0.0
CHCV2319	CV-2319	2/12/2026 2:24:11 PM	2.4	84.4	0.0	13.2			129.9	129.7	0.0
CHCV2319	CV-2319	2/18/2026 1:56:55 PM	7.7	78.6	0.0	13.7			142.9	143.0	0.1
CHCV2319	CV-2319	2/18/2026 1:58:01 PM	7.0	83.0	0.0	10.0			143.1	143.2	0.1
CHCV2321	CV-2321	2/9/2026 2:09:14 PM	12.8	75.0	0.0	12.2			144.4	144.7	0.2
CHCV2321	CV-2321	2/9/2026 2:09:54 PM	12.1	78.2	0.0	9.7			144.7	144.7	0.2
CHCV2322	CV-2322	2/4/2026 10:15:00 AM					2560				
CHCV2322	CV-2322	2/4/2026 10:15:00 AM						101500			
CHCV2322	CV-2322	2/4/2026 10:15:02 AM	2.0	86.2	0.0	11.8			158.0	158.6	0.0
CHCV2322	CV-2322	2/11/2026 9:08:21 AM	1.5	82.4	0.1	16.0			140.6	136.7	0.0
CHCV2322	CV-2322	2/18/2026 9:20:00 AM					3290				
CHCV2322	CV-2322	2/18/2026 9:20:51 AM	1.1	90.9	0.0	8.0			145.8	145.6	0.0
CHCV2322	CV-2322	2/24/2026 2:01:18 PM	1.5	77.1	2.0	19.4			162.5	161.3	0.0
CHCV2322	CV-2322	2/24/2026 2:05:00 PM					3000				
CHCV2322	CV-2322	2/24/2026 2:07:49 PM	1.7	86.8	0.0	11.5			160.4	160.5	0.0
CHCV2324	CV-2324	2/9/2026 9:12:45 AM	49.3	45.7	0.0	5.0			108.3	108.8	1.1
CHCV2326	CV-2326	2/12/2026 2:35:05 PM	10.8	69.8	0.8	18.7			70.0	70.1	0.2
CHCV2326	CV-2326	2/21/2026 8:52:26 AM	8.9	61.2	4.6	25.3			104.9	104.8	0.1
CHCV2327	CV-2327	2/3/2026 8:41:55 AM	3.6	84.4	0.0	12.0			174.2	178.2	0.0
CHCV2327	CV-2327	2/3/2026 8:42:45 AM	3.9	87.6	0.0	8.5			179.5	179.7	0.0
CHCV2327	CV-2327	2/3/2026 8:45:00 AM						121900			
CHCV2327	CV-2327	2/3/2026 8:45:00 AM					2582				
CHCV2327	CV-2327	2/10/2026 2:18:55 PM	0.8	83.7	0.0	15.5			176.9	176.8	0.0
CHCV2327	CV-2327	2/10/2026 2:20:00 PM						110600			
CHCV2327	CV-2327	2/10/2026 2:40:00 PM					2940				
CHCV2327	CV-2327	2/18/2026 9:33:14 AM	1.6	91.9	0.0	6.5			177.7	178.4	0.0
CHCV2327	CV-2327	2/18/2026 9:35:00 AM					3170				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2327	CV-2327	2/24/2026 2:16:44 PM	1.3	87.5	0.0	11.2			147.2	143.7	0.0
CHCV2327	CV-2327	2/24/2026 2:17:46 PM	1.3	90.4	0.0	8.3			142.4	142.3	0.0
CHCV2328	CV-2328	2/3/2026 8:54:23 AM	21.2	78.8	0.0	0.0			165.1	165.9	0.3
CHCV2328	CV-2328	2/3/2026 8:55:00 AM						88750			
CHCV2328	CV-2328	2/3/2026 8:55:00 AM					924.5				
CHCV2328	CV-2328	2/9/2026 8:35:00 AM					890				
CHCV2328	CV-2328	2/9/2026 8:35:00 AM						90000			
CHCV2328	CV-2328	2/10/2026 8:40:00 AM					1140				
CHCV2328	CV-2328	2/10/2026 8:40:00 AM						72000			
CHCV2328	CV-2328	2/10/2026 8:41:42 AM	11.7	83.0	0.0	5.3			170.3	170.5	0.1
CHCV2328	CV-2328	2/18/2026 9:45:33 AM	31.0	59.0	0.1	9.9			138.6	139.8	0.5
CHCV2333	CV-2333	2/2/2026 8:27:07 AM	1.6	84.8	0.6	13.0			182.4	182.3	0.0
CHCV2333	CV-2333	2/2/2026 8:28:36 AM	1.5	82.3	0.4	15.8			182.5	182.3	0.0
CHCV2333	CV-2333	2/2/2026 8:30:00 AM					4070				
CHCV2333	CV-2333	2/2/2026 8:40:00 AM					3800				
CHCV2333	CV-2333	2/2/2026 8:40:00 AM						180000			
CHCV2333	CV-2333	2/9/2026 9:47:16 AM	0.6	89.1	0.0	10.3			159.9	161.2	0.0
CHCV2333	CV-2333	2/9/2026 9:50:00 AM					5360				
CHCV2333	CV-2333	2/9/2026 9:50:00 AM						149400			
CHCV2333	CV-2333	2/17/2026 7:40:00 AM					3875				
CHCV2333	CV-2333	2/17/2026 7:40:44 AM	0.4	82.1	1.6	15.9			185.1	185.1	0.0
CHCV2333	CV-2333	2/23/2026 8:39:20 AM	0.8	84.6	1.6	13.0			185.3	184.8	0.0
CHCV2333	CV-2333	2/23/2026 8:40:00 AM					4510				
CHCV2334	CV-2334	2/2/2026 8:45:00 AM						26000			
CHCV2334	CV-2334	2/2/2026 8:45:00 AM					390				
CHCV2334	CV-2334	2/12/2026 9:32:50 AM	30.5	69.3	0.0	0.2			127.4	127.5	0.4
CHCV2335	CV-2335	2/12/2026 2:24:13 PM	47.5	49.7	0.1	2.7			96.1	94.4	1.0
CHCV2335	CV-2335	2/21/2026 9:28:13 AM	44.4	50.4	0.6	4.6			82.8	83.5	0.9
CHCV2335	CV-2335	2/21/2026 9:29:13 AM	44.3	50.2	0.7	4.8			81.6	81.6	0.9



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2336	CV-2336	2/6/2026 3:46:42 PM	1.1	0.1	21.4	77.4			78.0	76.8	11.0
CHCV2336	CV-2336	2/6/2026 3:47:03 PM	1.2	0.5	21.1	77.2			75.9	75.9	2.4
CHCV2336	CV-2336	2/21/2026 9:33:31 AM	0.5	7.9	20.2	71.4			56.3	56.2	0.1
CHCV2336	CV-2336	2/21/2026 9:35:42 AM	0.2	1.3	21.4	77.1			55.2	55.2	0.2
CHCV2337	CV-2337	2/12/2026 8:50:00 AM					15				
CHCV2337	CV-2337	2/12/2026 8:50:00 AM						3900			
CHCV2337	CV-2337	2/13/2026 3:26:07 PM	6.6	66.6	2.5	24.3			111.5	111.4	0.1
CHCV2337	CV-2337	2/27/2026 10:22:06 AM	3.9	50.6	7.8	37.7			89.5	89.5	0.1
CHCV2337	CV-2337	2/27/2026 10:23:08 AM	3.9	51.2	7.6	37.3			89.7	89.6	0.1
CHCV2338	CV-2338	2/4/2026 9:05:00 AM					1380				
CHCV2338	CV-2338	2/4/2026 9:05:00 AM						135200			
CHCV2338	CV-2338	2/4/2026 9:06:09 AM	2.0	84.3	0.4	13.3			152.1	154.2	0.0
CHCV2338	CV-2338	2/4/2026 9:09:00 AM	2.5	76.2	1.3	20.0			155.2	155.5	0.0
CHCV2338	CV-2338	2/9/2026 8:39:02 AM	1.4	82.0	0.4	16.2			153.6	155.2	0.0
CHCV2338	CV-2338	2/9/2026 8:40:00 AM						156350			
CHCV2338	CV-2338	2/9/2026 8:40:00 AM					1505				
CHCV2338	CV-2338	2/17/2026 8:55:00 AM					1530				
CHCV2338	CV-2338	2/17/2026 8:59:05 AM	1.5	80.2	1.2	17.1			168.8	168.8	0.0
CHCV2338	CV-2338	2/17/2026 9:01:39 AM	1.5	79.6	0.8	18.1			168.8	168.8	0.0
CHCV2338	CV-2338	2/25/2026 9:27:52 AM	10.8	79.7	0.2	9.3			176.8	177.8	0.1
CHCV2338	CV-2338	2/25/2026 9:30:00 AM					1300				
CHCV2339	CV-2339	2/6/2026 1:53:56 PM	0.5	11.8	16.7	71.0			89.7	89.7	0.0
CHCV2339	CV-2339	2/6/2026 1:57:42 PM	0.5	7.6	18.5	73.4			89.4	88.0	0.1
CHCV2339	CV-2339	2/24/2026 4:01:50 PM	5.1	6.9	19.9	68.1			83.2	83.4	0.7
CHCV2339	CV-2339	2/24/2026 4:04:12 PM	4.5	6.7	19.8	69.0			83.9	84.0	0.7
CHCV2341	CV-2341	2/4/2026 2:28:30 PM	22.8	60.3	0.4	16.5			102.2	100.6	0.4
CHCV2341	CV-2341	2/6/2026 1:48:54 PM	28.8	58.5	0.4	12.3			109.3	109.3	0.5
CHCV2341	CV-2341	2/9/2026 8:30:00 AM					640				
CHCV2341	CV-2341	2/9/2026 8:30:00 AM						110000			



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2341	CV-2341	2/24/2026 3:38:10 PM	30.6	55.4	1.4	12.6			90.6	88.5	0.6
CCV2342A	CV-2342A-PLR	2/4/2026 7:53:04 AM	3.2	75.5	0.0	21.3			151.7	154.8	0.0
CCV2342A	CV-2342A-PLR	2/4/2026 7:55:00 AM					589				
CCV2342A	CV-2342A-PLR	2/4/2026 7:55:00 AM						136100			
CCV2342A	CV-2342A-PLR	2/9/2026 7:35:00 AM						183700			
CCV2342A	CV-2342A-PLR	2/9/2026 7:35:00 AM					597				
CCV2342A	CV-2342A-PLR	2/9/2026 7:38:39 AM	2.9	78.4	0.0	18.7			169.2	170.2	0.0
CCV2342A	CV-2342A-PLR	2/17/2026 11:41:38 AM	2.9	76.5	0.0	20.6			184.8	184.8	0.0
CCV2342A	CV-2342A-PLR	2/17/2026 12:15:00 PM					730				
CCV2342A	CV-2342A-PLR	2/25/2026 1:00:28 PM	14.3	74.2	0.0	11.5			190.4	190.2	0.2
CCV2342A	CV-2342A-PLR	2/25/2026 1:05:00 PM					795				
CHCV2343	CV-2343	2/4/2026 8:19:36 AM	0.7	88.3	0.0	11.0			128.8	128.6	0.0
CHCV2343	CV-2343	2/9/2026 7:05:00 AM						163700			
CHCV2343	CV-2343	2/9/2026 7:05:00 AM					4750				
CHCV2343	CV-2343	2/9/2026 7:57:27 AM	0.6	84.5	0.0	14.9			157.6	158.0	0.0
CHCV2343	CV-2343	2/17/2026 12:30:00 PM					5590				
CHCV2343	CV-2343	2/17/2026 12:33:43 PM	0.5	80.9	0.0	18.6			189.9	184.6	0.0
CHCV2343	CV-2343	2/25/2026 10:16:50 AM	6.3	80.6	0.0	13.1			181.8	180.9	0.1
CHCV2343	CV-2343	2/25/2026 10:17:50 AM	7.0	56.1	0.0	36.9			176.1	177.6	0.1
CHCV2343	CV-2343	2/25/2026 10:20:00 AM					4420				
CHCV2344	CV-2344	2/5/2026 7:55:00 AM					2400				
CHCV2344	CV-2344	2/5/2026 7:55:00 AM						130000			
CHCV2344	CV-2344	2/6/2026 9:17:17 AM	4.0	86.6	0.0	9.4			153.9	156.1	0.0
CHCV2344	CV-2344	2/6/2026 9:18:30 AM	4.4	88.0	0.0	7.6			155.9	155.7	0.1
CHCV2344	CV-2344	2/9/2026 8:02:34 AM	4.4	89.8	0.0	5.8			151.8	152.4	0.0
CHCV2344	CV-2344	2/9/2026 8:05:00 AM						104200			
CHCV2344	CV-2344	2/9/2026 8:05:00 AM					3770				
CHCV2344	CV-2344	2/17/2026 12:39:40 PM	13.0	75.6	0.1	11.3			160.6	160.8	0.2
CHCV2344	CV-2344	2/17/2026 12:40:00 PM					3060				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2344	CV-2344	2/25/2026 10:13:28 AM	24.7	67.4	0.0	7.9			165.1	165.7	0.4
CHCV2344	CV-2344	2/25/2026 10:15:00 AM					2210				
CHCV2345	CV-2345	2/5/2026 8:00:00 AM					510				
CHCV2345	CV-2345	2/5/2026 8:00:00 AM						28000			
CHCV2345	CV-2345	2/6/2026 9:21:31 AM	22.9	77.1	0.0	0.0			114.0	114.1	0.3
CHCV2345	CV-2345	2/21/2026 9:48:59 AM	18.7	68.5	0.4	12.4			107.6	108.2	0.3
CHCV2346	CV-2346	2/5/2026 8:05:00 AM					3300				
CHCV2346	CV-2346	2/5/2026 8:05:00 AM						140000			
CHCV2346	CV-2346	2/13/2026 12:46:33 PM	1.5	82.2	1.1	15.2			177.2	177.1	0.0
CHCV2346	CV-2346	2/17/2026 12:44:12 PM	1.6	87.5	0.0	10.9			177.3	177.1	0.0
CHCV2346	CV-2346	2/17/2026 12:45:00 PM					5180				
CHCV2346	CV-2346	2/25/2026 10:06:08 AM	10.0	84.1	0.0	5.9			177.8	178.1	0.1
CHCV2346	CV-2346	2/25/2026 10:10:00 AM					3930				
CHCV2347	CV-2347	2/5/2026 8:10:00 AM					2800				
CHCV2347	CV-2347	2/5/2026 8:10:00 AM						100000			
CHCV2347	CV-2347	2/6/2026 9:35:47 AM	7.7	86.9	0.0	5.4			116.5	115.7	0.1
CHCV2347	CV-2347	2/21/2026 9:25:20 AM	13.0	64.9	0.0	22.1			64.6	64.8	0.2
CHCV2348	CV-2348	2/9/2026 8:20:00 AM					200				
CHCV2348	CV-2348	2/9/2026 8:20:00 AM						14000			
CHCV2348	CV-2348	2/13/2026 11:00:52 AM	32.8	56.8	0.0	10.4			124.0	123.1	0.6
CHCV2348	CV-2348	2/24/2026 11:05:23 AM	31.1	43.4	0.1	25.4			123.3	124.0	0.7
CHCV2349	CV-2349	2/3/2026 7:25:00 AM					2700				
CHCV2349	CV-2349	2/3/2026 7:25:00 AM						120000			
CHCV2349	CV-2349	2/6/2026 7:40:27 AM	2.8	89.0	0.1	8.1			99.0	99.1	0.0
CHCV2349	CV-2349	2/21/2026 10:24:54 AM	2.6	78.8	1.5	17.1			98.1	98.0	0.0
CHCV2350	CV-2350	2/4/2026 8:20:00 AM					4000				
CHCV2350	CV-2350	2/4/2026 8:20:00 AM						150000			
CHCV2350	CV-2350	2/5/2026 1:55:46 PM	3.9	65.5	2.8	27.8			117.7	117.7	0.1
CHCV2350	CV-2350	2/21/2026 11:03:11 AM	6.1	73.8	1.2	18.9			96.9	97.0	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2351	CV-2351	2/3/2026 6:50:00 AM					0				
CHCV2351	CV-2351	2/3/2026 6:50:00 AM						3100			
CHCV2351	CV-2351	2/6/2026 8:11:19 AM	0.0	4.0	20.8	75.2			61.1	61.1	0.0
CHCV2351	CV-2351	2/24/2026 10:23:27 AM	1.7	31.5	12.2	54.6			86.5	86.5	0.1
CHCV2352	CV-2352	2/3/2026 7:00:00 AM					1300				
CHCV2352	CV-2352	2/3/2026 7:00:00 AM						220000			
CHCV2352	CV-2352	2/6/2026 8:15:34 AM	1.8	69.6	3.4	25.2			84.6	84.3	0.0
CHCV2352	CV-2352	2/23/2026 1:45:34 PM	4.0	74.0	2.2	19.8			99.7	99.7	0.1
CHCV2353	CV-2353-PLR	2/4/2026 7:47:39 AM	3.0	72.4	1.7	22.9			110.1	109.3	0.0
CHCV2353	CV-2353-PLR	2/4/2026 7:50:34 AM	2.3	69.1	3.3	25.3			108.5	108.5	0.0
CHCV2353	CV-2353-PLR	2/5/2026 7:50:00 AM					920				
CHCV2353	CV-2353-PLR	2/5/2026 7:50:00 AM						200000			
CHCV2353	CV-2353-PLR	2/6/2026 8:22:35 AM	2.6	68.9	2.3	26.2			96.2	96.2	0.0
CHCV2353	CV-2353-PLR	2/24/2026 10:30:11 AM	2.4	75.0	1.1	21.5			154.3	155.7	0.0
CHCV2353	CV-2353-PLR	2/24/2026 10:30:47 AM	2.5	75.9	0.4	21.2			159.0	158.4	0.0
CHCV2354	CV-2354	2/3/2026 7:20:00 AM					2500				
CHCV2354	CV-2354	2/3/2026 7:20:00 AM						150000			
CHCV2354	CV-2354	2/24/2026 9:59:42 AM	6.6	80.0	0.0	13.4			189.4	189.2	0.1
CHCV2354	CV-2354	2/24/2026 10:01:03 AM	6.1	82.0	0.0	11.9			189.1	189.4	0.1
CCV24001	CV-24001	2/4/2026 8:05:00 AM						6500			
CCV24001	CV-24001	2/12/2026 2:14:22 PM	45.8	52.3	0.0	1.9			86.5	86.6	0.9
CCV24001	CV-24001	2/21/2026 9:21:28 AM	41.3	49.6	1.3	7.8			77.2	78.1	0.8
CCV24002	CV-24002	2/12/2026 2:07:25 PM	44.3	53.6	0.0	2.1			108.0	107.4	0.8
CCV24002	CV-24002	2/21/2026 9:16:48 AM	39.2	50.8	1.8	8.2			99.2	99.3	0.8
CCV24003	CV-24003	2/12/2026 10:29:22 AM	44.1	54.8	0.0	1.1			111.5	111.2	0.8
CCV24003	CV-24003	2/21/2026 9:07:32 AM	38.9	52.9	1.2	7.0			102.6	102.4	0.7
CCV24004	CV-24004	2/12/2026 10:11:14 AM	45.1	53.9	0.0	0.9			109.6	109.5	0.8
CCV24004	CV-24004	2/12/2026 10:18:43 AM	47.2	52.2	0.0	0.7			109.5	109.6	0.9
CCV24004	CV-24004	2/21/2026 9:12:17 AM	41.7	48.6	1.5	8.2			104.6	104.6	0.9



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24006	CV-24006	2/12/2026 1:35:51 PM	13.4	75.3	0.0	11.3			88.8	110.1	0.2
CCV24006	CV-24006	2/12/2026 1:37:10 PM	14.7	75.0	0.0	10.3			114.9	114.6	0.2
CCV24006	CV-24006	2/21/2026 8:56:06 AM	21.6	74.4	0.6	3.4			129.3	129.0	0.3
CCV24006	CV-24006	2/21/2026 8:56:53 AM	21.8	74.1	0.5	3.6			128.6	128.7	0.3
CCV24007	CV-24007	2/9/2026 7:40:00 AM					430				
CCV24007	CV-24007	2/9/2026 7:40:00 AM						36000			
CCV24007	CV-24007	2/11/2026 8:30:00 AM					520				
CCV24007	CV-24007	2/12/2026 1:52:48 PM	17.9	66.9	0.0	15.2			112.3	112.4	0.3
CCV24007	CV-24007	2/21/2026 8:31:22 AM	19.8	63.6	0.9	15.7			110.7	110.1	0.3
CCV24009	CV-24009	2/2/2026 1:10:00 PM					1350				
CCV24009	CV-24009	2/2/2026 1:10:00 PM						92600			
CCV24009	CV-24009	2/2/2026 1:11:53 PM	23.0	76.8	0.2	0.0			159.8	159.8	0.3
CCV24009	CV-24009	2/10/2026 1:53:00 PM					998				
CCV24009	CV-24009	2/10/2026 1:53:00 PM						110600			
CCV24009	CV-24009	2/10/2026 1:54:24 PM	10.9	77.9	0.1	11.1			156.3	156.2	0.1
CCV24009	CV-24009	2/20/2026 7:53:06 AM	9.7	77.1	1.0	12.2			155.9	155.8	0.1
CCV24009	CV-24009	2/20/2026 7:55:00 AM					1190				
CCV24009	CV-24009	2/23/2026 1:26:03 PM	19.1	69.0	2.1	9.8			158.4	158.5	0.3
CCV24009	CV-24009	2/23/2026 1:30:00 PM					1700				
CCV24010	CV-24010	2/12/2026 9:52:10 AM	21.3	46.3	0.0	32.5			77.0	77.0	0.5
CCV24010	CV-24010	2/21/2026 8:09:11 AM	19.7	43.7	1.5	35.1			53.1	54.1	0.5
CCV24011	CV-24011	2/10/2026 10:23:13 AM	3.8	76.8	0.0	19.4			65.9	64.3	0.0
CCV24011	CV-24011	2/10/2026 10:23:56 AM	3.1	81.1	0.0	15.8			63.6	63.4	0.0
CCV24011	CV-24011	2/21/2026 8:34:32 AM	4.2	70.7	0.0	25.1			60.6	60.9	0.1
CCV24011	CV-24011	2/21/2026 8:34:55 AM	3.3	80.0	0.0	16.7			60.6	60.3	0.0
CCV24011	CV-24011	2/26/2026 3:54:25 PM	3.5	78.7	0.0	17.8			101.8	101.2	0.0
CCV24011	CV-24011	2/26/2026 4:06:07 PM	3.7	77.9	0.0	18.4			99.6	99.2	0.0
CCV24012	CV-24012	2/10/2026 1:30:00 PM					1750				
CCV24012	CV-24012	2/10/2026 1:30:00 PM						155500			



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24012	CV-24012	2/10/2026 1:30:09 PM	1.9	85.1	0.0	13.0			180.1	182.9	0.0
CCV24012	CV-24012	2/20/2026 8:15:00 AM					1590				
CCV24012	CV-24012	2/20/2026 8:16:50 AM	1.4	83.6	0.2	14.8			183.0	182.6	0.0
CCV24012	CV-24012	2/23/2026 1:39:49 PM	10.2	62.8	4.5	22.5			183.9	182.9	0.2
CCV24012	CV-24012	2/23/2026 2:00:00 PM					2250				
CCV24013	CV-24013	2/6/2026 2:51:33 PM	0.0	12.3	17.7	70.0			108.1	106.4	0.0
CCV24013	CV-24013	2/6/2026 2:52:10 PM	1.4	13.0	17.4	68.2			110.5	111.5	0.1
CCV24013	CV-24013	2/24/2026 2:15:34 PM	0.3	10.4	18.1	71.2			104.6	107.3	0.0
CCV24014	CV-24014	2/2/2026 1:05:00 PM					2190				
CCV24014	CV-24014	2/2/2026 1:05:00 PM						149000			
CCV24014	CV-24014	2/2/2026 1:05:29 PM	17.0	78.0	0.3	4.7			178.1	179.1	0.2
CCV24014	CV-24014	2/2/2026 1:06:30 PM	16.2	77.0	0.3	6.5			179.1	178.9	0.2
CCV24014	CV-24014	2/10/2026 1:47:00 PM					1540				
CCV24014	CV-24014	2/10/2026 1:47:00 PM						165100			
CCV24014	CV-24014	2/10/2026 1:47:08 PM	3.5	78.0	0.0	18.5			178.3	178.1	0.0
CCV24014	CV-24014	2/20/2026 7:43:02 AM	4.3	78.7	0.4	16.6			177.2	177.3	0.1
CCV24014	CV-24014	2/20/2026 7:45:00 AM					1250				
CCV24014	CV-24014	2/23/2026 1:07:33 PM	14.1	71.8	1.4	12.7			178.1	178.0	0.2
CCV24014	CV-24014	2/23/2026 1:20:00 PM					1990				
CCV24014	CV-24014	2/24/2026 2:19:36 PM	19.4	79.3	0.0	1.3			96.7	100.3	0.2
CCV24015	CV-24015	2/2/2026 9:24:54 AM	7.6	76.3	0.0	16.1			185.4	183.1	0.1
CCV24015	CV-24015	2/2/2026 9:25:00 AM					3510				
CCV24015	CV-24015	2/2/2026 9:25:00 AM						199800			
CCV24015	CV-24015	2/2/2026 9:25:28 AM	7.9	79.9	0.0	12.2			183.0	183.1	0.1
CCV24015	CV-24015	2/9/2026 10:15:00 AM						189200			
CCV24015	CV-24015	2/9/2026 10:15:00 AM					2310				
CCV24015	CV-24015	2/9/2026 10:15:34 AM	1.8	77.5	0.4	20.3			186.2	186.1	0.0
CCV24015	CV-24015	2/17/2026 8:27:48 AM	10.5	71.3	1.9	16.3			184.7	184.7	0.1
CCV24015	CV-24015	2/17/2026 8:30:00 AM					2250				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24015	CV-24015	2/23/2026 9:06:41 AM	3.1	75.1	1.9	19.9			184.7	184.8	0.0
CCV24015	CV-24015	2/23/2026 9:27:00 AM					2220				
CCV24016	CV-24016	2/3/2026 1:30:00 PM						165100			
CCV24016	CV-24016	2/3/2026 1:30:00 PM					2919				
CCV24016	CV-24016	2/10/2026 1:19:27 PM	1.7	81.3	0.0	17.0			68.8	68.3	0.0
CCV24016	CV-24016	2/10/2026 1:19:56 PM	1.3	83.0	0.0	15.7			68.1	68.0	0.0
CCV24016	CV-24016	2/21/2026 8:43:05 AM	1.0	80.1	0.0	18.9			84.2	83.1	0.0
CCV24016	CV-24016	2/21/2026 8:43:29 AM	1.7	81.5	0.0	16.8			82.4	81.8	0.0
CCV24017	CV-24017	2/4/2026 1:10:39 PM	2.2	83.2	0.0	14.6			94.6	146.3	0.0
CCV24017	CV-24017	2/4/2026 1:13:19 PM	2.3	81.3	0.0	16.4			161.1	169.0	0.0
CCV24017	CV-24017	2/4/2026 1:15:00 PM					3420				
CCV24017	CV-24017	2/4/2026 1:15:00 PM						177300			
CCV24017	CV-24017	2/9/2026 7:45:00 AM					1500				
CCV24017	CV-24017	2/9/2026 7:45:00 AM						150000			
CCV24017	CV-24017	2/10/2026 10:29:06 AM	7.7	81.9	0.0	10.4			170.9	170.1	0.1
CCV24017	CV-24017	2/10/2026 10:30:00 AM						130400			
CCV24017	CV-24017	2/10/2026 10:30:00 AM					2020				
CCV24017	CV-24017	2/12/2026 8:00:00 AM					1400				
CCV24017	CV-24017	2/12/2026 8:00:00 AM						140000			
CCV24017	CV-24017	2/20/2026 8:02:01 AM	8.2	74.1	2.3	15.4			176.1	175.9	0.1
CCV24017	CV-24017	2/20/2026 8:05:00 AM					1710				
CCV24017	CV-24017	2/23/2026 1:32:29 PM	18.5	67.4	2.2	11.9			176.0	176.1	0.3
CCV24017	CV-24017	2/23/2026 1:40:00 PM					2230				
CCV24018	CV-24018	2/13/2026 2:34:55 PM	6.4	80.9	0.0	12.7			124.3	124.4	0.1
CCV24018	CV-24018	2/25/2026 11:03:55 AM	5.3	79.3	0.0	15.4			118.1	108.7	0.1
CCV24018	CV-24018	2/25/2026 11:05:14 AM	4.9	82.2	0.0	12.9			115.7	115.8	0.1
CCV24019	CV-24019	2/3/2026 1:20:00 AM					1982				
CCV24019	CV-24019	2/3/2026 1:20:00 PM						161400			
CCV24019	CV-24019	2/3/2026 1:22:30 PM	9.5	80.0	0.0	10.5			190.0	187.9	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24019	CV-24019	2/3/2026 1:23:25 PM	9.6	70.5	0.0	19.9			186.1	184.7	0.1
CCV24019	CV-24019	2/10/2026 1:11:24 PM	1.0	82.0	0.0	17.0			198.1	198.9	0.0
CCV24019	CV-24019	2/10/2026 1:15:00 PM					2370				
CCV24019	CV-24019	2/10/2026 1:15:00 PM						153200			
CCV24019	CV-24019	2/20/2026 9:15:00 AM					1030				
CCV24019	CV-24019	2/20/2026 9:16:16 AM	1.4	77.6	2.7	18.3			185.7	185.3	0.0
CCV24019	CV-24019	2/24/2026 8:00:00 AM					1525				
CCV24019	CV-24019	2/24/2026 8:04:33 AM	3.7	65.5	6.2	24.6			185.1	185.1	0.1
CCV24019	CV-24019	2/24/2026 8:06:29 AM	4.4	69.3	4.6	21.7			185.3	185.1	0.1
CCV24020	CV-24020	2/12/2026 1:29:24 PM	0.2	11.6	16.1	72.1			80.1	80.3	0.0
CCV24020	CV-24020	2/24/2026 2:03:12 PM	0.2	52.4	7.9	39.5			89.3	89.2	0.0
CCV24021	CV-24021	2/12/2026 1:34:14 PM	0.4	7.4	17.9	74.3			85.8	85.8	0.1
CCV24021	CV-24021	2/24/2026 2:10:58 PM	0.1	9.6	19.0	71.3			93.7	93.6	0.0
CCV24022	CV-24022-PLR	2/2/2026 12:59:56 PM	10.3	85.6	0.0	4.1			178.4	195.7	0.1
CCV24022	CV-24022-PLR	2/2/2026 1:00:00 PM					2215				
CCV24022	CV-24022-PLR	2/2/2026 1:00:00 PM						208900			
CCV24022	CV-24022-PLR	2/2/2026 1:01:17 PM	13.4	83.4	0.5	2.7			194.5	194.1	0.2
CCV24022	CV-24022-PLR	2/10/2026 1:36:00 PM					2040				
CCV24022	CV-24022-PLR	2/10/2026 1:36:18 PM	1.2	69.7	2.8	26.3			189.5	189.7	0.0
CCV24022	CV-24022-PLR	2/19/2026 7:45:00 AM					2930				
CCV24022	CV-24022-PLR	2/19/2026 7:45:59 AM	1.5	70.0	3.5	25.0			191.9	192.6	0.0
CCV24022	CV-24022-PLR	2/23/2026 1:01:31 PM	9.1	62.8	4.1	24.0			193.1	192.9	0.1
CCV24022	CV-24022-PLR	2/23/2026 1:15:00 PM					2710				
CCV24023	CV-24023	2/2/2026 9:35:00 AM					1780				
CCV24023	CV-24023	2/2/2026 9:35:00 AM						109700			
CCV24023	CV-24023	2/2/2026 9:37:03 AM	8.6	73.3	0.8	17.3			186.9	185.6	0.1
CCV24023	CV-24023	2/2/2026 9:38:20 AM	9.2	74.4	0.0	16.4			185.8	185.6	0.1
CCV24023	CV-24023	2/9/2026 10:24:03 AM	1.5	80.9	0.0	17.6			195.0	195.2	0.0
CCV24023	CV-24023	2/9/2026 10:25:00 AM						188200			



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24023	CV-24023	2/9/2026 10:25:00 AM					1810				
CCV24023	CV-24023	2/17/2026 8:42:23 AM	0.9	53.1	8.0	38.0			178.6	178.2	0.0
CCV24023	CV-24023	2/17/2026 8:43:31 AM	0.7	43.8	10.0	45.5			180.1	178.8	0.0
CCV24023	CV-24023	2/17/2026 8:45:00 AM					2710				
CCV24023	CV-24023	2/23/2026 9:26:06 AM	2.5	69.9	3.4	24.2			171.8	171.6	0.0
CCV24023	CV-24023	2/23/2026 9:42:00 AM					3575				
CCV24024	CV-24024-PLR	2/13/2026 3:16:51 PM	1.4	70.4	2.1	26.1			121.1	121.2	0.0
CCV24024	CV-24024-PLR	2/25/2026 2:06:57 PM	1.6	73.2	1.4	23.8			156.3	154.9	0.0
CCV24024	CV-24024-PLR	2/25/2026 2:35:00 PM					1550				
CCV24025	CV-24025	2/3/2026 1:02:31 PM	14.6	72.5	0.0	12.9			168.5	168.5	0.2
CCV24025	CV-24025	2/3/2026 1:03:47 PM	15.6	74.5	0.0	9.9			168.5	168.6	0.2
CCV24025	CV-24025	2/3/2026 1:05:00 PM						111000			
CCV24025	CV-24025	2/3/2026 1:05:00 PM					2059				
CCV24025	CV-24025	2/24/2026 8:35:00 AM					2380				
CCV24025	CV-24025	2/24/2026 8:37:39 AM	7.7	69.6	3.6	19.1			171.0	170.8	0.1
CCV24025	CV-24025	2/24/2026 8:38:55 AM	7.2	67.6	3.6	21.6			170.9	170.9	0.1
CCV24026	CV-24026	2/12/2026 1:13:24 PM	0.3	70.8	3.2	25.7			107.9	108.6	0.0
CCV24026	CV-24026	2/24/2026 2:07:08 PM	0.5	65.3	4.0	30.2			112.8	115.3	0.0
CCV24027	CV-24027	2/6/2026 3:05:35 PM	2.6	62.8	4.7	29.9			88.6	89.0	0.0
CCV24027	CV-24027	2/23/2026 1:01:19 PM	1.1	78.5	0.6	19.8			95.0	95.3	0.0
CCV24028	CV-24028	2/4/2026 10:30:00 AM					1600				
CCV24028	CV-24028	2/4/2026 10:30:00 AM						182500			
CCV24028	CV-24028	2/4/2026 10:33:24 AM	3.0	53.9	0.0	43.1			174.7	171.6	0.1
CCV24028	CV-24028	2/4/2026 10:34:31 AM	2.8	83.2	0.0	14.0			171.6	169.9	0.0
CCV24028	CV-24028	2/10/2026 1:41:00 PM					1160				
CCV24028	CV-24028	2/10/2026 1:41:00 PM						179350			
CCV24028	CV-24028	2/10/2026 1:42:12 PM	2.0	80.7	0.0	17.3			190.8	192.2	0.0
CCV24028	CV-24028	2/19/2026 7:40:00 AM					1620				
CCV24028	CV-24028	2/19/2026 7:41:53 AM	2.0	76.6	0.8	20.6			193.0	193.5	0.0



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24028	CV-24028	2/23/2026 9:33:34 AM	10.8	77.0	1.8	10.4			194.3	194.1	0.1
CCV24028	CV-24028	2/23/2026 10:00:00 AM					1520				
CCV24029	CV-24029	2/12/2026 9:33:43 AM	1.7	68.1	2.0	28.2			76.4	77.0	0.0
CCV24029	CV-24029	2/27/2026 10:50:17 AM	1.3	55.0	7.7	36.0			95.9	93.8	0.0
CCV24029	CV-24029	2/27/2026 10:50:43 AM	1.3	54.5	8.1	36.1			96.1	96.0	0.0
CCV24030	CV-24030	2/12/2026 9:41:16 AM	1.6	72.8	0.7	24.9			192.1	192.1	0.0
CCV24030	CV-24030	2/12/2026 9:43:08 AM	1.7	73.7	0.4	24.2			192.1	192.3	0.0
CCV24030	CV-24030	2/17/2026 8:01:41 AM	0.5	39.1	12.3	48.1			143.5	143.1	0.0
CCV24030	CV-24030	2/17/2026 8:02:29 AM	0.4	25.6	13.8	60.2			143.1	143.5	0.0
CCV24031	CV-24031	2/12/2026 10:02:21 AM	20.2	76.5	0.0	3.3			127.3	125.6	0.3
CCV24031	CV-24031	2/24/2026 1:51:08 PM	24.6	70.4	0.0	5.0			141.2	140.0	0.3
CCV24031	CV-24031	2/24/2026 1:52:04 PM	24.2	70.9	0.0	4.9			139.3	139.4	0.3
CCV24032	CV-24032	2/3/2026 1:09:56 PM	11.2	76.0	0.0	12.8			162.6	168.5	0.1
CCV24032	CV-24032	2/3/2026 1:10:00 PM						155100			
CCV24032	CV-24032	2/3/2026 1:10:00 PM					1899				
CCV24032	CV-24032	2/12/2026 1:20:05 PM	1.4	82.9	0.0	15.7			140.8	141.6	0.0
CCV24032	CV-24032	2/12/2026 1:21:29 PM	1.6	83.3	0.0	15.1			152.1	150.6	0.0
CCV24032	CV-24032	2/12/2026 1:22:45 PM	1.8	83.5	0.0	14.7			160.5	161.6	0.0
CCV24032	CV-24032	2/12/2026 1:45:00 PM					1555				
CCV24032	CV-24032	2/12/2026 1:45:00 PM						129000			
CCV24032	CV-24032	2/20/2026 9:34:51 AM	1.2	71.6	0.0	27.2			191.5	191.2	0.0
CCV24032	CV-24032	2/20/2026 9:35:24 AM	1.4	88.0	0.0	10.6			191.4	191.0	0.0
CCV24032	CV-24032	2/20/2026 9:40:00 AM					2010				
CCV24032	CV-24032	2/24/2026 8:50:07 AM	6.5	77.6	2.4	13.5			189.1	188.4	0.1
CCV24032	CV-24032	2/24/2026 8:51:26 AM	7.4	80.3	2.0	10.3			188.2	189.6	0.1
CCV24032	CV-24032	2/24/2026 8:55:00 AM					2220				
CCV24033	CV-24033	2/12/2026 1:18:29 PM	0.9	81.2	0.0	17.9			125.5	122.8	0.0
CCV24033	CV-24033	2/20/2026 9:28:31 AM	1.5	68.4	0.0	30.1			185.3	186.0	0.0
CCV24033	CV-24033	2/20/2026 9:30:01 AM	1.2	85.1	0.0	13.7			186.2	185.9	0.0



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24033	CV-24033	2/20/2026 9:35:00 AM					2980				
CCV24033	CV-24033	2/23/2026 12:36:44 PM	3.6	78.3	0.0	18.1			181.7	182.5	0.0
CCV24033	CV-24033	2/23/2026 12:37:47 PM	2.3	84.2	0.0	13.5			182.8	182.8	0.0
CCV24033	CV-24033	2/24/2026 8:57:33 AM	6.9	76.6	2.9	13.6			186.6	186.7	0.1
CCV24033	CV-24033	2/24/2026 8:58:20 AM	6.9	78.1	2.0	13.0			186.4	186.3	0.1
CCV24033	CV-24033	2/24/2026 9:00:00 AM					2600				
CCV24034	CV-24034	2/13/2026 2:45:53 PM	1.2	82.3	0.2	16.3			194.2	194.0	0.0
CCV24034	CV-24034	2/13/2026 2:48:45 PM	1.4	80.8	0.3	17.5			194.0	194.1	0.0
CCV24034	CV-24034	2/19/2026 7:34:44 AM	1.5	78.8	2.1	17.6			188.3	188.5	0.0
CCV24034	CV-24034	2/19/2026 7:35:00 AM					1860				
CCV24034	CV-24034	2/23/2026 12:38:54 PM	6.8	60.0	6.0	27.2			159.5	160.8	0.1
CCV24034	CV-24034	2/23/2026 12:40:00 PM					1820				
CCV24034	CV-24034	2/23/2026 12:40:27 PM	7.4	58.5	6.0	28.1			159.3	161.1	0.1
CCV24035	CV-24035	2/2/2026 9:50:00 AM					1395				
CCV24035	CV-24035	2/2/2026 9:50:00 AM						81950			
CCV24035	CV-24035	2/2/2026 9:51:13 AM	9.0	81.6	0.0	9.4			190.9	191.7	0.1
CCV24035	CV-24035	2/2/2026 9:56:56 AM	6.6	79.1	0.0	14.3			193.1	192.1	0.1
CCV24035	CV-24035	2/9/2026 10:29:22 AM	1.4	86.4	0.0	12.2			187.6	187.7	0.0
CCV24035	CV-24035	2/9/2026 10:30:00 AM						140100			
CCV24035	CV-24035	2/9/2026 10:30:00 AM					2540				
CCV24035	CV-24035	2/23/2026 8:30:00 AM					5860				
CCV24035	CV-24035	2/23/2026 8:31:37 AM	1.2	72.4	4.7	21.7			151.0	152.9	0.0
CCV24036	CV-24036	2/12/2026 10:12:51 AM	48.6	36.6	2.9	11.9			66.3	66.4	1.3
CCV24036	CV-24036	2/24/2026 1:44:03 PM	52.5	38.2	1.9	7.4			91.5	91.6	1.4
CCV24037	CV-24037	2/9/2026 1:06:14 PM	0.7	29.4	14.0	55.9			86.4	86.4	0.0
CCV24037	CV-24037	2/9/2026 1:08:21 PM	0.7	27.7	13.5	58.1			86.3	86.3	0.0
CCV24037	CV-24037	2/24/2026 1:47:09 PM	1.1	22.7	15.8	60.4			85.7	86.3	0.0
CCV24038	CV-24038	2/3/2026 10:34:00 AM	11.0	81.9	0.0	7.1			183.4	184.8	0.1
CCV24038	CV-24038	2/3/2026 10:34:38 AM	12.1	82.8	0.0	5.1			184.0	181.4	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24038	CV-24038	2/3/2026 10:35:00 AM						181200			
CCV24038	CV-24038	2/3/2026 10:35:00 AM					1365				
CCV24038	CV-24038	2/11/2026 9:29:22 AM	3.8	47.4	0.0	48.8			186.8	184.4	0.1
CCV24038	CV-24038	2/11/2026 9:29:55 AM	2.1	81.2	0.0	16.7			184.1	185.8	0.0
CCV24038	CV-24038	2/11/2026 9:30:00 AM						154800			
CCV24038	CV-24038	2/11/2026 9:30:00 AM					2100				
CCV24038	CV-24038	2/20/2026 9:45:12 AM	1.8	63.2	0.0	35.0			185.5	186.7	0.0
CCV24038	CV-24038	2/20/2026 9:45:41 AM	2.1	85.8	0.0	12.1			187.3	187.2	0.0
CCV24038	CV-24038	2/20/2026 9:50:00 AM					1680				
CCV24038	CV-24038	2/24/2026 10:29:54 AM	17.1	79.3	0.0	3.6			186.2	187.4	0.2
CCV24038	CV-24038	2/24/2026 10:30:00 AM					1275				
CCV24038	CV-24038	2/24/2026 10:30:55 AM	15.6	68.2	3.6	12.6			188.9	188.3	0.2
CCV24038	CV-24038	2/25/2026 2:49:56 PM	5.9	74.0	0.0	20.1			184.1	183.8	0.1
CCV24038	CV-24038	2/25/2026 2:51:31 PM	4.4	75.5	0.0	20.0			183.0	182.7	0.1
CCV24039	CV-24039	2/12/2026 9:54:31 AM	0.0	5.4	20.8	73.8			69.7	69.7	0.0
CCV24039	CV-24039	2/23/2026 12:50:46 PM	0.3	18.3	16.0	65.4			79.9	79.7	0.0
CCV24039	CV-24039	2/23/2026 12:52:31 PM	0.3	18.7	15.9	65.1			79.8	79.8	0.0
CCV24040	CV-24040	2/27/2026 8:40:30 AM	0.3	80.0	0.0	19.7			82.0	82.0	0.0
CCV24041	CV-24041	2/12/2026 9:01:15 AM	6.1	55.4	8.0	30.5			61.7	59.9	0.1
CCV24041	CV-24041	2/24/2026 2:34:48 PM	9.1	54.9	7.0	29.0			91.7	91.7	0.2
CCV24042	CV-24042	2/17/2026 9:04:17 AM	1.0	78.8	2.3	17.9			185.9	182.8	0.0
CCV24042	CV-24042	2/17/2026 9:05:00 AM					3520				
CCV24042	CV-24042	2/17/2026 9:06:55 AM	1.1	72.0	2.5	24.4			189.8	189.6	0.0
CCV24042	CV-24042	2/23/2026 10:36:36 AM	11.9	76.0	2.6	9.5			190.9	190.7	0.2
CCV24042	CV-24042	2/23/2026 10:40:00 AM					3140				
CCV24043	CV-24043	2/13/2026 4:33:05 PM	44.6	52.6	0.3	2.5			101.4	101.9	0.8
CCV24043	CV-24043	2/24/2026 10:48:25 AM	44.8	55.2	0.0	0.0			106.7	105.4	0.8
CCV24044	CV-24044	2/24/2026 1:40:27 PM	25.4	70.1	0.0	4.5			95.1	94.8	0.4
CCV24045	CV-24045	2/3/2026 10:28:53 AM	7.1	76.5	0.0	16.4			161.0	156.2	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24045	CV-24045	2/3/2026 10:29:37 AM	8.7	82.8	0.0	8.5			158.6	160.4	0.1
CCV24045	CV-24045	2/3/2026 10:30:00 AM					1683				
CCV24045	CV-24045	2/3/2026 10:30:00 AM						161800			
CCV24045	CV-24045	2/11/2026 9:32:40 AM	2.6	85.2	0.0	12.2			160.4	162.4	0.0
CCV24045	CV-24045	2/11/2026 9:33:22 AM	1.8	82.4	0.0	15.8			162.5	162.6	0.0
CCV24045	CV-24045	2/11/2026 9:35:00 AM						158500			
CCV24045	CV-24045	2/11/2026 9:35:00 AM					2590				
CCV24045	CV-24045	2/20/2026 9:48:35 AM	1.9	62.7	0.0	35.4			167.9	172.8	0.0
CCV24045	CV-24045	2/20/2026 9:49:03 AM	1.9	87.5	0.0	10.6			170.4	171.7	0.0
CCV24045	CV-24045	2/20/2026 9:50:00 AM					2000				
CCV24045	CV-24045	2/23/2026 10:03:58 AM	2.1	72.6	0.0	25.3			155.1	156.1	0.0
CCV24045	CV-24045	2/23/2026 10:04:55 AM	1.7	80.9	0.0	17.4			157.3	157.3	0.0
CCV24045	CV-24045	2/24/2026 10:37:24 AM	12.3	78.2	0.0	9.5			174.3	174.1	0.2
CCV24045	CV-24045	2/24/2026 10:38:21 AM	19.9	80.1	0.0	0.0			171.8	171.7	0.2
CCV24045	CV-24045	2/24/2026 10:40:00 AM					1690				
CCV24045	CV-24045	2/25/2026 3:13:41 PM	5.7	69.1	0.0	25.2			174.9	174.5	0.1
CCV24045	CV-24045	2/25/2026 3:17:24 PM	6.2	73.7	0.0	20.1			176.7	177.6	0.1
CCV24046	CV-24046	2/13/2026 2:12:25 PM	0.7	78.8	0.6	19.9			163.7	163.9	0.0
CCV24046	CV-24046	2/13/2026 2:13:14 PM	0.7	79.2	0.2	19.9			164.7	164.6	0.0
CCV24046	CV-24046	2/20/2026 12:56:53 PM	2.3	78.3	0.0	19.4			77.0	84.2	0.0
CCV24046	CV-24046	2/27/2026 10:39:50 AM	0.3	78.2	0.8	20.7			101.9	101.9	0.0
CCV24048	CV-24048	2/12/2026 8:54:20 AM	10.9	71.4	0.8	16.9			70.7	70.8	0.2
CCV24048	CV-24048	2/24/2026 2:39:36 PM	6.0	78.4	0.0	15.6			89.9	94.1	0.1
CCV24049	CV-24049	2/2/2026 10:12:35 AM	12.6	81.4	0.0	6.0			187.0	187.9	0.2
CCV24049	CV-24049	2/2/2026 10:15:00 AM						133200			
CCV24049	CV-24049	2/2/2026 10:15:00 AM					4870				
CCV24049	CV-24049	2/9/2026 1:08:02 PM	0.1	21.0	17.2	61.7			164.9	170.3	0.0
CCV24049	CV-24049	2/9/2026 1:09:04 PM	0.2	19.9	17.4	62.5			165.3	168.9	0.0
CCV24049	CV-24049	2/9/2026 1:10:00 PM						34200			



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24049	CV-24049	2/9/2026 1:10:00 PM					1180				
CCV24049	CV-24049	2/12/2026 8:35:00 AM					470				
CCV24049	CV-24049	2/12/2026 8:35:00 AM						29000			
CCV24049	CV-24049	2/17/2026 9:28:41 AM	0.1	2.6	22.1	75.2			56.1	56.1	0.0
CCV24049	CV-24049	2/17/2026 9:29:26 AM	0.1	2.2	22.0	75.7			55.8	55.8	0.0
CCV24050	CV-24050	2/13/2026 4:25:00 PM	4.2	77.7	0.0	18.1			91.0	105.8	0.1
CCV24050	CV-24050	2/13/2026 4:26:59 PM	6.4	78.5	0.0	15.1			111.0	111.3	0.1
CCV24050	CV-24050	2/24/2026 3:46:52 PM	23.7	67.5	0.0	8.8			143.7	143.7	0.4
CCV24050	CV-24050	2/24/2026 3:46:57 PM	23.7	67.5	0.0	8.8			143.7	143.7	0.4
CCV24050	CV-24050	2/24/2026 3:48:49 PM	28.9	66.0	0.0	5.1			143.5	143.7	0.4
CCV24052	CV-24052	2/12/2026 8:39:54 AM	0.1	65.4	2.9	31.6			68.5	68.6	0.0
CCV24052	CV-24052	2/24/2026 2:48:47 PM	15.4	61.3	3.5	19.8			87.2	83.4	0.3
CCV24053	CV-24053	2/9/2026 9:15:00 AM					190				
CCV24053	CV-24053	2/9/2026 9:15:00 AM						13000			
CCV24053	CV-24053	2/12/2026 8:10:00 AM					16				
CCV24053	CV-24053	2/12/2026 8:10:00 AM						4700			
CCV24053	CV-24053	2/12/2026 8:45:26 AM	20.8	32.8	10.7	35.7			58.2	58.3	0.6
CCV24053	CV-24053	2/12/2026 8:47:03 AM	15.7	25.3	13.7	45.3			58.5	58.5	0.6
CCV24053	CV-24053	2/24/2026 2:43:04 PM	14.4	41.1	9.8	34.7			85.9	86.1	0.4
CCV24054	CV-24054	2/2/2026 10:19:51 AM	16.2	81.4	0.0	2.4			171.4	172.6	0.2
CCV24054	CV-24054	2/2/2026 10:20:00 AM						100800			
CCV24054	CV-24054	2/2/2026 10:20:00 AM					3280				
CCV24054	CV-24054	2/2/2026 10:20:37 AM	16.4	83.6	0.0	0.0			172.5	172.5	0.2
CCV24054	CV-24054	2/9/2026 1:13:53 PM	2.0	95.1	0.0	2.9			172.5	172.7	0.0
CCV24054	CV-24054	2/9/2026 1:15:00 PM						120100			
CCV24054	CV-24054	2/9/2026 1:15:00 PM					2990				
CCV24054	CV-24054	2/17/2026 9:32:14 AM	4.7	88.0	0.5	6.8			173.8	173.7	0.1
CCV24054	CV-24054	2/17/2026 9:35:00 AM					2868				
CCV24054	CV-24054	2/23/2026 10:28:09 AM	9.3	80.3	2.8	7.6			175.2	174.4	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24054	CV-24054	2/23/2026 10:30:00 AM					3580				
CCV24055	CV-24055	2/5/2026 10:02:26 AM	9.6	53.8	4.7	31.9			114.4	114.6	0.2
CCV24055	CV-24055	2/12/2026 8:30:00 AM						31000			
CCV24055	CV-24055	2/12/2026 8:30:00 AM					470				
CCV24055	CV-24055	2/18/2026 2:11:46 PM	4.5	56.9	5.2	33.4			124.5	124.3	0.1
CCV24056	CV-24056	2/6/2026 1:42:00 PM	28.1	61.8	0.1	10.0			137.0	136.1	0.5
CCV24056	CV-24056	2/6/2026 1:43:11 PM	28.6	64.2	0.0	7.2			132.4	132.8	0.4
CCV24056	CV-24056	2/21/2026 9:58:53 AM	38.5	59.0	0.0	2.5			116.4	116.6	0.7
CCV24057	CV-24057	2/13/2026 10:23:18 AM	36.1	59.7	0.0	4.2			136.2	136.1	0.6
CCV24057	CV-24057	2/13/2026 10:24:11 AM	35.6	60.1	0.0	4.3			136.2	136.1	0.6
CCV24057	CV-24057	2/24/2026 12:54:47 PM	46.1	45.1	0.0	8.8			125.9	126.0	1.0
CCV24058	CV-24058	2/5/2026 8:30:59 AM	45.0	38.1	3.6	13.3			63.3	63.1	1.2
CCV24058	CV-24058	2/23/2026 12:28:15 PM	44.4	36.4	0.6	18.6			92.9	92.9	1.2
CCV24059	CV-24059	2/3/2026 10:05:00 AM						64700			
CCV24059	CV-24059	2/3/2026 10:05:00 AM					400				
CCV24059	CV-24059	2/3/2026 10:08:28 AM	44.5	55.5	0.0	0.0			161.0	160.2	0.8
CCV24059	CV-24059	2/3/2026 10:09:11 AM	43.4	56.3	0.0	0.3			160.0	160.2	0.8
CCV24059	CV-24059	2/5/2026 8:58:59 AM	41.9	57.4	0.0	0.7			128.9	128.9	0.7
CCV24059	CV-24059	2/18/2026 9:57:11 AM	29.8	59.5	0.2	10.5			158.1	157.9	0.5
CCV24059	CV-24059	2/18/2026 10:00:00 AM					539				
CCV24059	CV-24059	2/26/2026 8:47:51 AM	30.4	66.6	0.0	3.0			157.5	157.6	0.5
CCV24059	CV-24059	2/26/2026 8:50:00 AM					382				
CCV24060	CV-24060	2/3/2026 9:13:39 AM	28.2	64.3	0.0	7.5			100.3	100.7	0.4
CCV24060	CV-24060	2/25/2026 3:00:34 PM	32.3	65.1	0.0	2.6			105.9	105.9	0.5
CCV24061	CV-24061	2/3/2026 10:32:28 AM	20.9	74.0	0.0	5.1			124.8	126.0	0.3
CCV24061	CV-24061	2/23/2026 9:50:37 AM	24.6	68.1	0.0	7.3			105.7	106.8	0.4
CCV24062	CV-24062	2/3/2026 8:48:20 AM	40.1	59.9	0.0	0.0			140.9	141.6	0.7
CCV24062	CV-24062	2/3/2026 10:39:32 AM	30.9	66.6	0.0	2.5			142.0	139.8	0.5
CCV24062	CV-24062	2/11/2026 7:20:00 AM					600				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24062	CV-24062	2/18/2026 9:38:22 AM	18.1	76.7	0.1	5.1			147.2	146.5	0.2
CCV24062	CV-24062	2/18/2026 9:40:00 AM					1140				
CCV24062	CV-24062	2/24/2026 2:23:24 PM	33.4	64.7	0.0	1.9			126.8	129.3	0.5
CCV24063	CV-24063	2/10/2026 2:26:28 PM	5.1	87.3	0.0	7.6			185.4	184.1	0.1
CCV24063	CV-24063	2/10/2026 2:27:00 PM					3240				
CCV24063	CV-24063	2/10/2026 2:27:00 PM						104900			
CCV24063	CV-24063	2/11/2026 7:25:00 AM					1600				
CCV24063	CV-24063	2/18/2026 9:25:00 AM					2730				
CCV24063	CV-24063	2/18/2026 9:27:43 AM	3.0	88.9	0.9	7.2			183.3	182.5	0.0
CCV24063	CV-24063	2/24/2026 2:10:00 PM					2540				
CCV24063	CV-24063	2/24/2026 2:12:26 PM	3.7	76.4	2.7	17.2			169.7	175.7	0.0
CCV24063	CV-24063	2/24/2026 2:13:11 PM	3.7	83.2	1.6	11.5			173.8	174.9	0.0
CCV24064	CV-24064	2/3/2026 8:05:00 AM						104000			
CCV24064	CV-24064	2/3/2026 8:05:00 AM					2385				
CCV24064	CV-24064	2/3/2026 8:09:01 AM	8.3	85.6	0.0	6.1			193.4	193.4	0.1
CCV24064	CV-24064	2/11/2026 7:35:00 AM					1200				
CCV24064	CV-24064	2/11/2026 8:00:00 AM						71500			
CCV24064	CV-24064	2/11/2026 8:00:00 AM					1770				
CCV24064	CV-24064	2/11/2026 8:03:41 AM	1.4	81.4	0.2	17.0			193.7	193.3	0.0
CCV24064	CV-24064	2/18/2026 8:30:00 AM					1960				
CCV24064	CV-24064	2/18/2026 8:35:10 AM	1.6	81.3	2.1	15.0			192.9	192.7	0.0
CCV24064	CV-24064	2/25/2026 8:37:47 AM	3.6	82.2	1.0	13.2			193.9	193.9	0.0
CCV24064	CV-24064	2/25/2026 8:45:00 AM					2680				
CCV24065	CV-24065-TP17	2/10/2026 7:35:00 AM					180				
CCV24065	CV-24065-TP17	2/13/2026 8:00:00 AM					410				
CCV24065	CV-24065-TP17	2/13/2026 8:00:00 AM						7100			
CCV24065	CV-24065-TP17	2/13/2026 3:57:42 PM	12.7	86.0	0.2	1.1			102.2	102.0	0.1
CCV24065	CV-24065-TP17	2/18/2026 2:15:50 PM	10.7	86.3	0.3	2.7			105.9	105.8	0.1
CCV24066	CV-24066	2/6/2026 1:29:15 PM	33.5	63.5	0.0	3.0			109.4	109.5	0.5



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24066	CV-24066	2/11/2026 7:50:00 AM					460				
CCV24066	CV-24066	2/24/2026 3:25:13 PM	21.6	56.2	0.0	22.2			114.9	114.9	0.4
CCV24067	CV-24067	2/22/2026 3:16:05 PM	10.2	70.6	0.0	19.2			139.6	139.6	0.1
CCV24067	CV-24067	2/22/2026 3:18:52 PM	11.7	70.1	0.0	18.2			139.7	139.9	0.2
CCV24068	CV-24068	2/3/2026 10:18:59 AM	12.6	79.1	0.0	8.3			160.5	161.6	0.2
CCV24068	CV-24068	2/3/2026 10:20:00 AM						133100			
CCV24068	CV-24068	2/3/2026 10:20:00 AM					2370				
CCV24068	CV-24068	2/11/2026 9:16:46 AM	6.9	84.4	0.0	8.7			114.9	116.1	0.1
CCV24068	CV-24068	2/11/2026 9:17:12 AM	8.5	82.4	0.0	9.1			116.5	116.2	0.1
CCV24068	CV-24068	2/18/2026 10:06:52 AM	21.5	69.1	0.1	9.3			154.1	153.6	0.3
CCV24068	CV-24068	2/18/2026 10:10:00 AM					771				
CCV24068	CV-24068	2/25/2026 9:11:00 AM	8.9	82.3	0.0	8.8			138.2	138.4	0.1
CCV24068	CV-24068	2/25/2026 9:11:25 AM	9.3	83.0	0.0	7.7			137.6	138.3	0.1
CCV24069	CV-24069	2/3/2026 8:40:42 AM	29.1	54.7	0.0	16.2			91.2	90.9	0.5
CCV24069	CV-24069	2/11/2026 8:00:00 AM					550				
CCV24069	CV-24069	2/22/2026 12:31:50 PM	39.3	46.0	0.1	14.7			92.6	92.5	0.9
CCV24070	CV-24070	2/3/2026 9:27:45 AM	14.4	79.7	0.0	5.9			137.8	138.1	0.2
CCV24070	CV-24070	2/10/2026 7:50:00 AM					670				
CCV24070	CV-24070	2/23/2026 12:35:19 PM	41.2	51.2	0.0	7.5			127.4	127.6	0.8
CCV24070	CV-24070	2/23/2026 12:37:07 PM	39.9	51.7	0.0	8.4			127.9	127.7	0.8
CCV24071	CV-24071	2/3/2026 9:19:02 AM	46.8	53.2	0.0	0.0			119.2	118.1	0.9
CCV24071	CV-24071	2/10/2026 7:55:00 AM					190				
CCV24071	CV-24071	2/25/2026 2:49:08 PM	30.8	68.0	0.0	1.2			138.2	138.2	0.5
CCV24071	CV-24071	2/25/2026 2:52:49 PM	30.9	67.6	0.0	1.5			137.8	137.8	0.5
CCV24072	CV-24072	2/3/2026 10:22:45 AM	39.7	60.3	0.0	0.0			115.1	115.2	0.7
CCV24072	CV-24072	2/19/2026 7:55:07 AM	39.6	51.2	0.0	9.2			53.1	52.8	0.8
CCV24073	CV-24073-TP13	2/3/2026 1:13:56 PM	1.9	79.5	1.5	17.1			119.1	117.9	0.0
CCV24073	CV-24073-TP13	2/17/2026 12:13:10 PM	32.9	64.0	0.0	3.1			150.1	148.3	0.5
CCV24073	CV-24073-TP13	2/17/2026 12:15:48 PM	27.6	69.1	0.0	3.3			148.4	148.9	0.4



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24073	CV-24073-TP13	2/23/2026 9:23:30 AM	27.1	67.2	0.0	5.7			150.2	150.7	0.4
CCV24073	CV-24073-TP13	2/23/2026 9:24:41 AM	30.3	65.5	0.0	4.2			151.3	151.4	0.5
CCV24073	CV-24073-TP13	2/26/2026 9:26:13 AM	36.9	63.1	0.0	0.0			146.9	149.2	0.6
CCV24073	CV-24073-TP13	2/26/2026 9:30:00 AM					1300				
CCV24074	CV-24074	2/3/2026 1:18:53 PM	3.3	85.6	0.0	11.1			110.3	110.1	0.0
CCV24074	CV-24074	2/17/2026 11:59:08 AM	3.7	86.8	0.0	9.5			90.9	90.8	0.0
CCV24075	CV-24075-TP15	2/3/2026 7:53:51 AM	5.1	89.4	0.0	5.5			189.4	189.1	0.1
CCV24075	CV-24075-TP15	2/3/2026 7:55:00 AM						116300			
CCV24075	CV-24075-TP15	2/3/2026 7:55:00 AM					2684				
CCV24075	CV-24075-TP15	2/11/2026 8:09:49 AM	1.1	86.7	0.1	12.1			189.1	188.6	0.0
CCV24075	CV-24075-TP15	2/11/2026 8:10:00 AM					2285				
CCV24075	CV-24075-TP15	2/11/2026 8:10:00 AM						113550			
CCV24075	CV-24075-TP15	2/18/2026 8:44:06 AM	1.8	93.0	0.0	5.2			188.9	188.6	0.0
CCV24075	CV-24075-TP15	2/18/2026 8:44:56 AM	1.5	66.8	0.0	31.7			189.0	189.3	0.0
CCV24075	CV-24075-TP15	2/18/2026 8:50:00 AM					3800				
CCV24075	CV-24075-TP15	2/25/2026 8:47:25 AM	2.6	78.6	2.2	16.6			189.7	190.2	0.0
CCV24075	CV-24075-TP15	2/25/2026 8:55:00 AM					2490				
CCV24076	CV-24076	2/3/2026 8:15:00 AM						42700			
CCV24076	CV-24076	2/3/2026 8:15:00 AM					1159				
CCV24076	CV-24076	2/3/2026 8:15:33 AM	23.3	76.6	0.1	0.0			164.8	164.7	0.3
CCV24076	CV-24076	2/11/2026 7:55:00 AM						65400			
CCV24076	CV-24076	2/11/2026 7:55:00 AM					2060				
CCV24076	CV-24076	2/11/2026 7:55:53 AM	12.2	77.0	0.3	10.5			170.5	170.4	0.2
CCV24076	CV-24076	2/17/2026 9:39:12 AM	9.8	76.2	0.0	14.0			175.5	175.8	0.1
CCV24076	CV-24076	2/17/2026 9:45:00 AM					2100				
CCV24076	CV-24076	2/24/2026 1:40:00 PM					2000				
CCV24076	CV-24076	2/24/2026 1:45:16 PM	7.9	80.4	1.0	10.7			177.3	179.2	0.1
CCV24076	CV-24076	2/24/2026 1:46:18 PM	12.1	72.1	1.5	14.3			178.9	179.0	0.2
CCV24077	CV-24077	2/6/2026 1:21:05 PM	25.1	56.1	0.0	18.8			123.5	123.8	0.4



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24077	CV-24077	2/22/2026 2:47:19 PM	9.1	67.3	0.0	23.7			132.8	130.8	0.1
CCV24077	CV-24077	2/22/2026 2:49:32 PM	11.4	56.1	0.0	32.5			128.5	127.3	0.2
CCV24078	CV-24078	2/6/2026 1:24:57 PM	25.1	69.1	0.3	5.5			121.9	123.8	0.4
CCV24078	CV-24078	2/22/2026 3:00:00 PM	31.9	45.4	0.0	22.7			130.7	129.2	0.7
CCV24078	CV-24078	2/22/2026 3:01:28 PM	31.1	46.5	0.0	22.4			129.0	129.5	0.7
CCV24078	CV-24078	2/22/2026 3:02:08 PM	31.0	47.1	0.0	21.9			129.6	129.6	0.7
CCV24079	CV-24079-TP8	2/3/2026 8:13:52 AM	16.4	74.6	0.0	9.0			136.9	137.4	0.2
CCV24079	CV-24079-TP8	2/22/2026 12:36:23 PM	42.9	45.6	0.0	11.5			126.9	127.3	0.9
CCV24080	CV-24080	2/3/2026 8:06:34 AM	37.3	61.3	0.0	1.4			123.6	123.6	0.6
CCV24080	CV-24080	2/22/2026 12:18:51 PM	40.0	52.9	0.0	7.1			121.0	121.1	0.8
CCV24081	CV-24081-TP10	2/3/2026 9:36:08 AM	47.9	52.1	0.0	0.0			112.6	112.2	0.9
CCV24081	CV-24081-TP10	2/19/2026 8:10:19 AM	47.1	50.3	0.0	2.6			75.8	75.9	0.9
CCV24082	CV-24082	2/3/2026 9:49:24 AM	38.3	59.9	0.0	1.8			120.2	120.2	0.6
CCV24082	CV-24082	2/22/2026 11:52:24 AM	43.3	50.7	0.0	6.0			102.7	102.8	0.9
CCV24083	CV-24083	2/3/2026 9:39:32 AM	45.1	49.4	0.5	5.0			132.5	133.3	0.9
CCV24083	CV-24083	2/19/2026 8:05:30 AM	52.0	45.9	0.0	2.1			85.6	85.6	1.1
CCV24084	CV-24084-TP11	2/3/2026 8:59:02 AM	19.7	80.3	0.0	0.0			175.1	175.8	0.2
CCV24084	CV-24084-TP11	2/3/2026 9:00:00 AM						87000			
CCV24084	CV-24084-TP11	2/3/2026 9:00:00 AM					1866				
CCV24084	CV-24084-TP11	2/3/2026 9:00:47 AM	20.1	79.9	0.0	0.0			176.0	176.0	0.3
CCV24084	CV-24084-TP11	2/10/2026 8:10:00 AM					1600				
CCV24084	CV-24084-TP11	2/10/2026 8:30:00 AM					1800				
CCV24084	CV-24084-TP11	2/10/2026 8:30:00 AM						78250			
CCV24084	CV-24084-TP11	2/10/2026 8:31:21 AM	8.8	87.2	0.0	4.0			175.9	175.9	0.1
CCV24084	CV-24084-TP11	2/18/2026 12:53:11 PM	8.1	83.0	0.6	8.3			176.0	175.9	0.1
CCV24084	CV-24084-TP11	2/18/2026 12:55:00 PM					2750				
CCV24084	CV-24084-TP11	2/24/2026 2:29:32 PM	11.7	83.2	0.0	5.1			175.4	175.7	0.1
CCV24084	CV-24084-TP11	2/24/2026 2:30:00 PM					1815				
CCV24085	CV-24085	2/2/2026 10:22:55 AM	43.7	50.8	0.2	5.3			123.6	123.6	0.9



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24085	CV-24085	2/21/2026 8:46:49 AM	37.5	49.5	0.5	12.5			106.6	106.5	0.8
CCV24086	CV-24086	2/13/2026 9:33:44 AM	40.7	54.2	0.0	5.1			126.2	126.0	0.8
CCV24086	CV-24086	2/18/2026 1:31:47 PM	43.8	49.1	0.0	7.1			125.3	125.2	0.9
CCV24087	CV-24087	2/2/2026 1:35:55 PM	41.4	47.7	0.0	10.9			116.6	116.5	0.9
CCV24087	CV-24087	2/3/2026 1:52:48 PM	33.3	60.9	0.0	5.8			82.7	100.3	0.5
CCV24087	CV-24087	2/3/2026 1:58:46 PM	33.6	65.0	0.0	1.4			106.3	106.4	0.5
CCV24087	CV-24087	2/18/2026 10:05:29 AM	49.0	42.1	0.1	8.8			101.5	101.7	1.2
CCV24088	CV-24088	2/3/2026 10:02:42 AM	44.7	55.3	0.0	0.0			114.9	116.4	0.8
CCV24088	CV-24088	2/21/2026 10:23:49 AM	49.7	49.4	0.0	0.9			98.6	99.2	1.0
CCV24089	CV-24089	2/2/2026 2:27:02 PM	0.0	0.6	20.9	78.5			93.5	93.5	0.0
CCV24089	CV-24089	2/2/2026 2:28:22 PM	0.0	0.4	21.0	78.6			90.5	90.7	0.0
CCV24089	CV-24089	2/19/2026 8:58:52 AM	0.8	3.5	19.8	75.9			42.7	42.7	0.2
CCV24089	CV-24089	2/19/2026 9:02:18 AM	0.9	1.4	20.3	77.4			42.5	42.5	0.6
CCV24090	CV-24090	2/2/2026 1:26:46 PM	39.2	56.5	0.0	4.3			127.0	126.9	0.7
CCV24090	CV-24090	2/4/2026 10:27:35 AM	37.7	60.0	0.0	2.3			143.4	143.3	0.6
CCV24090	CV-24090	2/4/2026 10:29:10 AM	37.7	59.7	0.0	2.6			143.4	143.4	0.6
CCV24090	CV-24090	2/18/2026 9:49:00 AM	38.4	54.9	0.0	6.7			113.4	111.9	0.7
CCV24091	CV-24091	2/2/2026 1:05:53 PM	50.9	46.4	0.0	2.7			130.9	131.1	1.1
CCV24091	CV-24091	2/18/2026 8:57:52 AM	52.5	43.8	0.0	3.7			125.4	126.2	1.2
CCV24092	CV-24092	2/2/2026 12:40:53 PM	52.2	41.9	0.0	5.9			120.6	120.7	1.2
CCV24092	CV-24092	2/23/2026 12:18:02 PM	54.3	42.5	0.3	2.9			112.4	112.6	1.3
CCV24093	CV-24093	2/9/2026 11:18:56 AM	42.4	57.6	0.0	0.0			120.2	122.8	0.7
CCV24093	CV-24093	2/9/2026 11:22:06 AM	45.2	54.8	0.0	0.0			123.3	123.3	0.8
CCV24093	CV-24093	2/22/2026 9:37:46 AM	50.4	46.3	0.0	3.3			113.2	113.2	1.1
CCV24095	CV-24095	2/4/2026 8:25:00 AM						121750			
CCV24095	CV-24095	2/4/2026 8:25:00 AM					3225				
CCV24095	CV-24095	2/4/2026 8:26:07 AM	4.6	91.1	0.0	4.3			167.9	168.1	0.1
CCV24095	CV-24095	2/9/2026 8:09:52 AM	2.3	67.9	4.0	25.8			163.5	163.6	0.0
CCV24095	CV-24095	2/9/2026 8:10:00 AM						139300			



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24095	CV-24095	2/9/2026 8:10:00 AM					4290				
CCV24095	CV-24095	2/13/2026 9:20:00 AM					3300				
CCV24095	CV-24095	2/13/2026 9:20:00 AM						150000			
CCV24095	CV-24095	2/20/2026 12:24:25 PM	3.7	74.3	2.6	19.4			162.8	162.8	0.0
CCV24095	CV-24095	2/20/2026 12:25:00 PM					2600				
CCV24095	CV-24095	2/25/2026 1:42:25 PM	9.6	74.3	1.7	14.4			164.0	164.0	0.1
CCV24095	CV-24095	2/25/2026 1:45:00 PM					2950				
CCV24096	CV-24096	2/27/2026 9:43:22 AM	38.9	59.5	0.0	1.6			105.8	105.5	0.7
CCV24097	CV-24097	2/5/2026 2:04:56 PM	39.9	59.8	0.0	0.3			122.7	121.9	0.7
CCV24097	CV-24097	2/21/2026 10:41:49 AM	30.2	19.2	9.9	40.7			56.4	56.4	1.6
CCV24097	CV-24097	2/21/2026 10:43:14 AM	20.5	14.0	13.6	51.9			56.4	56.4	1.5
CCV24098	CV-24098	2/5/2026 2:15:54 PM	41.4	52.4	0.4	5.8			86.9	89.0	0.8
CCV24098	CV-24098	2/21/2026 10:58:00 AM	42.4	54.4	0.1	3.1			79.4	79.3	0.8
CCV24099	CV-24099	2/5/2026 2:46:48 PM	17.3	74.7	0.0	8.0			94.8	94.8	0.2
CCV24099	CV-24099	2/21/2026 11:09:42 AM	13.5	82.5	0.4	3.6			69.8	69.9	0.2
CCV24100	CV-24100	2/4/2026 8:05:00 AM					53				
CCV24100	CV-24100	2/5/2026 1:44:15 PM	22.7	73.8	0.0	3.5			134.5	138.2	0.3
CCV24100	CV-24100	2/21/2026 11:29:01 AM	21.4	78.6	0.0	0.0			111.7	111.9	0.3
CCV24101	CV-24101	2/4/2026 7:50:00 AM					0				
CCV24101	CV-24101	2/4/2026 7:50:00 AM						1800			
CCV24101	CV-24101	2/5/2026 1:38:50 PM	39.4	54.1	0.4	6.1			110.9	110.4	0.7
CCV24101	CV-24101	2/24/2026 9:50:06 AM	37.0	59.0	0.0	4.0			110.7	110.4	0.6
CCV24101	CV-24101	2/24/2026 11:22:40 AM	36.6	60.1	0.3	3.0			110.5	110.5	0.6
CCV24102	CV-24102	2/4/2026 2:12:01 PM	46.1	48.5	0.0	5.4			98.4	98.9	1.0
CCV24102	CV-24102	2/22/2026 1:06:59 PM	48.2	46.2	0.0	5.7			102.2	102.2	1.0
CCV24103	CV-24103	2/2/2026 9:47:38 AM	51.8	46.5	0.0	1.7			108.4	108.4	1.1
CCV24103	CV-24103	2/17/2026 9:35:11 AM	51.1	48.0	0.0	0.9			101.3	101.3	1.1
CCV24104	CV-24104	2/2/2026 9:54:30 AM	44.7	51.1	0.0	4.2			102.1	102.1	0.9
CCV24104	CV-24104	2/17/2026 9:45:03 AM	42.2	54.5	0.0	3.3			84.4	84.4	0.8



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24104	CV-24104	2/23/2026 2:08:42 PM	41.6	58.4	0.0	0.0			101.9	102.0	0.7
CCV24105	CV-24105	2/2/2026 3:42:28 PM	51.4	46.2	0.0	2.4			101.3	101.3	1.1
CCV24105	CV-24105	2/17/2026 8:53:18 AM	49.6	47.5	0.0	2.9			90.3	90.3	1.0
CCV24106	CV-24106	2/3/2026 11:03:01 AM	50.3	42.9	0.1	6.7			128.5	128.5	1.2
CCV24106	CV-24106	2/4/2026 10:00:20 AM	49.9	46.3	0.0	3.8			129.9	129.9	1.1
CCV24106	CV-24106	2/17/2026 8:21:58 AM	50.1	44.1	0.0	5.8			127.9	127.8	1.1
CCV24107	CV-24107	2/4/2026 9:51:42 AM	45.5	53.6	0.0	0.9			130.9	129.6	0.8
CCV24107	CV-24107	2/4/2026 9:52:52 AM	45.0	54.4	0.0	0.6			129.8	129.9	0.8
CCV24108	CV-24108	2/4/2026 9:23:32 AM	45.3	39.6	2.5	12.6			116.0	117.4	1.1
CCV24109	CV-24109	2/4/2026 9:00:37 AM	37.6	43.8	0.0	18.6			95.4	96.1	0.9
CCV24110	CV-24110	2/9/2026 2:15:49 PM	44.8	52.8	0.0	2.4			124.3	124.2	0.8
CCV24110	CV-24110	2/23/2026 8:07:38 AM	46.1	50.3	0.0	3.6			120.1	120.5	0.9
CCV24111	CV-24111	2/9/2026 2:05:21 PM	32.2	63.4	0.0	4.4			87.3	103.8	0.5
CCV24111	CV-24111	2/9/2026 2:05:50 PM	32.1	66.7	0.0	1.2			104.5	105.0	0.5
CCV24112	CV-24112	2/20/2026 12:19:48 PM	50.4	39.3	0.0	10.3			127.2	127.2	1.3
CCV24114	CV-24114	2/4/2026 12:17:30 PM	55.2	43.1	0.0	1.7			121.0	120.1	1.3
CCV24114	CV-24114	2/23/2026 2:32:53 PM	56.1	43.9	0.0	0.0			121.4	121.4	1.3
CCV24116	CV-24116	2/4/2026 10:03:57 AM	50.6	45.3	0.0	4.1			112.4	112.5	1.1
CCV24117	CV-24117	2/2/2026 11:16:22 AM	47.2	45.4	0.0	7.4			108.7	108.7	1.0
CCV24118	CV-24118	2/6/2026 2:28:14 PM	16.2	83.8	0.0	0.0			136.3	136.7	0.2
CCV24118	CV-24118	2/9/2026 8:09:43 AM	16.0	77.3	0.6	6.1			135.2	134.9	0.2
CCV24118	CV-24118	2/9/2026 8:10:22 AM	15.9	79.6	1.0	3.5			134.5	134.7	0.2
CCV24118	CV-24118	2/24/2026 8:42:49 AM	19.1	77.8	0.0	3.1			134.3	135.1	0.2
CCV24118	CV-24118	2/24/2026 8:44:38 AM	19.3	78.0	0.0	2.7			134.6	134.6	0.2
CCV24119	CV-24119	2/6/2026 4:29:46 PM	51.5	43.8	0.0	4.7			136.3	134.6	1.2
CCV24119	CV-24119	2/6/2026 4:32:43 PM	51.9	44.8	0.0	3.3			134.3	134.7	1.2
CCV24120	CV-24120	2/2/2026 8:25:00 AM						15000			
CCV24120	CV-24120	2/2/2026 8:25:00 AM					220				
CCV24120	CV-24120	2/12/2026 8:53:02 AM	7.6	73.3	0.7	18.4			89.4	89.0	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24120	CV-24120	2/15/2026 2:10:21 PM	4.2	70.4	0.8	24.6			74.6	74.5	0.1
CCV24121	CV-24121	2/10/2026 8:30:00 AM					200				
CCV24121	CV-24121	2/12/2026 8:31:05 AM	31.3	61.4	0.3	7.0			120.8	121.7	0.5
CCV24121	CV-24121	2/15/2026 2:15:50 PM	19.7	66.6	0.7	13.0			115.0	114.1	0.3
CCV24122	CV-24122	2/2/2026 7:50:00 AM						2800			
CCV24122	CV-24122	2/12/2026 9:03:31 AM	47.6	42.1	1.8	8.6			67.0	67.0	1.1
CCV24122	CV-24122	2/12/2026 9:04:29 AM	47.7	42.8	0.9	8.5			67.1	67.0	1.1
CCV24122	CV-24122	2/15/2026 2:34:49 PM	53.8	42.4	0.0	3.8			70.3	70.4	1.3
CCV24123	CV-24123	2/4/2026 7:54:38 AM	52.2	43.8	0.0	4.0			114.1	114.3	1.2
CCV24124	CV-24124	2/12/2026 9:22:01 AM	10.9	78.1	0.0	11.0			106.2	106.7	0.1
CCV24125	CV-24125-TP20	2/2/2026 8:00:00 AM						4800			
CCV24125	CV-24125-TP20	2/2/2026 8:00:00 AM					110				
CCV24125	CV-24125-TP20	2/13/2026 3:44:21 PM	31.8	68.2	0.0	0.0			111.9	113.2	0.5
CCV24125	CV-24125-TP20	2/13/2026 3:46:54 PM	31.2	68.8	0.0	0.0			113.1	112.9	0.5
CCV24126	CV-24126	2/2/2026 10:00:00 AM					2650				
CCV24126	CV-24126	2/2/2026 10:00:00 AM						84500			
CCV24126	CV-24126	2/2/2026 10:00:53 AM	8.5	82.2	0.0	9.3			189.7	189.8	0.1
CCV24126	CV-24126	2/9/2026 12:52:55 PM	0.6	92.1	0.0	7.3			189.0	189.2	0.0
CCV24126	CV-24126	2/9/2026 12:55:00 PM						150500			
CCV24126	CV-24126	2/9/2026 12:55:00 PM					4440				
CCV24126	CV-24126	2/10/2026 8:20:00 AM					590				
CCV24126	CV-24126	2/17/2026 8:58:39 AM	0.8	79.8	1.2	18.2			187.8	188.6	0.0
CCV24126	CV-24126	2/17/2026 9:00:00 AM					4120				
CCV24126	CV-24126	2/23/2026 10:15:00 AM					3520				
CCV24126	CV-24126	2/23/2026 10:15:17 AM	3.7	86.3	0.0	10.0			174.5	174.3	0.0
CCV24126	CV-24126	2/23/2026 10:15:47 AM	3.9	88.4	0.0	7.7			172.5	171.1	0.0
CCV24127	CV-24127	2/10/2026 3:28:03 PM	2.4	82.7	0.3	14.6			100.1	96.7	0.0
CCV24127	CV-24127	2/12/2026 9:55:00 AM					2600				
CCV24127	CV-24127	2/12/2026 9:55:00 AM						150000			



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24128	CV-24128	2/2/2026 8:55:00 AM						35000			
CCV24128	CV-24128	2/2/2026 8:55:00 AM					640				
CCV24128	CV-24128	2/10/2026 3:18:12 PM	23.0	50.3	1.2	25.5			111.0	112.7	0.5
CCV24129	CV-24129	2/10/2026 3:04:10 PM	38.5	58.7	0.0	2.8			122.5	119.2	0.7
CCV24130	CV-24130	2/13/2026 3:17:32 PM	22.7	64.4	0.2	12.7			123.9	119.8	0.4
CCV24131	CV-24131	2/10/2026 2:32:27 PM	38.1	49.0	1.9	11.0			118.2	116.8	0.8
CCV24132	CV-24132	2/4/2026 8:04:12 AM	52.1	43.3	0.0	4.6			127.9	128.1	1.2
CCV24133	CV-24133	2/4/2026 8:26:59 AM	55.2	41.5	0.0	3.3			122.0	122.1	1.3
CCV24134	CV-24134-TP19	2/13/2026 3:08:28 PM	31.8	61.6	0.1	6.5			134.6	134.2	0.5
CCV24134	CV-24134-TP19	2/13/2026 3:09:48 PM	28.0	65.6	0.0	6.4			133.6	133.7	0.4
CCV24135	CV-24135	2/10/2026 11:50:50 AM	29.4	70.6	0.0	0.0			133.3	135.4	0.4
CCV24135	CV-24135	2/10/2026 11:55:05 AM	24.6	75.4	0.0	0.0			133.3	134.3	0.3
CCV24136	CV-24136	2/10/2026 9:25:28 AM	28.7	60.5	0.0	10.8			134.3	137.6	0.5
CCV24136	CV-24136	2/10/2026 9:27:15 AM	29.2	62.9	0.0	7.9			138.0	138.3	0.5
CCV24137	CV-24137	2/9/2026 10:10:34 AM	30.5	58.1	0.0	11.4			101.1	102.1	0.5
CCV24137	CV-24137	2/9/2026 10:11:54 AM	29.8	58.3	0.0	11.9			102.7	103.1	0.5
CCV24138	CV-24138	2/3/2026 7:15:00 AM					720				
CCV24138	CV-24138	2/3/2026 7:15:00 AM						200000			
CCV24138	CV-24138	2/13/2026 1:10:03 PM	0.3	24.2	14.7	60.8			86.8	86.9	0.0
CCV24138	CV-24138	2/13/2026 1:10:33 PM	0.2	18.3	15.2	66.3			86.9	86.9	0.0
CCV24138	CV-24138	2/24/2026 10:08:13 AM	1.3	43.1	9.5	46.1			162.2	160.1	0.0
CCV24138	CV-24138	2/24/2026 10:08:53 AM	1.3	44.5	9.9	44.3			161.2	161.8	0.0
CCV24138	CV-24138	2/27/2026 1:39:56 PM	2.9	74.9	0.0	22.2			108.6	113.2	0.0
CCV24138	CV-24138	2/27/2026 1:46:59 PM	2.7	72.0	1.0	24.3			113.9	112.8	0.0
CCV24139	CV-24139	2/3/2026 7:10:00 AM					230				
CCV24139	CV-24139	2/3/2026 7:10:00 AM						48000			
CCV24139	CV-24139	2/6/2026 7:53:50 AM	0.6	15.5	16.6	67.3			69.0	69.0	0.0
CCV24139	CV-24139	2/24/2026 10:11:41 AM	0.5	18.5	10.5	70.5			105.2	104.7	0.0
CCV24140	CV-24140	2/3/2026 7:05:00 AM					1100				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24140	CV-24140	2/3/2026 7:05:00 AM						210000			
CCV24140	CV-24140	2/6/2026 7:58:43 AM	2.2	73.0	1.5	23.3			95.2	95.6	0.0
CCV24140	CV-24140	2/24/2026 10:14:59 AM	1.9	75.2	1.1	21.8			123.0	122.8	0.0
CCV24141	CV-24141	2/3/2026 6:45:00 AM					45				
CCV24141	CV-24141	2/3/2026 6:45:00 AM						2100			
CCV24141	CV-24141	2/6/2026 8:05:13 AM	0.1	4.7	20.7	74.5			55.4	55.4	0.0
CCV24141	CV-24141	2/24/2026 10:20:01 AM	0.1	5.5	20.0	74.4			85.1	85.3	0.0
CCV24142	CV-24142	2/4/2026 8:35:28 AM	3.2	83.2	0.0	13.6			116.6	117.3	0.0
CCV24142	CV-24142	2/5/2026 7:15:00 AM					1800				
CCV24142	CV-24142	2/5/2026 7:15:00 AM						230000			
CCV24142	CV-24142	2/9/2026 8:14:30 AM	2.8	76.8	0.0	20.4			167.0	167.4	0.0
CCV24142	CV-24142	2/9/2026 8:15:00 AM						193400			
CCV24142	CV-24142	2/9/2026 8:15:00 AM					2850				
CCV24142	CV-24142	2/20/2026 12:12:27 PM	3.2	77.1	0.9	18.8			166.6	167.1	0.0
CCV24142	CV-24142	2/20/2026 12:15:00 PM					1700				
CCV24142	CV-24142	2/25/2026 1:16:52 PM	11.9	73.4	0.0	14.7			145.2	150.7	0.2
CCV24142	CV-24142	2/25/2026 1:20:00 PM					2050				
CCV24143	CV-24143	2/3/2026 6:55:00 AM					1700				
CCV24143	CV-24143	2/3/2026 6:55:00 AM						170000			
CCV24143	CV-24143	2/13/2026 1:02:53 PM	1.7	74.3	1.2	22.8			166.8	168.1	0.0
CCV24143	CV-24143	2/13/2026 1:03:32 PM	2.5	77.0	1.2	19.3			168.4	168.6	0.0
CCV24143	CV-24143	2/20/2026 12:05:00 PM					2060				
CCV24143	CV-24143	2/20/2026 12:05:23 PM	2.0	62.0	4.5	31.5			174.1	174.3	0.0
CCV24143	CV-24143	2/26/2026 10:26:52 AM	10.2	80.8	0.5	8.5			153.7	154.7	0.1
CCV24143	CV-24143	2/26/2026 10:30:00 AM					2090				
CCV24144	CV-24144	2/5/2026 2:08:00 PM	55.5	41.1	0.0	3.4			97.8	97.8	1.4
CCV24144	CV-24144	2/21/2026 10:47:17 AM	59.3	40.2	0.0	0.5			66.4	66.4	1.5
CCV24145	CV-24145	2/4/2026 1:17:26 PM	6.5	76.3	1.6	15.6			181.5	180.7	0.1
CCV24145	CV-24145	2/4/2026 1:20:00 PM					1650				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24145	CV-24145	2/4/2026 1:20:00 PM						162100			
CCV24145	CV-24145	2/4/2026 1:20:03 PM	6.9	77.2	0.2	15.7			180.5	181.0	0.1
CCV24145	CV-24145	2/10/2026 1:24:51 PM	4.2	79.4	0.0	16.4			180.0	180.3	0.1
CCV24145	CV-24145	2/10/2026 1:26:00 PM					1710				
CCV24145	CV-24145	2/10/2026 1:26:00 PM						149200			
CCV24145	CV-24145	2/20/2026 8:10:00 AM					1110				
CCV24145	CV-24145	2/20/2026 8:10:24 AM	5.3	78.0	1.4	15.3			175.9	176.3	0.1
CCV24145	CV-24145	2/23/2026 1:36:29 PM	14.9	64.6	4.0	16.5			178.7	178.7	0.2
CCV24145	CV-24145	2/23/2026 1:50:00 PM					1640				
CCV24146	CV-24146	2/4/2026 7:51:53 AM	52.6	43.8	0.0	3.6			113.0	113.0	1.2
CCV24146	CV-24146	2/15/2026 1:57:06 PM	53.3	42.5	0.0	4.2			112.4	112.4	1.3
CCV24147	CV-24147	2/4/2026 7:59:23 AM	46.8	37.5	2.2	13.5			109.2	109.4	1.2
CCV24147	CV-24147	2/15/2026 3:32:43 PM	50.1	36.8	2.4	10.8			108.2	108.3	1.4
CCV24148	CV-24148	2/3/2026 7:45:00 AM						73800			
CCV24148	CV-24148	2/3/2026 7:45:00 AM					2094				
CCV24148	CV-24148	2/3/2026 7:46:18 AM	7.3	86.6	0.0	6.1			167.9	172.6	0.1
CCV24148	CV-24148	2/3/2026 7:46:42 AM	7.6	86.4	0.0	6.0			172.9	172.5	0.1
CCV24148	CV-24148	2/11/2026 8:14:50 AM	2.3	89.1	0.0	8.6			171.1	174.2	0.0
CCV24148	CV-24148	2/11/2026 8:15:00 AM					2530				
CCV24148	CV-24148	2/11/2026 8:15:00 AM						64800			
CCV24148	CV-24148	2/11/2026 8:15:29 AM	3.9	89.4	0.0	6.7			174.4	174.6	0.0
CCV24148	CV-24148	2/18/2026 8:20:00 AM					2370				
CCV24148	CV-24148	2/18/2026 8:23:40 AM	4.3	73.1	4.4	18.2			172.9	172.8	0.1
CCV24148	CV-24148	2/18/2026 8:25:11 AM	5.0	83.6	4.1	7.3			172.7	172.4	0.1
CCV24148	CV-24148	2/23/2026 8:51:06 AM	7.5	86.0	0.0	6.5			170.0	170.0	0.1
CCV24148	CV-24148	2/23/2026 8:51:52 AM	7.5	86.0	0.0	6.5			170.0	170.0	0.1
CCV24148	CV-24148	2/25/2026 8:31:09 AM	8.7	80.8	0.0	10.5			171.1	171.5	0.1
CCV24148	CV-24148	2/25/2026 8:40:00 AM					1630				
CCV24149	CV-24149	2/3/2026 1:42:26 PM	17.3	76.5	0.0	6.2			129.5	129.6	0.2



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24149	CV-24149	2/17/2026 11:40:05 AM	28.6	69.5	0.0	1.9			121.7	121.1	0.4
CCV24149	CV-24149	2/23/2026 9:15:57 AM	20.9	74.5	0.0	4.6			123.6	123.6	0.3
CCV24150	CV-24150	2/9/2026 1:18:53 PM	35.6	59.3	0.0	5.1			112.5	115.0	0.6
CCV24150	CV-24150	2/9/2026 1:20:09 PM	36.5	62.2	0.0	1.3			114.2	114.4	0.6
CCV24150	CV-24150	2/20/2026 12:32:57 PM	45.7	52.0	0.0	2.3			100.2	101.9	0.9
CCV24150	CV-24150	2/20/2026 12:34:32 PM	43.9	52.7	0.0	3.4			99.7	100.1	0.8
CCV24151	CV-24151	2/3/2026 1:08:44 PM	42.1	57.9	0.0	0.0			106.3	107.8	0.7
CCV24151	CV-24151	2/17/2026 12:21:37 PM	41.3	58.0	0.0	0.7			90.9	89.5	0.7
CCV24152	CV-24152	2/3/2026 1:23:28 PM	25.2	69.9	0.0	4.9			131.9	132.0	0.4
CCV24152	CV-24152	2/17/2026 11:51:51 AM	27.7	68.1	0.0	4.2			124.0	124.1	0.4
CCV24152	CV-24152	2/23/2026 9:32:35 AM	26.4	66.9	0.0	6.7			124.7	124.9	0.4
CCV24153	CV-24153	2/3/2026 1:26:55 PM	21.9	65.5	0.0	12.6			120.7	121.1	0.3
CCV24153	CV-24153	2/22/2026 9:57:54 AM	3.0	77.6	0.0	19.4			80.7	81.0	0.0
CCV24154	CV-24154	2/9/2026 11:31:33 AM	50.0	48.6	0.0	1.4			103.2	103.6	1.0
CCV24154	CV-24154	2/24/2026 3:12:19 PM	42.4	54.4	0.7	2.5			108.9	108.1	0.8
CCV24155	CV-24155	2/3/2026 1:34:59 PM	36.2	52.3	0.0	11.5			124.2	124.5	0.7
CCV24155	CV-24155	2/17/2026 11:33:18 AM	32.1	66.7	0.0	1.2			127.9	124.4	0.5
CCV24156	CV-24156	2/3/2026 10:19:12 AM	31.9	66.1	0.0	2.0			129.6	129.7	0.5
CCV24156	CV-24156	2/19/2026 7:50:22 AM	26.4	66.6	0.0	7.0			129.1	128.9	0.4
CCV24157	CV-24157	2/3/2026 10:11:40 AM	47.1	52.9	0.0	0.0			125.0	123.9	0.9
CCV24157	CV-24157	2/21/2026 10:15:35 AM	43.3	50.4	0.9	5.4			114.5	114.9	0.9
CCV24158	CV-24158	2/9/2026 3:28:05 PM	48.2	51.8	0.0	0.0			125.3	126.0	0.9
CCV24158	CV-24158	2/9/2026 3:29:41 PM	47.7	52.3	0.0	0.0			126.8	126.9	0.9
CCV24158	CV-24158	2/17/2026 12:36:20 PM	45.6	54.4	0.0	0.0			122.2	121.1	0.8
CCV24159	CV-24159	2/2/2026 2:12:02 PM	52.8	43.8	0.0	3.4			113.9	113.9	1.2
CCV24159	CV-24159	2/18/2026 8:35:04 AM	53.5	44.6	0.0	1.9			110.4	110.6	1.2
CCV24160	CV-24160	2/9/2026 11:27:05 AM	50.1	47.5	0.2	2.2			114.9	115.0	1.1
CCV24160	CV-24160	2/22/2026 9:47:07 AM	44.2	47.2	1.2	7.5			115.3	115.6	0.9
CCV24160	CV-24160	2/22/2026 9:49:28 AM	44.0	47.3	1.1	7.7			115.6	115.1	0.9



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24160	CV-24160	2/22/2026 9:50:51 AM	43.3	47.7	1.3	7.7			114.6	114.5	0.9
CCV24160	CV-24160	2/23/2026 12:26:26 PM	45.7	52.8	0.2	1.3			106.0	106.5	0.9
CCV24161	CV-24161	2/9/2026 3:06:31 PM	35.3	38.3	4.6	21.8			109.9	108.4	0.9
CCV24161	CV-24161	2/23/2026 8:37:20 AM	27.6	34.3	7.2	30.9			98.2	98.3	0.8
CCV24161	CV-24161	2/23/2026 8:39:10 AM	23.9	32.6	7.0	36.5			99.0	99.3	0.7
CCV24162	CV-24162	2/4/2026 9:15:39 AM	45.2	43.9	0.0	10.9			99.7	100.2	1.0
CCV24163	CV-24163	2/6/2026 4:05:06 PM	43.8	56.2	0.0	0.0			106.2	109.9	0.8
CCV24164	CV-24164	2/3/2026 9:55:43 AM	30.0	70.0	0.0	0.0			134.6	134.7	0.4
CCV24164	CV-24164	2/22/2026 10:35:39 AM	42.9	54.1	0.0	3.1			130.8	130.9	0.8
CCV24165	CV-24165	2/13/2026 8:00:09 AM	33.8	64.4	0.0	1.8			96.3	96.2	0.5
CCV24165	CV-24165	2/18/2026 10:16:33 AM	32.5	67.1	0.0	0.4			116.6	116.4	0.5
CCV24165	CV-24165	2/21/2026 10:31:43 AM	35.8	60.2	0.0	4.0			88.1	91.8	0.6
CCV24166	CV-24166	2/2/2026 2:08:19 PM	53.3	42.9	0.0	3.8			111.9	108.3	1.2
CCV24166	CV-24166	2/18/2026 8:39:31 AM	54.3	41.8	0.1	3.8			106.4	105.7	1.3
CCV24167	CV-24167	2/13/2026 8:10:00 AM	53.2	46.4	0.0	0.4			101.5	100.8	1.1
CCV24167	CV-24167	2/22/2026 9:25:47 AM	54.8	40.6	0.0	4.6			105.0	104.9	1.3
CCV24167	CV-24167	2/22/2026 9:28:09 AM	53.6	41.3	0.0	5.1			104.8	103.8	1.3
CCV24168	CV-24168	2/13/2026 7:52:32 AM	32.4	67.4	0.0	0.2			55.0	55.1	0.5
CCV24168	CV-24168	2/13/2026 7:53:12 AM	32.4	67.3	0.0	0.3			55.2	55.2	0.5
CCV24168	CV-24168	2/18/2026 10:11:35 AM	40.0	44.2	2.3	13.5			125.1	124.5	0.9
CCV24168	CV-24168	2/21/2026 10:28:45 AM	37.5	40.6	2.4	19.5			104.4	103.5	0.9
CCV24169	CV-24169	2/2/2026 1:39:42 PM	43.3	52.7	0.0	4.0			129.1	129.4	0.8
CCV24169	CV-24169	2/22/2026 10:20:30 AM	44.5	46.6	0.0	8.9			105.5	105.2	1.0
CCV24170	CV-24170	2/3/2026 7:55:45 AM	33.3	54.1	3.1	9.5			121.4	121.1	0.6
CCV24170	CV-24170	2/19/2026 8:15:16 AM	34.0	62.5	0.0	3.5			126.4	126.6	0.5
CCV24171	CV-24171	2/2/2026 12:44:28 PM	53.9	42.5	0.0	3.6			120.6	120.6	1.3
CCV24171	CV-24171	2/18/2026 8:48:22 AM	54.4	43.8	0.0	1.8			114.0	113.9	1.2
CCV24172	CV-24172	2/2/2026 1:18:26 PM	43.1	37.6	3.0	16.3			118.5	118.5	1.1
CCV24172	CV-24172	2/18/2026 9:10:27 AM	35.5	34.4	3.1	27.0			111.7	111.6	1.0



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24173	CV-24173	2/2/2026 1:22:16 PM	37.5	56.7	0.4	5.4			130.7	130.7	0.7
CCV24173	CV-24173	2/18/2026 9:42:07 AM	42.0	50.3	0.8	6.9			122.4	122.4	0.8
CCV24174	CV-24174	2/3/2026 1:39:36 PM	23.7	71.1	0.0	5.2			116.9	118.0	0.3
CCV24174	CV-24174	2/3/2026 1:41:17 PM	25.4	70.5	0.0	4.1			118.6	118.6	0.4
CCV24174	CV-24174	2/22/2026 2:35:18 PM	37.8	47.5	0.0	14.7			103.2	103.4	0.8
CCV24175	CV-24175	2/3/2026 1:35:14 PM	41.2	48.6	0.1	10.1			115.8	115.8	0.8
CCV24175	CV-24175	2/22/2026 2:30:24 PM	41.4	45.4	0.0	13.3			113.9	114.0	0.9
CCV24176	CV-24176	2/2/2026 10:27:14 AM	35.1	60.7	0.0	4.2			118.8	118.8	0.6
CCV24176	CV-24176	2/21/2026 8:41:34 AM	22.2	77.8	0.0	0.0			81.9	82.2	0.3
CCV24177	CV-24177	2/13/2026 10:57:16 AM	31.6	43.2	2.6	22.6			102.6	102.8	0.7
CCV24177	CV-24177	2/21/2026 9:01:10 AM	25.5	38.7	3.7	32.1			59.6	59.7	0.7
CCV24178	CV-24178	2/2/2026 2:36:53 PM	39.7	58.4	0.0	1.9			125.6	125.8	0.7
CCV24178	CV-24178	2/19/2026 9:08:01 AM	47.8	48.0	0.0	4.2			121.7	121.9	1.0
CCV24179	CV-24179	2/2/2026 10:15:34 AM	36.6	61.0	0.0	2.4			126.1	124.8	0.6
CCV24179	CV-24179	2/17/2026 10:03:25 AM	15.7	83.4	0.0	0.9			77.2	77.3	0.2
CCV24180	CV-24180	2/2/2026 10:30:57 AM	42.5	52.9	0.0	4.6			120.1	120.3	0.8
CCV24180	CV-24180	2/22/2026 12:54:06 PM	39.2	54.9	0.0	6.0			107.8	112.3	0.7
CCV24180	CV-24180	2/22/2026 12:54:59 PM	40.8	51.9	0.0	7.4			112.6	112.5	0.8
CCV24182	CV-24182	2/2/2026 2:15:57 PM	44.7	51.2	0.0	4.1			105.9	105.5	0.9
CCV24182	CV-24182	2/19/2026 8:55:04 AM	48.9	48.0	0.0	3.1			54.9	54.9	1.0
CCV24183	CV-24183	2/2/2026 3:35:59 PM	49.0	47.8	0.1	3.1			99.1	96.5	1.0
CCV24183	CV-24183	2/17/2026 9:18:38 AM	47.0	45.6	0.5	6.9			57.1	48.9	1.0
CCV24184	CV-24184	2/4/2026 1:11:22 PM	48.9	44.0	0.0	7.1			113.4	140.2	1.1
CCV24184	CV-24184	2/4/2026 1:14:59 PM	42.0	42.7	0.0	15.3			143.5	144.7	1.0
CCV24184	CV-24184	2/4/2026 1:40:11 PM	33.8	35.4	0.0	30.7			148.1	148.1	1.0
CCV24184	CV-24184	2/4/2026 2:10:00 PM					498				
CCV24184	CV-24184	2/4/2026 2:10:00 PM						4500			
CCV24184	CV-24184	2/13/2026 1:42:48 PM	31.7	28.5	6.6	33.2			137.3	137.5	1.1
CCV24184	CV-24184	2/17/2026 9:35:05 AM	1.5	3.2	19.3	76.0			127.6	127.7	0.5



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24184	CV-24184	2/17/2026 9:38:23 AM	1.5	2.6	19.4	76.5			127.3	121.4	0.6
CCV24185	CV-24185	2/3/2026 11:26:06 AM	50.3	46.3	0.0	3.4			114.4	114.5	1.1
CCV24185	CV-24185	2/4/2026 2:25:07 PM	49.8	43.7	0.0	6.6			117.6	117.5	1.1
CCV24185	CV-24185	2/4/2026 2:26:01 PM	49.9	43.9	0.0	6.2			117.3	117.4	1.1
CCV24185	CV-24185	2/17/2026 9:50:59 AM	50.6	44.1	0.0	5.3			110.0	109.9	1.1
CCV24186	CV-24186	2/3/2026 11:31:33 AM	46.7	42.5	0.0	10.8			126.2	125.8	1.1
CCV24186	CV-24186	2/23/2026 11:00:28 AM	45.7	48.1	0.0	6.2			123.9	123.9	1.0
CCV24187	CV-24187	2/4/2026 2:06:17 PM	44.3	53.1	0.0	2.6			125.0	125.6	0.8
CCV24187	CV-24187	2/17/2026 10:09:01 AM	38.2	51.3	0.0	10.5			122.1	121.9	0.7
CCV24188	CV-24188	2/4/2026 1:43:59 PM	50.8	42.8	0.0	6.4			116.5	116.7	1.2
CCV24188	CV-24188	2/22/2026 1:12:49 PM	52.8	44.2	0.0	3.0			114.6	115.3	1.2
CCV24188	CV-24188	2/22/2026 1:14:20 PM	52.4	44.3	0.0	3.3			115.6	115.7	1.2
CCV24189	CV-24189	2/4/2026 1:46:19 PM	51.1	42.1	0.0	6.8			115.1	116.5	1.2
CCV24189	CV-24189	2/24/2026 9:40:34 AM	51.6	40.4	0.5	7.5			115.0	115.6	1.3
CCV24189	CV-24189	2/24/2026 11:30:14 AM	49.0	42.2	0.2	8.6			115.3	114.7	1.2
CCV24190	CV-24190	2/4/2026 2:02:44 PM	53.2	44.1	0.0	2.7			123.2	123.3	1.2
CCV24190	CV-24190	2/17/2026 10:15:33 AM	53.5	46.4	0.0	0.1			120.1	120.4	1.2
CCV24192	CV-24192	2/4/2026 1:58:34 PM	53.6	40.8	0.0	5.6			116.5	116.7	1.3
CCV24192	CV-24192	2/17/2026 10:25:11 AM	56.4	43.2	0.0	0.4			105.2	108.5	1.3
CCV24193	CV-24193	2/2/2026 9:42:47 AM	52.2	42.9	0.0	4.9			112.4	112.4	1.2
CCV24193	CV-24193	2/17/2026 9:28:55 AM	54.7	44.3	0.1	0.9			111.0	110.9	1.2
CCV24194	CV-24194	2/2/2026 9:50:30 AM	52.2	44.6	0.0	3.2			112.8	112.8	1.2
CCV24194	CV-24194	2/17/2026 9:41:03 AM	53.2	45.5	0.0	1.3			109.1	109.1	1.2
CCV24195	CV-24195	2/2/2026 3:39:42 PM	49.5	48.6	0.0	1.9			113.7	113.8	1.0
CCV24195	CV-24195	2/17/2026 8:47:48 AM	48.5	48.1	0.0	3.4			110.1	110.1	1.0
CCV24195	CV-24195	2/23/2026 2:04:54 PM	49.9	50.1	0.0	0.0			114.5	114.8	1.0
CCV24196	CV-24196	2/2/2026 3:45:20 PM	51.3	45.4	0.0	3.3			120.7	120.7	1.1
CCV24196	CV-24196	2/17/2026 8:58:39 AM	49.8	46.7	0.0	3.5			116.9	116.9	1.1
CCV24197	CV-24197	2/4/2026 2:40:44 PM	52.5	41.6	0.0	5.9			116.6	116.2	1.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24197	CV-24197	2/4/2026 2:44:27 PM	51.8	42.4	0.0	5.9			116.2	119.3	1.2
CCV24197	CV-24197	2/4/2026 2:47:24 PM	51.4	42.4	0.0	6.3			120.0	120.2	1.2
CCV24197	CV-24197	2/23/2026 10:54:34 AM	52.6	44.7	0.0	2.7			113.2	113.9	1.2
CCV24198	CV-24198	2/3/2026 11:11:33 AM	47.0	44.5	0.0	8.5			120.8	120.8	1.1
CCV24198	CV-24198	2/17/2026 8:31:54 AM	46.0	45.4	0.0	8.6			120.1	120.0	1.0
CCV24199	CV-24199	2/3/2026 11:06:56 AM	51.1	43.6	0.0	5.3			126.1	126.2	1.2
CCV24199	CV-24199	2/17/2026 8:36:53 AM	49.1	45.5	0.0	5.4			126.4	126.5	1.1
CCV24200	CV-24200	2/3/2026 2:50:09 PM	51.5	44.0	0.0	4.5			116.1	116.1	1.2
CCV24200	CV-24200	2/17/2026 7:47:37 AM	50.2	42.9	0.0	6.9			115.2	115.3	1.2
CCV24201	CV-24201	2/2/2026 10:45:16 AM	56.4	41.6	0.1	1.9			115.4	115.5	1.4
CCV24201	CV-24201	2/17/2026 7:54:57 AM	51.3	42.7	0.0	6.0			113.3	113.3	1.2
CCV24202	CV-24202	2/2/2026 10:52:48 AM	47.4	46.6	0.0	6.0			118.8	119.0	1.0
CCV24202	CV-24202	2/17/2026 8:06:33 AM	40.0	41.4	0.0	18.6			102.8	102.9	1.0
CCV24203	CV-24203	2/4/2026 9:59:43 AM	53.1	44.3	0.0	2.6			125.5	125.8	1.2
CCV24203	CV-24203	2/19/2026 9:48:11 AM	57.1	42.9	0.0	0.0			121.0	121.0	1.3
CCV24204	CV-24204	2/4/2026 9:53:49 AM	52.9	43.9	0.0	3.2			120.1	120.6	1.2
CCV24204	CV-24204	2/19/2026 9:53:29 AM	51.2	46.2	0.9	1.7			119.1	119.2	1.1
CCV24205	CV-24205	2/4/2026 9:50:46 AM	51.9	44.0	0.0	4.1			121.0	120.9	1.2
CCV24205	CV-24205	2/19/2026 10:00:31 AM	59.4	40.6	0.0	0.0			117.7	118.0	1.5
CCV24206	CV-24206	2/3/2026 2:56:54 PM	35.6	33.8	3.5	27.1			99.5	99.4	1.1
CCV24206	CV-24206	2/17/2026 7:37:53 AM	32.6	32.0	4.8	30.6			54.4	56.6	1.0
CCV24207	CV-24207	2/9/2026 11:06:51 AM	53.2	46.0	0.0	0.8			128.6	128.6	1.2
CCV24207	CV-24207	2/22/2026 10:10:56 AM	53.7	43.8	0.0	2.5			129.5	129.5	1.2
CCV24207	CV-24207	2/22/2026 10:13:05 AM	53.0	44.1	0.0	2.9			129.3	129.7	1.2
CCV24207	CV-24207	2/23/2026 12:05:25 PM	52.4	46.3	0.3	1.0			127.7	128.0	1.1
CCV24208	CV-24208	2/4/2026 10:11:59 AM	45.5	52.9	0.0	1.6			125.6	125.8	0.9
CCV24208	CV-24208	2/4/2026 10:14:37 AM	45.0	54.2	0.0	0.8			126.0	126.1	0.8
CCV24209	CV-24209	2/2/2026 11:09:35 AM	21.2	68.9	0.1	9.8			128.8	128.6	0.3
CCV24210	CV-24210	2/4/2026 9:39:29 AM	46.4	42.6	0.3	10.7			115.8	115.6	1.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24211	CV-24211	2/21/2026 10:36:31 AM	19.3	77.8	0.1	2.8			130.7	130.4	0.2
CCV24212	CV-24212	2/17/2026 10:32:08 AM	8.6	69.1	0.5	21.8			85.0	85.0	0.1
CCV24213	CV-24213	2/5/2026 8:58:42 AM	49.9	43.3	0.0	6.8			121.8	123.7	1.2
CCV24214	CV-24214	2/10/2026 8:51:31 AM	41.1	47.5	0.1	11.3			115.4	115.5	0.9
CCV24215	CV-24215	2/13/2026 3:34:01 PM	46.2	46.9	0.0	6.9			90.8	91.0	1.0
CCV24215	CV-24215	2/13/2026 3:35:28 PM	46.1	47.6	0.0	6.3			91.1	91.1	1.0
CCV24216	CV-24216	2/5/2026 8:52:02 AM	46.3	43.1	0.0	10.6			118.1	117.9	1.1
CCV24217	CV-24217	2/4/2026 8:44:54 AM	32.0	66.4	0.0	1.6			95.7	96.2	0.5
CCV24218	CV-24218	2/12/2026 2:14:53 PM	43.8	56.2	0.0	0.0			120.8	120.0	0.8
CCV24218	CV-24218	2/17/2026 2:01:40 PM	44.9	51.3	0.0	3.8			118.8	117.3	0.9
CCV24218	CV-24218	2/17/2026 2:02:32 PM	44.6	51.2	0.0	4.2			116.7	117.5	0.9
CCV24219	CV-24219	2/3/2026 7:29:14 AM	9.1	88.2	0.0	2.7			178.2	178.2	0.1
CCV24219	CV-24219	2/3/2026 7:30:00 AM						90650			
CCV24219	CV-24219	2/3/2026 7:30:00 AM					2045.5				
CCV24219	CV-24219	2/11/2026 8:30:00 AM						86100			
CCV24219	CV-24219	2/11/2026 8:30:00 AM					3730				
CCV24219	CV-24219	2/11/2026 8:37:24 AM	6.8	84.2	0.5	8.5			174.9	174.6	0.1
CCV24219	CV-24219	2/18/2026 7:50:00 AM					2970				
CCV24219	CV-24219	2/18/2026 7:51:25 AM	7.9	83.3	0.9	7.9			177.5	177.6	0.1
CCV24219	CV-24219	2/24/2026 1:10:00 PM					3390				
CCV24219	CV-24219	2/24/2026 1:11:35 PM	7.8	65.2	4.0	23.0			178.4	178.8	0.1
CCV24219	CV-24219	2/24/2026 1:12:37 PM	4.9	70.6	2.7	21.8			179.1	179.1	0.1
CCV24220	CV-24220	2/9/2026 8:54:01 AM	22.2	66.1	0.0	11.7			126.7	126.9	0.3
CCV24221	CV-24221	2/9/2026 12:47:41 PM	44.1	46.2	0.6	9.1			114.5	114.5	1.0
CCV24222	CV-24222	2/9/2026 12:54:39 PM	55.4	43.9	0.0	0.7			121.5	122.1	1.3
CCV24223	CV-24223	2/21/2026 10:29:13 AM	34.5	62.5	0.0	3.0			126.3	126.6	0.6
CCV24224	CV-24224	2/9/2026 8:34:14 AM	48.6	44.8	0.6	6.0			109.6	113.7	1.1
CCV24224	CV-24224	2/9/2026 8:34:58 AM	48.8	45.3	0.6	5.3			116.2	115.7	1.1
CCV24224	CV-24224	2/17/2026 10:38:56 AM	33.7	63.5	0.0	2.8			88.9	89.4	0.5



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CCV24225	CV-24225	2/5/2026 10:15:29 AM	53.2	41.3	0.0	5.5			98.8	99.5	1.3
CCV24226	CV-24226	2/21/2026 10:44:58 AM	42.0	43.1	3.8	11.1			69.5	70.8	1.0
CCV24227	CV-24227	2/4/2026 1:55:07 PM	53.3	40.5	0.0	6.2			118.0	118.0	1.3
CCV24231	CV-24231	2/5/2026 11:15:42 AM	54.2	42.8	0.0	3.0			117.9	120.3	1.3
CCV24231	CV-24231	2/5/2026 11:18:36 AM	52.7	45.1	0.0	2.2			121.0	121.0	1.2
CCV24236	CV-24236	2/4/2026 1:33:20 PM	54.3	41.4	0.0	4.3			103.4	103.9	1.3
CCV24237	CV-24237	2/4/2026 1:40:19 PM	54.4	38.1	0.0	7.5			112.2	112.8	1.4
CCV24243	CV-24243	2/17/2026 11:21:34 AM	33.5	31.1	5.2	30.2			105.0	105.0	1.1
CCV24243	CV-24243	2/17/2026 11:23:33 AM	33.7	31.3	5.1	29.9			104.7	104.7	1.1
CCV24244	CV-24244	2/17/2026 11:05:56 AM	52.0	43.8	0.2	4.0			107.7	107.8	1.2
CCV24244	CV-24244	2/24/2026 1:33:58 PM	52.9	42.0	0.3	4.8			111.1	111.3	1.3
CCV24245	CV-24245	2/23/2026 10:09:36 AM	54.6	41.9	0.1	3.4			113.8	114.1	1.3
CCV24246	CV-24246	2/3/2026 1:09:32 PM	54.7	41.2	0.0	4.1			115.6	116.2	1.3
CCV24246	CV-24246	2/3/2026 1:17:27 PM	53.7	41.7	0.0	4.6			116.3	116.3	1.3
CCV24246	CV-24246	2/3/2026 1:19:50 PM	53.7	41.5	0.0	4.8			116.1	116.2	1.3
CCV24253	CV-24253	2/3/2026 11:45:01 AM	51.9	42.4	0.0	5.6			111.6	111.6	1.2
CCV24253	CV-24253	2/3/2026 11:47:22 AM	51.9	42.7	0.0	5.5			112.1	112.3	1.2
CCV24253	CV-24253	2/3/2026 11:48:17 AM	51.8	42.8	0.0	5.4			112.2	112.3	1.2
CHIWCV25	CV-25	2/10/2026 10:31:02 AM	44.5	46.3	0.0	9.2			66.2	68.5	1.0
CHIWCV25	CV-25	2/25/2026 9:01:42 AM	48.9	38.0	2.3	10.8			73.2	72.6	1.3
CHCV2501	CV-2501	2/2/2026 1:50:18 PM	49.9	46.1	0.0	4.0			121.1	121.9	1.1
CHCV2501	CV-2501	2/2/2026 1:52:20 PM	49.0	47.5	0.0	3.5			121.7	121.7	1.0
CHCV2502	CV-2502	2/2/2026 2:01:13 PM	49.2	45.3	0.0	5.5			118.8	118.9	1.1
CHCV2503	CV-2503	2/3/2026 2:39:54 PM	51.7	45.5	0.1	2.7			124.7	124.8	1.1
CHCV2504	CV-2504	2/4/2026 12:28:11 PM	52.6	44.8	0.0	2.6			121.9	122.3	1.2
CHCV2504	CV-2504	2/4/2026 12:30:19 PM	51.2	46.5	0.0	2.3			122.7	122.7	1.1
CHCV2505	CV-2505	2/4/2026 12:07:15 PM	54.8	43.1	0.0	2.1			117.6	117.7	1.3
CHCV2506	CV-2506	2/4/2026 11:59:22 AM	54.3	43.4	0.0	2.3			121.3	121.7	1.3
CHCV2507	CV-2507	2/4/2026 11:54:19 AM	54.4	42.5	0.0	3.1			119.5	119.7	1.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2508	CV-2508	2/4/2026 11:48:07 AM	54.9	40.7	0.0	4.4			117.4	117.7	1.3
CHCV2509	CV-2509	2/3/2026 1:52:12 PM	54.9	41.1	0.0	4.0			113.5	113.6	1.3
CHCV2509	CV-2509	2/3/2026 1:53:58 PM	53.5	41.7	0.0	4.8			113.6	113.7	1.3
CHCV2510	CV-2510	2/3/2026 3:05:52 PM	54.7	41.7	0.0	3.6			111.4	111.6	1.3
CHCV2510	CV-2510	2/3/2026 3:07:38 PM	53.6	42.0	0.0	4.4			111.6	111.6	1.3
CHCV2510	CV-2510	2/6/2026 4:41:16 PM	56.0	38.2	0.0	5.8			111.4	111.3	1.5
CV25100D	CV-25100D	2/2/2026 10:05:00 AM					3390				
CV25100D	CV-25100D	2/2/2026 10:05:00 AM						90800			
CV25100D	CV-25100D	2/2/2026 10:05:37 AM	26.3	73.7	0.0	0.0			151.3	157.2	0.4
CV25100D	CV-25100D	2/2/2026 10:06:20 AM	22.7	77.3	0.0	0.0			157.4	157.1	0.3
CV25100D	CV-25100D	2/2/2026 10:10:00 AM						133600			
CV25100D	CV-25100D	2/9/2026 1:00:00 AM						79300			
CV25100D	CV-25100D	2/9/2026 12:57:30 PM	9.5	90.5	0.0	0.0			145.3	144.8	0.1
CV25100D	CV-25100D	2/9/2026 1:00:00 PM					1700				
CV25100D	CV-25100D	2/17/2026 9:19:05 AM	11.3	81.2	0.5	7.0			143.5	141.5	0.1
CV25100S	CV-25100S	2/2/2026 10:08:01 AM	9.8	78.6	0.0	11.6			170.6	172.3	0.1
CV25100S	CV-25100S	2/2/2026 10:08:35 AM	9.3	83.3	0.0	7.4			171.9	171.4	0.1
CV25100S	CV-25100S	2/2/2026 10:10:00 AM					4860				
CV25100S	CV-25100S	2/2/2026 10:10:00 AM						133600			
CV25100S	CV-25100S	2/9/2026 1:05:00 AM						125800			
CV25100S	CV-25100S	2/9/2026 12:59:03 PM	1.8	91.1	0.0	7.1			180.1	180.7	0.0
CV25100S	CV-25100S	2/9/2026 1:05:00 PM					3740				
CV25100S	CV-25100S	2/17/2026 9:20:00 AM					5380				
CV25100S	CV-25100S	2/17/2026 9:21:39 AM	2.6	84.7	0.7	12.0			175.8	175.2	0.0
CV25100S	CV-25100S	2/23/2026 10:20:00 AM					4880				
CV25100S	CV-25100S	2/23/2026 10:23:21 AM	4.6	66.2	3.7	25.5			176.6	176.0	0.1
CV25101D	CV-25101D	2/5/2026 9:20:27 AM	5.3	64.2	5.6	24.9			67.7	65.8	0.1
CV25101D	CV-25101D	2/18/2026 2:08:51 PM	5.7	61.7	4.0	28.6			64.6	65.0	0.1
CV25101S	CV-25101S	2/5/2026 9:14:08 AM	32.0	62.3	0.0	5.7			107.3	107.2	0.5



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CV25101S	CV-25101S	2/18/2026 2:07:05 PM	15.0	60.2	0.6	24.2			95.9	96.4	0.2
CV25102_	CV-25102_	2/5/2026 10:11:05 AM	6.8	49.2	9.4	34.6			82.8	82.9	0.1
CV25102_	CV-25102_	2/24/2026 12:51:41 PM	13.4	84.3	0.3	2.0			101.2	100.1	0.2
CV25103_	CV-25103	2/5/2026 9:57:53 AM	37.8	62.0	0.0	0.2			107.2	107.3	0.6
CV25103_	CV-25103	2/18/2026 2:21:12 PM	16.2	49.7	0.9	33.2			123.8	122.4	0.3
CV25104D	CV-25104D	2/6/2026 8:57:28 AM	0.4	13.2	18.5	67.9			65.0	63.9	0.0
CV25104D	CV-25104D	2/6/2026 9:03:55 AM	0.5	15.0	18.0	66.5			63.2	61.9	0.0
CV25104D	CV-25104D	2/6/2026 9:09:08 AM	3.0	76.4	3.6	17.0			62.5	63.0	0.0
CV25104D	CV-25104D	2/24/2026 1:12:47 PM	5.0	82.0	1.0	12.0			87.3	87.3	0.1
CV25104S	CV-25104S	2/6/2026 10:06:41 AM	4.3	91.9	0.0	3.8			86.1	89.9	0.0
CV25104S	CV-25104S	2/6/2026 10:07:09 AM	4.5	92.5	0.0	3.0			89.5	89.5	0.0
CV25104S	CV-25104S	2/6/2026 2:04:30 PM	5.3	81.1	0.0	13.6			79.1	79.3	0.1
CV25104S	CV-25104S	2/24/2026 1:00:47 PM	3.4	88.3	0.1	8.2			89.9	91.3	0.0
CV25104S	CV-25104S	2/24/2026 1:03:42 PM	3.5	86.9	0.3	9.3			90.9	91.0	0.0
CV25105D	CV-25105D	2/5/2026 10:19:07 AM	20.7	57.5	2.6	19.2			86.6	86.7	0.4
CV25105D	CV-25105D	2/18/2026 2:25:00 PM	15.6	48.7	2.7	33.0			59.1	58.4	0.3
CV25105S	CV-25105S	2/5/2026 10:20:52 AM	21.9	57.0	0.3	20.8			76.2	76.0	0.4
CV25105S	CV-25105S	2/18/2026 2:27:06 PM	14.0	45.3	2.0	38.7			59.9	59.3	0.3
CV25107D	CV-25107D	2/9/2026 1:37:12 PM	8.1	82.8	0.0	9.1			92.0	89.2	0.1
CV25107S	CV-25107S	2/9/2026 1:28:09 PM	47.4	50.4	0.0	2.2			90.1	92.4	0.9
CV25107S	CV-25107S	2/9/2026 1:30:47 PM	37.5	60.5	0.0	2.0			93.9	94.4	0.6
CHCV2511	CV-2511	2/5/2026 11:38:11 AM	53.8	44.5	0.0	1.7			116.5	118.8	1.2
CHCV2511	CV-2511	2/5/2026 11:40:34 AM	53.7	44.7	0.0	1.6			119.2	119.2	1.2
CHCV2512	CV-2512	2/5/2026 11:53:40 AM	51.6	45.3	0.0	3.1			120.4	120.4	1.1
CHCV2513	CV-2513	2/5/2026 10:10:26 AM	55.4	42.9	0.0	1.7			116.9	117.0	1.3
CHCV2514	CV-2514	2/5/2026 9:50:42 AM	55.0	42.0	0.0	3.0			118.8	119.1	1.3
CHCV2515	CV-2515	2/4/2026 8:20:09 AM	55.8	38.0	0.0	6.2			113.7	114.0	1.5
CHCV2516	CV-2516	2/4/2026 8:08:18 AM	52.9	43.3	0.0	3.8			125.8	125.7	1.2
CHCV2517	CV-2517	2/25/2026 1:13:03 PM	56.2	40.9	0.1	2.8			112.1	113.0	1.4



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2517	CV-2517	2/25/2026 1:33:09 PM	55.2	41.8	0.0	3.0			115.3	115.5	1.3
CHCV2518	CV-2518	2/25/2026 9:20:58 AM	55.5	43.7	0.0	0.8			109.1	109.5	1.3
CHCV2519	CV-2519	2/9/2026 10:29:13 AM	50.0	46.1	0.0	3.9			129.2	129.1	1.1
CHCV2520	CV-2520	2/9/2026 2:31:53 PM	33.1	53.2	0.0	13.7			132.0	131.9	0.6
CHCV2520	CV-2520	2/9/2026 2:34:04 PM	33.1	53.6	0.0	13.3			132.5	132.4	0.6
CHCV2521	CV-2521	2/9/2026 12:42:33 PM	25.1	54.5	0.0	20.4			99.0	99.1	0.5
CHCV2521	CV-2521	2/9/2026 12:42:51 PM	25.1	54.0	0.0	20.9			99.2	99.2	0.5
CHCV2521	CV-2521	2/23/2026 1:19:16 PM	35.0	50.7	0.0	14.3			133.5	126.9	0.7
CHCV2521	CV-2521	2/23/2026 1:22:26 PM	35.3	50.6	0.0	14.1			124.4	123.1	0.7
CHCV2521	CV-2521	2/23/2026 1:24:30 PM	34.0	50.8	0.0	15.2			120.1	119.9	0.7
CHCV2522	CV-2522	2/9/2026 2:20:58 PM	39.7	47.5	0.1	12.7			127.0	126.8	0.8
CHCV2523	CV-2523	2/6/2026 1:22:16 PM	60.1	39.3	0.0	0.6			94.2	119.7	1.5
CHCV2523	CV-2523	2/6/2026 1:23:55 PM	60.0	39.0	0.0	1.0			120.3	120.5	1.5
CHCV2524	CV-2524	2/9/2026 12:40:47 PM	35.7	46.8	0.0	17.5			131.1	131.1	0.8
CHCV2524	CV-2524	2/9/2026 12:42:36 PM	34.6	49.4	0.0	16.0			130.8	130.9	0.7
CHCV2525	CV-2525	2/6/2026 1:33:49 PM	59.4	39.8	0.0	0.8			89.3	116.4	1.5
CHCV2525	CV-2525	2/6/2026 1:34:15 PM	59.1	40.7	0.0	0.2			117.2	117.3	1.5
CHCV2526	CV-2526	2/6/2026 1:52:29 PM	58.4	40.5	0.0	1.1			84.4	113.1	1.4
CHCV2526	CV-2526	2/6/2026 1:53:06 PM	58.2	41.0	0.0	0.8			114.2	114.7	1.4
CHCV2527	CV-2527	2/9/2026 12:34:46 PM	14.5	45.6	1.4	38.5			91.8	95.2	0.3
CHCV2527	CV-2527	2/9/2026 12:36:51 PM	13.8	47.9	0.0	38.3			96.4	96.5	0.3
CHCV2528	CV-2528	2/5/2026 8:26:42 AM	56.2	39.6	0.0	4.2			107.7	107.7	1.4
CHCV2529	CV-2529	2/5/2026 2:16:44 PM	18.9	14.9	13.7	52.5			89.2	89.1	1.3
CHCV2529	CV-2529	2/5/2026 2:17:55 PM	17.5	13.6	14.1	54.8			89.1	89.2	1.3
CHCV2530	CV-2530	2/5/2026 2:33:43 PM	42.6	48.7	0.0	8.7			135.8	133.7	0.9
CHCV2530	CV-2530	2/5/2026 2:35:14 PM	42.0	49.9	0.0	8.1			133.8	133.8	0.8
CHCV2531	CV-2531	2/5/2026 2:47:57 PM	49.1	43.5	0.0	7.4			90.0	90.1	1.1
CHCV2532	CV-2532	2/5/2026 2:52:46 PM	51.3	43.3	0.0	5.4			98.9	99.3	1.2
CHCV2533	CV-2533	2/5/2026 3:06:46 PM	51.9	41.6	0.0	6.5			129.7	130.1	1.2



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2533	CV-2533	2/5/2026 3:10:56 PM	52.4	43.0	0.0	4.6			129.9	129.9	1.2
CHCV2534	CV-2534	2/10/2026 12:56:09 PM	52.4	43.3	0.0	4.4			74.6	75.0	1.2
CHCV2534	CV-2534	2/10/2026 12:58:51 PM	52.2	43.0	0.0	4.8			75.4	76.2	1.2
CHCV2534	CV-2534	2/10/2026 1:01:30 PM	51.6	43.7	0.0	4.7			76.4	76.6	1.2
CHCV2535	CV-2535	2/4/2026 9:16:55 AM	52.7	40.8	0.8	5.7			104.9	105.9	1.3
CHCV2536	CV-2536	2/5/2026 3:29:26 PM	50.5	48.6	0.0	0.9			87.0	87.0	1.0
CHCV2537	CV-2537	2/4/2026 9:45:41 AM	53.6	42.2	0.1	4.1			110.3	112.1	1.3
CHCV2538	CV-2538	2/4/2026 9:34:07 AM	54.6	42.4	0.0	3.0			104.5	106.4	1.3
CHCV2539	CV-2539	2/2/2026 10:03:12 AM	45.9	50.1	0.0	4.0			117.7	113.0	0.9
CHCV2539	CV-2539	2/17/2026 9:56:47 AM	43.0	52.0	0.0	5.0			94.2	94.6	0.8
CHCV2540	CV-2540	2/13/2026 9:12:16 AM	4.0	91.8	0.0	4.2			105.8	93.6	0.0
CHCV2540	CV-2540	2/25/2026 11:26:43 AM	2.7	80.3	0.0	17.0			101.7	102.5	0.0
CHCV2541	CV-2541	2/10/2026 8:14:43 AM	1.9	74.6	0.0	23.5			59.3	59.3	0.0
CHCV2541	CV-2541	2/10/2026 8:22:24 AM	2.1	75.3	0.0	22.6			59.5	59.6	0.0
CHCV2541	CV-2541	2/22/2026 12:26:12 PM	2.2	73.2	0.0	24.5			73.6	73.4	0.0
CHCV2542	CV-2542	2/3/2026 10:08:19 AM	48.4	51.6	0.0	0.0			80.0	80.0	0.9
CHCV2542	CV-2542	2/21/2026 10:12:07 AM	49.7	44.1	0.0	6.2			101.3	101.0	1.1
CHCV2543	CV-2543-PLR	2/13/2026 9:05:44 AM	34.3	54.2	0.9	10.6			94.1	94.1	0.6
CHCV2543	CV-2543-PLR	2/23/2026 12:51:09 PM	32.0	57.6	0.0	10.4			101.5	101.8	0.6
CHCV2544	CV-2544	2/3/2026 9:22:11 AM	17.8	72.9	0.3	9.0			121.3	122.5	0.2
CHCV2544	CV-2544	2/3/2026 1:04:15 PM	15.5	74.5	0.1	9.9			138.1	138.1	0.2
CHCV2544	CV-2544	2/17/2026 12:30:14 PM	15.4	79.8	0.0	4.8			133.4	130.5	0.2
CHCV2544	CV-2544	2/17/2026 12:31:54 PM	14.1	80.8	0.0	5.1			130.0	130.1	0.2
CHCV2544	CV-2544	2/23/2026 9:40:19 AM	16.0	75.0	0.0	9.0			133.4	134.5	0.2
CHCV2544	CV-2544	2/23/2026 9:42:08 AM	16.2	76.0	0.0	7.8			135.0	135.1	0.2
CHCV2545	CV-2545	2/3/2026 1:30:38 PM	29.4	61.1	0.1	9.4			126.0	126.1	0.5
CHCV2545	CV-2545	2/19/2026 8:31:10 AM	40.7	52.8	0.0	6.5			97.3	97.7	0.8
CHCV2546	CV-2546	2/3/2026 8:03:07 AM	35.9	59.7	0.0	4.4			121.1	120.6	0.6
CHCV2546	CV-2546	2/13/2026 9:30:25 AM	41.8	57.4	0.0	0.8			106.1	106.2	0.7



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2546	CV-2546	2/17/2026 12:41:02 PM	26.6	71.3	0.0	2.1			114.8	113.5	0.4
CHCV2547	CV-2547	2/12/2026 1:14:27 PM	53.6	41.8	0.0	4.5			76.5	76.1	1.3
CHCV2547	CV-2547	2/12/2026 1:15:12 PM	54.6	41.4	0.0	4.0			76.1	76.1	1.3
CHCV2548	CV-2548	2/9/2026 9:36:26 AM	6.3	87.8	0.0	5.9			67.1	67.6	0.1
CHCV2548	CV-2548	2/9/2026 9:36:55 AM	5.4	90.4	0.0	4.2			67.9	68.1	0.1
CHCV2548	CV-2548	2/12/2026 2:54:02 PM	10.4	75.9	0.0	13.6			99.9	100.3	0.1
CHCV2548	CV-2548	2/12/2026 2:54:50 PM	10.4	74.0	0.0	15.6			99.9	99.8	0.1
CHCV2548	CV-2548	2/23/2026 8:20:51 AM	7.6	82.7	0.0	9.7			93.4	95.1	0.1
CHCV2549	CV-2549	2/9/2026 9:32:36 AM	34.6	64.3	0.0	1.1			85.8	86.4	0.5
CHCV2549	CV-2549	2/23/2026 8:14:23 AM	42.7	55.3	0.0	2.0			78.8	80.8	0.8
CHCV2550	CV-2550	2/26/2026 10:04:15 AM	7.7	85.4	0.0	6.9			156.3	157.6	0.1
CHCV2550	CV-2550	2/26/2026 10:07:52 AM	6.5	90.8	0.0	2.7			155.8	156.0	0.1
CHCV2550	CV-2550	2/26/2026 10:10:00 AM					2350				
CHCV2551	CV-2551	2/9/2026 1:47:25 PM	1.6	88.4	0.0	10.0			91.9	94.1	0.0
CHCV2551	CV-2551	2/9/2026 1:49:02 PM	1.6	87.9	0.0	10.5			94.7	97.0	0.0
CHCV2552	CV-2552	2/4/2026 1:47:30 PM	34.4	64.1	0.0	1.5			151.5	152.4	0.5
CHCV2552	CV-2552	2/4/2026 1:50:00 PM					982				
CHCV2552	CV-2552	2/4/2026 1:50:00 PM						39000			
CHCV2552	CV-2552	2/4/2026 1:50:55 PM	36.1	63.9	0.0	0.0			151.8	152.3	0.6
CHCV2552	CV-2552	2/13/2026 1:56:37 PM	20.6	70.9	0.0	8.5			89.2	92.3	0.3
CHCV2552	CV-2552	2/13/2026 1:57:06 PM	20.3	71.9	0.0	7.8			94.6	94.7	0.3
CHCV2552	CV-2552	2/20/2026 1:03:12 PM	22.2	68.4	0.0	9.4			76.2	76.8	0.3
CHCV2552	CV-2552	2/20/2026 1:04:42 PM	21.4	69.9	0.0	8.7			83.3	83.3	0.3
CHCV2553	CV-2553	2/3/2026 9:07:48 AM	46.8	51.7	0.0	1.5			104.0	104.1	0.9
CHCV2553	CV-2553	2/25/2026 3:08:34 PM	45.8	53.9	0.1	0.2			95.5	95.5	0.8
CHCV2554	CV-2554	2/3/2026 8:51:19 AM	45.2	54.8	0.0	0.0			139.8	137.9	0.8
CHCV2554	CV-2554	2/3/2026 8:51:58 AM	45.2	54.8	0.0	0.0			137.2	138.4	0.8
CHCV2554	CV-2554	2/25/2026 2:36:30 PM	29.8	67.4	0.0	2.8			164.1	162.3	0.4
CHCV2554	CV-2554	2/25/2026 2:38:32 PM	28.0	70.7	0.0	1.3			162.3	162.0	0.4



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2554	CV-2554	2/26/2026 9:47:44 AM	36.0	64.0	0.0	0.0			143.3	134.1	0.6
CHCV2555	CV-2555	2/6/2026 10:33:42 AM	10.6	13.7	15.6	60.1			74.2	74.3	0.8
CHCV2555	CV-2555	2/6/2026 10:34:10 AM	10.9	14.1	15.4	59.6			74.3	74.1	0.8
CHCV2555	CV-2555	2/6/2026 10:35:51 AM	12.9	17.3	14.3	55.5			74.6	74.8	0.7
CHCV2555	CV-2555	2/9/2026 12:51:31 PM	28.6	46.2	4.2	21.0			91.1	91.8	0.6
CHCV2555	CV-2555	2/25/2026 3:14:12 PM	31.4	53.7	3.0	11.9			97.1	97.0	0.6
CHCV2556	CV-2556	2/3/2026 7:58:25 AM	6.2	84.9	0.0	8.9			169.7	169.6	0.1
CHCV2556	CV-2556	2/3/2026 8:00:00 AM						119800			
CHCV2556	CV-2556	2/3/2026 8:00:00 AM					2302				
CHCV2556	CV-2556	2/11/2026 8:05:00 AM						118650			
CHCV2556	CV-2556	2/11/2026 8:05:00 AM					3005				
CHCV2556	CV-2556	2/11/2026 8:06:46 AM	1.4	86.8	0.1	11.7			171.2	171.4	0.0
CHCV2556	CV-2556	2/18/2026 8:40:00 AM					3410				
CHCV2556	CV-2556	2/18/2026 8:40:07 AM	1.9	95.8	0.0	2.3			169.4	169.4	0.0
CHCV2556	CV-2556	2/25/2026 8:44:22 AM	3.3	84.1	0.0	12.6			171.0	172.4	0.0
CHCV2556	CV-2556	2/25/2026 8:50:00 AM					2620				
CHCV2557	CV-2557	2/5/2026 9:50:37 AM	1.4	88.4	0.0	10.2			119.6	122.0	0.0
CHCV2557	CV-2557	2/18/2026 2:31:16 PM	0.4	19.6	12.7	67.3			68.9	69.1	0.0
CHCV2558	CV-2558	2/3/2026 7:35:00 AM						100200			
CHCV2558	CV-2558	2/3/2026 7:35:00 AM					3125				
CHCV2558	CV-2558	2/3/2026 7:37:52 AM	7.7	89.7	0.0	2.6			176.3	76.4	0.1
CHCV2558	CV-2558	2/3/2026 7:40:27 AM	8.4	89.9	0.0	1.7			175.1	175.3	0.1
CHCV2558	CV-2558	2/11/2026 8:25:00 AM						96300			
CHCV2558	CV-2558	2/11/2026 8:25:00 AM					3000				
CHCV2558	CV-2558	2/11/2026 8:30:03 AM	1.8	78.0	2.9	17.3			186.0	186.0	0.0
CHCV2558	CV-2558	2/11/2026 8:31:04 AM	2.0	81.6	1.3	15.1			186.0	186.0	0.0
CHCV2558	CV-2558	2/18/2026 7:45:00 AM					2580				
CHCV2558	CV-2558	2/18/2026 7:46:34 AM	2.4	85.3	1.2	11.1			186.0	186.0	0.0
CHCV2558	CV-2558	2/24/2026 1:20:00 PM					2910				



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHCV2558	CV-2558	2/24/2026 1:22:09 PM	2.2	65.6	4.7	27.5			180.1	180.0	0.0
CHCV2560	CV-2560	2/5/2026 9:07:57 AM	33.8	55.5	0.1	10.6			110.9	111.1	0.6
CHCV2560	CV-2560	2/18/2026 2:04:13 PM	15.0	42.3	0.6	42.1			122.6	122.3	0.4
CHCV2561	CV-2561	2/10/2026 12:28:32 PM	24.2	45.3	0.0	30.5			113.9	111.6	0.5
CHCV2563	CV-2563	2/4/2026 7:44:50 AM	52.2	43.9	0.0	3.9			121.4	121.4	1.2
CHCV2563	CV-2563	2/21/2026 9:53:34 AM	42.2	44.4	1.0	12.4			117.5	117.6	1.0
CHCV2564	CV-2564	2/22/2026 12:12:45 PM	24.4	65.0	0.0	10.6			73.8	73.7	0.4
CHCV2564	CV-2564	2/26/2026 1:34:16 PM	23.4	74.8	0.2	1.6			88.6	88.6	0.3
CHCV2565	CV-2565	2/2/2026 10:08:30 AM	46.9	48.1	0.0	5.0			111.7	111.1	1.0
CHCV2565	CV-2565	2/17/2026 9:59:54 AM	47.5	49.8	0.1	2.6			95.3	95.7	1.0
CHCV2565	CV-2565	2/23/2026 2:18:22 PM	50.8	49.2	0.0	0.0			103.9	103.8	1.0
CHCV2566	CV-2566	2/2/2026 10:33:28 AM	46.6	49.2	0.0	4.2			88.8	88.7	0.9
CHCV2566	CV-2566	2/19/2026 10:35:56 AM	49.5	50.5	0.0	0.0			49.3	49.3	1.0
CHCV2566	CV-2566	2/19/2026 10:37:45 AM	46.6	46.3	0.0	7.1			50.3	50.4	1.0
CHCV2567	CV-2567	2/2/2026 2:08:53 PM	49.4	47.0	0.0	3.6			93.8	93.9	1.1
CHCV2567	CV-2567	2/4/2026 10:11:41 AM	50.0	48.6	0.0	1.4			94.4	94.8	1.0
CHCV2567	CV-2567	2/23/2026 10:44:40 AM	49.9	49.6	0.0	0.5			86.1	86.3	1.0
CHCV2567	CV-2567	2/23/2026 10:46:38 AM	49.8	49.4	0.0	0.8			86.5	86.5	1.0
CHCV2568	CV-2568	2/2/2026 2:41:19 PM	47.1	49.2	0.0	3.7			102.7	102.8	1.0
CHCV2568	CV-2568	2/17/2026 9:08:43 AM	47.7	48.0	0.0	4.3			66.3	67.5	1.0
CHCV2569	CV-2569	2/2/2026 3:32:20 PM	47.8	49.5	0.0	2.7			101.7	101.7	1.0
CHCV2569	CV-2569	2/17/2026 9:22:50 AM	47.9	47.3	0.0	4.8			68.0	68.3	1.0
CHCV2570	CV-2570	2/2/2026 3:29:34 PM	51.2	46.6	0.0	2.2			105.9	106.0	1.1
CHCV2570	CV-2570	2/17/2026 9:28:38 AM	51.2	44.7	0.0	4.1			77.0	77.2	1.1
CHCV2572	CV-2572	2/5/2026 9:36:17 AM	56.6	42.0	0.0	1.4			118.6	119.6	1.3
CHCV2572	CV-2572	2/5/2026 9:38:59 AM	56.2	42.8	0.0	1.0			119.8	119.8	1.3
CHWCV48R	CV-48R	2/4/2026 7:47:58 AM	53.6	42.6	0.0	3.8			119.7	120.0	1.3
CHWCV48R	CV-48R	2/21/2026 9:58:04 AM	49.3	39.6	1.1	10.0			116.9	117.0	1.2
CHWCV52D	CV-52D	2/9/2026 2:25:31 PM	37.8	50.7	0.0	11.5			89.2	91.1	0.7



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHWCV52D	CV-52D	2/9/2026 2:28:00 PM	33.7	51.4	0.0	14.9			94.3	94.5	0.7
CHWCV55R	CV-55R	2/4/2026 10:45:00 AM					261.5				
CHWCV55R	CV-55R	2/4/2026 10:45:00 AM						140850			
CHWCV55R	CV-55R	2/4/2026 10:46:17 AM	26.5	51.7	0.0	21.8			151.1	151.1	0.5
CHWCV55R	CV-55R	2/4/2026 10:48:06 AM	35.8	50.5	0.0	13.7			151.2	151.0	0.7
CHWCV55R	CV-55R	2/11/2026 1:25:00 PM						136700			
CHWCV55R	CV-55R	2/11/2026 1:25:00 PM					710				
CHWCV55R	CV-55R	2/11/2026 1:26:01 PM	26.2	58.2	0.3	15.3			152.4	150.9	0.5
CHWCV55R	CV-55R	2/18/2026 1:07:46 PM	30.8	50.6	0.5	18.1			145.3	145.6	0.6
CHWCV55R	CV-55R	2/18/2026 1:10:00 PM					489				
CHWCV55R	CV-55R	2/25/2026 2:12:48 PM	39.2	49.3	0.0	11.5			147.5	147.8	0.8
CHWCV55R	CV-55R	2/25/2026 2:15:00 PM					240.5				
CHWCV56D	CV-56D	2/5/2026 9:38:23 AM	49.2	45.2	0.0	5.6			116.0	116.1	1.1
CHWCV56S	CV-56S	2/5/2026 9:36:36 AM	51.7	45.7	0.0	2.6			114.5	115.0	1.1
CHWCV57R	CV-57R	2/9/2026 9:00:00 AM	52.4	46.5	0.0	1.1			96.3	96.3	1.1
CHWCV79R	CV-79R	2/9/2026 8:41:30 AM	51.9	45.2	0.0	2.9			93.3	112.2	1.1
CHWCV79R	CV-79R	2/9/2026 8:42:49 AM	51.4	46.8	0.0	1.8			113.6	115.7	1.1
CHIWCV94	CV-94	2/6/2026 2:42:18 PM	53.6	44.7	0.0	1.7			102.9	104.8	1.2
CHIWCV94	CV-94	2/9/2026 10:03:47 AM	52.1	43.9	0.0	4.0			106.8	107.3	1.2
CHIWCV95	CV-95	2/9/2026 8:57:22 AM	53.8	45.0	0.0	1.2			106.5	107.4	1.2
CHIWCV99	CV-99	2/2/2026 7:55:00 AM						1900			
CHIWCV99	CV-99	2/2/2026 7:55:00 AM					0				
CHIWCV99	CV-99	2/13/2026 3:24:02 PM	25.7	71.1	0.0	3.2			80.1	79.5	0.4
CHIWD002	D-02	2/21/2026 11:23:15 AM	56.3	39.9	0.0	3.8			66.6	66.9	1.4
CHIWD003	D-03	2/21/2026 11:27:29 AM	53.8	40.3	1.1	4.8			69.5	69.3	1.3
CHIWD004	D-04	2/21/2026 11:30:52 AM	56.4	39.9	0.0	3.7			63.6	63.5	1.4
CHIWD009	D-09	2/5/2026 9:10:07 AM	58.6	40.3	0.0	1.1			109.8	110.1	1.5
CHIWD010	D-10	2/5/2026 3:18:40 PM	58.0	41.1	0.0	0.9			98.8	101.3	1.4
CHIWD010	D-10	2/5/2026 3:20:38 PM	57.2	42.1	0.0	0.7			102.5	102.6	1.4



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHIFP001	FP-001	2/10/2026 2:43:19 PM	7.1	16.0	12.0	64.9			63.8	63.6	0.4
CHIFP001	FP-001	2/10/2026 2:47:32 PM	4.8	13.0	8.8	73.4			63.6	63.6	0.4
CHIFP002	FP-002	2/10/2026 2:53:16 PM	14.5	20.7	9.4	55.4			69.9	69.3	0.7
CHIFP002	FP-002	2/10/2026 2:56:14 PM	14.9	21.9	7.5	55.7			68.8	68.9	0.7
CHIFP003	FP-003	2/10/2026 3:11:21 PM	28.1	42.5	4.8	24.6			70.1	70.1	0.7
CHIFP005	FP-005	2/25/2026 1:48:40 PM	20.4	59.2	0.5	19.9			88.2	87.9	0.3
CHIFP006	FP-006	2/25/2026 1:54:15 PM	1.5	51.7	8.1	38.7			100.7	104.0	0.0
CHIFP008	FP-008	2/12/2026 9:06:40 AM	3.3	17.1	17.3	62.3			63.3	63.2	0.2
CHIFP009	FP-009	2/24/2026 2:22:34 PM	15.3	75.6	0.0	9.1			86.7	86.8	0.2
CHIFP010	FP-010	2/27/2026 8:34:50 AM	18.2	79.5	0.0	2.3			102.1	102.0	0.2
CHIFP012	FP-012	2/21/2026 8:24:03 AM	0.5	10.2	19.3	70.0			61.1	61.1	0.0
CHIFP013	FP-013	2/21/2026 8:58:54 AM	2.4	21.3	16.3	60.0			55.2	53.5	0.1
CHIFP014	FP-014	2/2/2026 1:48:49 PM	0.5	2.0	21.0	76.5			85.5	87.4	0.2
CHIFP014	FP-014	2/2/2026 1:51:53 PM	12.6	62.5	3.1	21.8			85.8	85.7	0.2
CHIFP014	FP-014	2/2/2026 2:10:45 PM	13.6	59.6	3.6	23.2			84.2	84.3	0.2
CHIFP014	FP-014	2/2/2026 2:12:20 PM	12.2	60.8	3.4	23.6			82.9	83.0	0.2
CHIFP015	FP-015	2/25/2026 1:57:28 PM	3.9	36.6	10.9	48.6			95.8	97.0	0.1
CHIFP016	FP-016	2/2/2026 1:56:48 PM	0.7	10.7	19.8	68.8			86.7	86.9	0.1
CHIFP016	FP-016	2/2/2026 1:58:35 PM	21.5	41.9	6.5	30.2			82.2	81.9	0.5
CHIFP016	FP-016	2/12/2026 9:11:36 AM	12.9	30.6	10.9	45.6			58.5	58.5	0.4
CHIFP017	FP-017	2/12/2026 10:21:15 AM	55.6	42.2	0.0	2.2			64.8	65.7	1.3
CHIFP018	FP-018	2/27/2026 1:35:49 PM	41.8	58.2	0.0	0.0			95.8	96.0	0.7
CHIFP019	FP-019	2/4/2026 2:40:36 PM	2.2	81.8	0.0	16.0			97.3	97.1	0.0
CHIFP020	FP-020	2/27/2026 7:48:44 AM	9.6	30.3	11.6	48.5			70.8	70.8	0.3
CHIFP021	FP-021	2/27/2026 7:56:01 AM	0.0	1.1	21.2	77.7			75.8	75.8	0.0
CHIFP022	FP-022	2/27/2026 7:51:46 AM	3.1	13.0	16.5	67.4			75.9	76.0	0.2
CHIFP023	FP-023	2/27/2026 8:10:59 AM	12.0	37.4	9.6	41.0			71.1	71.1	0.3
CHIFP024	FP-024	2/12/2026 8:51:36 AM	13.2	42.3	9.3	35.2			50.4	50.6	0.3
CHIFP026	FP-026	2/12/2026 10:33:54 AM	16.3	66.2	1.6	15.9			90.1	90.8	0.2



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHIFP027	FP-027	2/12/2026 10:27:46 AM	30.5	55.7	1.2	12.6			80.8	80.8	0.5
CHIFP028	FP-028	2/12/2026 10:25:16 AM	25.1	35.0	5.9	34.0			73.7	73.7	0.7
CHIFP029	FP-029	2/12/2026 10:16:35 AM	49.2	35.0	4.2	11.6			71.4	80.6	1.4
CHIFP030	FP-030	2/12/2026 10:06:25 AM	42.7	57.3	0.0	0.0			69.6	69.5	0.7
CHIFP031	FP-031	2/26/2026 10:32:14 AM	38.5	39.0	3.8	18.7			85.4	85.4	1.0
CHIFP032	FP-032	2/27/2026 8:01:09 AM	9.3	28.6	12.7	49.4			70.6	70.5	0.3
CHIFP033	FP-033	2/27/2026 8:06:58 AM	1.9	22.5	13.8	61.8			75.6	75.6	0.1
CHIFP034	FP-034	2/27/2026 8:18:33 AM	2.0	13.2	13.8	71.0			79.1	79.1	0.2
CHIFP035	FP-035	2/21/2026 8:40:48 AM	1.5	79.3	1.5	17.7			57.5	55.0	0.0
CHIFP036	FP-036	2/26/2026 4:17:53 PM	19.3	39.2	2.0	39.5			73.8	73.8	0.5
CHIFP036	FP-036	2/27/2026 8:24:50 AM	16.9	45.9	1.1	36.1			69.4	69.1	0.4
CHIFP037	FP-037	2/27/2026 8:28:03 AM	6.9	20.1	12.6	60.4			72.9	72.9	0.3
CHIFP038	FP-038	2/3/2026 8:25:42 AM	40.1	40.9	2.2	16.8			58.9	57.5	1.0
CHIFP038	FP-038	2/6/2026 8:19:14 AM	13.1	75.5	0.7	10.7			63.4	63.4	0.2
CHIFP039	FP-039	2/3/2026 8:29:01 AM	52.3	42.8	0.2	4.7			62.6	61.5	1.2
CHIFP040	FP-040	2/6/2026 8:07:53 AM	13.9	79.1	0.0	7.0			83.2	83.2	0.2
CHIFP041	FP-041	2/6/2026 8:35:54 AM	29.1	35.8	4.7	30.4			57.8	57.7	0.8
CHIFP042	FP-042	2/6/2026 7:43:10 AM	4.6	21.4	16.1	57.9			53.4	53.4	0.2
CHIFP043	FP-043	2/6/2026 8:28:53 AM	22.0	50.6	2.5	24.9			62.8	62.9	0.4
CHIFP044	FP-044	2/6/2026 8:25:03 AM	9.1	62.1	3.2	25.6			61.6	61.6	0.1
CHIFP046	FP-046	2/12/2026 9:16:11 AM	13.2	25.0	9.8	52.0			65.0	65.4	0.5
CHIFP047	FP-047	2/12/2026 9:27:50 AM	6.4	13.5	17.0	63.1			59.7	59.4	0.5
CHIFP050	FP-050	2/3/2026 1:47:08 PM	20.1	68.3	1.1	10.5			81.1	81.1	0.3
CHIFP050	FP-050	2/23/2026 9:03:43 AM	25.6	46.5	4.2	23.7			67.2	66.4	0.6
CHIFP051	FP-051	2/3/2026 1:39:44 PM	4.4	5.7	18.6	71.3			91.3	91.7	0.8
CHIFP052	FP-052	2/3/2026 10:25:02 AM	31.9	33.6	4.2	30.3			73.5	73.5	0.9
CHIFP053	FP-053	2/19/2026 7:39:35 AM	27.6	27.6	6.7	38.1			50.1	49.9	1.0
CHIFP053	FP-053	2/19/2026 7:45:07 AM	35.3	33.6	3.5	27.6			46.6	46.6	1.1
CHIFP054	FP-054	2/9/2026 1:41:15 PM	51.3	38.1	0.0	10.6			78.7	78.6	1.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHIFP055	FP-055	2/3/2026 9:44:42 AM	38.7	37.3	2.6	21.4			71.9	72.0	1.0
CHIFP056	FP-056	2/3/2026 9:32:35 AM	30.6	35.4	4.5	29.5			64.9	65.7	0.9
CHIFP057	FP-057	2/4/2026 2:52:02 PM	50.7	46.3	0.0	3.0			81.4	80.2	1.1
CHIWH001	H-01 (EXP-01)	2/9/2026 2:05:43 PM	9.5	44.3	0.0	46.3			88.8	93.2	0.2
CHIWH001	H-01 (EXP-01)	2/9/2026 2:06:57 PM	8.8	44.2	0.8	46.2			92.7	92.7	0.2
CHIWH001	H-01 (EXP-01)	2/15/2026 3:01:42 PM	4.9	20.6	11.4	63.1			70.2	71.2	0.2
CHIWH001	H-01 (EXP-01)	2/15/2026 3:04:00 PM	4.9	23.3	11.1	60.7			71.4	71.3	0.2
CHIWH001	H-01 (EXP-01)	2/15/2026 3:18:30 PM	10.1	42.0	2.0	45.9			71.5	69.9	0.2
CHIWH001	H-01 (EXP-01)	2/15/2026 3:21:21 PM	10.8	43.8	0.5	44.9			73.0	72.7	0.2
CHIWH001	H-01 (EXP-01)	2/15/2026 3:22:06 PM	10.8	44.8	1.0	43.4			71.6	71.6	0.2
CHIWH001	H-01 (EXP-01)	2/23/2026 7:49:56 AM	17.3	39.0	2.9	40.8			51.1	50.9	0.4
CHIWH002	H-02 (EXP-02)	2/9/2026 1:57:17 PM	17.3	44.4	0.0	38.3			103.5	103.6	0.4
CHIWH002	H-02 (EXP-02)	2/15/2026 3:25:48 PM	16.6	45.4	0.0	38.0			90.1	90.2	0.4
CHIWH003	H-03 (EXP-03)	2/9/2026 1:53:46 PM	49.4	45.6	0.0	5.0			118.4	118.4	1.1
CHIWH003	H-03 (EXP-03)	2/15/2026 2:56:20 PM	52.9	42.8	0.0	4.3			116.4	116.5	1.2
CHIWH004	H-04 (EXP-04)	2/9/2026 1:50:49 PM	2.2	48.2	0.0	49.6			127.1	127.1	0.0
CHIWH004	H-04 (EXP-04)	2/15/2026 2:50:33 PM	2.2	49.5	0.0	48.3			122.6	122.7	0.0
CHIWH008	H-08 (EXP-08)	2/9/2026 1:37:31 PM	51.2	44.4	0.0	4.3			117.4	117.5	1.2
CHIWH008	H-08 (EXP-08)	2/9/2026 1:38:39 PM	50.5	44.3	0.0	5.2			117.5	117.5	1.1
CHIWH008	H-08 (EXP-08)	2/15/2026 2:42:33 PM	51.6	45.0	0.0	3.5			116.2	116.2	1.1
CHIWH010	H-10 (EXP-10)	2/9/2026 1:31:05 PM	13.5	62.7	0.0	23.8			129.9	129.9	0.2
CHIWH010	H-10 (EXP-10)	2/15/2026 2:03:16 PM	13.6	63.5	0.0	22.9			129.9	129.9	0.2
CHIWH010	H-10 (EXP-10)	2/15/2026 2:03:56 PM	13.2	63.9	0.0	22.9			129.8	129.8	0.2
CHIH101W	H-101W	2/4/2026 12:43:39 PM	57.1	39.5	0.0	3.4			88.8	90.5	1.4
CHIH101W	H-101W	2/4/2026 12:54:46 PM	47.7	32.6	3.5	16.2			91.4	90.8	1.5
CHWH102A	H-102A	2/4/2026 12:59:55 PM	57.5	33.7	0.0	8.8			85.1	85.7	1.7
CHH1401W	H-1401W	2/4/2026 1:03:07 PM	57.3	33.1	0.0	9.6			87.1	85.1	1.7
CHH1401W	H-1401W	2/4/2026 1:07:33 PM	58.3	34.3	0.0	7.4			84.3	84.0	1.7
CHH1404C	H-1404C	2/2/2026 2:32:18 PM	48.2	45.6	0.1	6.1			110.8	110.8	1.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHH1404C	H-1404C	2/19/2026 9:12:21 AM	46.2	40.3	0.0	13.5			92.4	92.4	1.1
CHH1405C	H-1405C	2/6/2026 9:42:19 AM	37.4	50.1	2.3	10.2			79.4	79.8	0.7
CHH1405C	H-1405C	2/21/2026 9:10:53 AM	25.8	50.3	4.0	19.9			60.4	60.4	0.5
CHH1406W	H-1406W	2/5/2026 1:34:47 PM	42.0	54.4	0.0	3.6			85.6	87.3	0.8
CHH1406W	H-1406W	2/21/2026 11:15:57 AM	37.1	53.3	1.6	8.0			61.7	62.2	0.7
CH1408CR	H-1408CR	2/3/2026 2:46:10 PM	32.6	42.2	0.4	24.8			112.3	112.3	0.8
CHH1408E	H-1408E	2/13/2026 7:57:18 AM	48.8	43.3	0.0	7.9			83.8	83.8	1.1
CHH1408E	H-1408E	2/18/2026 10:27:51 AM	28.0	32.1	2.0	37.9			78.4	78.2	0.9
CHH1408E	H-1408E	2/23/2026 12:10:36 PM	35.0	35.3	0.5	29.2			85.3	85.4	1.0
CHH1408W	H-1408W	2/4/2026 1:48:14 PM	53.1	39.3	0.0	7.6			100.2	101.5	1.4
CHH1409N	H-1409N	2/2/2026 1:14:48 PM	55.0	41.5	0.0	3.5			101.0	98.1	1.3
CHH1409N	H-1409N	2/2/2026 1:58:38 PM	50.8	46.2	0.0	3.0			97.0	94.3	1.1
CHH1409N	H-1409N	2/18/2026 9:03:20 AM	54.7	42.4	0.0	2.9			82.3	82.4	1.3
CHH1410S	H-1410S	2/4/2026 9:27:59 AM	53.0	43.2	0.1	3.7			80.9	80.9	1.2
CHH1563N	H-1563N	2/3/2026 8:21:01 AM	51.2	48.8	0.0	0.0			113.4	113.7	1.0
CHH1563N	H-1563N	2/21/2026 8:21:39 AM	48.4	45.1	0.0	6.5			97.5	97.9	1.1
CHH1563S	H-1563S	2/6/2026 9:38:29 AM	49.8	50.2	0.0	0.0			80.1	80.2	1.0
CHH1563S	H-1563S	2/21/2026 9:05:29 AM	38.6	42.5	0.0	18.9			68.0	68.1	0.9
CHH1565E	H-1565E	2/2/2026 1:50:35 PM	35.0	38.8	0.0	26.2			97.7	97.8	0.9
CHH1565E	H-1565E	2/18/2026 10:19:16 AM	35.1	40.5	0.0	24.4			94.8	95.1	0.9
CHH1568N	H-1568N	2/2/2026 1:54:47 PM	50.5	46.9	0.0	2.6			93.1	93.9	1.1
CHH1568N	H-1568N	2/18/2026 10:23:53 AM	50.0	43.3	0.0	6.7			81.6	81.8	1.2
CHH1571S	H-1571S	2/2/2026 11:37:37 AM	55.2	43.9	0.0	0.9			94.8	94.9	1.3
CHH1572N	H-1572N	2/9/2026 8:17:43 AM	36.0	44.2	0.3	19.5			120.1	120.5	0.8
CHH1572S	H-1572S	2/2/2026 11:27:52 AM	55.9	43.6	0.0	0.5			108.3	108.5	1.3
CHH1574N	H-1574N	2/5/2026 2:10:29 PM	42.0	53.9	0.0	4.1			96.9	97.3	0.8
CHH1574N	H-1574N	2/21/2026 10:52:13 AM	44.5	54.4	0.0	1.1			89.7	89.7	0.8
CHH1753S	H-1753S	2/3/2026 8:32:49 AM	54.8	42.3	0.0	2.9			99.9	99.9	1.3
CHH1753S	H-1753S	2/21/2026 8:16:24 AM	51.1	41.2	0.0	7.7			101.1	101.5	1.2



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHH1756S	H-1756S	2/6/2026 10:03:24 AM	33.4	66.6	0.0	0.0			123.2	123.4	0.5
CHH1756S	H-1756S	2/21/2026 9:34:30 AM	32.2	67.8	0.0	0.0			101.1	101.0	0.5
CHH1757S	H-1757S	2/6/2026 9:50:07 AM	53.1	46.9	0.0	0.0			81.5	81.6	1.1
CHH1757S	H-1757S	2/21/2026 9:14:39 AM	37.5	51.5	0.0	11.0			66.6	66.8	0.7
CHH1760S	H-1760S	2/2/2026 1:32:57 PM	41.6	52.8	0.0	5.6			107.1	107.6	0.8
CHH1760S	H-1760S	2/18/2026 9:54:09 AM	42.3	49.7	0.0	8.0			100.2	100.3	0.9
CHH1760S	H-1760S	2/23/2026 1:21:55 PM	41.0	54.1	0.0	4.9			103.3	104.6	0.8
CHH1762N	H-1762N	2/2/2026 2:02:41 PM	52.2	44.2	0.0	3.6			100.8	100.9	1.2
CHH1762N	H-1762N	2/18/2026 8:42:47 AM	52.9	42.7	0.0	4.4			89.6	89.8	1.2
CHH1763N	H-1763N	2/2/2026 12:33:02 PM	54.6	38.9	0.0	6.5			98.2	101.7	1.4
CHH1763S	H-1763S	2/4/2026 9:48:02 AM	52.0	43.0	0.0	5.0			96.2	97.7	1.2
CHH1764N	H-1764N	2/4/2026 9:27:13 AM	55.3	42.5	0.0	2.2			116.5	117.3	1.3
CHH1764S	H-1764S	2/2/2026 11:42:10 AM	52.1	45.9	0.0	2.0			83.5	83.5	1.1
CHH1767N	H-1767N	2/21/2026 10:49:59 AM	44.6	54.0	0.0	1.4			96.0	96.0	0.8
CHH1769N	H-1769N	2/12/2026 10:06:08 AM	10.3	40.3	1.6	47.9			87.0	87.2	0.3
CHH1769N	H-1769N	2/21/2026 8:15:34 AM	12.8	42.7	2.2	42.3			68.9	70.8	0.3
CHH1770A	H-1770A	2/15/2026 12:06:59 PM	1.7	73.0	0.0	25.3			64.3	64.4	0.0
CHH1770A	H-1770A	2/15/2026 12:08:56 PM	1.6	73.4	0.0	25.1			64.6	64.5	0.0
CHH1770N	H-1770N	2/9/2026 7:30:00 AM						6200			
CHH1770N	H-1770N	2/12/2026 8:20:00 AM					140				
CHH1770N	H-1770N	2/12/2026 8:20:00 AM						11000			
CHH1770N	H-1770N	2/12/2026 1:58:05 PM	42.4	53.2	0.0	4.4			107.6	107.8	0.8
CHH1770N	H-1770N	2/21/2026 9:05:30 AM	37.2	54.7	1.5	6.6			103.0	103.2	0.7
CHH1770S	H-1770S	2/6/2026 1:37:05 PM	47.5	52.5	0.0	0.0			92.9	93.0	0.9
CHH1770S	H-1770S	2/21/2026 9:54:44 AM	7.3	32.6	0.8	59.3			73.6	72.7	0.2
CHH1771A	H-1771A	2/10/2026 11:57:10 AM	51.4	44.0	0.0	4.6			111.7	111.8	1.2
CHH1771B	H-1771B	2/5/2026 9:54:39 AM	35.0	63.4	0.4	1.2			76.4	76.5	0.6
CHH1774N	H-1774N	2/12/2026 2:11:15 PM	36.4	59.4	0.0	4.2			115.3	115.1	0.6
CHH1774N	H-1774N	2/21/2026 9:24:25 AM	31.4	66.8	0.2	1.6			114.0	110.9	0.5



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHH1801S	H-1801S	2/9/2026 8:46:20 AM	50.5	44.8	0.0	4.7			66.3	66.4	1.1
CHH1802S	H-1802S	2/9/2026 8:26:42 AM	52.8	43.1	0.4	3.7			76.5	78.3	1.2
CHH1803N	H-1803N	2/2/2026 9:20:00 AM					1410				
CHH1803N	H-1803N	2/2/2026 9:20:42 AM	6.9	74.9	1.5	16.7			194.9	194.9	0.1
CHH1803N	H-1803N	2/9/2026 10:05:00 AM						98800			
CHH1803N	H-1803N	2/9/2026 10:05:00 AM					1340				
CHH1803N	H-1803N	2/9/2026 10:06:41 AM	0.9	54.5	7.2	37.4			195.4	195.4	0.0
CHH1803N	H-1803N	2/17/2026 8:15:00 AM					2060				
CHH1803N	H-1803N	2/17/2026 8:17:57 AM	1.1	63.1	4.8	31.0			195.3	195.2	0.0
CHH1803N	H-1803N	2/23/2026 9:02:57 AM	2.7	71.7	4.3	21.3			195.8	195.9	0.0
CHH1803N	H-1803N	2/23/2026 9:20:00 AM					2080				
CHH1804B	H-1804B	2/9/2026 9:44:35 AM	44.8	55.2	0.0	0.0			103.4	103.5	0.8
CHH1804B	H-1804B	2/23/2026 8:28:48 AM	53.2	44.5	0.0	2.3			101.0	101.2	1.2
CHH1804N	H-1804N	2/10/2026 11:30:32 AM	43.8	38.2	1.0	17.0			82.4	82.5	1.1
CHH1804S	H-1804S	2/4/2026 9:29:38 AM	55.0	43.3	0.0	1.7			98.1	98.7	1.3
CHH1805A	H-1805A	2/9/2026 2:00:38 PM	43.6	52.3	0.0	4.1			120.4	121.4	0.8
CHH1805B	H-1805B	2/4/2026 9:11:46 AM	42.0	37.4	3.1	17.5			78.9	79.1	1.1
CHH1805S	H-1805S	2/4/2026 9:33:59 AM	54.0	44.4	0.0	1.6			127.1	127.2	1.2
CHH1806A	H-1806A	2/20/2026 11:58:54 AM	53.8	42.4	0.0	3.8			114.5	113.6	1.3
CHH1806A	H-1806A	2/20/2026 12:02:15 PM	52.7	42.7	0.0	4.6			115.6	116.2	1.2
CHH1806A	H-1806A	2/20/2026 12:04:29 PM	52.4	43.0	0.0	4.6			116.5	116.5	1.2
CHH1806B	H-1806B	2/9/2026 8:22:57 AM	30.7	34.0	1.1	34.2			59.7	59.4	0.9
CHH1806N	H-1806N	2/10/2026 9:38:27 AM	43.1	56.9	0.0	0.0			122.8	126.4	0.8
CHH1806N	H-1806N	2/10/2026 9:42:02 AM	41.7	58.3	0.0	0.0			126.5	126.4	0.7
CHH1806S	H-1806S	2/5/2026 10:07:48 AM	13.3	79.4	0.0	7.3			129.3	107.9	0.2
CHH1807A	H-1807A	2/6/2026 2:47:14 PM	52.0	42.4	5.6	0.0			90.1	92.6	1.2
CHH1807A	H-1807A	2/9/2026 10:01:15 AM	54.6	44.3	0.0	1.1			90.5	93.1	1.2
CHH1807N	H-1807N	2/10/2026 9:01:27 AM	56.9	42.3	0.0	0.8			63.3	69.0	1.3
CHH1807N	H-1807N	2/10/2026 9:03:02 AM	53.6	42.8	0.0	3.6			71.5	71.6	1.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHH1807S	H-1807S	2/5/2026 9:54:15 AM	45.5	52.1	0.0	2.4			73.7	73.5	0.9
CHH1952S	H-1952S	2/3/2026 10:15:07 AM	54.7	45.3	0.0	0.0			109.7	112.3	1.2
CHH1952S	H-1952S	2/21/2026 10:19:59 AM	56.4	43.1	0.0	0.5			111.8	111.9	1.3
CHH1953N	H-1953N	2/10/2026 3:38:16 PM	0.3	4.8	15.5	79.4			111.9	106.6	0.1
CHH1953N	H-1953N	2/10/2026 3:40:27 PM	0.0	2.7	19.2	78.1			98.7	98.6	0.0
CHH1955C	H-1955C	2/9/2026 1:53:44 PM	51.5	48.5	0.0	0.0			88.1	97.7	1.1
CHH1955C	H-1955C	2/9/2026 1:54:21 PM	52.0	45.5	0.0	2.5			98.7	99.7	1.1
CHH1955N	H-1955N	2/10/2026 11:25:46 AM	46.7	44.3	0.2	8.8			89.8	88.0	1.1
CHH1956B	H-1956B	2/4/2026 8:55:24 AM	16.4	70.1	0.0	13.5			114.6	113.3	0.2
CHH1956N	H-1956N	2/10/2026 10:33:48 AM	56.1	43.3	0.0	0.6			106.6	108.7	1.3
CHH1956N	H-1956N	2/20/2026 10:57:12 AM	54.5	42.8	0.0	2.7			57.3	84.1	1.3
CHH1956N	H-1956N	2/20/2026 11:00:49 AM	53.4	42.0	0.0	4.6			87.3	91.2	1.3
CHH1956N	H-1956N	2/20/2026 11:02:03 AM	53.4	43.1	0.0	3.5			93.8	93.9	1.2
CHH1956S	H-1956S	2/9/2026 8:38:23 AM	53.7	42.8	0.1	3.4			74.6	74.6	1.3
CHH1957B	H-1957B	2/9/2026 9:10:29 AM	49.0	45.3	0.0	5.7			109.8	109.7	1.1
CHH1957N	H-1957N	2/10/2026 10:01:28 AM	53.3	46.5	0.0	0.2			98.1	98.4	1.1
CHH1957S	H-1957S	2/9/2026 8:48:55 AM	44.7	45.9	1.4	8.0			65.3	65.2	1.0
CHH1958C	H-1958C	2/9/2026 9:58:34 AM	53.1	43.1	0.0	3.8			123.5	123.8	1.2
CHH1958N	H-1958N	2/10/2026 9:13:40 AM	54.0	42.3	0.0	3.7			89.7	99.1	1.3
CHH1958N	H-1958N	2/10/2026 9:17:44 AM	54.4	42.8	0.0	2.8			109.5	97.4	1.3
CHH1958S	H-1958S	2/5/2026 9:49:05 AM	50.6	33.5	0.0	15.9			120.8	120.7	1.5
CHH1962N	H-1962N	2/12/2026 2:03:30 PM	21.0	62.7	1.0	15.3			129.5	129.1	0.3
CHH1962N	H-1962N	2/21/2026 9:03:15 AM	18.5	58.0	3.2	20.3			129.3	128.9	0.3
CHH1963N	H-1963N	2/10/2026 8:44:59 AM	32.0	57.6	0.0	10.4			130.2	130.4	0.6
CHH1963N	H-1963N	2/10/2026 8:46:51 AM	31.9	58.1	0.0	10.0			130.6	130.5	0.5
CHH1963N	H-1963N	2/21/2026 8:20:21 AM	25.4	53.5	1.6	19.5			124.5	124.5	0.5
CHH1966N	H-1966N	2/12/2026 2:18:10 PM	38.6	58.4	0.0	3.1			106.5	106.4	0.7
CHH1966N	H-1966N	2/21/2026 9:18:49 AM	33.8	58.2	0.5	7.5			101.2	102.5	0.6
CHH1967E	H-1967E	2/5/2026 3:01:18 PM	56.6	42.2	0.0	1.2			93.5	96.4	1.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHH1967E	H-1967E	2/5/2026 3:01:24 PM	56.6	42.2	0.0	1.2			93.5	96.4	1.3
CHH1967E	H-1967E	2/5/2026 3:03:34 PM	56.0	42.9	0.0	1.1			96.6	96.7	1.3
CHH1967W	H-1967W	2/4/2026 1:22:41 PM	55.6	39.2	0.0	5.2			96.1	98.0	1.4
CHH2050E	H-2050E	2/23/2026 2:06:17 PM	56.4	41.4	0.1	2.1			98.0	97.6	1.4
CHH2050W	H-2050W	2/3/2026 1:37:27 PM	53.6	41.7	0.0	4.7			97.5	97.6	1.3
CHH2050W	H-2050W	2/3/2026 1:41:25 PM	52.1	42.7	0.0	5.1			97.4	97.6	1.2
CHH2050W	H-2050W	2/3/2026 1:42:23 PM	51.8	42.7	0.0	5.4			97.8	97.8	1.2
CHH2051W	H-2051W	2/4/2026 1:29:35 PM	55.7	41.1	0.0	3.2			89.0	91.7	1.4
CHH2053E	H-2053E	2/5/2026 3:09:03 PM	51.8	40.8	0.0	7.4			118.0	118.0	1.3
CHH2053W	H-2053W	2/4/2026 12:57:33 PM	56.4	34.9	0.0	8.7			94.8	95.0	1.6
CHH2055E	H-2055E	2/2/2026 10:49:01 AM	34.3	37.0	0.0	28.7			107.4	107.4	0.9
CHH2055E	H-2055E	2/17/2026 7:58:46 AM	21.0	31.6	0.1	47.3			100.8	100.7	0.7
CHH2056B	H-2056B	2/5/2026 9:46:12 AM	27.8	32.9	0.0	39.3			70.2	70.4	0.8
CHH2056W	H-2056W	2/4/2026 1:24:35 PM	54.0	39.1	0.0	6.9			90.1	90.2	1.4
CHH2057E	H-2057E	2/5/2026 3:06:45 PM	57.2	41.3	0.0	1.5			126.7	126.9	1.4
CHH2057W	H-2057W	2/4/2026 1:12:57 PM	52.9	35.4	0.8	10.9			101.0	100.9	1.5
CHH2058E	H-2058E	2/5/2026 9:31:04 AM	56.7	41.5	0.0	1.8			110.1	110.2	1.4
CHH2058W	H-2058W	2/4/2026 1:26:42 PM	54.7	41.9	0.0	3.4			96.3	96.2	1.3
CHH2059E	H-2059E	2/4/2026 10:29:06 AM	54.7	42.8	0.0	2.5			112.2	113.7	1.3
CHH2059W	H-2059W	2/4/2026 1:50:20 PM	50.1	44.0	0.0	5.9			126.6	126.7	1.1
CHH2059W	H-2059W	2/23/2026 2:52:11 PM	53.3	46.6	0.0	0.1			121.0	125.8	1.1
CHH2161E	H-2161E	2/4/2026 10:21:02 AM	50.9	44.7	0.0	4.4			122.4	122.7	1.1
CHH2161W	H-2161W	2/4/2026 1:52:21 PM	55.0	39.2	0.0	5.8			107.6	107.6	1.4
CHH2163C	H-2163C	2/2/2026 1:45:31 PM	45.1	50.3	0.0	4.6			87.6	87.7	0.9
CHH2163C	H-2163C	2/23/2026 10:31:18 AM	48.9	47.0	0.0	4.1			92.5	92.6	1.0
CHH2163W	H-2163W	2/4/2026 2:14:58 PM	42.7	53.3	0.0	4.0			122.0	122.6	0.8
CHH2164E	H-2164E	2/2/2026 11:02:10 AM	45.2	49.9	0.0	4.9			121.8	121.9	0.9
CHH2164E	H-2164E	2/19/2026 10:08:46 AM	47.6	42.3	0.0	10.1			120.1	120.1	1.1
CHH2165E	H-2165E	2/4/2026 10:08:45 AM	49.8	48.1	0.0	2.1			106.5	105.4	1.0



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHH2165W	H-2165W	2/4/2026 8:00:00 AM					390				
CHH2165W	H-2165W	2/4/2026 8:00:00 AM						27000			
CHH2165W	H-2165W	2/5/2026 1:46:05 PM	19.0	72.7	0.0	8.3			93.1	91.5	0.3
CHH2165W	H-2165W	2/5/2026 1:48:05 PM	17.3	76.2	0.0	6.5			121.7	121.6	0.2
CHH2165W	H-2165W	2/21/2026 11:24:42 AM	18.4	79.5	0.0	2.1			107.1	108.0	0.2
CHH2166E	H-2166E	2/9/2026 9:49:56 AM	44.5	54.4	0.0	1.1			77.7	77.5	0.8
CHH2166E	H-2166E	2/9/2026 9:50:24 AM	44.5	54.6	0.0	0.9			77.8	77.8	0.8
CHH2166E	H-2166E	2/20/2026 11:31:37 AM	52.5	42.0	0.0	5.5			89.8	90.2	1.3
CHH2166E	H-2166E	2/20/2026 11:33:42 AM	51.8	42.5	0.0	5.7			90.5	90.5	1.2
CHH2168C	H-2168C	2/4/2026 8:53:16 AM	47.9	39.7	2.0	10.4			77.4	77.4	1.2
CHH2168E	H-2168E	2/9/2026 9:07:42 AM	35.9	60.5	0.0	3.6			115.6	116.4	0.6
CHH2168E	H-2168E	2/24/2026 8:28:41 AM	29.8	34.6	0.0	35.6			113.7	115.5	0.9
CHH2169C	H-2169C	2/4/2026 8:58:02 AM	51.5	47.8	0.0	0.7			97.6	99.4	1.1
CHH2169E	H-2169E	2/9/2026 9:20:05 AM	50.4	45.1	0.0	4.5			103.6	104.9	1.1
CHH2170N	H-2170N	2/5/2026 8:44:58 AM	55.2	41.0	0.0	3.8			120.0	120.0	1.3
CHH2170S	H-2170S	2/5/2026 8:28:50 AM	52.3	37.2	0.5	10.0			99.6	99.7	1.4
CHH2171A	H-2171A	2/25/2026 8:36:44 AM	59.0	40.2	0.0	0.8			76.8	78.1	1.5
CHH2171B	H-2171B	2/25/2026 9:15:41 AM	56.0	42.6	0.0	1.4			94.3	97.4	1.3
CHH2171N	H-2171N	2/4/2026 8:22:24 AM	39.6	35.0	0.0	25.4			120.6	121.1	1.1
CHH2171S	H-2171S	2/5/2026 8:42:50 AM	55.2	42.2	0.0	2.6			121.5	121.5	1.3
CHH2272W	H-2272W	2/4/2026 2:09:37 PM	45.7	47.8	0.0	6.5			118.7	123.0	1.0
CHH2272W	H-2272W	2/22/2026 1:03:48 PM	44.2	44.0	0.0	11.9			117.5	117.6	1.0
CHH2273W	H-2273W	2/4/2026 7:55:00 AM					120				
CHH2273W	H-2273W	2/4/2026 7:55:00 AM						8900			
CHH2273W	H-2273W	2/6/2026 9:59:01 AM	23.6	51.8	0.0	24.6			102.4	106.1	0.5
CHH2273W	H-2273W	2/21/2026 9:30:02 AM	22.9	56.5	0.0	20.6			114.4	114.6	0.4
CHH2274B	H-2274B	2/3/2026 11:18:39 AM	50.8	45.2	0.0	4.0			77.4	77.4	1.1
CHH2274B	H-2274B	2/4/2026 2:18:15 PM	51.8	43.1	0.0	5.1			83.3	83.1	1.2
CHH2274B	H-2274B	2/4/2026 2:20:00 PM	51.5	43.5	0.0	5.1			82.9	83.0	1.2



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHH2274B	H-2274B	2/17/2026 9:55:02 AM	51.2	45.3	0.0	3.5			53.3	53.4	1.1
CHH2274W	H-2274W	2/6/2026 10:06:40 AM	29.7	70.3	0.0	0.0			86.6	87.1	0.4
CHH2274W	H-2274W	2/21/2026 9:39:37 AM	12.9	37.0	1.0	49.1			67.0	67.0	0.3
CHH2275E	H-2275E	2/4/2026 9:45:37 AM	43.4	44.0	0.0	12.6			121.3	121.0	1.0
CHH2275E	H-2275E	2/23/2026 1:14:06 PM	41.9	45.8	0.0	12.3			121.0	121.4	0.9
CHH2275W	H-2275W	2/13/2026 10:54:45 AM	6.9	8.7	17.5	66.9			74.9	75.1	0.8
CHH2275W	H-2275W	2/21/2026 8:57:55 AM	19.4	26.4	2.7	51.5			62.6	63.2	0.7
CHH2276A	H-2276A	2/3/2026 1:46:03 PM	44.2	40.4	0.0	15.4			91.8	91.9	1.1
CHH2276A	H-2276A	2/18/2026 10:02:47 AM	46.6	43.0	0.0	10.4			90.1	90.2	1.1
CHH2276B	H-2276B	2/2/2026 1:09:47 PM	54.2	44.2	0.0	1.6			112.0	112.3	1.2
CHH2276B	H-2276B	2/18/2026 8:59:55 AM	54.2	42.8	0.0	3.0			103.3	103.3	1.3
CHH2276E	H-2276E	2/4/2026 9:36:32 AM	49.8	45.5	0.0	4.7			122.2	122.4	1.1
CHH2276W	H-2276W	2/6/2026 9:52:27 AM	18.2	77.6	0.0	4.2			73.6	74.3	0.2
CHH2276W	H-2276W	2/21/2026 9:21:12 AM	16.1	75.7	0.0	8.2			62.6	62.6	0.2
CHH2277A	H-2277A	2/3/2026 8:00:17 AM	46.3	50.6	0.1	3.0			62.3	62.4	0.9
CHH2277A	H-2277A	2/22/2026 12:07:21 PM	51.1	45.4	0.0	3.5			72.3	72.6	1.1
CHH2277B	H-2277B	2/2/2026 1:01:55 PM	53.8	42.4	0.0	3.8			112.8	112.9	1.3
CHH2277B	H-2277B	2/18/2026 8:52:34 AM	52.6	43.1	0.0	4.3			102.7	103.3	1.2
CHIWH023	H-23 (EXP-23)	2/25/2026 8:54:28 AM	63.1	30.4	0.5	6.0			77.0	79.3	2.1
CHH2301E	H-2301E	2/24/2026 9:58:02 AM	53.2	43.6	0.1	3.1			102.3	102.3	1.2
CHH2301W	H-2301W	2/24/2026 1:43:47 PM	15.4	12.6	13.7	58.3			96.0	96.0	1.2
CHH2301W	H-2301W	2/24/2026 1:45:31 PM	13.0	12.2	14.1	60.7			96.9	96.9	1.1
CHH2302C	H-2302C	2/3/2026 10:28:42 AM	57.7	39.4	0.0	3.0			111.9	112.0	1.5
CHH2302C	H-2302C	2/3/2026 10:34:29 AM	56.9	40.1	0.0	2.9			112.0	112.1	1.4
CHH2302C	H-2302C	2/3/2026 10:38:00 AM	54.9	41.1	0.0	4.0			112.0	112.0	1.3
CHH2302E	H-2302E	2/24/2026 10:07:01 AM	54.0	42.8	0.0	3.2			97.6	97.6	1.3
CHH2303E	H-2303E	2/24/2026 10:09:34 AM	53.1	42.6	0.0	4.3			82.2	82.2	1.2
CHH2303N	H-2303N	2/5/2026 10:17:19 AM	56.1	41.9	0.0	2.0			97.7	99.7	1.3
CHH2303N	H-2303N	2/5/2026 10:19:56 AM	55.2	42.9	0.0	1.9			100.3	100.3	1.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHH2304S	H-2304S	2/24/2026 10:25:33 AM	52.0	44.4	0.0	3.6			121.0	121.0	1.2
CHH2305N	H-2305N	2/5/2026 10:05:44 AM	45.2	40.0	0.0	14.8			88.2	85.9	1.1
CHH2305S	H-2305S	2/24/2026 10:19:59 AM	52.5	43.9	0.0	3.6			121.0	126.5	1.2
CHH2305S	H-2305S	2/24/2026 10:22:09 AM	52.7	43.8	0.0	3.5			126.7	126.7	1.2
CHH2306N	H-2306N	2/23/2026 2:27:18 PM	55.7	43.1	0.0	1.2			114.3	114.9	1.3
CHH2306N	H-2306N	2/23/2026 2:29:18 PM	53.9	45.0	0.0	1.1			115.1	115.1	1.2
CHH2306S	H-2306S	2/23/2026 3:58:56 PM	18.1	15.9	13.5	52.5			84.1	84.2	1.1
CHH2306S	H-2306S	2/23/2026 4:01:56 PM	17.4	13.1	14.1	55.4			83.0	83.0	1.3
CHH2307S	H-2307S	2/3/2026 11:34:16 AM	52.3	40.8	0.0	6.9			100.4	100.4	1.3
CHH2307S	H-2307S	2/3/2026 11:36:31 AM	52.3	40.9	0.0	6.9			100.7	100.7	1.3
CHH2308S	H-2308S	2/3/2026 11:20:54 AM	54.9	41.1	0.0	4.0			111.8	111.1	1.3
CHH2308S	H-2308S	2/3/2026 11:23:27 AM	53.8	41.4	0.0	4.8			111.6	111.8	1.3
CHH2308S	H-2308S	2/3/2026 11:25:07 AM	53.1	41.9	0.0	5.0			112.0	112.1	1.3
CHH2309N	H-2309N	2/4/2026 12:22:58 PM	45.4	43.2	1.6	9.8			89.1	89.1	1.1
CHH2309S	H-2309S	2/3/2026 10:44:04 AM	53.4	42.2	0.0	4.4			116.1	116.1	1.3
CHH2309S	H-2309S	2/3/2026 10:45:55 AM	52.9	42.3	0.0	4.8			116.0	116.2	1.2
CHH2309S	H-2309S	2/3/2026 10:47:43 AM	52.3	43.2	0.0	4.6			116.1	116.1	1.2
CHH2401S	H-2401S	2/17/2026 11:12:23 AM	55.4	42.2	0.0	2.4			105.7	106.2	1.3
CHH2401S	H-2401S	2/17/2026 11:14:39 AM	55.2	42.5	0.0	2.3			106.4	106.5	1.3
CHH2401S	H-2401S	2/24/2026 1:29:33 PM	58.4	40.4	0.0	1.2			108.8	108.9	1.4
CHH2402N	H-2402N	2/3/2026 2:31:05 PM	51.4	43.8	0.0	4.8			111.2	108.4	1.2
CHH2402N	H-2402N	2/3/2026 2:55:39 PM	50.0	45.2	0.0	4.8			112.7	112.8	1.1
CHH2402S	H-2402S	2/17/2026 11:30:13 AM	53.6	42.2	0.0	4.2			105.0	105.7	1.3
CHH2403N	H-2403N	2/3/2026 2:22:28 PM	51.6	43.9	0.0	4.6			113.1	113.3	1.2
CHH2403N	H-2403N	2/3/2026 2:24:18 PM	51.1	43.7	0.0	5.2			113.5	113.3	1.2
CHH2403S	H-2403S	2/3/2026 3:19:30 PM	15.7	10.2	14.3	59.9			84.6	86.9	1.5
CHH2403S	H-2403S	2/3/2026 3:21:05 PM	15.7	10.1	14.4	59.8			89.0	89.5	1.5
CHH2404N	H-2404N	2/3/2026 2:06:12 PM	53.2	42.1	0.0	4.8			108.9	109.1	1.3
CHH2404N	H-2404N	2/3/2026 2:11:02 PM	52.5	42.8	0.0	4.8			109.3	109.5	1.2



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHH2404S	H-2404S	2/3/2026 1:26:00 PM	55.7	40.4	0.0	3.9			110.9	110.9	1.4
CHH2405N	H-2405N	2/5/2026 11:25:04 AM	43.3	50.5	0.0	6.2			109.1	110.4	0.9
CHH2405N	H-2405N	2/5/2026 11:28:27 AM	39.4	53.9	0.0	6.7			110.2	110.2	0.7
CHIWH029	H-29	2/5/2026 8:37:56 AM	33.2	41.5	0.3	25.0			126.8	126.2	0.8
CHIWH072	H-72	2/13/2026 3:30:27 PM	31.0	67.2	0.0	1.8			76.5	76.6	0.5
CHIWH074	H-74	2/4/2026 8:11:30 AM	55.0	42.7	0.0	2.3			105.9	106.3	1.3
CHIWH075	H-75	2/9/2026 10:23:17 AM	48.7	50.4	0.0	0.9			88.2	88.8	1.0
CHIWH079	H-79	2/5/2026 9:41:55 AM	43.7	51.8	0.0	4.5			128.4	128.6	0.8
CHIWP02R	P-02R	2/9/2026 12:41:09 PM	37.5	33.3	0.2	29.0			85.9	85.9	1.1
CHIWP03R	P-03R	2/21/2026 11:43:47 AM	46.5	37.2	0.0	16.3			71.2	71.9	1.3
CHIWP004	P-04	2/21/2026 11:41:02 AM	28.1	35.9	0.0	36.0			70.7	72.1	0.8
CHIWP005	P-05	2/9/2026 12:30:19 PM	49.4	39.4	0.0	11.2			100.7	104.2	1.3
CHIWP005	P-05	2/9/2026 12:32:16 PM	43.8	37.4	0.0	18.8			105.4	105.4	1.2
CHIWP06R	P-06R	2/9/2026 12:21:26 PM	50.8	36.9	0.1	12.2			107.1	108.5	1.4
CHIWP07R	P-07R	2/21/2026 11:10:55 AM	32.1	25.8	0.0	42.1			78.2	78.2	1.2
CHIWP08R	P-08R	2/9/2026 12:48:48 PM	55.0	37.0	0.0	8.0			97.9	97.9	1.5
CHIWP009	P-09	2/21/2026 11:47:36 AM	53.8	37.5	0.0	8.7			89.9	89.9	1.4
CHIWP010	P-10	2/21/2026 11:37:28 AM	36.2	30.0	0.0	33.8			85.6	85.9	1.2
CHIWP011	P-11	2/21/2026 11:33:05 AM	46.5	37.1	0.0	16.4			93.2	93.1	1.3
CHIWP012	P-12	2/10/2026 7:21:33 AM	58.3	41.7	0.0	0.0			61.8	62.0	1.4
CHIWP013	P-13	2/10/2026 7:27:11 AM	59.2	37.7	0.0	3.1			70.5	71.5	1.6
CHIWP014	P-14	2/10/2026 7:42:16 AM	33.3	28.0	0.3	38.4			53.7	55.1	1.2
CHIWP15R	P-15R	2/10/2026 8:55:27 AM	52.8	35.5	0.0	11.7			63.8	64.3	1.5
CHIWP016	P-16	2/10/2026 8:36:28 AM	53.5	36.0	0.0	10.5			85.1	85.6	1.5
CHIWP017	P-17	2/10/2026 8:46:04 AM	50.1	36.3	0.0	13.6			100.1	101.9	1.4
CHIP18RD	P-18RD	2/10/2026 8:18:45 AM	57.3	39.0	0.0	3.7			68.5	69.0	1.5
CHIP18RS	P-18RS	2/10/2026 8:02:03 AM	50.7	35.6	0.0	13.7			73.2	74.1	1.4
CHIWP019	P-19	2/10/2026 8:28:52 AM	36.1	31.0	0.0	32.9			79.8	80.1	1.2
CHIWP20R	P-20R	2/10/2026 8:25:01 AM	53.8	35.7	0.0	10.5			88.6	90.7	1.5



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHIWP021	P-21	2/10/2026 7:55:23 AM	48.2	34.1	0.0	17.7			86.1	86.1	1.4
CHIP21RD	P-21RD	2/5/2026 8:51:32 AM	45.3	36.8	0.0	17.9			94.2	95.2	1.2
CHIP21RD	P-21RD	2/9/2026 7:58:20 AM	45.0	36.2	0.0	18.8			95.6	96.1	1.2
CHIP21RS	P-21RS	2/5/2026 8:56:28 AM	57.3	42.7	0.0	0.0			96.2	98.3	1.3
CHIP21RS	P-21RS	2/9/2026 7:53:57 AM	58.0	41.5	0.0	0.5			101.0	103.3	1.4
CHIP22RD	P-22RD	2/5/2026 7:31:12 AM	53.2	41.6	0.0	5.2			112.5	112.3	1.3
CHIP22RS	P-22RS	2/5/2026 7:25:44 AM	28.5	27.4	0.0	44.1			118.3	118.6	1.0
CHIWP023	P-23	2/5/2026 9:01:17 AM	19.3	27.4	0.0	53.3			62.5	63.0	0.7
CHIWP024	P-24	2/5/2026 8:40:56 AM	34.1	32.7	0.0	33.2			81.7	82.3	1.0
CHIWP026	P-26	2/5/2026 8:28:19 AM	47.8	37.5	0.0	14.7			74.5	75.9	1.3
CHIWP027	P-27	2/5/2026 9:26:52 AM	17.9	25.3	0.0	56.8			63.7	63.7	0.7
CHIWP028	P-28	2/5/2026 9:40:13 AM	39.4	31.4	0.0	29.2			74.7	92.9	1.3
CHIWP29R	P-29R	2/5/2026 9:48:14 AM	35.4	32.0	0.0	32.6			70.8	71.2	1.1
CHIWP29R	P-29R	2/23/2026 7:28:16 AM	35.0	30.1	0.0	34.9			61.3	62.0	1.2
CHIWP30R	P-30R	2/5/2026 8:20:49 AM	35.3	33.1	0.0	31.6			70.9	72.5	1.1
CHIWP30R	P-30R	2/23/2026 7:34:05 AM	29.6	29.9	0.0	40.5			70.9	71.1	1.0
CHIP32R1	P-32R1	2/5/2026 8:14:14 AM	41.8	33.2	0.0	25.0			79.1	83.7	1.3
CHIP32R1	P-32R1	2/23/2026 7:44:23 AM	45.7	36.3	0.0	18.0			84.7	85.6	1.3
CHIP32R2	P-32R2	2/5/2026 9:58:11 AM	48.8	38.0	0.0	13.2			97.5	99.6	1.3
CHIP32R2	P-32R2	2/23/2026 7:49:04 AM	38.1	34.5	0.3	27.1			104.8	106.4	1.1
CHIWP033	P-33	2/5/2026 10:05:40 AM	43.4	37.3	0.0	19.3			81.5	82.6	1.2
CHIWP036	P-36	2/5/2026 10:20:39 AM	26.9	30.9	0.0	42.2			78.8	79.1	0.9
CHIWP037	P-37	2/9/2026 8:07:10 AM	16.2	25.5	0.0	58.3			70.2	70.3	0.6
CHIP38RD	P-38RD	2/9/2026 8:13:26 AM	45.1	36.2	0.0	18.7			105.0	105.2	1.2
CHIP38RS	P-38RS	2/9/2026 8:18:01 AM	40.3	34.8	0.0	24.9			99.6	100.5	1.2
CHIWP039	P-39	2/9/2026 8:28:49 AM	55.7	41.4	0.0	2.9			61.7	61.8	1.3
CHIWP041	P-41	2/9/2026 8:33:07 AM	43.7	35.9	0.6	19.8			110.4	110.3	1.2
CHIWP42R	P-42R	2/9/2026 8:40:56 AM	53.0	41.1	0.0	5.9			103.1	102.9	1.3
CHIWP42R	P-42R	2/23/2026 8:02:53 AM	56.0	42.0	0.0	2.0			95.8	96.1	1.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHIWP043	P-43	2/5/2026 8:01:19 AM	25.2	28.1	0.5	46.2			114.6	114.8	0.9
CHIWP043	P-43	2/23/2026 8:07:48 AM	25.2	27.3	0.5	47.0			112.1	112.1	0.9
CHIP44RD	P-44RD	2/5/2026 7:52:05 AM	47.1	34.9	0.0	18.0			73.4	74.6	1.3
CHIP44RD	P-44RD	2/23/2026 8:13:15 AM	51.8	35.3	0.0	12.9			65.0	65.0	1.5
CHIP44RS	P-44RS	2/5/2026 7:56:46 AM	26.0	29.8	0.0	44.2			120.0	120.4	0.9
CHIP44RS	P-44RS	2/23/2026 8:16:51 AM	25.1	28.7	0.0	46.2			118.2	118.4	0.9
CHIP45RD	P-45RD	2/5/2026 7:44:07 AM	43.9	37.6	0.0	18.5			103.1	105.4	1.2
CHIP45RD	P-45RD	2/23/2026 8:29:29 AM	47.7	36.4	0.0	15.9			101.3	102.0	1.3
CHIP45RS	P-45RS	2/5/2026 7:40:05 AM	2.4	20.4	0.0	77.2			91.9	92.3	0.1
CHIP45RS	P-45RS	2/23/2026 8:26:35 AM	2.8	17.9	0.0	79.3			83.3	83.4	0.2
CHIP46RD	P-46RD	2/9/2026 8:50:52 AM	48.7	36.1	0.1	15.1			94.5	94.6	1.3
CHIP46RS	P-46RS	2/9/2026 8:47:57 AM	18.2	23.7	0.0	58.1			119.2	119.4	0.8
CHIWP047	P-47	2/9/2026 9:07:16 AM	13.6	23.7	0.9	61.8			132.6	132.6	0.6
CHIWP047	P-47	2/9/2026 9:12:05 AM	13.0	23.0	1.0	63.0			132.6	130.7	0.6
CHIWP048	P-48	2/9/2026 8:58:49 AM	18.0	25.7	0.0	56.3			109.2	109.3	0.7
CHIP49RD	P-49RD	2/9/2026 9:39:05 AM	53.2	39.0	0.0	7.8			113.4	113.5	1.4
CHIP49RS	P-49RS	2/9/2026 9:36:00 AM	29.4	28.1	0.0	42.5			113.9	114.0	1.0
CHIWP052	P-52	2/9/2026 10:32:38 AM	31.8	32.1	0.0	36.1			114.6	114.6	1.0
CHIWP053	P-53	2/9/2026 10:12:34 AM	25.5	27.9	0.0	46.6			114.8	114.8	0.9
CHIWP054	P-54	2/9/2026 10:15:52 AM	40.8	33.6	0.0	25.6			96.8	96.9	1.2
CHIWP055	P-55	2/9/2026 10:06:54 AM	34.3	31.5	0.0	34.2			95.5	95.5	1.1
CHIWP056	P-56	2/9/2026 10:03:25 AM	21.5	23.5	0.0	55.0			103.3	103.3	0.9
CHIWP057	P-57	2/9/2026 10:00:04 AM	39.0	29.9	0.9	30.2			72.5	72.5	1.3
CHIWP60R	P-60R	2/21/2026 11:23:27 AM	52.9	33.9	0.5	12.7			62.9	63.3	1.6
CHIWP061	P-61	2/21/2026 11:19:35 AM	46.9	34.6	0.0	18.5			79.3	79.3	1.4
CHIWP065	P-65	2/5/2026 10:26:16 AM	37.5	31.2	0.0	31.3			78.7	78.8	1.2
CHIWP071	P-71	2/9/2026 9:29:19 AM	27.9	26.3	1.2	44.6			65.5	65.6	1.1
CHIWP075	P-75	2/21/2026 11:16:24 AM	53.2	35.2	0.0	11.6			90.5	90.5	1.5
CHIWP076	P-76	2/9/2026 8:22:17 AM	28.4	30.0	0.2	41.4			91.4	91.8	0.9



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CSC2000E	SC-2000E	2/4/2026 9:37:26 AM	53.2	40.7	0.0	6.1			116.6	116.7	1.3
CSC2501E	SC-2501E	2/2/2026 9:00:00 AM					1120				
CSC2501E	SC-2501E	2/2/2026 9:08:11 AM	13.7	51.7	7.2	27.4			174.9	170.1	0.3
CSC2501E	SC-2501E	2/2/2026 9:11:19 AM	14.3	50.8	7.8	27.1			167.9	164.4	0.3
CSC2501E	SC-2501E	2/9/2026 9:59:58 AM	4.1	72.8	2.1	21.0			101.4	100.2	0.1
CSC2501E	SC-2501E	2/17/2026 8:06:16 AM	3.1	67.6	4.1	25.2			157.3	159.8	0.0
CSC2501E	SC-2501E	2/17/2026 8:10:00 AM					1180				
CSC2501E	SC-2501E	2/23/2026 8:52:18 AM	3.2	76.4	1.9	18.5			182.7	182.4	0.0
CSC2501E	SC-2501E	2/23/2026 9:10:00 AM					2340				
CSC2501W	SC-2501W	2/2/2026 9:29:56 AM	12.1	67.6	2.0	18.3			177.7	176.5	0.2
CSC2501W	SC-2501W	2/2/2026 9:30:00 AM					1730				
CSC2501W	SC-2501W	2/2/2026 9:30:00 AM						149700			
CSC2501W	SC-2501W	2/2/2026 9:30:53 AM	12.3	69.5	1.8	16.4			175.5	175.3	0.2
CSC2501W	SC-2501W	2/9/2026 10:19:51 AM	2.5	80.3	0.0	17.2			181.8	181.6	0.0
CSC2501W	SC-2501W	2/9/2026 10:20:00 AM					1140				
CSC2501W	SC-2501W	2/17/2026 8:36:47 AM	2.0	63.8	4.8	29.4			179.9	179.9	0.0
CSC2501W	SC-2501W	2/17/2026 8:40:00 AM					1330				
CSC2501W	SC-2501W	2/23/2026 9:11:35 AM	4.1	79.4	1.1	15.4			179.3	181.1	0.1
CSC2501W	SC-2501W	2/23/2026 9:35:00 AM					1490				
CHISW010	SW-10	2/23/2026 1:36:27 PM	22.3	31.1	0.9	45.7			80.4	80.3	0.7
CHISW115	SW-115	2/25/2026 10:12:04 AM	49.7	38.4	0.0	11.9			82.1	82.1	1.3
CHSW1445	SW-1445	2/10/2026 10:02:08 AM	6.3	12.4	8.3	73.0			64.3	64.3	0.5
CHSW1445	SW-1445	2/12/2026 12:00:10 PM	7.7	12.8	8.5	71.0			74.6	74.7	0.6
CHSW1445	SW-1445	2/13/2026 12:50:05 PM	8.5	11.8	8.3	71.4			75.7	75.7	0.7
CHSW1445	SW-1445	2/20/2026 12:31:22 PM	10.3	15.5	7.1	67.1			61.6	62.2	0.7
CHSW1445	SW-1445	2/20/2026 12:33:32 PM	10.1	13.9	7.2	68.8			62.6	62.7	0.7
CHSW1445	SW-1445	2/20/2026 12:57:49 PM	9.9	13.6	7.2	69.3			60.4	60.8	0.7
CHSW1445	SW-1445	2/23/2026 10:03:50 AM	6.2	10.5	8.8	74.5			77.2	77.3	0.6
CHSW1445	SW-1445	2/24/2026 8:32:59 AM	10.6	12.3	7.4	69.7			68.5	68.5	0.9



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHSW1445	SW-1445	2/25/2026 10:05:51 AM	10.5	14.5	5.1	70.0			85.4	86.2	0.7
CHSW1445	SW-1445	2/26/2026 12:23:24 PM	12.7	15.3	5.2	66.8			81.3	81.4	0.8
CHSW1445	SW-1445	2/26/2026 12:25:02 PM	12.3	15.5	5.2	67.0			81.5	81.9	0.8
CHSW1445	SW-1445	2/27/2026 9:51:02 AM	8.9	11.8	9.6	69.7			84.2	84.1	0.8
CHSW1455	SW-1455	2/10/2026 9:56:51 AM	21.1	20.8	5.4	52.7			66.3	66.3	1.0
CHSW1455	SW-1455	2/12/2026 11:55:45 AM	20.7	20.0	5.8	53.5			76.6	77.0	1.0
CHSW1455	SW-1455	2/13/2026 12:44:51 PM	22.0	20.1	5.6	52.3			79.5	79.4	1.1
CHSW1455	SW-1455	2/20/2026 12:23:53 PM	22.5	25.6	4.1	47.8			69.6	70.4	0.9
CHSW1455	SW-1455	2/20/2026 1:02:43 PM	25.2	24.4	3.8	46.6			68.3	68.6	1.0
CHSW1455	SW-1455	2/23/2026 9:57:35 AM	17.6	17.3	5.3	59.9			77.6	78.3	1.0
CHSW1455	SW-1455	2/24/2026 8:24:15 AM	23.9	26.6	4.2	45.3			72.0	72.0	0.9
CHSW1455	SW-1455	2/25/2026 10:00:04 AM	24.8	26.2	2.9	46.1			80.8	81.3	0.9
CHSW1455	SW-1455	2/26/2026 12:13:39 PM	28.1	22.8	2.6	46.5			86.2	86.3	1.2
CHSW1455	SW-1455	2/27/2026 9:57:33 AM	20.2	19.2	6.5	54.1			87.7	87.8	1.1
CHISW154	SW-154	2/25/2026 1:25:06 PM	0.2	1.6	21.1	77.1			92.4	92.8	0.1
CSW17135	SW-17-135	2/10/2026 9:59:55 AM	29.6	28.5	0.0	41.9			63.7	63.2	1.0
CSW17135	SW-17-135	2/12/2026 11:57:49 AM	34.3	30.6	0.0	35.1			78.1	78.8	1.1
CSW17135	SW-17-135	2/13/2026 12:47:59 PM	31.8	27.6	0.1	40.5			79.5	80.2	1.2
CSW17135	SW-17-135	2/20/2026 12:28:10 PM	35.0	30.6	0.0	34.4			68.2	69.5	1.1
CSW17135	SW-17-135	2/20/2026 12:28:51 PM	35.1	30.7	0.0	34.2			69.6	69.7	1.1
CSW17135	SW-17-135	2/20/2026 1:00:17 PM	35.6	29.5	0.1	34.8			68.7	69.0	1.2
CSW17135	SW-17-135	2/23/2026 10:01:17 AM	20.6	18.5	5.1	55.9			72.5	72.5	1.1
CSW17135	SW-17-135	2/24/2026 8:28:28 AM	35.8	31.5	0.0	32.7			69.7	69.8	1.1
CSW17135	SW-17-135	2/25/2026 10:02:21 AM	35.4	32.5	0.0	32.1			77.5	77.6	1.1
CSW17135	SW-17-135	2/26/2026 12:18:11 PM	35.9	27.7	0.0	36.4			85.7	85.2	1.3
CSW17135	SW-17-135	2/26/2026 12:19:24 PM	35.2	28.3	0.0	36.5			85.7	85.7	1.2
CSW17135	SW-17-135	2/27/2026 9:54:07 AM	31.8	26.7	0.6	40.9			84.3	84.3	1.2
CHISW187	SW-187	2/10/2026 2:26:29 PM	13.9	29.0	10.6	46.5			68.6	67.4	0.5
CHSW1930	SW-1930	2/10/2026 2:12:40 PM	26.4	39.8	4.6	29.2			79.4	81.2	0.7



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHISW020	SW-20	2/21/2026 11:05:59 AM	0.4	6.2	14.9	78.5			77.0	76.5	0.1
CHISW025	SW-25	2/10/2026 9:42:59 AM	17.4	29.0	1.9	51.7			62.0	61.5	0.6
CHISW025	SW-25	2/10/2026 9:44:47 AM	2.5	9.1	18.4	70.0			61.5	61.4	0.3
CHISW025	SW-25	2/10/2026 2:06:26 PM	6.5	11.2	14.0	68.3			67.7	66.0	0.6
CHISW025	SW-25	2/11/2026 9:48:52 AM	17.3	34.5	1.8	46.4			61.5	61.4	0.5
CHISW025	SW-25	2/11/2026 9:49:44 AM	16.8	34.3	1.7	47.2			61.3	61.3	0.5
CHISW025	SW-25	2/12/2026 9:55:39 AM	14.8	29.3	2.4	53.5			64.1	63.8	0.5
CHISW025	SW-25	2/12/2026 9:56:29 AM	14.8	30.9	2.4	51.9			63.6	63.3	0.5
CHISW025	SW-25	2/13/2026 8:42:00 AM	15.5	32.5	2.3	49.7			60.1	59.6	0.5
CHISW025	SW-25	2/13/2026 8:43:54 AM	14.9	32.5	2.4	50.2			59.9	60.2	0.5
CHISW025	SW-25	2/17/2026 9:11:35 AM	15.9	32.3	2.3	49.5			53.3	53.3	0.5
CHISW025	SW-25	2/17/2026 9:16:10 AM	14.6	33.1	3.0	49.2			53.1	53.2	0.4
CHISW025	SW-25	2/18/2026 8:58:28 AM	15.0	32.5	2.2	50.3			52.6	52.7	0.5
CHISW025	SW-25	2/18/2026 8:59:31 AM	14.7	33.4	2.1	49.9			52.9	52.9	0.4
CHISW025	SW-25	2/19/2026 7:49:56 AM	15.8	32.3	2.6	49.3			44.9	44.7	0.5
CHISW025	SW-25	2/19/2026 7:50:38 AM	15.3	31.3	2.5	50.9			44.5	44.4	0.5
CHISW025	SW-25	2/20/2026 9:09:44 AM	0.8	1.3	19.9	78.0			45.4	45.9	0.6
CHISW025	SW-25	2/23/2026 8:18:18 AM	0.0	0.1	21.1	78.8			59.6	59.7	0.0
CHISW025	SW-25	2/24/2026 12:25:37 PM	0.1	0.6	19.5	79.8			94.5	94.8	0.2
CHISW025	SW-25	2/25/2026 9:23:58 AM	0.0	0.9	19.6	79.5			75.7	75.6	0.0
CHISW025	SW-25	2/26/2026 10:34:40 AM	0.2	0.3	19.7	79.7			84.5	84.7	0.7
CHISW025	SW-25	2/27/2026 8:49:32 AM	0.1	1.0	19.8	79.1			80.8	80.8	0.1
SW2501D_	SW-2501D	2/10/2026 1:01:14 PM	17.5	82.5	0.0	0.0			70.8	73.6	0.2
SW2501D_	SW-2501D	2/10/2026 1:02:55 PM	17.4	82.6	0.0	0.0			73.7	74.0	0.2
SW2501D_	SW-2501D	2/11/2026 10:56:51 AM	20.6	72.1	0.0	7.4			72.4	73.3	0.3
SW2501D_	SW-2501D	2/11/2026 10:58:09 AM	20.3	72.7	0.0	7.0			73.6	73.5	0.3
SW2501D_	SW-2501D	2/11/2026 10:59:15 AM	20.1	72.4	0.0	7.5			73.7		0.3
SW2501D_	SW-2501D	2/11/2026 10:59:53 AM	20.3	72.4	0.0	7.3			73.8	73.8	0.3
SW2501D_	SW-2501D	2/11/2026 2:56:42 PM	20.6	70.8	0.0	8.7			72.9	73.0	0.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2501D_	SW-2501D	2/12/2026 12:27:44 PM	19.4	80.6	0.0	0.0			75.9	76.1	0.2
SW2501D_	SW-2501D	2/12/2026 12:30:01 PM	19.2	80.8	0.0	0.0			76.2	76.3	0.2
SW2501D_	SW-2501D	2/13/2026 10:10:18 AM	18.8	81.2	0.0	0.0			71.9	72.7	0.2
SW2501D_	SW-2501D	2/13/2026 10:11:48 AM	18.6	81.4	0.0	0.0			72.7	72.8	0.2
SW2501D_	SW-2501D	2/17/2026 9:55:47 AM	21.3	69.9	0.0	8.8			69.6	69.6	0.3
SW2501D_	SW-2501D	2/18/2026 9:54:15 AM	22.0	70.0	0.0	8.1			70.8	70.8	0.3
SW2501D_	SW-2501D	2/18/2026 9:56:46 AM	21.0	70.6	0.0	8.4			69.1	69.3	0.3
SW2501D_	SW-2501D	2/19/2026 9:36:51 AM	22.1	68.6	0.0	9.3			69.1	69.1	0.3
SW2501D_	SW-2501D	2/20/2026 9:48:02 AM	21.2	78.5	0.0	0.3			69.4	69.4	0.3
SW2501D_	SW-2501D	2/23/2026 8:55:36 AM	22.1	70.1	0.0	7.8			70.7	70.7	0.3
SW2501D_	SW-2501D	2/24/2026 8:54:55 AM	21.7	70.8	0.0	7.4			71.1	71.2	0.3
SW2501D_	SW-2501D	2/25/2026 8:51:42 AM	21.6	71.4	0.0	7.0			71.3	71.3	0.3
SW2501D_	SW-2501D	2/26/2026 1:17:11 PM	21.1	74.6	0.0	4.3			76.9	76.8	0.3
SW2501D_	SW-2501D	2/27/2026 9:36:46 AM	22.1	77.9	0.0	0.0			77.6	77.6	0.3
SW2501M_	SW-2501M	2/10/2026 1:17:48 PM	32.8	67.2	0.0	0.0			68.0	68.5	0.5
SW2501M_	SW-2501M	2/10/2026 1:19:25 PM	31.8	68.2	0.0	0.0			68.1	68.0	0.5
SW2501M_	SW-2501M	2/11/2026 10:43:07 AM	2.1	1.1	20.4	76.4			68.4	68.8	2.0
SW2501M_	SW-2501M	2/11/2026 10:44:17 AM	1.3	0.7	20.7	77.3			69.1	69.1	1.9
SW2501M_	SW-2501M	2/11/2026 3:02:49 PM	0.3	0.3	21.6	77.9			67.8	67.9	0.8
SW2501M_	SW-2501M	2/12/2026 12:18:55 PM	0.2	0.7	21.0	78.1			72.6	68.9	0.3
SW2501M_	SW-2501M	2/12/2026 12:19:44 PM	0.2	0.8	20.9	78.1			68.4	68.2	0.3
SW2501M_	SW-2501M	2/13/2026 10:01:06 AM	0.1	1.2	21.4	77.3			66.8	65.6	0.1
SW2501M_	SW-2501M	2/13/2026 10:02:28 AM	0.1	1.1	21.4	77.4			64.2	63.0	0.1
SW2501M_	SW-2501M	2/17/2026 9:49:21 AM	28.3	48.3	3.9	19.5			54.7	55.1	0.6
SW2501M_	SW-2501M	2/18/2026 9:42:53 AM	31.0	52.2	2.6	14.2			64.0	63.7	0.6
SW2501M_	SW-2501M	2/19/2026 9:31:44 AM	29.1	57.9	1.7	11.4			53.4	53.4	0.5
SW2501M_	SW-2501M	2/20/2026 9:33:51 AM	28.2	65.6	1.0	5.2			50.4	50.8	0.4
SW2501M_	SW-2501M	2/23/2026 8:47:56 AM	24.6	46.1	5.9	23.5			59.3	59.2	0.5
SW2501M_	SW-2501M	2/24/2026 8:46:08 AM	19.8	38.7	9.0	32.4			60.8	60.7	0.5



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2501M_	SW-2501M	2/25/2026 8:43:37 AM	11.0	23.3	14.2	51.5			62.7	62.6	0.5
SW2501M_	SW-2501M	2/26/2026 1:31:29 PM	15.3	29.9	11.4	43.4			89.7	89.9	0.5
SW2501M_	SW-2501M	2/27/2026 9:44:55 AM	5.2	10.1	16.2	68.5			79.1	79.1	0.5
SW2501MD	SW-2501MD	2/10/2026 1:11:52 PM	22.0	77.9	0.1	0.0			71.2	73.2	0.3
SW2501MD	SW-2501MD	2/10/2026 1:13:45 PM	22.0	78.0	0.0	0.0			74.5	74.6	0.3
SW2501MD	SW-2501MD	2/11/2026 10:49:50 AM	23.5	59.8	2.7	14.0			73.7	74.7	0.4
SW2501MD	SW-2501MD	2/11/2026 10:50:55 AM	23.4	61.6	2.1	12.9			74.9	74.9	0.4
SW2501MD	SW-2501MD	2/11/2026 2:47:02 PM	23.9	58.8	2.8	14.5			74.4	74.5	0.4
SW2501MD	SW-2501MD	2/12/2026 12:23:08 PM	23.3	65.0	2.9	8.8			76.1	76.4	0.4
SW2501MD	SW-2501MD	2/12/2026 12:24:40 PM	22.6	65.2	2.9	9.3			76.5	76.7	0.3
SW2501MD	SW-2501MD	2/13/2026 10:04:47 AM	22.2	61.8	3.5	12.5			73.8	74.1	0.4
SW2501MD	SW-2501MD	2/13/2026 10:05:58 AM	20.7	62.4	3.9	13.0			74.2	74.2	0.3
SW2501MD	SW-2501MD	2/17/2026 9:53:32 AM	20.3	46.7	6.8	26.2			73.5	73.5	0.4
SW2501MD	SW-2501MD	2/18/2026 9:48:00 AM	25.2	55.5	3.0	16.3			72.6	72.9	0.5
SW2501MD	SW-2501MD	2/18/2026 9:50:32 AM	24.5	55.5	3.9	16.1			66.8	69.2	0.4
SW2501MD	SW-2501MD	2/19/2026 9:33:43 AM	23.1	54.3	3.8	18.9			70.9	70.9	0.4
SW2501MD	SW-2501MD	2/20/2026 9:36:50 AM	20.0	59.6	4.9	15.5			71.3	71.6	0.3
SW2501MD	SW-2501MD	2/23/2026 8:51:51 AM	22.8	53.1	4.3	19.8			72.5	72.5	0.4
SW2501MD	SW-2501MD	2/24/2026 8:49:57 AM	24.8	55.2	3.4	16.7			72.9	72.9	0.4
SW2501MD	SW-2501MD	2/25/2026 8:47:34 AM	24.6	57.0	3.1	15.3			72.4	72.4	0.4
SW2501MD	SW-2501MD	2/26/2026 1:09:39 PM	24.6	57.7	2.9	14.8			80.2	78.8	0.4
SW2501MD	SW-2501MD	2/26/2026 1:11:21 PM	24.4	58.4	2.9	14.3			77.8	77.7	0.4
SW2501MD	SW-2501MD	2/27/2026 9:42:13 AM	24.5	57.4	3.4	14.7			78.7	78.7	0.4
SW2501S_	SW-2501S	2/10/2026 1:06:32 PM	30.1	65.5	0.5	3.9			68.9	68.6	0.5
SW2501S_	SW-2501S	2/10/2026 1:08:08 PM	4.1	16.8	18.0	61.1			68.8	68.9	0.2
SW2501S_	SW-2501S	2/11/2026 11:05:04 AM	0.0	1.4	21.1	77.5			64.4	64.0	0.0
SW2501S_	SW-2501S	2/11/2026 11:06:25 AM	0.0	0.4	21.3	78.3			63.6	63.6	0.1
SW2501S_	SW-2501S	2/11/2026 3:00:35 PM	0.0	0.7	21.4	77.9			62.3	62.2	0.0
SW2501S_	SW-2501S	2/12/2026 12:33:59 PM	0.3	4.5	20.6	74.6			63.2	63.1	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2501S_	SW-2501S	2/12/2026 12:35:26 PM	0.3	2.0	21.0	76.7			63.1	63.1	0.2
SW2501S_	SW-2501S	2/13/2026 10:14:27 AM	0.2	2.0	21.3	76.5			59.8	59.7	0.1
SW2501S_	SW-2501S	2/13/2026 10:15:03 AM	0.2	1.9	21.0	76.9			59.6	59.5	0.1
SW2501S_	SW-2501S	2/17/2026 10:00:09 AM	0.1	3.2	20.9	75.9			56.3	56.3	0.0
SW2501S_	SW-2501S	2/17/2026 10:02:25 AM	0.1	3.0	20.9	76.0			56.3	56.2	0.0
SW2501S_	SW-2501S	2/18/2026 10:02:41 AM	0.0	1.9	20.3	77.8			53.0	53.8	0.0
SW2501S_	SW-2501S	2/18/2026 10:03:38 AM	0.1	1.3	20.3	78.4			54.1	54.0	0.0
SW2501S_	SW-2501S	2/19/2026 9:44:57 AM	0.1	5.0	20.9	74.0			52.9	52.8	0.0
SW2501S_	SW-2501S	2/19/2026 9:45:30 AM	0.1	4.6	20.9	74.4			52.7	52.8	0.0
SW2501S_	SW-2501S	2/20/2026 9:42:30 AM	0.1	3.7	21.0	75.2			51.2	51.2	0.0
SW2501S_	SW-2501S	2/20/2026 9:44:24 AM	0.1	2.7	21.3	75.9			51.2	51.2	0.0
SW2501S_	SW-2501S	2/23/2026 9:01:06 AM	0.0	0.5	20.5	79.0			55.3	55.4	0.0
SW2501S_	SW-2501S	2/23/2026 9:04:31 AM	0.0	0.2	20.6	79.2			55.4	55.5	0.0
SW2501S_	SW-2501S	2/23/2026 9:07:34 AM	0.0	0.3	20.5	79.1			55.2	55.3	0.1
SW2501S_	SW-2501S	2/24/2026 8:59:22 AM	0.0	1.9	20.9	77.2			56.4	56.4	0.0
SW2501S_	SW-2501S	2/25/2026 8:58:58 AM	0.0	0.5	20.2	79.3			58.8	58.8	0.0
SW2501S_	SW-2501S	2/26/2026 1:24:14 PM	0.1	0.3	20.3	79.3			67.4	67.7	0.3
SW2501S_	SW-2501S	2/26/2026 1:25:46 PM	0.2	0.2	20.3	79.3			67.8	67.9	1.0
SW2501S_	SW-2501S	2/27/2026 9:39:54 AM	0.2	4.0	18.4	77.4			84.3	84.6	0.1
SW2502D_	SW-2502D	2/10/2026 1:41:33 PM	11.5	82.6	0.8	5.1			68.5	71.3	0.1
SW2502D_	SW-2502D	2/10/2026 1:43:44 PM	12.2	87.4	0.0	0.4			72.6	72.8	0.1
SW2502D_	SW-2502D	2/11/2026 3:54:05 PM	14.9	76.3	0.0	8.9			62.1	63.3	0.2
SW2502D_	SW-2502D	2/11/2026 3:55:54 PM	14.8	76.2	0.0	9.0			64.9	65.0	0.2
SW2502D_	SW-2502D	2/12/2026 12:59:36 PM	13.8	86.2	0.0	0.0			72.8	73.1	0.2
SW2502D_	SW-2502D	2/12/2026 1:01:37 PM	13.2	86.8	0.0	0.0			73.0	73.1	0.2
SW2502D_	SW-2502D	2/13/2026 9:44:39 AM	13.0	87.0	0.0	0.0			71.1	71.5	0.1
SW2502D_	SW-2502D	2/13/2026 9:46:00 AM	12.6	87.4	0.0	0.0			71.5	71.6	0.1
SW2502D_	SW-2502D	2/17/2026 9:36:13 AM	13.8	74.7	0.0	11.5			67.5	68.0	0.2
SW2502D_	SW-2502D	2/18/2026 9:29:59 AM	13.5	76.7	0.0	9.9			63.5	63.5	0.2



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2502D_	SW-2502D	2/19/2026 9:21:56 AM	13.3	75.6	0.0	11.1			65.9	65.9	0.2
SW2502D_	SW-2502D	2/20/2026 9:24:21 AM	12.0	87.7	0.0	0.3			65.1	65.2	0.1
SW2502D_	SW-2502D	2/23/2026 8:35:43 AM	13.1	76.8	0.0	10.0			67.4	67.4	0.2
SW2502D_	SW-2502D	2/24/2026 9:19:10 AM	12.7	77.6	0.0	9.7			69.8	69.8	0.2
SW2502D_	SW-2502D	2/25/2026 8:31:46 AM	12.7	78.8	0.0	8.5			69.2	69.2	0.2
SW2502D_	SW-2502D	2/26/2026 1:46:42 PM	13.1	82.2	0.0	4.7			76.3	76.3	0.2
SW2502D_	SW-2502D	2/26/2026 1:48:21 PM	12.1	83.1	0.0	4.8			76.6	76.6	0.1
SW2502D_	SW-2502D	2/26/2026 1:52:01 PM	12.8	81.0	0.1	6.1			76.7	76.7	0.2
SW2502D_	SW-2502D	2/27/2026 9:23:37 AM	13.7	85.2	0.0	1.1			71.5	71.6	0.2
SW2502M_	SW-2502M	2/10/2026 1:35:18 PM	11.3	69.5	4.7	14.5			70.1	73.4	0.2
SW2502M_	SW-2502M	2/10/2026 1:36:29 PM	14.6	85.0	0.0	0.4			72.5	72.4	0.2
SW2502M_	SW-2502M	2/11/2026 3:49:17 PM	0.9	4.9	20.4	73.9			63.6	62.0	0.2
SW2502M_	SW-2502M	2/11/2026 4:05:30 PM	0.5	5.2	20.9	73.4			57.3	57.3	0.1
SW2502M_	SW-2502M	2/12/2026 12:52:50 PM	1.5	6.0	19.7	72.8			61.3	63.2	0.3
SW2502M_	SW-2502M	2/12/2026 12:54:33 PM	1.6	6.8	19.7	71.9			65.4	65.7	0.2
SW2502M_	SW-2502M	2/13/2026 9:39:15 AM	4.2	18.6	16.5	60.7			57.8	57.8	0.2
SW2502M_	SW-2502M	2/13/2026 9:41:06 AM	4.5	23.5	15.9	56.1			58.6	59.9	0.2
SW2502M_	SW-2502M	2/17/2026 9:32:43 AM	8.1	41.5	11.6	38.8			52.9	52.9	0.2
SW2502M_	SW-2502M	2/18/2026 9:24:02 AM	7.1	36.0	11.8	45.2			51.4	51.4	0.2
SW2502M_	SW-2502M	2/19/2026 9:17:41 AM	9.7	46.4	9.3	34.6			50.2	50.0	0.2
SW2502M_	SW-2502M	2/20/2026 9:21:24 AM	8.2	47.6	10.0	34.2			49.2	49.3	0.2
SW2502M_	SW-2502M	2/23/2026 8:32:09 AM	11.2	49.6	7.4	31.7			51.7	51.8	0.2
SW2502M_	SW-2502M	2/24/2026 9:12:36 AM	12.2	55.5	6.9	25.4			58.1	58.2	0.2
SW2502M_	SW-2502M	2/25/2026 8:27:44 AM	9.5	47.6	9.0	33.9			61.4	61.4	0.2
SW2502M_	SW-2502M	2/26/2026 2:11:50 PM	16.5	77.2	0.0	6.3			84.6	84.9	0.2
SW2502M_	SW-2502M	2/26/2026 2:13:37 PM	16.1	77.7	0.0	6.2			85.9	86.6	0.2
SW2502M_	SW-2502M	2/27/2026 9:26:12 AM	17.2	82.8	0.0	0.0			78.5	78.5	0.2
SW2502MD	SW-2502MD	2/10/2026 1:47:31 PM	9.8	74.1	3.8	12.3			70.5	69.8	0.1
SW2502MD	SW-2502MD	2/10/2026 1:49:28 PM	12.0	84.9	0.0	3.1			69.4	69.3	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2502MD	SW-2502MD	2/11/2026 4:01:21 PM	19.6	71.9	0.0	8.5			60.7	60.8	0.3
SW2502MD	SW-2502MD	2/11/2026 4:02:25 PM	19.6	72.9	0.0	7.5			61.4	61.5	0.3
SW2502MD	SW-2502MD	2/12/2026 1:05:36 PM	16.9	83.1	0.0	0.0			74.4	74.7	0.2
SW2502MD	SW-2502MD	2/12/2026 1:06:53 PM	16.8	83.2	0.0	0.0			74.8	74.8	0.2
SW2502MD	SW-2502MD	2/13/2026 9:48:20 AM	16.5	79.2	1.1	3.2			74.2	74.4	0.2
SW2502MD	SW-2502MD	2/13/2026 9:53:05 AM	16.2	78.5	1.1	4.2			74.4	74.5	0.2
SW2502MD	SW-2502MD	2/17/2026 9:41:02 AM	20.8	64.7	0.8	13.8			71.8	71.9	0.3
SW2502MD	SW-2502MD	2/18/2026 9:33:49 AM	20.3	70.6	0.0	9.1			67.9	67.5	0.3
SW2502MD	SW-2502MD	2/19/2026 9:24:25 AM	18.2	71.4	0.0	10.5			69.5	69.6	0.3
SW2502MD	SW-2502MD	2/20/2026 9:26:56 AM	16.7	83.3	0.0	0.0			69.0	69.2	0.2
SW2502MD	SW-2502MD	2/23/2026 8:39:44 AM	19.9	68.6	0.0	11.5			72.5	72.4	0.3
SW2502MD	SW-2502MD	2/24/2026 9:24:07 AM	19.0	69.3	0.0	11.7			72.1	72.0	0.3
SW2502MD	SW-2502MD	2/25/2026 8:36:05 AM	18.4	70.0	0.3	11.4			69.7	69.8	0.3
SW2502MD	SW-2502MD	2/26/2026 1:42:16 PM	19.4	73.9	0.0	6.7			77.5	77.5	0.3
SW2502MD	SW-2502MD	2/27/2026 9:20:53 AM	20.6	75.7	0.0	3.7			68.5	68.5	0.3
SW2502S_	SW-2502S	2/10/2026 1:28:48 PM	15.4	74.0	2.4	8.2			72.5		0.2
SW2502S_	SW-2502S	2/10/2026 1:30:20 PM	8.8	62.5	8.4	20.3			72.7	72.7	0.1
SW2502S_	SW-2502S	2/11/2026 3:42:05 PM	0.2	0.6	21.3	77.9			67.0	66.7	0.4
SW2502S_	SW-2502S	2/11/2026 3:45:09 PM	2.6	10.9	18.2	68.2			66.1	66.1	0.2
SW2502S_	SW-2502S	2/12/2026 12:46:40 PM	1.0	0.5	20.7	77.8			65.8	65.8	2.0
SW2502S_	SW-2502S	2/12/2026 12:48:02 PM	1.6	1.3	20.4	76.7			65.9	65.9	1.2
SW2502S_	SW-2502S	2/13/2026 9:35:05 AM	0.3	0.8	21.0	77.9			65.6	65.6	0.4
SW2502S_	SW-2502S	2/13/2026 9:37:13 AM	0.2	0.3	21.1	78.4			65.8	65.8	0.7
SW2502S_	SW-2502S	2/17/2026 9:28:16 AM	0.4	1.2	20.4	78.1			64.2	60.6	0.3
SW2502S_	SW-2502S	2/17/2026 9:29:27 AM	0.3	0.5	20.6	78.6			63.9	63.9	0.7
SW2502S_	SW-2502S	2/18/2026 9:19:37 AM	0.6	0.5	20.4	78.6			61.6	61.7	1.2
SW2502S_	SW-2502S	2/18/2026 9:20:53 AM	0.6	0.4	20.4	78.6			61.7	61.8	1.7
SW2502S_	SW-2502S	2/19/2026 9:14:04 AM	0.2	0.4	20.9	78.5			60.6	61.2	0.5
SW2502S_	SW-2502S	2/19/2026 9:40:46 AM	0.1	5.8	20.6	73.5			52.6	53.0	0.0



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2502S_	SW-2502S	2/20/2026 9:18:11 AM	1.4	2.5	19.7	76.4			60.0	60.3	0.6
SW2502S_	SW-2502S	2/23/2026 8:28:33 AM	0.3	0.3	20.1	79.3			62.9	62.9	1.1
SW2502S_	SW-2502S	2/24/2026 9:07:11 AM	0.5	0.9	20.8	77.8			64.9	64.9	0.6
SW2502S_	SW-2502S	2/24/2026 9:09:02 AM	0.6	0.8	20.9	77.8			64.4	64.6	0.7
SW2502S_	SW-2502S	2/25/2026 8:25:11 AM	0.6	1.7	20.4	77.3			65.9	65.9	0.3
SW2502S_	SW-2502S	2/26/2026 2:18:24 PM	0.9	1.6	20.0	77.5			70.7	70.8	0.6
SW2502S_	SW-2502S	2/26/2026 2:19:25 PM	1.1	1.7	19.9	77.3			70.7	70.8	0.6
SW2502S_	SW-2502S	2/27/2026 9:29:54 AM	0.6	3.3	18.2	77.9			85.3	85.1	0.2
SW2503D_	SW-2503D	2/10/2026 9:05:34 AM	3.1	1.7	20.3	74.9			68.8	69.2	1.8
SW2503D_	SW-2503D	2/10/2026 9:07:15 AM	7.4	4.4	17.9	70.3			68.8	68.9	1.7
SW2503D_	SW-2503D	2/11/2026 9:11:14 AM	30.2	23.4	5.9	40.6			60.7	61.8	1.3
SW2503D_	SW-2503D	2/11/2026 9:12:37 AM	30.3	24.3	5.8	39.7			61.2	61.3	1.2
SW2503D_	SW-2503D	2/11/2026 1:34:50 PM	0.0	0.1	20.4	79.6			73.6	73.7	0.3
SW2503D_	SW-2503D	2/12/2026 9:27:38 AM	9.7	5.0	16.1	69.2			63.8	65.2	1.9
SW2503D_	SW-2503D	2/12/2026 9:33:43 AM	10.2	5.6	15.7	68.5			69.2	71.4	1.8
SW2503D_	SW-2503D	2/13/2026 8:12:15 AM	14.0	6.5	12.3	67.2			59.9	59.2	2.2
SW2503D_	SW-2503D	2/13/2026 8:13:48 AM	13.3	6.2	12.3	68.2			59.0	59.1	2.1
SW2503D_	SW-2503D	2/17/2026 8:29:50 AM	13.1	4.5	12.5	69.9			61.6	61.3	2.9
SW2503D_	SW-2503D	2/18/2026 8:30:45 AM	32.6	26.4	2.6	38.4			54.9	54.9	1.2
SW2503D_	SW-2503D	2/19/2026 7:24:48 AM	28.2	17.8	4.0	50.0			54.2	54.1	1.6
SW2503D_	SW-2503D	2/20/2026 8:23:39 AM	25.9	24.4	4.4	45.3			52.0	52.0	1.1
SW2503D_	SW-2503D	2/20/2026 8:25:34 AM	27.0	24.7	4.0	44.3			52.0	52.0	1.1
SW2503D_	SW-2503D	2/23/2026 7:57:02 AM	28.7	25.0	3.9	42.5			58.4	58.4	1.1
SW2503D_	SW-2503D	2/24/2026 10:21:13 AM	28.6	22.6	3.7	45.1			65.9	65.6	1.3
SW2503D_	SW-2503D	2/24/2026 12:17:56 PM	11.7	6.0	13.5	68.9			70.5	70.5	2.0
SW2503D_	SW-2503D	2/25/2026 8:01:47 AM	13.3	7.8	13.9	65.0			62.2	61.8	1.7
SW2503D_	SW-2503D	2/26/2026 9:50:34 AM	25.6	22.3	5.2	46.2			71.3	71.4	1.1
SW2503D_	SW-2503D	2/26/2026 9:53:34 AM	25.5	22.6	5.1	46.0			73.5	73.7	1.1
SW2503D_	SW-2503D	2/27/2026 8:37:59 AM	22.6	14.3	4.9	58.2			75.3	74.7	1.6



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2503M_	SW-2503M	2/10/2026 9:21:32 AM	2.7	3.8	19.3	74.2			64.0	63.3	0.7
SW2503M_	SW-2503M	2/10/2026 9:23:04 AM	2.8	3.9	19.2	74.1			62.9	62.8	0.7
SW2503M_	SW-2503M	2/11/2026 9:27:31 AM	39.9	40.5	3.0	16.7			60.5	60.3	1.0
SW2503M_	SW-2503M	2/11/2026 9:29:14 AM	1.8	2.9	20.0	75.3			60.7	60.7	0.6
SW2503M_	SW-2503M	2/11/2026 1:42:06 PM	1.2	0.5	20.0	78.3			65.6	65.6	2.2
SW2503M_	SW-2503M	2/12/2026 9:43:10 AM	1.7	2.0	21.7	74.6			63.3	61.8	0.9
SW2503M_	SW-2503M	2/12/2026 9:46:47 AM	1.8	1.8	21.4	75.0			61.0	59.6	1.0
SW2503M_	SW-2503M	2/13/2026 8:21:46 AM	27.1	17.6	10.2	45.1			57.6	57.4	1.5
SW2503M_	SW-2503M	2/13/2026 8:24:39 AM	29.6	19.4	9.1	41.9			57.1	56.9	1.5
SW2503M_	SW-2503M	2/17/2026 8:37:04 AM	32.0	34.6	6.5	27.0			59.8	59.8	0.9
SW2503M_	SW-2503M	2/18/2026 8:40:16 AM	4.6	3.9	19.2	72.3			51.5	51.5	1.2
SW2503M_	SW-2503M	2/19/2026 7:32:08 AM	3.3	2.6	20.9	73.2			53.5	53.6	1.3
SW2503M_	SW-2503M	2/20/2026 8:35:26 AM	6.0	13.6	16.4	64.0			69.0	69.2	0.4
SW2503M_	SW-2503M	2/20/2026 8:54:05 AM	8.6	1.7	16.9	72.8			50.5	50.5	5.1
SW2503M_	SW-2503M	2/23/2026 8:06:39 AM	18.7	27.2	10.4	43.7			58.3	58.4	0.7
SW2503M_	SW-2503M	2/24/2026 10:34:14 AM	21.2	32.9	8.2	37.7			69.1	68.7	0.6
SW2503M_	SW-2503M	2/24/2026 12:10:38 PM	5.2	5.4	17.2	72.2			69.4	69.2	1.0
SW2503M_	SW-2503M	2/25/2026 8:10:43 AM	3.8	3.4	19.9	73.0			62.7	62.6	1.1
SW2503M_	SW-2503M	2/26/2026 10:20:42 AM	0.2	0.9	20.0	78.9			75.1	74.9	0.2
SW2503M_	SW-2503M	2/26/2026 10:23:24 AM	1.7	0.8	19.1	78.4			74.2	74.1	2.1
SW2503M_	SW-2503M	2/27/2026 8:45:19 AM	4.7	6.6	17.6	71.1			73.4	73.4	0.7
SW2503MD	SW-2503MD	2/10/2026 9:12:42 AM	0.0	0.2	21.8	78.0			64.2	63.8	0.0
SW2503MD	SW-2503MD	2/10/2026 9:14:40 AM	0.0	0.1	21.8	78.1			63.7	63.7	0.0
SW2503MD	SW-2503MD	2/11/2026 9:18:45 AM	3.4	2.8	19.8	74.1			63.1	63.5	1.2
SW2503MD	SW-2503MD	2/11/2026 9:20:16 AM	31.1	27.9	7.4	33.6			62.3	62.3	1.1
SW2503MD	SW-2503MD	2/11/2026 1:38:41 PM	15.4	9.4	14.2	61.0			72.1	72.2	1.6
SW2503MD	SW-2503MD	2/12/2026 9:37:04 AM	6.8	6.0	19.2	68.0			75.5	75.7	1.1
SW2503MD	SW-2503MD	2/12/2026 9:38:57 AM	6.8	6.0	19.1	68.1			75.8	75.8	1.1
SW2503MD	SW-2503MD	2/13/2026 8:16:05 AM	7.8	6.4	18.4	67.4			73.2	74.1	1.2



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2503MD	SW-2503MD	2/13/2026 8:17:14 AM	7.9	6.5	18.4	67.2			74.3	74.3	1.2
SW2503MD	SW-2503MD	2/17/2026 8:32:55 AM	4.3	2.5	19.6	73.7			72.2	72.9	1.8
SW2503MD	SW-2503MD	2/18/2026 8:35:32 AM	34.3	36.9	4.9	23.9			57.6	57.7	0.9
SW2503MD	SW-2503MD	2/19/2026 7:27:14 AM	32.4	33.0	6.9	27.7			64.9	65.1	1.0
SW2503MD	SW-2503MD	2/20/2026 8:28:30 AM	28.7	33.4	6.5	31.4			60.0	61.2	0.9
SW2503MD	SW-2503MD	2/20/2026 8:29:56 AM	28.2	35.1	6.5	30.2			61.6	61.7	0.8
SW2503MD	SW-2503MD	2/20/2026 8:49:42 AM	2.8	12.6	13.1	71.5			55.6	55.6	0.2
SW2503MD	SW-2503MD	2/23/2026 8:01:09 AM	29.1	33.2	7.1	30.6			68.0	68.0	0.9
SW2503MD	SW-2503MD	2/24/2026 10:28:27 AM	31.4	33.5	6.2	28.9			77.0	77.2	0.9
SW2503MD	SW-2503MD	2/24/2026 12:14:34 PM	28.1	32.7	6.7	32.6			73.9	73.9	0.9
SW2503MD	SW-2503MD	2/25/2026 8:06:15 AM	18.0	27.2	10.4	44.4			64.0	64.0	0.7
SW2503MD	SW-2503MD	2/26/2026 10:00:12 AM	21.7	27.7	8.5	41.5			75.6	75.7	0.8
SW2503MD	SW-2503MD	2/26/2026 10:02:39 AM	22.1	27.2	8.4	41.6			76.4	76.3	0.8
SW2503MD	SW-2503MD	2/27/2026 8:40:39 AM	19.5	21.9	10.5	48.1			76.4	76.4	0.9
SW2503S_	SW-2503S	2/10/2026 9:29:19 AM	11.0	20.4	12.8	55.8			63.2	65.2	0.5
SW2503S_	SW-2503S	2/10/2026 9:31:11 AM	1.5	8.7	19.2	70.6			69.5	69.7	0.2
SW2503S_	SW-2503S	2/11/2026 9:33:30 AM	0.7	0.4	19.4	79.5			61.7	63.4	2.0
SW2503S_	SW-2503S	2/11/2026 9:34:40 AM	0.7	0.2	19.6	79.6			65.5	65.7	4.6
SW2503S_	SW-2503S	2/11/2026 1:46:13 PM	0.8	0.2	20.0	79.0			75.1	75.1	4.1
SW2503S_	SW-2503S	2/12/2026 9:49:21 AM	1.4	1.4	21.4	75.8			79.3	80.7	1.0
SW2503S_	SW-2503S	2/12/2026 9:50:34 AM	1.5	1.5	21.2	75.8			81.1	81.2	1.0
SW2503S_	SW-2503S	2/13/2026 8:27:37 AM	2.1	3.8	20.4	73.7			81.2	82.0	0.6
SW2503S_	SW-2503S	2/13/2026 8:29:18 AM	2.1	3.2	20.5	74.2			82.3	82.4	0.7
SW2503S_	SW-2503S	2/17/2026 8:43:23 AM	2.2	3.0	19.9	74.9			80.6	81.1	0.7
SW2503S_	SW-2503S	2/17/2026 8:47:03 AM	2.3	3.2	19.8	74.8			80.1	80.5	0.7
SW2503S_	SW-2503S	2/18/2026 8:44:08 AM	6.7	9.9	16.4	67.1			57.1	57.2	0.7
SW2503S_	SW-2503S	2/19/2026 7:36:08 AM	5.7	7.9	18.0	68.5			62.8	62.9	0.7
SW2503S_	SW-2503S	2/20/2026 8:38:16 AM	6.8	12.7	16.2	64.3			55.9	55.7	0.5
SW2503S_	SW-2503S	2/20/2026 8:56:26 AM	2.8	1.0	19.6	76.6			67.2	67.7	2.8



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2503S_	SW-2503S	2/23/2026 8:10:10 AM	5.0	11.3	17.7	66.0			77.2	77.2	0.4
SW2503S_	SW-2503S	2/24/2026 12:08:04 PM	5.8	11.0	15.8	67.4			79.8	79.8	0.5
SW2503S_	SW-2503S	2/25/2026 8:15:00 AM	4.7	7.9	17.8	69.6			77.6	77.6	0.6
SW2503S_	SW-2503S	2/26/2026 10:10:28 AM	5.3	9.8	16.5	68.3			81.7	81.9	0.5
SW2503S_	SW-2503S	2/26/2026 10:12:35 AM	5.3	10.0	16.5	68.2			81.8	81.8	0.5
SW2503S_	SW-2503S	2/27/2026 8:42:55 AM	3.8	9.3	16.8	70.1			74.3	74.2	0.4
SW2504D_	SW-2504D	2/10/2026 8:24:30 AM	0.0	0.0	22.1	77.9			66.5	68.1	
SW2504D_	SW-2504D	2/10/2026 8:26:21 AM	0.0	0.0	22.0	78.0			71.0	70.7	
SW2504D_	SW-2504D	2/11/2026 8:31:40 AM	0.0	0.1	21.8	78.2			67.5	75.7	0.0
SW2504D_	SW-2504D	2/11/2026 8:33:09 AM	0.1	0.1	21.1	78.7			77.2	77.3	0.8
SW2504D_	SW-2504D	2/12/2026 8:59:01 AM	0.1	3.2	20.4	76.3			78.5	78.6	0.0
SW2504D_	SW-2504D	2/12/2026 9:00:48 AM	0.1	3.1	20.1	76.7			78.8	78.8	0.0
SW2504D_	SW-2504D	2/13/2026 7:39:28 AM	0.0	1.2	21.3	77.5			78.0	78.1	0.0
SW2504D_	SW-2504D	2/13/2026 7:40:46 AM	0.0	1.2	20.8	78.0			78.3	78.1	0.0
SW2504D_	SW-2504D	2/17/2026 8:05:34 AM	0.1	2.2	19.8	78.0			76.0	76.1	0.0
SW2504D_	SW-2504D	2/17/2026 8:06:51 AM	0.2	1.5	19.8	78.5			76.3	76.3	0.1
SW2504D_	SW-2504D	2/18/2026 7:43:14 AM	1.5	6.5	15.3	76.7					0.2
SW2504D_	SW-2504D	2/18/2026 8:15:28 AM	1.2	4.7	16.3	77.9			62.2	62.3	0.2
SW2504D_	SW-2504D	2/19/2026 7:04:06 AM	0.4	0.6	19.9	79.1			74.2	74.2	0.7
SW2504D_	SW-2504D	2/20/2026 8:46:30 AM	0.9	6.1	17.1	75.9			71.3	71.6	0.1
SW2504D_	SW-2504D	2/23/2026 7:24:32 AM	0.1	0.8	21.3	77.8			75.4	75.4	0.1
SW2504D_	SW-2504D	2/23/2026 7:26:42 AM	0.1	0.8	21.4	77.7			74.2	74.5	0.1
SW2504D_	SW-2504D	2/24/2026 10:00:03 AM	0.2	1.3	19.4	79.1			75.4	75.4	0.1
SW2504D_	SW-2504D	2/25/2026 7:42:07 AM	0.1	0.6	20.9	78.4			75.0	75.0	0.2
SW2504D_	SW-2504D	2/26/2026 8:58:41 AM	0.3	0.8	19.4	79.5			76.9	76.9	0.4
SW2504D_	SW-2504D	2/26/2026 9:03:25 AM	0.3	0.9	19.2	79.6			77.1	77.1	0.3
SW2504D_	SW-2504D	2/27/2026 8:23:24 AM	0.3	2.6	19.6	77.5			74.2	74.3	0.1
SW2504M_	SW-2504M	2/10/2026 8:40:05 AM	39.1	4.7	3.9	52.3			63.4	63.6	8.3
SW2504M_	SW-2504M	2/10/2026 8:42:13 AM	37.4	4.8	4.4	53.4			62.9	62.8	7.8



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2504M_	SW-2504M	2/11/2026 8:46:22 AM	40.2	3.7	5.1	51.1			61.3	63.3	10.9
SW2504M_	SW-2504M	2/11/2026 8:47:59 AM	45.2	4.5	2.9	47.3			62.7	62.7	10.1
SW2504M_	SW-2504M	2/12/2026 9:06:10 AM	42.4	5.8	2.5	49.3			62.1	60.5	7.3
SW2504M_	SW-2504M	2/12/2026 9:07:46 AM	42.6	6.0	2.3	49.1			60.0	59.8	7.1
SW2504M_	SW-2504M	2/13/2026 7:45:15 AM	40.3	5.1	3.3	51.3			62.3	61.4	7.9
SW2504M_	SW-2504M	2/13/2026 7:47:29 AM	39.8	5.4	3.1	51.7			61.2	60.7	7.4
SW2504M_	SW-2504M	2/17/2026 8:15:53 AM	44.2	4.8	2.1	48.8			58.9	58.9	9.2
SW2504M_	SW-2504M	2/18/2026 8:08:42 AM	10.5	0.8	17.2	71.4			47.8	47.8	13.2
SW2504M_	SW-2504M	2/19/2026 7:11:37 AM	10.8	1.2	17.5	70.5			49.9	50.1	9.0
SW2504M_	SW-2504M	2/23/2026 7:36:04 AM	9.2	0.6	18.8	71.4			58.0	57.9	15.1
SW2504M_	SW-2504M	2/24/2026 10:08:30 AM	9.4	0.7	17.0	72.9			64.8	64.8	13.7
SW2504M_	SW-2504M	2/25/2026 7:50:15 AM	9.3	0.9	18.2	71.7			60.6	60.5	9.8
SW2504M_	SW-2504M	2/26/2026 9:16:34 AM	8.7	0.7	17.0	73.6			75.1	74.8	12.4
SW2504M_	SW-2504M	2/26/2026 9:19:30 AM	9.1	0.7	16.9	73.3			74.2	74.2	13.0
SW2504M_	SW-2504M	2/27/2026 8:29:16 AM	11.0	2.4	15.8	70.8			71.5	71.5	4.6
SW2504MD	SW-2504MD	2/10/2026 8:15:47 AM	0.0	0.1	22.4	77.5			65.3	66.9	0.0
SW2504MD	SW-2504MD	2/10/2026 8:17:19 AM	0.0	0.0	22.2	77.8			65.1	65.0	
SW2504MD	SW-2504MD	2/11/2026 8:39:07 AM	0.0	0.0	21.6	78.4			62.8	62.9	0.0
SW2504MD	SW-2504MD	2/11/2026 8:40:44 AM	0.0	0.0	21.6	78.4			63.0	63.0	0.0
SW2504MD	SW-2504MD	2/12/2026 9:16:25 AM	0.2	0.2	22.6	77.0			57.4	56.0	1.0
SW2504MD	SW-2504MD	2/12/2026 9:17:45 AM	0.2	0.2	22.4	77.2			55.3	54.9	1.0
SW2504MD	SW-2504MD	2/13/2026 7:59:28 AM	0.1	0.3	21.9	77.7			57.4	55.1	0.3
SW2504MD	SW-2504MD	2/13/2026 8:01:10 AM	0.1	0.2	21.5	78.2			54.4	54.3	0.5
SW2504MD	SW-2504MD	2/13/2026 8:02:42 AM	0.1	0.3	21.6	78.0			54.3	54.3	0.3
SW2504MD	SW-2504MD	2/17/2026 8:10:26 AM	2.9	9.4	14.2	73.5			61.8	61.9	0.3
SW2504MD	SW-2504MD	2/18/2026 7:48:20 AM	4.4	14.6	11.9	69.2					0.3
SW2504MD	SW-2504MD	2/18/2026 8:12:51 AM	4.5	14.4	11.5	69.7			49.9	50.0	0.3
SW2504MD	SW-2504MD	2/19/2026 7:07:38 AM	3.2	10.9	14.0	71.9			58.4	58.3	0.3
SW2504MD	SW-2504MD	2/23/2026 7:31:11 AM	2.2	9.0	15.3	73.4			59.8	59.9	0.2



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
SW2504MD	SW-2504MD	2/24/2026 10:04:36 AM	2.5	10.5	13.8	73.2			66.0	65.9	0.2
SW2504MD	SW-2504MD	2/25/2026 7:46:12 AM	2.7	11.0	14.8	71.5			63.9	63.9	0.2
SW2504MD	SW-2504MD	2/26/2026 9:08:45 AM	3.0	12.0	13.7	71.3			70.5	70.5	0.3
SW2504MD	SW-2504MD	2/26/2026 9:11:13 AM	3.1	12.8	13.4	70.6			71.1	71.1	0.2
SW2504MD	SW-2504MD	2/27/2026 8:26:16 AM	2.7	12.9	14.0	70.4			71.5	71.4	0.2
SW2504S_	SW-2504S	2/10/2026 8:32:20 AM	0.0	0.0	21.8	78.2			65.1	64.9	
SW2504S_	SW-2504S	2/10/2026 8:33:47 AM	0.0	0.0	21.7	78.3			64.7	64.6	
SW2504S_	SW-2504S	2/11/2026 8:53:14 AM	0.7	0.4	20.8	78.1			60.4	69.7	1.6
SW2504S_	SW-2504S	2/11/2026 8:54:35 AM	1.2	0.5	20.5	77.9			70.9	71.1	2.6
SW2504S_	SW-2504S	2/12/2026 9:11:36 AM	2.0	1.0	21.3	75.7			72.3	72.4	2.0
SW2504S_	SW-2504S	2/12/2026 9:13:17 AM	1.9	0.8	21.2	76.1			72.5	72.6	2.4
SW2504S_	SW-2504S	2/13/2026 7:52:32 AM	2.8	0.8	19.9	76.5			73.7	74.2	3.5
SW2504S_	SW-2504S	2/13/2026 7:53:40 AM	3.3	0.8	20.1	75.8			74.5	74.7	4.1
SW2504S_	SW-2504S	2/17/2026 8:19:49 AM	2.4	0.5	20.3	76.9			71.2	71.3	5.1
SW2504S_	SW-2504S	2/18/2026 8:04:20 AM	4.5	1.2	19.5	74.8			63.4	63.5	3.8
SW2504S_	SW-2504S	2/19/2026 7:15:35 AM	3.6	0.5	20.6	75.3			69.9	69.9	7.5
SW2504S_	SW-2504S	2/23/2026 7:42:03 AM	2.6	0.4	21.0	76.0			71.2	71.2	6.4
SW2504S_	SW-2504S	2/24/2026 10:12:38 AM	3.3	0.4	18.8	77.6			73.8	74.1	9.0
SW2504S_	SW-2504S	2/25/2026 7:52:45 AM	1.4	0.4	20.6	77.6			70.5	70.7	3.8
SW2504S_	SW-2504S	2/26/2026 9:25:43 AM	1.0	0.2	19.7	79.1			76.2	76.4	5.0
SW2504S_	SW-2504S	2/26/2026 9:36:14 AM	0.5	0.2	19.7	79.6			75.9	76.0	2.5
SW2504S_	SW-2504S	2/27/2026 8:33:36 AM	3.2	1.4	18.7	76.7			76.5	76.6	2.3
CHISW030	SW-30	2/10/2026 12:44:38 PM	17.5	73.1	0.0	9.4			69.4	69.6	0.2
CHISW030	SW-30	2/11/2026 4:17:04 PM	19.5	63.0	0.0	17.5			68.4	69.0	0.3
CHISW030	SW-30	2/11/2026 4:17:58 PM	19.2	63.7	0.0	17.1			69.4	69.5	0.3
CHISW030	SW-30	2/12/2026 1:15:13 PM	18.3	70.1	0.0	11.6			83.9	84.7	0.3
CHISW030	SW-30	2/12/2026 1:16:48 PM	18.2	70.4	0.0	11.4			84.9	85.0	0.3
CHISW030	SW-30	2/13/2026 1:14:51 PM	17.1	69.1	0.5	13.3			83.8	84.1	0.2
CHISW030	SW-30	2/13/2026 1:15:46 PM	17.2	67.4	1.3	14.1			85.0	85.4	0.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHISW030	SW-30	2/17/2026 1:11:08 PM	22.3	62.0	0.0	15.7			58.5	58.5	0.4
CHISW030	SW-30	2/17/2026 1:14:20 PM	2.9	12.2	18.3	66.7			58.4	58.4	0.2
CHISW030	SW-30	2/17/2026 1:14:44 PM	3.1	12.0	18.1	66.8			58.4	58.4	0.3
CHISW030	SW-30	2/18/2026 11:53:14 AM	5.9	20.0	15.5	58.6			67.3	67.8	0.3
CHISW030	SW-30	2/19/2026 9:55:14 AM	16.3	49.8	4.9	29.0			44.8	44.8	0.3
CHISW030	SW-30	2/20/2026 12:48:39 PM	3.8	14.6	16.3	65.3			68.9	70.1	0.3
CHISW030	SW-30	2/23/2026 9:23:49 AM	1.1	1.5	19.4	78.1			75.6	76.2	0.8
CHISW030	SW-30	2/24/2026 9:35:41 AM	6.0	13.7	15.9	64.4			80.2	80.4	0.4
CHISW030	SW-30	2/25/2026 9:11:58 AM	5.9	18.9	14.3	60.9			84.1	84.3	0.3
CHISW030	SW-30	2/26/2026 12:55:12 PM	8.0	17.8	13.9	60.3			90.9	91.0	0.4
CHISW030	SW-30	2/27/2026 9:14:29 AM	1.7	8.2	17.5	72.6			88.5	88.7	0.2
CHISW032	SW-32	2/10/2026 12:37:13 PM	33.7	57.9	0.6	7.8			68.3	62.9	0.6
CHISW032	SW-32	2/11/2026 4:29:41 PM	38.0	56.5	0.2	5.3			63.5	63.5	0.7
CHISW032	SW-32	2/11/2026 4:31:12 PM	36.9	57.3	0.0	5.7			63.5	63.5	0.6
CHISW032	SW-32	2/12/2026 1:21:32 PM	35.8	63.4	0.0	0.8			82.6	82.6	0.6
CHISW032	SW-32	2/12/2026 1:22:29 PM	34.8	65.2	0.0	0.0			82.5	82.6	0.5
CHISW032	SW-32	2/13/2026 1:08:00 PM	31.2	59.5	1.1	8.2			81.5	79.9	0.5
CHISW032	SW-32	2/13/2026 1:10:01 PM	31.7	56.8	0.8	10.7			79.7	77.3	0.6
CHISW032	SW-32	2/17/2026 12:53:44 PM	37.7	55.1	0.5	6.8			59.9	59.9	0.7
CHISW032	SW-32	2/17/2026 12:55:29 PM	36.8	55.9	0.3	6.9			59.9	59.9	0.7
CHISW032	SW-32	2/18/2026 12:00:36 PM	37.1	56.4	0.0	6.5			71.0	56.4	0.7
CHISW032	SW-32	2/18/2026 12:01:35 PM	36.4	57.3	0.0	6.3			71.0	71.0	0.6
CHISW032	SW-32	2/19/2026 10:01:54 AM	35.4	53.9	0.8	9.9			46.0	46.0	0.7
CHISW032	SW-32	2/19/2026 10:02:40 AM	34.6	54.2	1.3	9.9			46.0	45.9	0.6
CHISW032	SW-32	2/20/2026 12:42:32 PM	0.0	0.2	20.4	79.4			79.0	58.2	0.0
CHISW032	SW-32	2/23/2026 9:19:42 AM	24.1	41.4	6.7	27.8			82.0	82.8	0.6
CHISW032	SW-32	2/24/2026 9:39:42 AM	32.4	52.8	2.9	12.0			75.8	75.8	0.6
CHISW032	SW-32	2/25/2026 9:06:41 AM	34.3	54.2	1.6	9.9			75.3	75.3	0.6
CHISW032	SW-32	2/26/2026 1:02:43 PM	37.5	56.3	0.3	5.9			89.3	89.3	0.7



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHISW032	SW-32	2/27/2026 9:09:05 AM	38.9	58.0	0.3	2.8			84.9	84.5	0.7
CHISW064	SW-64	2/10/2026 12:42:08 PM	5.9	40.6	11.5	42.0			68.8	68.1	0.1
CHISW064	SW-64	2/11/2026 4:12:03 PM	8.8	53.4	8.4	29.4			64.2	63.4	0.2
CHISW064	SW-64	2/11/2026 4:13:20 PM	2.4	13.9	17.6	66.1			63.7	63.7	0.2
CHISW064	SW-64	2/12/2026 1:11:02 PM	8.8	60.4	6.2	24.6			82.2	83.4	0.1
CHISW064	SW-64	2/12/2026 1:11:37 PM	9.2	65.6	6.1	19.1			83.5	83.8	0.1
CHISW064	SW-64	2/13/2026 1:12:25 PM	12.8	85.2	0.3	1.7			84.8	85.3	0.2
CHISW064	SW-64	2/17/2026 1:02:02 PM	9.2	56.0	7.3	27.5			58.4	58.3	0.2
CHISW064	SW-64	2/17/2026 1:05:40 PM	6.8	47.1	10.1	36.0			58.3	58.3	0.1
CHISW064	SW-64	2/18/2026 11:49:44 AM	13.1	68.9	2.1	15.9			68.8	69.6	0.2
CHISW064	SW-64	2/19/2026 9:52:59 AM	14.4	76.5	0.0	9.1			44.8	44.8	0.2
CHISW064	SW-64	2/20/2026 12:45:51 PM	12.1	82.6	1.1	4.2			74.0	74.2	0.1
CHISW064	SW-64	2/23/2026 9:25:50 AM	14.2	77.5	0.0	8.3			80.4	81.0	0.2
CHISW064	SW-64	2/24/2026 9:32:57 AM	14.2	77.2	0.5	8.1			85.4	85.3	0.2
CHISW064	SW-64	2/25/2026 9:09:29 AM	13.6	78.7	0.0	7.7			86.8	86.9	0.2
CHISW064	SW-64	2/26/2026 12:51:21 PM	13.9	84.6	0.0	1.5			91.7	91.9	0.2
CHISW064	SW-64	2/27/2026 9:12:04 AM	15.3	84.7	0.0	0.0			85.8	86.0	0.2
CHISW065	SW-65	2/25/2026 10:08:50 AM	51.4	38.0	0.0	10.6			84.9	85.2	1.4
CHISW066	SW-66	2/25/2026 1:28:15 PM	11.5	12.7	10.2	65.6			86.1	86.1	0.9
CHISW068	SW-68	2/10/2026 12:34:23 PM	20.1	79.9	0.0	0.0			69.8	68.3	0.3
CHISW068	SW-68	2/11/2026 4:22:53 PM	22.7	70.2	0.1	7.0			64.3	64.1	0.3
CHISW068	SW-68	2/11/2026 4:24:45 PM	22.4	70.2	0.0	7.4			64.2	64.2	0.3
CHISW068	SW-68	2/12/2026 1:18:39 PM	21.4	77.8	0.0	0.8			77.7	77.7	0.3
CHISW068	SW-68	2/12/2026 1:19:21 PM	21.3	78.7	0.0	0.0			77.8	77.9	0.3
CHISW068	SW-68	2/13/2026 1:03:32 PM	19.4	69.2	3.0	8.4			80.4	81.5	0.3
CHISW068	SW-68	2/13/2026 1:04:10 PM	18.4	68.5	1.1	12.0			82.3	82.5	0.3
CHISW068	SW-68	2/17/2026 12:47:50 PM	24.6	66.1	0.3	9.0			60.0	59.0	0.4
CHISW068	SW-68	2/17/2026 12:49:00 PM	22.5	65.8	1.5	10.2			57.9	57.9	0.3
CHISW068	SW-68	2/18/2026 11:57:16 AM	0.5	1.5	20.7	77.4			72.7	72.8	0.3



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHISW068	SW-68	2/19/2026 9:57:46 AM	0.3	5.6	20.4	73.8			44.9	44.9	0.0
CHISW068	SW-68	2/20/2026 12:39:16 PM	0.2	1.3	20.1	78.4			68.8	69.3	0.2
CHISW068	SW-68	2/23/2026 9:15:10 AM	0.0	0.2	20.6	79.2			77.7	78.2	0.0
CHISW068	SW-68	2/23/2026 9:16:47 AM	0.0	0.0	20.2	79.8			81.5	81.6	
CHISW068	SW-68	2/24/2026 9:37:22 AM	0.0	1.5	20.9	77.5			81.3	81.8	0.0
CHISW068	SW-68	2/25/2026 9:04:09 AM	0.6	1.2	19.4	78.8			80.1	80.5	0.5
CHISW068	SW-68	2/26/2026 12:59:30 PM	25.8	67.8	0.0	6.4			94.5	94.5	0.4
CHISW068	SW-68	2/27/2026 9:07:34 AM	0.0	0.4	22.8	76.8			90.5	90.5	0.0
CHISW007	SW-7	2/10/2026 9:38:26 AM	0.0	4.4	15.7	79.9			64.4	62.7	0.0
CHISW007	SW-7	2/10/2026 9:39:20 AM	0.0	5.3	15.5	79.2			62.4	62.2	0.0
CHISW007	SW-7	2/10/2026 2:09:07 PM	0.0	2.6	21.3	76.1			65.7	66.3	0.0
CHISW007	SW-7	2/11/2026 9:42:15 AM	0.1	4.1	14.9	80.9			64.2	64.4	0.0
CHISW007	SW-7	2/11/2026 9:43:39 AM	0.0	5.4	14.8	79.8			64.5	64.5	0.0
CHISW007	SW-7	2/12/2026 9:59:12 AM	0.2	8.3	15.7	75.8			65.4	65.8	0.0
CHISW007	SW-7	2/12/2026 10:01:09 AM	0.1	7.6	15.5	76.8			65.6	65.4	0.0
CHISW007	SW-7	2/13/2026 8:37:48 AM	0.1	5.9	16.1	77.9			66.0	65.4	0.0
CHISW007	SW-7	2/13/2026 8:38:31 AM	0.1	6.0	16.0	77.9			65.1	65.1	0.0
CHISW007	SW-7	2/17/2026 9:05:45 AM	0.0	4.4	15.7	79.9			57.5	54.3	0.0
CHISW007	SW-7	2/17/2026 9:07:14 AM	0.0	4.3	15.7	80.0			54.5	54.5	0.0
CHISW007	SW-7	2/18/2026 8:52:40 AM	0.0	4.0	15.9	80.1			58.8	59.0	0.0
CHISW007	SW-7	2/18/2026 8:54:10 AM	0.0	4.4	15.8	79.9			59.1	59.2	0.0
CHISW007	SW-7	2/19/2026 7:45:24 AM	0.0	2.8	17.1	80.0			49.8	50.0	0.0
CHISW007	SW-7	2/19/2026 7:46:01 AM	0.0	3.0	17.7	79.2			49.8	49.8	0.0
CHISW007	SW-7	2/20/2026 9:04:09 AM	0.0	4.2	15.9	79.9			50.8	48.8	0.0
CHISW007	SW-7	2/20/2026 9:06:04 AM	0.0	0.8	20.6	78.6			48.6	48.5	0.0
CHISW007	SW-7	2/23/2026 8:20:35 AM	0.0	0.1	19.0	80.9			62.7	62.8	0.0
CHISW007	SW-7	2/24/2026 12:23:35 PM	0.1	1.0	17.2	81.8			89.7	89.7	0.1
CHISW007	SW-7	2/25/2026 9:26:02 AM	0.0	0.8	16.9	82.4			78.7	79.0	0.0
CHISW007	SW-7	2/26/2026 10:31:30 AM	0.1	1.0	16.6	82.2			86.2	86.5	0.1



Chiquita Canyon Landfill - Well Data - 02/01/2026 to 02/28/2026

Point ID	Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	CO (ppmv)	H2 (ppmv)	Init Temp (F)	Adj Temp (F)	CH4:CO2 Ratio
CHISW007	SW-7	2/27/2026 9:04:53 AM	0.0	1.8	16.8	81.4			82.1	82.1	0.0
CHISW070	SW-70	2/10/2026 2:28:09 PM	16.6	66.7	0.0	16.7			80.4	80.3	0.2
CHISW071	SW-71	2/5/2026 8:34:55 AM	15.8	22.5	2.7	59.0			56.4	56.3	0.7
CHISW071	SW-71	2/9/2026 7:41:56 AM	15.6	19.9	3.8	60.7			56.5	56.4	0.8
CHISW072	SW-72	2/5/2026 10:14:28 AM	16.2	24.4	3.2	56.2			71.1	71.5	0.7
CHISW080	SW-80	2/21/2026 9:57:52 AM	25.8	23.7	0.7	49.8			66.1	66.2	1.1
CHISW009	SW-9	2/10/2026 2:31:12 PM	1.5	32.3	6.9	59.3			68.6	68.8	0.0
CHH1961C	TC-1961C	2/2/2026 11:48:41 AM	47.1	43.8	0.0	9.1			107.8	107.8	1.1
CHH1961E	TC-1961E	2/5/2026 10:11:15 AM	51.2	46.4	0.0	2.4			109.4	109.7	1.1
CHTC2174	TC-2174	2/2/2026 8:45:00 AM					2030				
CHTC2174	TC-2174	2/2/2026 8:48:32 AM	10.8	71.9	2.1	15.2			174.4	174.6	0.2
CHTC2174	TC-2174	2/2/2026 8:49:32 AM	10.3	68.8	1.9	19.0			174.6	174.6	0.1
CHTC2174	TC-2174	2/9/2026 9:53:53 AM	2.2	86.9	0.0	10.9			181.2	181.3	0.0
CHTC2174	TC-2174	2/9/2026 10:00:00 AM						141900			
CHTC2174	TC-2174	2/9/2026 10:00:00 AM					2430				
CHTC2174	TC-2174	2/17/2026 7:54:48 AM	2.2	78.8	1.7	17.3			181.6	181.6	0.0
CHTC2174	TC-2174	2/17/2026 7:55:00 AM					3020				
CHTC2174	TC-2174	2/23/2026 8:46:26 AM	2.9	81.4	1.8	13.9			182.0	181.9	0.0
CHTC2174	TC-2174	2/23/2026 9:00:00 AM					2860				
CHIWTD01	WTD-01	2/27/2026 12:28:00 PM	22.4	66.6	0.6	10.4			158.7	158.0	0.3
CHIWTD02	WTD-02	2/27/2026 12:43:03 PM	6.2	39.5	9.6	44.7			161.0	161.0	0.2
CHIWTD03	WTD-03	2/27/2026 3:10:20 PM	0.0	1.7	20.5	77.8			0.0	0.0	0.0
CHIWTD04	WTD-04	2/27/2026 3:01:42 PM	1.7	11.6	16.8	69.9			0.0	0.0	0.1
CHIWTD05	WTD-05	2/27/2026 12:50:39 PM	3.7	10.7	17.6	68.0			102.8	102.0	0.3
CHIWTD06	WTD-06	2/27/2026 2:42:19 PM	3.2	12.7	14.9	69.2			0.0	0.0	0.3
CHIWTD07	WTD-07	2/27/2026 2:48:55 PM	4.1	15.9	14.4	65.6			0.0	0.0	0.3
CHIWTD10	WTD-10	2/27/2026 2:53:05 PM	12.0	23.7	10.5	53.8			0.0	0.0	0.5



Solid Waste Daily Borehole Temperature Averages

for February 1, 2026 to February 28, 2026

SCS ENGINEERS

07224053.00 | March 18, 2026

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

Note: Data represents the arithmetic mean of the available temperature readings for the specified date.

**Solid Waste Daily Borehole Temperature Averages for
Borehole 1
Chiquita LF**

TP-01	Depth from Surface						
	15 ft	30 ft	45 ft	60 ft	80 ft	100 ft	125 ft
Feb 1	145.5	124.6	134.2	137.1	148.1	149.6	144.2
Feb 2	145.2	124.5	134.1	137.1	148.1	149.6	144.2
Feb 3	144.9	124.5	134.1	137.1	147.8	149.6	144.3
Feb 4	144.5	124.7	134.0	137.1	147.9	149.6	144.4
Feb 5	143.9	124.5	133.9	137.0	147.8	149.6	144.3
Feb 6	143.2	124.5	134.0	137.1	147.8	149.6	144.2
Feb 7	142.8	124.5	134.0	137.1	147.8	149.6	144.2
Feb 8	142.7	124.8	134.1	137.3	148.0	149.8	144.5
Feb 9	141.9	124.5	133.9	137.1	147.7	149.6	144.3
Feb 10	141.3	124.2	133.7	136.9	147.4	149.4	144.0
Feb 11	140.8	124.3	133.8	137.0	147.4	149.5	144.0
Feb 12	140.9	124.5	133.9	137.2	147.3	149.5	144.1
Feb 13	140.9	124.6	133.9	137.2	147.5	149.6	144.2
Feb 14	140.5	124.5	133.9	137.2	147.3	149.5	144.1
Feb 15	140.0	124.2	133.6	137.0	147.2	149.4	143.9
Feb 16	139.2	123.9	133.4	136.8	146.8	149.2	143.7
Feb 17	139.2	124.0	133.5	137.0	146.9	149.3	143.8
Feb 18	139.1	124.3	133.7	137.3	147.0	149.5	144.0
Feb 19	138.1	123.8	133.3	136.8	146.6	149.1	143.6
Feb 20	138.5	124.2	133.6	137.1	146.9	149.4	143.8
Feb 21	138.6	124.4	133.6	137.3	147.0	149.5	144.1
Feb 22	138.6	124.7	133.8	137.4	147.1	149.6	144.4
Feb 23	138.6	124.8	133.8	137.5	147.2	149.7	144.5
Feb 24	138.4	124.9	133.9	137.5	147.2	149.7	144.6
Feb 25	138.4	125.0	134.0	137.7	147.2	149.9	144.7
Feb 26	138.3	125.1	133.9	137.5	147.2	149.8	144.7
Feb 27	138.3	125.2	133.9	137.6	147.3	149.9	144.9
Feb 28	138.1	125.1	133.9	137.7	147.0	149.9	144.8
Average	140.7	124.5	133.8	137.2	147.4	149.6	144.2

**Solid Waste Daily Borehole Temperature Averages for
Borehole 2
Chiquita LF**

TP-02	Depth from Surface			
	15 ft	30 ft	45 ft	60 ft
Feb 1	116.2	143.0	146.4	154.5
Feb 2	116.0	144.2	146.6	154.5
Feb 3	115.9	144.7	146.7	154.5
Feb 4	116.1	145.5	146.8	154.6
Feb 5	115.7	146.3	146.8	154.6
Feb 6	115.7	147.1	147.1	154.8
Feb 7	115.7	147.7	147.2	154.9
Feb 8	115.9	148.2	147.5	155.0
Feb 9	115.5	148.4	147.4	154.9
Feb 10	115.1	148.6	147.3	154.7
Feb 11	115.3	149.0	147.6	155.0
Feb 12	115.3	149.1	147.8	155.1
Feb 13	115.3	149.3	148.0	155.2
Feb 14	115.1	149.4	148.1	155.2
Feb 15	114.8	149.3	148.0	155.1
Feb 16	114.4	149.2	147.9	154.9
Feb 17	114.5	149.4	148.2	155.1
Feb 18	114.8	149.7	148.6	155.4
Feb 19	114.2	149.2	148.2	155.0
Feb 20	114.5	149.5	148.6	155.3
Feb 21	114.8	149.6	148.9	155.6
Feb 22	114.9	149.6	149.1	155.7
Feb 23	115.0	149.7	149.3	155.8
Feb 24	115.0	149.8	149.5	156.0
Feb 25	115.1	149.9	149.7	156.1
Feb 26	115.0	149.8	149.7	156.0
Feb 27	115.2	149.8	149.9	156.2
Feb 28	115.1	149.5	150.1	156.4
Average	115.2	148.4	148.1	155.2

**Solid Waste Daily Borehole Temperature Averages for
Borehole 3
Chiquita LF**

TP-03	Depth from Surface		
	15 ft	30 ft	45 ft
Feb 1	204.5	210.7	232.0
Feb 2	203.1	211.3	232.1
Feb 3	202.7	211.7	232.2
Feb 4	202.2	211.9	232.5
Feb 5	202.1	211.5	232.4
Feb 6	202.0	211.5	232.4
Feb 7	201.9	211.7	232.5
Feb 8	202.1	211.9	232.6
Feb 9	202.1	211.4	232.4
Feb 10	202.3	210.9	231.9
Feb 11	201.8	211.3	232.2
Feb 12	201.5	211.5	232.3
Feb 13	202.0	211.5	232.4
Feb 14	202.0	211.5	232.4
Feb 15	202.0	211.1	232.2
Feb 16	203.2	210.1	231.5
Feb 17	202.9	210.2	231.6
Feb 18	202.9	210.7	231.9
Feb 19	203.3	209.9	231.5
Feb 20	202.5	210.5	231.7
Feb 21	201.0	211.4	232.2
Feb 22	201.4	211.7	232.3
Feb 23	201.8	211.8	232.5
Feb 24	202.0	211.6	232.5
Feb 25	202.2	211.6	232.6
Feb 26	202.6	211.6	232.4
Feb 27	203.8	211.5	232.4
Feb 28	203.8	211.4	232.2
Average	202.4	211.3	232.2

**Solid Waste Daily Borehole Temperature Averages for
Borehole 4
Chiquita LF**

TP-04	Depth from Surface			
	15 ft	30 ft	45 ft	60 ft
Feb 1	150.8	157.7	154.3	152.7
Feb 2	150.8	157.7	154.2	152.7
Feb 3	150.7	157.8	154.1	152.9
Feb 4	150.9	157.9	154.1	153.0
Feb 5	150.7	157.7	153.9	152.9
Feb 6	150.8	157.8	154.0	153.0
Feb 7	150.8	157.8	154.0	152.9
Feb 8	151.0	158.0	154.1	153.1
Feb 9	150.8	157.8	154.0	153.0
Feb 10	150.5	157.6	153.8	152.8
Feb 11	150.5	157.7	153.9	152.9
Feb 12	150.3	157.8	154.1	153.1
Feb 13	149.8	157.8	154.2	153.1
Feb 14	149.5	157.8	154.2	153.1
Feb 15	149.6	157.7	154.2	153.0
Feb 16	149.4	157.4	154.0	152.7
Feb 17	149.2	157.5	154.2	152.8
Feb 18	149.1	157.7	154.4	153.1
Feb 19	148.8	157.4	154.2	152.7
Feb 20	149.1	157.5	154.2	152.9
Feb 21	149.4	157.7	154.4	152.9
Feb 22	150.0	157.8	154.5	153.0
Feb 23	150.4	158.0	154.7	153.2
Feb 24	150.7	158.1	154.8	153.3
Feb 25	150.8	158.1	154.9	153.3
Feb 26	150.8	158.1	155.0	153.3
Feb 27	150.8	158.2	155.1	153.3
Feb 28	150.7	158.3	155.2	153.3
Average	150.2	157.8	154.3	153.0

**Solid Waste Daily Borehole Temperature Averages for
Borehole 5
Chiquita LF**

TP-05	Depth from Surface				
	15 ft	30 ft	45 ft	60 ft	75 ft
Feb 1	131.2	164.1	167.2	154.1	157.4
Feb 2	131.4	162.6	166.6	154.2	157.5
Feb 3	131.7	162.4	166.1	154.1	157.4
Feb 4	132.1	161.5	165.9	154.2	157.4
Feb 5	132.3	161.4	165.4	154.3	157.3
Feb 6	132.5	161.5	164.9	154.3	157.4
Feb 7	132.8	160.7	164.4	154.4	157.3
Feb 8	133.2	160.6	164.0	154.5	157.5
Feb 9	133.3	160.0	163.6	154.4	157.3
Feb 10	131.1	157.9	163.3	154.5	157.2
Feb 11	128.1	154.6	163.7	154.5	157.5
Feb 12	132.6	158.7	162.8	154.4	157.4
Feb 13	133.5	158.8	162.8	154.6	157.5
Feb 14	133.6	158.7	162.3	154.7	157.4
Feb 15	133.8	157.3	162.1	154.7	157.3
Feb 16	129.2	154.6	162.4	154.6	157.2
Feb 17	127.9	153.5	162.5	154.5	157.3
Feb 18	128.9	153.4	162.3	154.7	157.5
Feb 19	128.6	154.4	161.9	154.6	157.2
Feb 20	131.6	154.3	162.4	154.8	157.4
Feb 21	133.2	155.9	162.6	154.8	157.5
Feb 22	133.8	157.6	162.9	155.0	157.7
Feb 23	134.3	159.1	163.2	155.2	157.8
Feb 24	134.6	159.8	163.4	155.3	157.9
Feb 25	134.9	160.1	163.7	155.4	158.1
Feb 26	135.0	160.2	163.8	155.5	158.0
Feb 27	135.2	160.3	164.1	155.6	158.2
Feb 28	135.3	160.6	164.3	155.6	158.3
Average	132.3	158.7	163.7	154.7	157.5

**Solid Waste Daily Borehole Temperature Averages for
Borehole 6
Chiquita LF**

TP-06	Depth from Surface							
	15 ft	30 ft	45 ft	60 ft	80 ft	100 ft	120 ft	140 ft
Feb 1	103.3	113.0	116.5	111.7	129.1	135.7	136.1	139.9
Feb 2	103.2	113.0	116.5	111.7	129.0	135.7	136.1	139.8
Feb 3	103.1	113.0	116.5	111.7	129.1	135.7	136.1	139.9
Feb 4	103.3	113.0	116.5	111.7	129.3	135.8	136.2	139.9
Feb 5	103.3	112.9	116.4	111.6	129.1	135.7	136.1	139.8
Feb 6	103.4	113.0	116.5	111.7	129.3	135.8	136.1	139.9
Feb 7	103.5	113.0	116.5	111.8	129.1	135.8	136.2	139.9
Feb 8	103.6	113.1	116.5	111.8	129.4	135.9	136.2	139.9
Feb 9	103.5	112.9	116.4	111.6	129.3	135.7	136.1	139.8
Feb 10	103.5	112.8	116.4	111.6	129.0	135.8	136.1	139.8
Feb 11	103.5	113.0	116.5	111.8	129.0	135.9	136.2	140.0
Feb 12	103.6	113.0	116.5	111.8	129.0	135.8	136.1	139.9
Feb 13	103.6	113.0	116.5	111.9	129.1	135.9	136.3	140.0
Feb 14	103.5	112.9	116.4	111.8	128.9	135.9	136.1	139.9
Feb 15	103.4	112.9	116.3	111.7	128.9	135.9	136.1	139.9
Feb 16	103.3	112.7	116.2	111.7	128.8	135.9	136.1	139.9
Feb 17	103.5	112.8	116.2	111.7	128.8	135.9	136.1	139.9
Feb 18	103.8	113.0	116.3	112.0	129.0	136.1	136.3	140.0
Feb 19	103.2	112.7	116.0	111.7	128.7	135.9	136.1	139.9
Feb 20	102.8	112.9	116.2	112.0	128.9	136.2	136.3	140.1
Feb 21	102.5	113.0	116.2	112.0	129.0	136.2	136.3	140.1
Feb 22	102.1	113.1	116.2	112.1	129.2	136.2	136.4	140.1
Feb 23	101.8	113.1	116.1	112.1	129.3	136.3	136.4	140.1
Feb 24	101.8	113.1	116.1	112.1	129.3	136.3	136.4	140.0
Feb 25	101.6	113.2	116.2	112.2	129.4	136.3	136.4	140.1
Feb 26	101.7	113.2	116.2	112.2	129.4	136.3	136.5	140.2
Feb 27	101.9	113.3	116.4	112.3	129.6	136.4	136.6	140.2
Feb 28	101.7	113.3	116.4	112.3	129.5	136.4	136.5	140.1
Average	103.0	113.0	116.3	111.9	129.1	136.0	136.2	140

**Solid Waste Daily Borehole Temperature Averages for
Borehole 7
Chiquita LF**

TP-07	Depth from Surface					
	15 ft	30 ft	45 ft	60 ft	75 ft	100 ft
Feb 1	126.8	129.9	134.2	134.0	137.3	150.4
Feb 2	126.8	129.8	134.3	134.1	137.2	150.3
Feb 3	126.8	129.7	134.2	134.1	137.3	150.3
Feb 4	126.8	129.7	134.2	134.1	137.5	150.5
Feb 5	126.8	129.6	134.1	134.1	137.4	150.3
Feb 6	126.8	129.6	134.3	134.2	137.3	150.3
Feb 7	126.8	129.5	134.2	134.2	137.4	150.3
Feb 8	126.9	129.6	134.4	134.4	137.6	150.6
Feb 9	126.8	129.4	134.1	134.2	137.5	150.4
Feb 10	126.8	129.4	134.1	134.2	137.4	150.5
Feb 11	126.8	129.4	134.2	134.3	137.6	150.9
Feb 12	126.8	129.4	134.1	134.1	137.7	151.1
Feb 13	126.7	129.4	134.2	134.3	137.9	151.4
Feb 14	126.7	129.3	134.2	134.1	137.8	151.5
Feb 15	126.5	129.2	134.1	134.1	137.7	151.5
Feb 16	126.5	129.0	133.9	133.9	137.4	151.4
Feb 17	126.6	129.0	134.0	133.9	137.5	151.9
Feb 18	126.7	129.2	134.2	134.2	137.8	152.8
Feb 19	126.4	128.8	133.9	133.9	137.3	152.7
Feb 20	126.6	129.0	134.3	134.3	137.7	153.0
Feb 21	126.6	129.0	134.2	134.2	137.9	153.0
Feb 22	126.6	129.0	134.2	134.3	138.1	153.1
Feb 23	126.7	129.1	134.3	134.5	138.3	153.3
Feb 24	126.7	129.1	134.3	134.5	138.3	153.2
Feb 25	126.8	129.2	134.3	134.6	138.5	153.3
Feb 26	126.6	129.1	134.2	134.7	138.6	153.3
Feb 27	126.6	129.2	134.3	134.9	138.8	153.4
Feb 28	126.7	129.2	134.4	134.9	138.6	153.3
Average	126.7	129.3	134.2	134.3	137.8	151.7

**Solid Waste Daily Borehole Temperature Averages for
Borehole 8
Chiquita LF**

TP-08	Depth from Surface					
	15 ft	30 ft	45 ft	100 ft	125 ft	150 ft
Feb 1	124.6	131.1	126.9	150.4	153.5	163.3
Feb 2	123.3	129.9	126.7	148.8	152.1	162.8
Feb 3	127.3	136.2	129.2	152.7	154.2	166.3
Feb 4	128.5	137.2	129.7	153.6	155.1	168.7
Feb 5	129.5	138.5	132.2	154.0	155.2	166.9
Feb 6	130.5	139.6	133.6	154.5	155.8	167.3
Feb 7	131.4	140.6	135.2	155.3	156.3	168.2
Feb 8	132.5	142.3	140.7	155.7	156.8	168.3
Feb 9	131.6	139.8	135.9	153.9	156.7	165.8
Feb 10	128.1	134.4	129.2	153.3	157.1	165.2
Feb 11	126.5	132.2	127.2	155.9	160.3	167.5
Feb 12	125.4	131.0	126.5	158.5	163.1	170.0
Feb 13	125.1	131.0	126.7	160.4	165.1	172.0
Feb 14	124.7	130.6	126.5	162.1	167.0	173.9
Feb 15	124.3	130.1	126.2	163.6	168.7	175.8
Feb 16	123.9	129.9	126.1	165.1	170.2	177.5
Feb 17	124.6	131.1	126.8	166.4	171.4	178.2
Feb 18	125.5	132.4	127.7	167.6	172.3	179.2
Feb 19	125.1	132.0	127.1	167.8	172.4	179.3
Feb 20	126.0	132.9	127.8	168.7	173.6	180.1
Feb 21	125.8	132.7	127.5	169.3	174.4	180.7
Feb 22	126.0	133.0	127.8	170.3	175.2	181.6
Feb 23	126.4	133.7	128.3	170.6	176.0	182.0
Feb 24	126.6	133.9	128.4	171.6	176.8	183.3
Feb 25	127.1	134.9	129.7	172.2	177.4	183.7
Feb 26	127.2	134.5	128.7	172.8	178.0	184.2
Feb 27	126.7	133.8	128.1	173.1	178.6	184.8
Feb 28	126.6	133.6	128.3	173.7	179.0	185.3
Average	126.8	134.0	129.1	162.2	166.2	174.3

**Solid Waste Daily Borehole Temperature Averages for
Borehole 9
Chiquita LF**

TP-09	Depth from Surface						
	15 ft	30 ft	45 ft	60 ft	80 ft	100 ft	125 ft
Feb 1	111.7	118.7	126.8	133.6	137.8	158.3	207.6
Feb 2	111.7	118.7	126.8	133.6	137.8	158.4	207.5
Feb 3	111.6	118.7	126.8	133.6	137.8	158.4	207.8
Feb 4	111.6	118.7	126.8	133.6	138.0	158.5	207.9
Feb 5	111.6	118.7	126.8	133.6	137.9	158.5	207.6
Feb 6	111.6	118.4	126.5	133.4	137.5	158.4	207.2
Feb 7	111.7	118.6	126.7	133.5	137.7	158.6	207.3
Feb 8	111.8	118.7	126.8	133.6	137.8	158.7	207.4
Feb 9	111.9	118.8	126.9	133.8	138.0	158.8	207.5
Feb 10	112.0	118.9	127.0	133.9	138.1	159.0	207.6
Feb 11	112.1	119.0	127.1	134.0	138.3	159.1	207.6
Feb 12	112.2	119.1	127.2	134.1	138.4	159.2	207.7
Feb 13	112.3	119.2	127.3	134.3	138.6	159.4	207.8
Feb 14	112.3	119.3	127.4	134.4	138.7	159.5	207.9
Feb 15	112.4	119.4	127.5	134.5	138.8	159.6	208.0
Feb 16	112.5	119.5	127.6	134.6	139.0	159.8	208.1
Feb 17	112.6	119.6	127.7	134.8	139.1	159.9	208.2
Feb 18	112.7	119.7	127.8	134.9	139.3	160.0	208.3
Feb 19	112.8	119.8	127.9	135.0	139.4	160.2	208.4
Feb 20	112.9	119.9	128.0	135.1	139.6	160.3	208.5
Feb 21	113.0	120.0	128.1	135.2	139.7	160.4	208.6
Feb 22	113.1	120.1	128.2	135.4	139.8	160.6	208.7
Feb 23	112.6	119.7	127.9	134.8	139.3	160.3	208.3
Feb 24	111.6	119.1	127.4	134.2	138.2	159.8	207.4
Feb 25	111.7	119.2	127.5	134.2	138.3	159.9	207.5
Feb 26	111.6	119.2	127.4	134.2	138.4	160.0	207.7
Feb 27	111.6	119.3	127.5	134.3	138.6	160.1	207.7
Feb 28	111.6	119.3	127.5	134.3	138.5	160.1	207.5
Average	112.1	119.2	127.3	134.2	138.5	159.4	207.8

**Solid Waste Daily Borehole Temperature Averages for
Borehole 10
Chiquita LF**

TP-10	Depth from Surface						
	15 ft	30 ft	45 ft	60 ft	80 ft	100 ft	125 ft
Feb 1	122.4	128.1	131.2	136.7	137.2	137.6	150.9
Feb 2	122.3	128.0	131.2	136.7	137.2	137.5	151.0
Feb 3	122.2	127.8	131.0	136.5	137.1	137.5	150.9
Feb 4	122.4	127.9	131.1	136.6	137.5	137.9	151.1
Feb 5	122.1	127.6	130.9	136.5	137.3	137.6	150.8
Feb 6	122.3	127.6	131.0	136.5	137.3	137.6	150.8
Feb 7	122.3	127.5	131.0	136.5	137.4	137.7	150.9
Feb 8	122.4	127.7	131.3	136.6	137.8	138.1	151.1
Feb 9	122.1	127.4	130.9	136.4	137.5	137.8	150.8
Feb 10	121.9	127.1	130.6	136.1	137.1	137.4	150.4
Feb 11	122.1	127.2	130.7	136.2	137.3	137.6	150.6
Feb 12	122.2	127.2	130.8	136.4	137.5	137.8	150.8
Feb 13	122.3	127.1	130.8	136.4	137.6	137.9	150.9
Feb 14	122.1	126.9	130.6	136.4	137.5	137.9	150.8
Feb 15	121.8	126.6	130.3	136.2	137.3	137.6	150.5
Feb 16	121.5	126.3	130.0	136.1	137.0	137.3	150.2
Feb 17	121.6	126.4	130.1	136.2	137.2	137.5	150.4
Feb 18	121.9	126.7	130.4	136.6	137.4	137.7	150.6
Feb 19	121.4	126.1	129.9	136.3	136.7	137.1	150.1
Feb 20	121.9	126.4	130.2	136.6	137.0	137.3	150.2
Feb 21	122.0	126.5	130.5	136.8	137.2	137.5	150.5
Feb 22	122.1	126.6	130.6	137.0	137.5	137.9	150.7
Feb 23	122.2	126.8	130.7	137.1	137.7	138.0	150.8
Feb 24	122.2	126.8	130.7	137.2	137.7	138.1	150.9
Feb 25	122.3	126.8	130.7	137.4	137.8	138.2	151.1
Feb 26	122.3	126.4	129.9	137.3	137.8	138.2	151.0
Feb 27	122.3	126.3	129.6	137.4	137.9	138.3	151.1
Feb 28	122.2	126.1	129.5	137.4	137.7	138.3	151.1
Average	122.1	127.0	130.6	136.6	137.4	137.7	150.7

**Solid Waste Daily Borehole Temperature Averages for
Borehole 11
Chiquita LF**

TP-11	Depth from Surface					
	15 ft	30 ft	45 ft	80 ft	100 ft	125 ft
Feb 1	163.7	162.3	169.0	175.5	181.5	181.0
Feb 2	163.8	162.5	169.4	175.5	181.8	181.2
Feb 3	163.9	162.8	170.0	175.3	182.0	181.5
Feb 4	164.2	163.2	170.6	176.1	182.2	181.7
Feb 5	164.1	163.2	170.5	176.8	182.4	181.9
Feb 6	164.2	163.4	170.8	176.8	182.8	182.1
Feb 7	164.4	163.7	171.1	176.8	182.8	182.2
Feb 8	164.5	164.0	171.8	177.6	183.2	182.7
Feb 9	164.4	164.0	171.5	177.2	183.3	182.7
Feb 10	164.2	163.8	170.9	176.8	183.3	182.7
Feb 11	164.3	163.8	170.7	176.9	183.8	183.0
Feb 12	164.3	164.0	171.1	176.6	183.6	182.9
Feb 13	164.3	164.1	171.0	177.5	184.6	184.0
Feb 14	164.4	164.3	171.2	177.6	184.9	184.2
Feb 15	164.2	164.2	170.9	177.5	184.9	184.1
Feb 16	164.1	164.1	170.5	177.2	184.7	183.9
Feb 17	164.2	164.2	170.8	177.1	184.6	183.8
Feb 18	164.4	164.4	171.3	177.3	184.8	184.0
Feb 19	164.1	164.1	170.7	176.8	184.5	183.6
Feb 20	164.2	164.3	171.0	177.3	185.1	184.2
Feb 21	164.3	164.5	170.8	177.8	185.4	184.7
Feb 22	164.4	164.6	170.7	178.1	185.5	185.0
Feb 23	164.6	164.7	170.8	177.7	185.2	184.8
Feb 24	164.3	164.5	170.2	178.1	185.8	185.1
Feb 25	164.4	164.4	171.3	179.3	187.0	186.4
Feb 26	164.5	164.6	172.0	180.0	187.6	187.1
Feb 27	164.5	164.5	172.7	180.6	188.2	187.8
Feb 28	164.6	164.6	173.7	181.0	188.7	188.3
Average	164.3	164.0	171.0	177.4	184.4	183.8

**Solid Waste Daily Borehole Temperature Averages for
Borehole 12
Chiquita LF**

TP-12	Depth from Surface					
	15 ft	30 ft	45 ft	80 ft	100 ft	125 ft
Feb 1	102.1	117.9	122.4	132.0	136.0	147.3
Feb 2	101.9	117.9	122.4	131.9	135.9	147.2
Feb 3	101.9	117.9	122.4	132.0	136.1	147.3
Feb 4	101.9	118.1	122.5	132.2	136.3	147.5
Feb 5	101.7	118.0	122.4	132.0	136.1	147.4
Feb 6	101.8	117.9	122.4	131.9	135.9	147.3
Feb 7	101.7	117.9	122.4	132.0	136.0	147.3
Feb 8	102.0	118.1	122.6	132.1	136.2	147.4
Feb 9	101.7	117.9	122.4	132.0	136.0	147.3
Feb 10	101.6	117.7	122.3	131.8	135.8	147.3
Feb 11	101.6	117.7	122.3	131.8	135.7	147.2
Feb 12	101.6	117.8	122.3	131.8	135.7	147.1
Feb 13	101.6	117.9	122.4	131.9	135.9	147.3
Feb 14	101.5	117.8	122.4	131.8	135.8	147.2
Feb 15	101.2	117.7	122.3	131.8	135.7	147.2
Feb 16	101.0	117.5	122.1	131.6	135.4	147.1
Feb 17	100.8	117.5	122.1	131.6	135.5	147.1
Feb 18	101.1	117.7	122.3	131.7	135.6	147.1
Feb 19	100.7	117.4	122.0	131.5	135.3	146.9
Feb 20	100.8	117.6	122.1	131.6	135.4	147.0
Feb 21	101.0	117.8	122.3	131.8	135.7	147.2
Feb 22	101.1	118.0	122.5	132.0	136.0	147.4
Feb 23	101.2	118.2	122.6	132.2	136.2	147.5
Feb 24	101.3	118.3	122.8	132.3	136.3	147.5
Feb 25	101.3	118.4	122.8	132.4	136.4	147.5
Feb 26	101.3	118.4	122.8	132.4	136.6	147.7
Feb 27	101.5	118.6	123.0	132.6	136.8	147.8
Feb 28	101.5	118.6	123.0	132.5	136.7	147.7
Average	101.4	117.9	122.4	132.0	136.0	147.3

**Solid Waste Daily Borehole Temperature Averages for
Borehole 13
Chiquita LF**

TP-13	Depth from Surface					
	15 ft	30 ft	45 ft	75 ft	100 ft	140 ft
Feb 1	140.8	166.1	167.4	166.3	167.8	169.9
Feb 2	141.2	166.1	167.4	166.2	167.7	169.9
Feb 3	141.4	166.0	167.4	166.2	167.8	170.0
Feb 4	141.8	166.2	167.4	166.4	168.0	170.1
Feb 5	142.0	166.0	167.4	166.3	167.8	170.0
Feb 6	142.4	166.1	167.5	166.4	167.9	170.2
Feb 7	142.5	166.2	167.5	166.3	167.9	170.2
Feb 8	143.0	166.4	167.8	166.7	168.2	170.5
Feb 9	143.0	166.2	167.6	166.5	168.0	170.4
Feb 10	143.0	166.0	167.5	166.2	167.8	170.2
Feb 11	143.3	166.2	167.6	166.3	167.9	170.3
Feb 12	143.6	166.3	167.3	166.1	167.7	170.2
Feb 13	144.2	165.5	165.9	165.0	166.8	169.2
Feb 14	144.1	163.9	165.0	164.1	166.0	168.5
Feb 15	143.7	162.7	164.2	163.3	165.2	167.6
Feb 16	143.0	161.5	163.4	162.5	164.5	167.0
Feb 17	142.6	160.6	163.3	162.5	164.4	167.0
Feb 18	142.9	159.9	163.3	163.0	165.0	167.5
Feb 19	142.6	158.9	161.5	162.6	164.5	167.1
Feb 20	142.7	158.6	160.3	162.8	164.8	167.3
Feb 21	142.6	158.2	160.5	163.0	165.0	167.5
Feb 22	142.5	157.9	160.0	163.3	165.3	167.6
Feb 23	142.7	157.8	159.9	163.3	165.3	167.7
Feb 24	142.5	157.6	160.5	162.8	164.8	167.1
Feb 25	142.4	157.3	159.5	162.8	164.8	167.1
Feb 26	142.2	156.9	159.3	162.7	164.7	166.9
Feb 27	142.1	156.5	158.7	162.6	164.7	166.8
Feb 28	142.2	156.2	158.2	162.7	164.7	166.9
Average	142.6	162.3	164.0	164.5	166.3	168.6

**Solid Waste Daily Borehole Temperature Averages for
Borehole 14
Chiquita LF**

TP-14	Depth from Surface						
	15 ft	30 ft	45 ft	75 ft	100 ft	125 ft	150 ft
Feb 1	96.0	114.1	125.9	148.0	158.8	167.4	170.3
Feb 2	95.7	114.0	125.9	147.8	158.8	167.3	170.3
Feb 3	95.7	113.9	125.9	147.9	158.8	167.4	170.3
Feb 4	95.7	113.9	125.9	148.0	158.9	167.5	170.4
Feb 5	95.4	113.9	125.9	147.9	158.8	167.5	170.4
Feb 6	95.3	114.0	125.9	147.8	158.9	167.3	170.4
Feb 7	95.2	114.0	125.9	147.7	158.8	167.4	170.4
Feb 8	95.3	114.2	125.9	147.8	158.9	167.5	170.5
Feb 9	94.9	114.2	125.8	147.5	158.8	167.3	170.5
Feb 10	94.5	114.1	125.7	147.2	158.7	167.2	170.4
Feb 11	94.1	114.2	125.8	147.3	158.7	167.1	170.4
Feb 12	94.3	114.3	125.8	147.3	158.7	167.1	170.3
Feb 13	94.3	114.2	125.8	147.3	158.7	167.2	170.4
Feb 14	93.9	114.1	125.7	147.2	158.6	167.0	170.3
Feb 15	93.6	113.9	125.7	147.0	158.5	166.9	170.4
Feb 16	93.2	113.7	125.5	146.7	158.4	166.7	170.2
Feb 17	93.1	113.7	125.6	146.6	158.3	166.7	170.2
Feb 18	93.5	113.9	125.8	146.9	158.5	166.7	170.3
Feb 19	92.8	113.5	125.5	146.4	158.2	166.4	170.2
Feb 20	92.9	113.8	125.7	146.7	158.4	166.6	170.3
Feb 21	92.9	113.8	125.7	146.8	158.4	166.7	170.2
Feb 22	93.2	114.0	125.8	147.0	158.4	166.8	170.4
Feb 23	93.3	114.1	126.0	147.2	158.6	167.0	170.5
Feb 24	93.2	114.1	126.0	147.1	158.5	167.0	170.5
Feb 25	93.3	114.3	126.1	147.3	158.6	167.0	170.5
Feb 26	93.1	114.3	126.0	147.2	158.6	167.0	170.5
Feb 27	93.3	114.4	126.1	147.4	158.6	167.2	170.5
Feb 28	93.1	114.4	126.1	147.2	158.6	167.0	170.5
Average	94.1	114.0	125.8	147.3	158.6	167.1	170.4

**Solid Waste Daily Borehole Temperature Averages for
Borehole 15
Chiquita LF**

TP-15	Depth from Surface				
	15 ft	30 ft	45 ft	75 ft	100 ft
Feb 1	181.2	195.5	198.2	199.6	199.3
Feb 2	180.9	195.4	198.2	199.6	199.3
Feb 3	181.1	195.5	198.3	199.6	199.3
Feb 4	181.4	195.6	198.3	199.7	199.4
Feb 5	181.3	195.5	198.3	199.9	199.5
Feb 6	181.4	195.7	198.5	200.0	199.7
Feb 7	181.6	195.7	198.5	199.9	199.7
Feb 8	181.8	195.8	198.6	200.2	200.2
Feb 9	182.0	195.5	198.3	199.9	200.3
Feb 10	181.4	195.2	198.1	199.6	199.8
Feb 11	181.6	195.3	198.2	199.6	199.7
Feb 12	181.4	195.3	198.2	199.6	199.7
Feb 13	181.5	195.2	198.1	199.5	199.7
Feb 14	181.6	195.2	198.1	199.7	199.9
Feb 15	181.6	195.1	198.0	199.6	199.8
Feb 16	181.1	194.8	197.7	199.1	199.5
Feb 17	181.0	194.9	197.8	199.1	199.3
Feb 18	181.5	195.1	198.0	199.2	199.3
Feb 19	181.5	194.7	197.7	198.8	199.0
Feb 20	181.4	195.0	198.0	199.1	199.5
Feb 21	181.4	195.2	198.2	199.4	199.7
Feb 22	181.7	195.4	198.3	199.5	199.8
Feb 23	181.9	195.4	198.4	199.6	199.9
Feb 24	182.1	195.7	198.8	200.1	200.3
Feb 25	181.8	195.6	198.4	199.8	199.8
Feb 26	181.7	195.4	198.3	199.6	199.7
Feb 27	182.0	195.4	198.2	199.8	199.8
Feb 28	181.8	195.4	198.3	199.8	199.9
Average	181.5	195.3	198.2	199.6	199.7

**Solid Waste Daily Borehole Temperature Averages for
Borehole 16
Chiquita LF**

TP-16	Depth from Surface					
	15 ft	30 ft	45 ft	60 ft	80 ft	100 ft
Feb 1	134.4	170.5	134.1	138.0	137.6	141.1
Feb 2	134.8	170.4	134.2	138.0	137.6	141.0
Feb 3	135.6	171.1	134.2	137.9	137.5	140.9
Feb 4	134.8	171.7	134.4	138.1	137.7	141.2
Feb 5	134.8	171.7	134.3	137.9	137.7	141.0
Feb 6	135.4	172.0	134.5	138.1	137.7	141.0
Feb 7	135.3	172.2	131.5	138.1	137.6	141.0
Feb 8	135.2	172.6	134.9	138.3	137.9	141.2
Feb 9	135.2	172.6	134.8	138.1	137.7	141.0
Feb 10	135.1	172.7	122.5	138.0	137.5	140.8
Feb 11	135.3	173.1	85.3	138.1	137.6	140.9
Feb 12	135.3	173.6	84.1	138.3	137.8	141.0
Feb 13	136.0	173.9	103.5	138.4	137.9	141.1
Feb 14	135.6	174.1	93.0	138.3	137.8	141.0
Feb 15	135.5	174.2	93.1	138.2	137.6	140.9
Feb 16	136.8	174.4	65.0	138.1	137.4	140.6
Feb 17	137.6	174.7	92.0	138.2	137.5	140.7
Feb 18	137.6	175.3	81.3	138.4	137.8	141.0
Feb 19	137.5	175.2	84.1	138.2	137.4	140.6
Feb 20	137.3	175.8	87.5	138.6	137.7	140.9
Feb 21	137.0	175.9	103.1	138.5	137.8	141.0
Feb 22	136.8	176.2	135.7	138.5	138.0	141.2
Feb 23	136.9	176.5	135.7	138.7	138.2	141.4
Feb 24	136.6	176.6	135.2	138.7	138.3	141.3
Feb 25	136.6	176.8	135.4	138.7	138.3	141.4
Feb 26	136.2	176.9	135.5	138.6	138.3	141.4
Feb 27	135.8	177.2	135.8	138.7	138.6	141.5
Feb 28	135.6	177.3	135.8	138.8	138.5	141.5
Average	135.9	174.1	116.1	138.3	137.8	141.1

Thermocouple at 45 ft malfunctioned on October 11th and was repaired on February 22.

**Solid Waste Daily Borehole Temperature Averages for
Borehole 17
Chiquita LF**

TP-17	Depth from Surface						
	15 ft	30 ft	45 ft	60 ft	80 ft	100 ft	125 ft
Feb 1	132.1	135.5	141.4	141.8	143.3	144.4	157.1
Feb 2	131.5	135.4	141.4	141.9	143.2	144.2	156.3
Feb 3	132.7	135.3	141.4	141.9	143.3	144.4	156.2
Feb 4	135.4	135.5	141.5	142.0	143.5	144.5	156.4
Feb 5	135.0	135.4	141.5	142.0	143.3	144.4	156.3
Feb 6	136.0	135.7	141.5	142.1	143.4	144.4	156.2
Feb 7	136.8	135.9	141.4	142.0	143.3	144.4	156.3
Feb 8	137.5	136.4	141.6	142.1	143.4	144.5	156.5
Feb 9	136.2	137.0	141.5	142.0	143.2	144.4	156.5
Feb 10	134.9	137.0	141.4	141.9	143.1	144.1	156.5
Feb 11	136.0	137.1	141.5	142.0	143.3	144.3	156.8
Feb 12	136.7	136.8	141.5	142.1	143.4	144.4	156.8
Feb 13	137.2	136.8	141.5	142.1	143.4	144.4	156.8
Feb 14	137.7	136.9	141.5	142.1	143.4	144.3	156.7
Feb 15	138.1	136.8	141.5	142.0	143.2	144.1	156.7
Feb 16	138.2	136.8	141.4	141.8	143.0	143.9	156.6
Feb 17	138.9	136.8	141.5	142.0	143.2	144.0	156.5
Feb 18	139.8	137.0	141.6	142.1	143.6	144.3	157.0
Feb 19	139.8	136.8	141.2	141.8	143.2	143.9	156.7
Feb 20	140.3	137.0	141.4	142.0	143.6	144.3	157.1
Feb 21	140.8	137.1	141.5	142.0	143.7	144.5	157.2
Feb 22	141.4	137.3	141.6	142.1	143.7	144.7	157.5
Feb 23	141.6	137.6	141.6	142.2	143.8	144.9	157.7
Feb 24	141.6	138.2	141.6	142.2	143.8	144.9	157.7
Feb 25	141.6	139.3	141.7	142.3	143.9	145.0	157.7
Feb 26	141.9	139.9	141.6	142.2	143.8	144.9	157.9
Feb 27	142.2	139.3	141.6	142.2	143.9	145.1	158.0
Feb 28	142.1	139.1	141.7	142.2	143.9	145.1	158.0
Average	138.0	137.0	141.5	142.0	143.5	144.5	156.9

**Solid Waste Daily Borehole Temperature Averages for
Borehole 18
Chiquita LF**

TP-18	Depth from Surface		
	15 ft	30 ft	45 ft
Feb 1	140.1	159.8	191.8
Feb 2	140.0	159.7	191.8
Feb 3	139.9	159.8	191.9
Feb 4	140.0	160.0	192.1
Feb 5	139.9	160.0	192.1
Feb 6	140.1	160.2	192.4
Feb 7	139.9	160.1	192.4
Feb 8	140.1	160.4	192.7
Feb 9	139.9	160.2	192.6
Feb 10	139.7	160.0	192.5
Feb 11	139.8	160.2	192.7
Feb 12	139.9	160.4	193.0
Feb 13	139.9	160.6	193.1
Feb 14	139.9	160.6	193.2
Feb 15	139.7	160.5	193.2
Feb 16	139.5	160.3	193.1
Feb 17	139.7	160.4	193.2
Feb 18	139.9	160.8	193.8
Feb 19	139.4	160.5	193.4
Feb 20	139.8	160.9	193.8
Feb 21	139.8	161.1	194.1
Feb 22	140.1	161.4	194.4
Feb 23	140.2	161.6	194.6
Feb 24	140.3	161.8	194.9
Feb 25	140.3	161.8	195.0
Feb 26	140.3	161.9	195.1
Feb 27	140.5	162.1	195.3
Feb 28	140.5	162.2	195.4
Average	140.0	160.7	193.3

**Solid Waste Daily Borehole Temperature Averages for
Borehole 19
Chiquita LF**

TP-19	Depth from Surface						
	15 ft	30 ft	45 ft	75 ft	100 ft	125 ft	150 ft
Feb 1	135.4	143.4	147.3	146.2	147.6	146.9	160.2
Feb 2	135.9	143.5	147.2	146.1	147.5	146.7	160.3
Feb 3	136.0	142.9	147.1	145.9	147.3	146.7	160.3
Feb 4	136.1	142.4	147.1	146.1	147.4	146.8	160.4
Feb 5	136.3	142.1	147.0	145.8	147.2	146.6	160.3
Feb 6	136.5	142.0	147.1	145.7	147.2	146.5	160.4
Feb 7	136.4	141.7	147.0	145.7	147.2	146.5	160.4
Feb 8	136.5	141.7	147.0	145.9	147.3	146.6	160.6
Feb 9	136.4	141.5	146.8	145.5	147.0	146.3	160.4
Feb 10	136.6	141.3	146.7	145.2	146.8	146.0	160.4
Feb 11	137.4	141.2	146.6	145.2	146.8	146.0	160.5
Feb 12	138.0	141.1	146.5	145.2	146.7	145.9	160.5
Feb 13	138.3	141.0	146.4	145.1	146.6	145.9	160.6
Feb 14	138.9	141.0	146.4	144.9	146.5	145.7	160.5
Feb 15	139.1	140.9	146.3	144.7	146.4	145.5	160.5
Feb 16	139.3	140.9	146.1	144.4	146.2	145.2	160.4
Feb 17	140.1	140.8	146.0	144.4	146.1	145.1	160.4
Feb 18	140.3	141.1	146.2	144.7	146.4	145.4	160.7
Feb 19	139.8	140.9	146.0	144.3	146.1	145.0	160.4
Feb 20	139.7	141.1	146.2	144.6	146.3	145.3	160.8
Feb 21	139.4	140.9	146.1	144.7	146.3	145.5	160.7
Feb 22	139.3	140.9	146.2	145.0	146.5	145.7	160.9
Feb 23	139.1	140.9	146.2	145.2	146.6	145.9	161.0
Feb 24	138.9	140.8	146.2	145.1	146.5	145.8	161.0
Feb 25	138.7	140.8	146.2	145.2	146.5	145.9	161.0
Feb 26	138.5	140.7	146.1	145.2	146.5	145.9	161.0
Feb 27	138.4	140.7	146.2	145.4	146.6	146.2	161.2
Feb 28	138.4	140.8	146.3	145.3	146.6	146.0	161.1
Average	138.0	141.4	146.5	145.2	146.7	146.0	160.6

**Solid Waste Daily Borehole Temperature Averages for
Borehole 20
Chiquita LF**

TP-20	Depth from Surface		
	15 ft	30 ft	45 ft
Feb 1	125.0	133.1	139.0
Feb 2	125.4	133.8	139.0
Feb 3	125.7	134.1	139.0
Feb 4	126.0	134.2	139.1
Feb 5	126.1	134.3	139.0
Feb 6	126.4	134.8	139.1
Feb 7	126.1	133.9	138.9
Feb 8	125.8	133.6	139.1
Feb 9	125.5	133.4	139.0
Feb 10	125.6	133.5	138.9
Feb 11	126.0	133.7	139.0
Feb 12	126.0	133.9	139.0
Feb 13	126.2	134.1	139.0
Feb 14	126.2	134.0	139.0
Feb 15	126.2	134.1	138.9
Feb 16	126.1	133.9	138.7
Feb 17	126.1	133.6	138.9
Feb 18	126.1	133.6	139.8
Feb 19	125.7	133.3	140.0
Feb 20	126.0	133.8	140.7
Feb 21	126.1	133.9	140.9
Feb 22	126.3	134.2	141.1
Feb 23	126.5	134.4	141.3
Feb 24	126.6	134.5	141.3
Feb 25	126.8	134.9	141.5
Feb 26	126.9	135.2	141.4
Feb 27	127.1	135.3	141.5
Feb 28	127.2	135.5	141.4
Average	126.1	134.1	139.8

**Solid Waste Daily Borehole Temperature Averages for
Borehole 21
Chiquita LF**

TP-21	Depth from Surface							
	15 ft	30 ft	45 ft	60 ft	70 ft	85 ft	95 ft	110 ft
Feb 1	117.6	141.2	149.4	159.7	165.3	182.0	209.1	255.6
Feb 2	117.5	141.0	149.3	159.6	165.1	181.8	208.9	255.6
Feb 3	116.6	141.1	149.4	159.6	165.0	181.8	209.0	255.6
Feb 4	116.6	141.2	149.5	159.7	165.1	181.9	208.9	255.7
Feb 5	118.0	141.0	149.4	159.5	164.8	181.5	209.1	255.6
Feb 6	118.4	140.9	149.4	159.3	164.7	181.5	208.6	255.7
Feb 7	118.3	140.9	149.5	159.3	164.6	181.3	208.7	255.7
Feb 8	118.7	140.9	149.5	159.4	164.5	181.3	208.6	255.8
Feb 9	119.1	140.7	149.4	159.1	164.3	181.0	208.5	255.7
Feb 10	119.1	140.5	149.3	159.0	164.1	180.9	208.3	255.8
Feb 11	118.5	140.5	149.3	159.0	164.0	180.8	208.5	255.8
Feb 12	117.8	140.5	149.2	158.8	163.8	180.6	208.5	255.6
Feb 13	116.8	140.6	149.4	158.9	163.9	180.9	208.3	255.8
Feb 14	115.9	140.5	149.2	158.7	163.6	180.6	207.8	255.6
Feb 15	115.6	140.4	149.3	158.6	163.5	180.6	208.1	255.7
Feb 16	115.1	140.2	149.0	158.4	163.2	180.3	207.8	255.4
Feb 17	114.5	140.2	149.1	158.4	163.1	180.3	207.8	255.4
Feb 18	114.4	140.3	149.2	158.4	163.1	180.3	207.7	255.5
Feb 19	114.1	140.0	148.9	158.2	162.8	179.9	207.5	255.4
Feb 20	114.0	140.2	149.1	158.3	162.9	180.1	207.7	255.7
Feb 21	113.6	140.4	149.2	158.4	163.0	180.0	207.4	255.7
Feb 22	113.7	140.5	149.5	158.6	163.1	180.4	207.6	255.9
Feb 23	114.1	140.8	149.6	158.8	163.3	180.5	207.7	256.2
Feb 24	114.4	140.6	149.6	158.7	163.1	180.3	207.9	256.0
Feb 25	114.9	140.7	149.7	158.7	163.2	180.5	207.7	256.1
Feb 26	114.9	140.7	149.9	158.8	163.2	180.4	207.7	256.2
Feb 27	114.8	140.8	150.0	158.9	163.3	180.5	207.8	256.3
Feb 28	115.0	140.6	149.9	158.7	163.1	180.4	207.5	256.2
Average	116.1	140.6	149.4	158.9	163.8	180.8	208.2	255.8

**Solid Waste Daily Borehole Temperature Averages for
Borehole 22
Chiquita LF**

Depth from Surface	
TP-22	15 ft
Feb 1	95.0
Feb 2	95.0
Feb 3	95.0
Feb 4	95.1
Feb 5	95.1
Feb 6	95.1
Feb 7	95.4
Feb 8	95.4
Feb 9	95.2
Feb 10	95.2
Feb 11	94.1
Feb 12	94.3
Feb 13	94.1
Feb 14	94.2
Feb 15	94.2
Feb 16	93.4
Feb 17	93.0
Feb 18	92.1
Feb 19	92.7
Feb 20	92.9
Feb 21	92.9
Feb 22	93.2
Feb 23	93.2
Feb 24	93.1
Feb 25	93.2
Feb 26	93.2
Feb 27	93.1
Feb 28	93.1
Average	94.0

**Solid Waste Daily Borehole Temperature Averages for
Borehole 23
Chiquita LF**

TP-23	Depth from Surface			
	15 ft	30 ft	45 ft	75 ft
Feb 1	104.7	120.6	137.9	141.3
Feb 2	104.6	120.3	137.8	141.3
Feb 3	104.4	120.3	137.7	141.3
Feb 4	104.5	121.0	137.9	141.2
Feb 5	104.7	122.7	138.1	141.2
Feb 6	104.7	123.0	138.1	141.3
Feb 7	104.5	123.1	138.1	141.3
Feb 8	104.8	123.8	138.2	141.5
Feb 9	104.9	124.8	138.1	141.2
Feb 10	104.8	124.7	137.9	141.0
Feb 11	104.5	123.7	137.9	141.3
Feb 12	104.4	123.6	138.1	141.4
Feb 13	104.5	123.9	138.2	141.5
Feb 14	104.3	123.3	138.0	141.4
Feb 15	104.1	123.5	137.9	141.1
Feb 16	103.9	123.0	137.7	141.0
Feb 17	103.3	120.6	137.6	141.1
Feb 18	102.3	120.4	137.8	141.5
Feb 19	102.1	120.1	137.5	141.0
Feb 20	102.0	119.9	137.5	141.3
Feb 21	102.4	120.0	137.6	141.4
Feb 22	102.7	120.2	137.7	141.4
Feb 23	103.1	120.4	137.9	141.5
Feb 24	103.2	120.2	137.9	141.6
Feb 25	103.0	119.2	137.3	141.5
Feb 26	103.1	119.0	137.1	141.5
Feb 27	102.9	118.6	137.0	141.6
Feb 28	102.9	118.5	137.0	141.6
Average	103.8	121.5	137.8	141.3

**Solid Waste Daily Borehole Temperature Averages for
Borehole 24
Chiquita LF**

TP-24	Depth from Surface							
	15 ft	30 ft	45 ft	100 ft	155 ft	210 ft	265 ft	320 ft
Feb 1	90.9	114.1	123.2	132.6	161.9	182.0	199.3	151.5
Feb 2	90.7	114.0	123.2	132.6	161.8	182.1	199.3	151.4
Feb 3	90.6	114.1	123.2	132.7	161.9	182.2	199.4	151.4
Feb 4	90.7	114.3	123.3	132.9	161.9	182.3	199.5	151.6
Feb 5	90.5	114.4	123.3	132.7	161.9	182.3	199.6	151.5
Feb 6	90.5	114.2	123.2	132.6	161.8	182.1	199.5	151.4
Feb 7	90.4	114.1	123.2	132.7	161.8	182.2	199.5	151.4
Feb 8	90.5	114.4	123.4	132.9	161.9	182.3	199.7	151.5
Feb 9	90.2	114.8	123.3	132.8	161.9	182.3	199.8	151.5
Feb 10	90.1	114.6	123.2	132.6	161.8	182.2	199.8	151.4
Feb 11	90.0	114.2	123.2	132.6	161.8	182.0	199.7	151.3
Feb 12	89.9	114.0	123.2	132.7	161.7	182.0	199.6	151.1
Feb 13	90.0	114.0	123.3	132.8	161.8	182.2	199.9	151.3
Feb 14	89.8	113.8	123.2	132.8	161.8	182.1	199.8	151.2
Feb 15	89.7	113.8	123.1	132.8	161.9	182.2	200.0	151.3
Feb 16	89.3	113.6	123.0	132.7	161.7	182.0	199.8	151.1
Feb 17	89.1	113.5	123.1	132.6	161.8	182.1	199.9	151.1
Feb 18	85.1	113.7	123.2	132.9	161.8	182.1	199.9	151.1
Feb 19	84.8	113.4	123.0	133.1	161.6	181.9	199.8	150.9
Feb 20	85.2	113.5	123.2	132.7	161.7	182.3	200.0	151.1
Feb 21	85.7	113.4	123.3	132.8	161.9	182.4	200.1	151.1
Feb 22	86.3	113.3	123.6	132.9	162.1	182.5	200.4	151.3
Feb 23	86.7	113.4	123.7	132.8	162.2	182.8	200.6	151.5
Feb 24	86.9	113.3	123.7	132.6	162.2	182.7	200.6	151.4
Feb 25	87.1	113.5	123.8	132.9	162.3	182.9	200.8	151.5
Feb 26	87.1	113.5	123.8	133.0	162.3	182.9	200.9	151.6
Feb 27	87.3	113.5	124.0	132.8	162.3	183.1	201.1	151.7
Feb 28	87.3	113.4	123.9	132.4	162.3	183.0	201.0	151.6
Average	88.7	113.9	123.4	132.8	161.9	182.3	200.0	151.3

**Solid Waste Daily Borehole Temperature Averages for
Borehole 25
Chiquita LF**

TP-25	Depth from Surface							
	15 ft	30 ft	45 ft	60 ft	75 ft	90 ft	110 ft	130 ft
Feb 1	110.7	123.1	125.0	125.4	130.0	141.9	189.0	197.6
Feb 2	110.7	123.0	125.0	125.4	130.0	141.8	188.6	197.2
Feb 3	110.6	123.0	125.0	125.4	129.9	141.6	188.4	197.0
Feb 4	110.6	123.1	125.0	125.4	130.0	141.7	188.2	196.9
Feb 5	110.6	123.1	125.0	125.4	129.9	141.9	187.7	196.5
Feb 6	110.7	123.1	125.1	125.5	130.1	142.4	187.6	196.5
Feb 7	110.7	123.0	125.1	125.5	130.0	142.4	187.6	196.3
Feb 8	110.8	123.1	125.2	125.6	130.2	142.7	187.6	196.6
Feb 9	110.7	123.1	125.1	125.5	130.0	142.5	187.2	196.2
Feb 10	110.5	123.0	124.9	125.3	129.9	142.2	186.8	195.9
Feb 11	110.5	123.2	125.1	125.5	130.0	142.0	187.1	196.2
Feb 12	110.5	123.3	125.1	125.6	130.1	141.7	187.4	196.5
Feb 13	110.5	123.3	125.1	125.6	130.1	142.0	187.5	196.4
Feb 14	110.4	123.4	125.1	125.6	130.1	142.1	187.5	196.2
Feb 15	110.3	123.2	125.0	125.5	129.9	142.2	187.0	195.6
Feb 16	110.2	123.2	124.9	125.4	129.8	142.3	186.5	195.1
Feb 17	110.2	123.3	124.9	125.5	129.8	142.6	186.5	195.2
Feb 18	110.4	123.5	125.2	125.7	130.2	142.8	187.2	196.1
Feb 19	110.1	123.1	124.8	125.4	129.7	142.1	187.5	196.1
Feb 20	110.3	123.4	125.1	125.6	130.0	142.3	188.3	196.9
Feb 21	110.2	123.5	125.1	125.7	130.1	142.1	188.6	197.3
Feb 22	110.3	123.6	125.2	125.8	130.1	142.3	189.0	197.5
Feb 23	110.3	123.7	125.2	125.8	130.2	143.0	189.0	197.4
Feb 24	110.3	123.6	125.3	125.9	130.3	142.8	189.0	197.4
Feb 25	110.3	123.7	125.3	126.0	130.4	142.7	189.1	197.5
Feb 26	110.2	123.8	125.3	125.9	130.3	142.6	189.2	197.6
Feb 27	110.2	124.0	125.3	125.9	130.3	142.7	189.3	197.7
Feb 28	110.3	124.2	125.3	126.0	130.3	143.0	188.9	197.3
Average	110.4	123.3	125.1	125.6	130.1	142.3	188.0	196.7

**Solid Waste Daily Borehole Temperature Averages for
Borehole 26
Chiquita LF**

TP-26	Depth from Surface							
	15 ft	30 ft	45 ft	60 ft	80 ft	100 ft	125 ft	150 ft
Feb 1	121.6	137.8	141.6	149.5	146.8	167.5	170.5	175.1
Feb 2	121.7	137.8	141.6	149.5	146.8	167.5	170.6	175.1
Feb 3	121.7	137.7	141.5	149.4	146.7	167.4	170.4	175.0
Feb 4	121.8	137.7	141.6	149.4	146.8	167.4	170.5	175.0
Feb 5	121.6	137.7	141.5	149.3	146.7	167.4	170.4	175.0
Feb 6	121.4	137.8	141.6	149.4	146.9	167.6	170.6	175.3
Feb 7	121.3	137.7	141.6	149.3	146.8	167.5	170.5	175.1
Feb 8	121.6	137.9	141.7	149.4	147.0	167.6	170.7	175.4
Feb 9	121.5	137.7	141.4	149.1	146.8	167.4	170.4	175.1
Feb 10	121.2	137.5	141.3	149.0	146.7	167.2	170.1	174.7
Feb 11	121.1	137.7	141.4	149.0	146.8	167.3	170.3	175.0
Feb 12	121.1	137.7	141.6	149.2	147.1	167.6	170.6	175.3
Feb 13	121.1	137.7	141.6	149.2	147.1	167.5	170.5	175.3
Feb 14	121.0	137.7	141.6	149.1	147.1	167.5	170.5	175.3
Feb 15	121.0	137.5	141.4	148.9	146.9	167.3	170.2	174.9
Feb 16	120.9	137.4	141.3	148.8	146.8	167.2	170.1	174.7
Feb 17	120.9	137.5	141.3	148.8	146.8	167.3	170.1	174.8
Feb 18	121.3	137.7	141.6	149.1	147.2	167.8	170.5	175.3
Feb 19	121.2	137.4	141.3	148.7	146.8	167.3	170.1	174.8
Feb 20	121.4	137.6	141.5	148.9	147.1	167.5	170.3	175.1
Feb 21	121.1	137.7	141.5	149.0	147.2	167.6	170.4	175.3
Feb 22	121.1	137.7	141.6	149.0	147.2	167.6	170.4	175.3
Feb 23	121.2	137.7	141.6	149.0	147.2	167.6	170.5	175.4
Feb 24	121.1	137.7	141.6	149.0	147.3	167.8	170.6	175.5
Feb 25	121.1	137.7	141.7	149.1	147.3	167.8	170.7	175.6
Feb 26	120.8	137.6	141.5	149.0	147.2	167.6	170.4	175.4
Feb 27	119.6	137.7	141.6	149.0	147.3	167.7	170.5	175.5
Feb 28	119.3	137.8	141.7	149.0	147.4	167.8	170.6	175.6
Average	121.1	137.7	141.5	149.1	147.0	167.5	170.4	175.2

**Solid Waste Daily Borehole Temperature Averages for
Borehole 27
Chiquita LF**

TP-27	Depth from Surface							
	15 ft	30 ft	45 ft	60 ft	80 ft	100 ft	125 ft	150 ft
Feb 1	129.2	136.8	140.1	148.2	153.7	155.3	151.1	127.6
Feb 2	129.1	136.7	140.1	148.2	153.7	155.3	151.1	127.6
Feb 3	129.0	136.7	140.1	148.2	153.7	155.3	151.1	127.5
Feb 4	129.2	136.8	140.1	148.2	153.7	155.3	151.1	127.6
Feb 5	129.2	136.7	140.1	148.2	153.7	155.3	151.2	127.7
Feb 6	129.1	136.7	140.1	148.2	153.8	155.3	151.1	127.6
Feb 7	128.7	136.5	140.1	148.2	153.7	155.3	151.1	127.6
Feb 8	128.8	136.7	140.2	148.3	153.8	155.4	151.2	127.7
Feb 9	128.8	136.6	140.1	148.2	153.7	155.3	151.2	127.7
Feb 10	128.3	136.4	140.0	148.2	153.7	155.4	151.2	127.8
Feb 11	115.9	134.6	138.3	148.3	153.7	155.4	151.2	127.7
Feb 12	124.1	135.9	139.3	148.6	153.7	155.3	151.1	127.6
Feb 13	125.9	136.0	139.5	148.7	153.7	155.3	151.1	127.7
Feb 14	126.6	136.1	139.7	148.6	153.8	155.4	151.2	127.7
Feb 15	126.9	136.0	139.6	148.5	153.7	155.4	151.3	127.7
Feb 16	108.3	129.9	136.2	148.1	153.6	155.2	151.1	127.7
Feb 17	95.9	125.4	133.2	147.4	153.7	155.4	151.2	127.8
Feb 18	93.5	123.0	130.6	145.8	153.8	155.4	151.2	127.8
Feb 19	97.9	126.6	133.5	146.3	153.6	155.2	151.0	127.6
Feb 20	102.1	130.3	134.8	146.6	153.6	155.3	151.1	127.6
Feb 21	112.4	134.0	136.9	147.1	153.7	155.4	151.1	127.6
Feb 22	116.8	134.7	137.8	147.4	153.8	155.4	151.2	127.7
Feb 23	119.5	135.1	138.2	147.6	153.9	155.5	151.2	127.8
Feb 24	121.6	135.4	138.6	147.8	153.9	155.5	151.3	127.8
Feb 25	122.8	135.5	138.8	147.9	153.9	155.5	151.3	127.8
Feb 26	123.5	135.5	138.9	147.9	153.9	155.5	151.3	127.8
Feb 27	124.4	135.6	139.1	148.0	153.9	155.5	151.3	127.8
Feb 28	125.0	135.7	139.1	148.1	153.8	155.5	151.3	127.8
Average	120.4	134.4	138.3	147.9	153.7	155.4	151.2	127.7

**Solid Waste Daily Borehole Temperature Averages for
Borehole 28
Chiquita LF**

TP-28	Depth from Surface							
	15 ft	30 ft	45 ft	70 ft	95 ft	120 ft	145 ft	170 ft
Feb 1	76.7	96.0	113.0	122.6	129.0	128.8	138.1	142.0
Feb 2	76.6	95.9	113.0	122.5	129.0	128.8	138.1	142.0
Feb 3	76.6	95.9	113.0	122.5	128.9	128.8	138.0	141.9
Feb 4	76.6	96.0	113.1	122.6	129.0	128.9	138.1	142.0
Feb 5	76.6	95.9	113.0	122.5	128.9	128.7	137.9	141.8
Feb 6	76.5	95.8	113.1	122.5	129.0	128.8	138.0	142.0
Feb 7	76.4	95.8	113.0	122.5	129.0	128.8	138.1	141.9
Feb 8	76.5	95.8	113.1	122.7	129.1	128.9	138.3	142.1
Feb 9	76.4	95.8	113.0	122.5	128.9	128.8	138.1	141.9
Feb 10	76.3	95.7	112.9	122.4	128.9	128.6	137.8	141.7
Feb 11	76.2	95.5	112.9	122.4	129.1	128.7	137.9	141.7
Feb 12	76.2	95.4	112.8	122.4	128.9	128.6	137.9	141.7
Feb 13	76.3	95.5	113.0	122.6	129.1	128.9	138.1	142.0
Feb 14	76.2	95.4	112.9	122.5	129.0	128.8	138.0	141.9
Feb 15	76.0	95.3	112.9	122.5	129.0	128.8	137.8	141.8
Feb 16	75.8	95.1	112.7	122.3	128.8	128.6	137.6	141.6
Feb 17	75.8	95.0	112.7	122.3	128.8	128.6	137.4	141.6
Feb 18	75.9	95.1	112.9	122.5	129.0	128.8	137.4	141.9
Feb 19	75.6	94.8	112.6	122.2	128.8	128.5	137.4	141.5
Feb 20	75.8	94.9	112.9	122.5	129.1	128.9	137.9	141.9
Feb 21	75.7	94.9	112.9	122.6	129.1	129.0	138.1	142.0
Feb 22	75.8	95.1	113.0	122.7	129.2	129.0	138.2	142.1
Feb 23	75.8	95.2	113.2	122.9	129.5	129.2	138.4	142.3
Feb 24	75.7	95.1	113.1	122.8	129.4	129.1	138.3	142.2
Feb 25	75.7	95.2	113.1	122.9	129.5	129.2	138.4	142.3
Feb 26	75.7	95.2	113.2	123.0	129.4	129.3	138.5	142.4
Feb 27	75.7	95.2	113.2	123.0	129.4	129.3	138.5	142.4
Feb 28	75.6	95.1	113.2	123.0	129.3	129.2	138.5	142.3
Average	76.1	95.4	113.0	122.6	129.1	128.9	138.0	142.0

**Solid Waste Daily Borehole Temperature Averages for
Borehole 29
Chiquita LF**

TP-29	Depth from Surface							
	15 ft	30 ft	45 ft	80 ft	120 ft	160 ft	200 ft	240 ft
Feb 1	98.9	124.5	125.8	131.4	147.1	153.6	162.8	183.7
Feb 2	99.0	124.5	125.8	131.4	147.1	153.6	162.8	183.8
Feb 3	98.9	124.5	125.8	131.4	147.1	153.5	162.7	183.8
Feb 4	98.6	124.6	125.8	131.4	147.1	153.6	162.8	183.8
Feb 5	97.3	124.6	125.8	131.4	147.2	153.8	162.9	184.0
Feb 6	96.9	124.6	125.9	131.7	147.2	153.7	162.9	184.3
Feb 7	96.2	124.7	125.9	131.8	147.2	153.6	162.9	184.2
Feb 8	95.9	124.7	125.9	131.8	147.1	153.6	162.8	183.9
Feb 9	96.0	124.7	125.9	131.9	147.2	153.7	162.9	184.0
Feb 10	95.5	124.6	125.8	131.8	147.1	153.6	162.9	184.6
Feb 11	95.7	124.6	125.9	131.8	147.1	153.5	162.9	185.5
Feb 12	96.8	124.7	126.0	131.8	147.1	153.6	162.8	185.1
Feb 13	96.3	124.8	126.0	131.7	147.1	153.6	162.8	183.9
Feb 14	97.7	124.8	126.0	131.6	147.1	153.6	162.9	184.4
Feb 15	96.2	124.7	125.9	131.5	147.1	153.6	163.0	184.6
Feb 16	94.3	124.5	125.8	131.2	146.9	153.2	162.8	184.8
Feb 17	98.6	124.7	125.9	131.4	147.1	153.3	163.0	184.6
Feb 18	99.5	124.9	126.0	131.5	147.1	153.6	164.0	183.9
Feb 19	101.5	124.7	125.9	131.3	147.0	153.4	163.9	184.0
Feb 20	103.0	124.9	126.0	131.5	147.1	153.6	163.8	183.8
Feb 21	104.0	124.9	126.0	131.6	147.1	153.5	163.8	183.8
Feb 22	105.8	125.0	126.1	131.7	147.2	153.6	163.9	183.9
Feb 23	107.8	125.1	126.2	131.8	147.2	153.6	163.9	184.1
Feb 24	108.7	125.1	126.2	131.9	147.2	153.7	164.0	184.1
Feb 25	108.4	125.2	126.3	131.9	147.2	153.7	164.0	184.1
Feb 26	105.3	125.1	126.2	131.9	147.2	153.7	164.0	184.1
Feb 27	107.5	125.1	126.3	132.0	147.1	153.7	163.9	184.1
Feb 28	105.8	125.2	126.3	132.0	147.2	153.8	164.0	184.2
Average	100.2	124.8	126.0	131.6	147.1	153.6	163.3	184.2

**Solid Waste Daily Borehole Temperature Averages for
Borehole 30
Chiquita LF**

TP-30	Depth from Surface							
	15 ft	30 ft	45 ft	70 ft	100 ft	130 ft	160 ft	190 ft
Feb 1	98.9	108.1	112.1	143.7	166.1	164.5	166.2	171.8
Feb 2	98.9	108.3	112.5	143.6	166.1	164.6	166.1	171.8
Feb 3	98.9	108.4	112.7	143.6	166.1	164.5	166.1	171.8
Feb 4	99.1	108.6	112.9	143.8	166.2	164.7	166.2	171.9
Feb 5	99.1	108.6	112.9	143.7	166.2	164.6	166.2	171.9
Feb 6	99.2	108.7	113.0	143.7	166.2	164.7	166.3	171.9
Feb 7	99.3	108.8	113.0	143.7	166.2	164.6	166.2	171.9
Feb 8	99.4	108.9	113.1	143.8	166.2	164.7	166.2	171.9
Feb 9	99.3	108.7	113.0	143.7	166.3	164.7	166.2	171.9
Feb 10	99.2	108.8	113.0	143.6	166.2	164.5	166.2	171.9
Feb 11	99.3	108.9	113.2	143.7	166.2	164.6	166.2	171.8
Feb 12	99.4	108.9	113.2	143.6	166.1	164.5	166.0	171.6
Feb 13	99.5	108.9	113.2	143.7	166.3	164.6	166.1	171.7
Feb 14	99.5	108.9	113.3	143.7	166.2	164.5	166.1	171.7
Feb 15	99.5	108.9	113.2	143.7	166.3	164.5	166.2	171.9
Feb 16	99.2	108.7	112.8	143.5	166.2	164.3	166.1	171.7
Feb 17	99.0	108.7	112.5	143.6	166.2	164.4	166.2	171.7
Feb 18	98.9	108.7	112.6	143.6	166.3	164.4	166.2	171.7
Feb 19	98.6	108.4	112.2	143.5	166.1	164.3	166.1	171.7
Feb 20	98.9	108.6	112.5	143.7	166.3	164.5	166.2	171.8
Feb 21	99.0	108.8	112.7	143.6	166.3	164.6	166.1	171.7
Feb 22	99.2	109.1	113.0	143.8	166.4	164.7	166.2	171.8
Feb 23	99.3	109.2	112.9	143.9	166.5	164.9	166.3	172.0
Feb 24	99.4	109.2	112.9	143.9	166.4	164.8	166.3	171.9
Feb 25	99.5	109.2	112.9	143.9	166.1	164.8	166.3	171.9
Feb 26	99.5	109.0	112.6	144.0	166.0	164.9	166.3	171.9
Feb 27	99.9	109.3	113.1	144.1	166.1	165.0	166.4	172.0
Feb 28	100.1	109.4	113.2	144.1	166.1	165.0	166.4	172.0
Average	99.2	108.8	112.9	143.7	166.2	164.6	166.2	171.8

**Solid Waste Daily Borehole Temperature Averages for
Borehole 31
Chiquita LF**

TP-31	Depth from Surface							
	15 ft	30 ft	45 ft	80 ft	130 ft	180 ft	230 ft	280 ft
Feb 1	112.6	124.6	129.7	138.1	161.5	190.8	185.5	140.6
Feb 2	112.6	124.6	129.7	138.1	161.6	190.8	185.5	140.6
Feb 3	112.6	124.5	129.6	138.0	161.4	190.7	185.4	140.5
Feb 4	112.7	124.5	129.7	138.0	161.4	190.7	185.4	140.5
Feb 5	112.7	124.5	129.7	137.9	161.5	190.6	185.3	140.3
Feb 6	112.8	124.6	129.8	138.0	161.6	190.9	185.4	140.6
Feb 7	112.8	124.5	129.8	138.0	161.6	190.8	185.4	140.5
Feb 8	112.9	124.6	129.9	138.1	161.8	191.0	185.6	140.7
Feb 9	112.8	124.5	129.7	137.9	161.7	190.8	185.3	140.4
Feb 10	112.3	124.6	129.4	137.8	161.6	190.8	185.2	140.1
Feb 11	112.0	124.8	129.4	137.9	161.9	191.0	185.4	140.4
Feb 12	111.8	125.0	129.3	138.0	161.9	191.1	185.5	140.5
Feb 13	111.7	125.0	129.3	138.0	162.0	191.1	185.5	140.6
Feb 14	111.6	125.1	129.2	138.0	161.8	191.1	185.4	140.5
Feb 15	111.4	125.1	129.1	137.8	161.5	190.9	185.2	140.2
Feb 16	111.3	125.0	128.9	137.7	161.6	190.8	185.1	140.0
Feb 17	111.2	125.1	129.0	137.8	161.5	190.9	185.2	140.1
Feb 18	111.5	125.4	129.3	138.1	161.8	191.3	185.4	140.5
Feb 19	111.2	125.1	129.0	137.7	161.7	190.9	185.1	140.0
Feb 20	111.4	125.4	129.2	138.0	162.0	191.2	185.4	140.5
Feb 21	111.4	125.4	129.3	138.0	162.0	191.2	185.5	140.5
Feb 22	111.4	125.5	129.3	138.0	161.9	191.2	185.5	140.5
Feb 23	111.5	125.6	129.4	138.1	161.9	191.3	185.5	140.6
Feb 24	111.5	125.6	129.4	138.1	161.9	191.4	185.6	140.6
Feb 25	111.5	125.6	129.5	138.1	161.9	191.4	185.6	140.6
Feb 26	111.5	125.5	129.4	138.0	161.9	191.4	185.5	140.5
Feb 27	111.5	125.6	129.4	138.1	162.0	191.4	185.6	140.6
Feb 28	111.5	125.7	129.5	138.1	162.0	191.5	185.7	140.6
Average	111.9	125.0	129.4	138.0	161.7	191.0	185.4	140.4

**Solid Waste Daily Borehole Temperature Averages for
Borehole 32
Chiquita LF**

TP-32	Depth from Surface							
	15 ft	30 ft	45 ft	70 ft	100 ft	130 ft	160 ft	190 ft
Feb 1	126.6	138.6	142.4	149.6	159.1	167.0	164.4	147.5
Feb 2	126.5	138.6	142.5	149.8	159.0	167.0	164.4	147.5
Feb 3	126.5	138.6	142.5	150.1	159.1	167.0	164.4	147.5
Feb 4	126.5	138.7	142.5	150.1	159.2	167.0	164.5	147.5
Feb 5	126.5	138.6	142.4	149.9	159.2	167.1	164.5	147.6
Feb 6	126.6	138.6	142.5	150.0	159.2	167.1	164.5	147.6
Feb 7	126.5	138.7	142.5	150.1	159.2	167.1	164.5	147.6
Feb 8	126.7	138.7	142.5	150.2	159.2	167.1	164.4	147.5
Feb 9	126.6	138.6	142.5	149.8	159.2	167.1	164.5	147.6
Feb 10	126.4	138.5	142.5	149.6	159.1	167.1	164.5	147.6
Feb 11	126.5	138.6	142.5	150.0	159.2	167.1	164.5	147.6
Feb 12	126.6	138.7	142.5	150.2	159.2	167.1	164.5	147.6
Feb 13	126.6	138.6	142.6	150.0	159.2	167.1	164.5	147.5
Feb 14	126.5	138.6	142.5	150.0	159.2	167.1	164.5	147.6
Feb 15	126.4	138.5	142.4	149.7	159.1	167.1	164.5	147.6
Feb 16	126.2	138.3	142.3	149.3	159.0	167.0	164.4	147.5
Feb 17	126.3	138.6	142.3	149.8	159.0	167.1	164.5	147.6
Feb 18	126.5	138.6	142.3	149.7	159.1	167.1	164.5	147.6
Feb 19	126.2	138.4	142.1	149.4	158.9	166.9	164.3	147.4
Feb 20	126.4	138.6	142.3	149.7	159.0	167.0	164.4	147.4
Feb 21	126.4	138.7	142.4	150.1	159.1	167.0	164.4	147.4
Feb 22	126.4	138.7	142.4	150.2	159.2	167.1	164.5	147.5
Feb 23	126.6	138.7	142.5	150.1	159.2	167.2	164.5	147.6
Feb 24	126.6	138.8	142.6	149.9	159.2	167.2	164.6	147.7
Feb 25	126.7	138.8	142.6	149.9	159.3	167.2	164.7	147.7
Feb 26	126.6	138.7	142.6	149.9	159.2	167.2	164.6	147.6
Feb 27	126.6	138.7	142.6	149.9	159.2	167.2	164.6	147.7
Feb 28	126.5	138.7	142.6	149.8	159.2	167.2	164.6	147.7
Average	126.5	138.6	142.5	149.9	159.1	167.1	164.5	147.6

**Solid Waste Daily Borehole Temperature Averages for
Borehole 33
Chiquita LF**

TP-33	Depth from Surface		
	15 ft	30 ft	45 ft
Feb 1	0.0	0.0	0.0
Feb 2	0.0	0.0	0.0
Feb 3	0.0	0.0	0.0
Feb 4	0.0	0.0	0.0
Feb 5	0.0	0.0	0.0
Feb 6	0.0	0.0	0.0
Feb 7	0.0	0.0	0.0
Feb 8	0.0	0.0	0.0
Feb 9	0.0	0.0	0.0
Feb 10	166.4	186.6	199.4
Feb 11	119.5	170.5	199.3
Feb 12	130.5	175.3	199.3
Feb 13	153.7	182.9	199.2
Feb 14	161.0	184.7	199.0
Feb 15	162.9	185.0	198.7
Feb 16	124.0	152.2	198.6
Feb 17	81.4	89.7	198.7
Feb 18	77.2	80.6	198.5
Feb 19	76.8	82.1	197.5
Feb 20	77.8	81.5	197.2
Feb 21	82.9	88.1	197.3
Feb 22	91.3	99.8	198.2
Feb 23	102.5	142.5	198.9
Feb 24	108.7	164.0	199.3
Feb 25	116.7	169.6	199.5
Feb 26	125.5	172.9	199.5
Feb 27	133.9	174.8	199.6
Feb 28	140.0	177.5	199.7
Average	79.7	98.6	134.9

TP-33 started on February 10

**Solid Waste Daily Borehole Temperature Averages for
Borehole 34
Chiquita LF**

TP-34	Depth from Surface							
	15 ft	30 ft	45 ft	60 ft	75 ft	90 ft	110 ft	120 ft
Feb 1	121.2	122.9	132.9	131.1	132.8	133.8	142.6	149.2
Feb 2	121.2	123.0	132.9	131.2	132.8	133.8	142.7	149.2
Feb 3	121.1	123.0	132.9	131.1	132.7	133.7	142.6	149.1
Feb 4	121.3	123.1	133.0	131.1	132.8	133.8	142.6	149.1
Feb 5	121.2	123.0	132.9	131.1	132.8	133.7	142.6	149.0
Feb 6	121.3	123.2	133.0	131.2	132.9	133.8	142.7	149.2
Feb 7	121.3	123.2	133.1	131.3	132.9	133.8	142.8	149.2
Feb 8	121.5	123.4	133.2	131.4	133.0	133.9	142.9	149.3
Feb 9	121.2	123.2	133.0	131.2	132.8	133.8	142.7	149.0
Feb 10	121.1	123.1	133.0	131.1	132.7	133.5	142.5	148.7
Feb 11	121.2	123.2	133.1	131.2	132.9	133.7	142.7	149.0
Feb 12	121.2	123.3	133.2	131.3	133.0	133.8	142.8	149.1
Feb 13	121.2	123.3	133.3	131.3	132.9	133.9	142.8	149.1
Feb 14	121.0	123.3	133.3	131.4	133.0	133.9	142.9	149.1
Feb 15	120.8	123.2	133.1	131.2	132.8	133.6	142.6	148.8
Feb 16	120.6	123.1	133.0	131.1	132.7	133.5	142.5	148.5
Feb 17	120.6	123.2	133.1	131.2	132.8	133.6	142.7	148.8
Feb 18	121.0	123.5	133.4	131.4	133.0	133.9	143.0	149.1
Feb 19	120.6	123.2	133.0	131.0	132.6	133.5	142.5	148.5
Feb 20	121.0	123.5	133.2	131.2	132.8	133.6	142.7	148.7
Feb 21	121.0	123.6	133.4	131.3	132.8	133.8	142.9	148.8
Feb 22	121.0	123.8	133.5	131.4	133.0	133.9	143.0	149.0
Feb 23	121.2	123.9	133.6	131.4	133.0	133.9	143.0	149.0
Feb 24	121.0	123.9	133.7	131.6	133.2	134.0	143.2	149.2
Feb 25	121.2	123.9	133.7	131.5	133.2	134.1	143.3	149.2
Feb 26	121.2	123.9	133.8	131.5	133.2	134.0	143.2	149.1
Feb 27	121.2	124.1	133.9	131.5	133.1	134.0	143.2	149.1
Feb 28	121.4	124.1	133.9	131.6	133.3	134.1	143.4	149.2
Average	121.1	123.4	133.3	131.3	132.9	133.8	142.8	149.0

**Solid Waste Daily Borehole Temperature Averages for
Borehole 35
Chiquita LF**

TP-35	Depth from Surface							
	15 ft	30 ft	45 ft	65 ft	85 ft	105 ft	125 ft	140 ft
Feb 1	105.7	122.5	130.7	130.8	145.7	161.0	168.7	170.7
Feb 2	105.6	122.5	130.7	130.8	145.6	160.9	168.8	170.8
Feb 3	105.2	122.4	130.7	130.9	145.7	161.0	168.8	170.8
Feb 4	105.1	122.6	130.8	131.2	145.7	161.0	168.8	170.8
Feb 5	105.0	122.5	130.7	131.3	145.7	161.1	168.8	170.9
Feb 6	105.1	122.5	130.8	131.1	145.7	161.0	168.8	170.9
Feb 7	105.0	122.5	130.8	131.0	145.7	160.7	168.8	170.8
Feb 8	105.0	122.7	131.0	131.2	145.8	160.8	168.9	170.9
Feb 9	104.7	122.5	130.9	131.3	145.7	160.8	168.9	170.9
Feb 10	104.3	122.3	130.7	131.1	145.6	160.6	168.8	170.9
Feb 11	104.2	122.3	130.9	131.0	145.7	160.7	168.8	170.9
Feb 12	104.2	122.5	130.9	131.0	145.7	160.6	168.8	170.9
Feb 13	104.2	122.6	131.0	131.0	145.8	160.5	168.8	170.8
Feb 14	104.2	122.5	131.0	131.0	145.8	160.6	168.9	170.9
Feb 15	104.0	122.4	130.8	130.9	145.7	160.5	168.8	170.8
Feb 16	103.8	122.2	130.7	130.9	145.6	160.4	168.8	170.7
Feb 17	103.7	122.4	130.8	131.2	145.5	160.5	168.9	170.8
Feb 18	103.6	122.6	131.1	131.4	145.5	160.5	168.9	170.9
Feb 19	103.0	122.2	130.8	131.3	145.3	160.3	168.7	170.6
Feb 20	103.1	122.4	130.9	131.5	145.4	160.3	168.7	170.6
Feb 21	102.7	122.5	131.1	131.8	145.5	160.5	168.8	170.9
Feb 22	102.4	122.6	131.2	132.0	145.6	160.5	168.9	170.9
Feb 23	101.6	122.6	131.3	132.1	145.6	160.5	168.8	170.9
Feb 24	101.1	122.7	131.4	132.2	145.7	160.6	168.9	171.0
Feb 25	101.9	122.7	131.5	132.2	145.8	160.7	169.0	171.1
Feb 26	102.2	122.7	131.4	132.1	145.8	160.7	168.9	171.1
Feb 27	102.2	122.8	131.5	132.1	145.8	160.7	168.9	171.1
Feb 28	101.8	122.8	131.6	132.2	145.9	160.8	169.0	171.1
Average	103.7	122.5	131.0	131.4	145.7	160.7	168.8	170.9

**Solid Waste Daily Borehole Temperature Averages for
Borehole 36
Chiquita LF**

TP-36	Depth from Surface							
	15 ft	30 ft	45 ft	75 ft	120 ft	165 ft	210 ft	250 ft
Feb 1	102.9	119.8	126.8	131.6	153.2	169.9	159.5	134.3
Feb 2	103.1	119.9	126.9	131.7	153.2	169.9	159.5	134.3
Feb 3	103.2	120.0	127.1	131.8	153.3	169.9	159.4	134.3
Feb 4	103.4	120.3	127.3	131.9	153.3	169.9	159.5	134.3
Feb 5	103.4	120.5	127.3	132.0	153.3	169.9	159.5	134.2
Feb 6	103.6	120.6	127.5	132.1	153.3	169.9	159.4	134.2
Feb 7	103.7	120.7	127.7	132.2	153.4	170.0	159.6	134.4
Feb 8	103.9	120.9	127.8	132.3	153.4	170.0	159.6	134.4
Feb 9	103.8	121.2	127.8	132.3	153.4	169.9	159.4	134.2
Feb 10	103.7	121.0	127.8	132.3	153.2	169.8	159.3	124.4
Feb 11	80.8	104.4	120.1	132.4	153.4	169.8	159.4	106.9
Feb 12	80.5	107.1	121.7	132.4	153.5	170.0	159.6	134.4
Feb 13	85.4	112.6	125.2	132.6	153.5	170.0	159.6	134.3
Feb 14	90.1	115.7	127.1	132.7	153.6	170.0	159.5	134.3
Feb 15	93.6	117.3	128.1	132.6	153.5	169.8	159.4	134.0
Feb 16	80.1	97.4	108.4	132.1	153.3	169.7	159.3	133.9
Feb 17	59.8	69.0	79.6	128.2	153.5	169.8	159.4	134.0
Feb 18	58.7	67.2	76.5	119.5	153.8	170.0	159.6	134.3
Feb 19	60.1	72.4	83.7	121.5	153.4	169.6	159.2	133.8
Feb 20	61.2	76.6	88.8	121.5	153.6	169.8	159.4	134.0
Feb 21	68.3	90.3	103.3	124.4	153.7	170.0	159.6	134.3
Feb 22	73.9	98.6	110.8	126.7	153.7	170.1	159.7	134.4
Feb 23	79.0	104.2	115.4	128.3	153.7	170.0	159.6	134.3
Feb 24	82.6	107.6	118.4	129.6	153.8	170.2	159.8	134.5
Feb 25	85.7	110.0	120.5	130.5	153.7	170.1	159.7	134.4
Feb 26	88.2	111.7	122.1	131.0	153.8	170.1	159.6	134.3
Feb 27	90.4	113.0	123.3	131.5	153.8	170.1	159.7	134.4
Feb 28	92.3	114.0	124.3	131.9	154.0	170.2	159.7	134.5
Average	87.3	106.9	116.8	130.0	153.5	169.9	159.5	132.9

**Solid Waste Daily Borehole Temperature Averages for
Borehole 37
Chiquita LF**

TP-37	Depth from Surface							
	15 ft	30 ft	45 ft	75 ft	100 ft	130 ft	155 ft	180 ft
Feb 1	104.4	113.0	133.7	135.2	139.4	161.2	175.1	181.2
Feb 2	104.3	113.0	133.8	135.2	139.3	161.1	175.0	181.2
Feb 3	104.3	113.0	133.9	135.2	139.3	161.2	175.1	181.2
Feb 4	104.4	113.2	134.0	135.3	139.5	161.3	175.2	181.3
Feb 5	104.3	113.0	133.9	135.1	139.2	161.1	174.9	181.0
Feb 6	104.3	113.1	134.0	135.1	139.3	161.1	174.9	181.1
Feb 7	104.3	113.1	134.1	135.1	139.3	161.2	175.1	181.3
Feb 8	104.4	113.2	134.2	135.2	139.3	161.2	175.1	181.3
Feb 9	104.2	113.1	133.8	135.0	139.1	161.0	174.8	180.9
Feb 10	104.0	112.8	133.4	134.7	138.7	160.7	174.6	180.7
Feb 11	104.0	112.7	134.3	134.8	138.8	160.9	174.7	180.9
Feb 12	104.3	112.9	135.8	135.0	139.0	161.0	175.0	181.2
Feb 13	104.4	113.0	134.6	135.0	139.1	161.1	175.1	181.3
Feb 14	104.2	112.9	134.3	134.9	139.0	161.0	174.9	181.1
Feb 15	104.0	112.7	134.0	134.7	138.8	160.7	174.7	180.8
Feb 16	103.7	112.5	133.9	134.4	138.6	160.5	174.4	180.5
Feb 17	103.7	112.4	134.1	134.5	138.7	160.7	174.7	180.7
Feb 18	104.1	112.7	134.3	134.8	138.9	161.0	175.0	181.2
Feb 19	103.7	112.3	134.0	134.3	138.4	160.5	174.4	180.4
Feb 20	104.1	112.7	134.4	134.6	138.7	160.7	174.7	180.8
Feb 21	104.1	112.8	134.6	134.8	138.9	161.0	175.0	181.1
Feb 22	104.2	113.0	134.7	135.0	139.0	161.2	175.2	181.3
Feb 23	104.5	113.1	134.8	135.1	139.1	161.3	175.2	181.4
Feb 24	104.4	113.2	134.8	135.1	139.2	161.4	175.3	181.5
Feb 25	104.5	113.2	135.0	135.1	139.2	161.4	175.4	181.5
Feb 26	104.4	113.2	135.1	135.0	139.1	161.3	175.3	181.4
Feb 27	104.6	113.4	135.3	135.2	139.2	161.5	175.4	181.6
Feb 28	104.5	113.3	135.4	135.1	139.2	161.5	175.4	181.5
Average	104.2	112.9	134.4	134.9	139.1	161.1	175.0	181.1

**Solid Waste Daily Borehole Temperature Averages for
Borehole 38
Chiquita LF**

TP-38	Depth from Surface							
	15 ft	30 ft	45 ft	75 ft	120 ft	165 ft	210 ft	250 ft
Feb 1	117.5	135.7	142.7	148.0	160.1	168.3	164.2	134.2
Feb 2	117.4	135.4	142.6	148.0	160.0	168.3	164.0	134.2
Feb 3	117.2	135.0	142.6	148.0	160.1	168.3	164.0	134.2
Feb 4	117.1	135.1	142.6	148.0	160.2	168.4	164.1	134.3
Feb 5	117.1	135.4	142.6	147.9	160.1	168.3	163.9	134.1
Feb 6	117.2	134.9	142.5	148.0	160.1	168.4	163.9	134.1
Feb 7	116.4	132.9	142.3	148.0	160.1	168.4	163.9	134.2
Feb 8	116.1	132.5	142.5	148.0	160.2	168.5	164.0	134.3
Feb 9	116.2	132.9	142.4	147.9	160.0	168.4	163.8	134.1
Feb 10	116.1	132.6	142.1	147.7	160.0	168.3	163.7	133.9
Feb 11	115.9	131.7	141.9	147.9	160.0	168.4	163.0	134.2
Feb 12	115.7	131.0	141.9	147.9	160.0	168.4	162.4	134.2
Feb 13	115.7	131.0	142.0	148.0	160.1	168.5	162.9	134.3
Feb 14	115.5	130.6	141.8	147.9	160.0	168.4	163.0	134.1
Feb 15	115.2	130.3	141.7	147.7	159.9	168.4	162.8	134.0
Feb 16	114.8	130.0	141.5	147.5	159.8	168.2	162.3	133.9
Feb 17	114.7	129.8	141.3	147.6	159.8	168.3	162.8	133.9
Feb 18	114.7	130.0	141.6	147.9	160.0	168.5	163.2	134.2
Feb 19	114.1	129.6	141.4	147.5	159.7	168.3	163.0	133.8
Feb 20	114.6	129.7	141.3	147.8	160.0	168.5	163.3	134.1
Feb 21	114.6	129.6	141.4	147.9	160.0	168.6	163.4	134.1
Feb 22	114.6	129.6	141.5	147.9	160.2	168.7	163.5	134.2
Feb 23	114.7	129.8	141.7	148.1	160.3	168.8	163.7	134.4
Feb 24	114.6	129.7	141.6	148.0	160.3	168.8	163.6	134.3
Feb 25	114.7	129.7	141.6	148.0	160.4	168.9	163.6	134.4
Feb 26	114.6	129.7	141.6	147.9	160.4	169.0	163.6	134.4
Feb 27	114.4	129.6	141.6	148.1	160.5	169.0	163.8	134.6
Feb 28	114.5	129.6	141.6	148.0	160.4	169.0	163.7	134.4
Average	115.6	131.5	141.9	147.9	160.1	168.5	163.5	134.2

**Solid Waste Daily Borehole Temperature Averages for
Borehole 39
Chiquita LF**

TP-39	Depth from Surface						
	15 ft	30 ft	45 ft	75 ft	105 ft	135 ft	160 ft
Feb 1	104.7	120.6	137.9	141.3	147.2	154.7	157.5
Feb 2	104.6	120.3	137.8	141.3	147.2	154.6	157.6
Feb 3	104.4	120.3	137.7	141.3	147.2	154.6	157.6
Feb 4	104.5	121.0	137.9	141.2	147.2	154.7	157.6
Feb 5	104.7	122.7	138.1	141.2	147.1	154.5	157.4
Feb 6	104.7	123.0	138.1	141.3	147.1	154.6	157.5
Feb 7	104.5	123.1	138.1	141.3	147.2	154.6	157.6
Feb 8	104.8	123.8	138.2	141.5	147.3	154.8	157.7
Feb 9	104.9	124.8	138.1	141.2	147.1	154.6	157.4
Feb 10	104.8	124.7	137.9	141.0	147.0	154.4	157.3
Feb 11	104.5	123.7	137.9	141.3	147.1	154.5	157.4
Feb 12	104.4	123.6	138.1	141.4	147.1	154.6	157.5
Feb 13	104.5	123.9	138.2	141.5	147.3	154.7	157.6
Feb 14	104.3	123.3	138.0	141.4	147.2	154.6	157.5
Feb 15	104.1	123.5	137.9	141.1	147.0	154.5	157.4
Feb 16	103.9	123.0	137.7	141.0	146.9	154.3	157.2
Feb 17	103.3	120.6	137.6	141.1	147.0	154.4	157.3
Feb 18	102.3	120.4	137.8	141.5	147.3	154.7	157.6
Feb 19	102.1	120.1	137.5	141.0	147.0	154.3	157.2
Feb 20	102.0	119.9	137.5	141.3	147.4	154.6	157.6
Feb 21	102.4	120.0	137.6	141.4	147.5	154.7	157.7
Feb 22	102.7	120.2	137.7	141.4	147.6	154.7	157.7
Feb 23	103.1	120.4	137.9	141.5	147.7	154.8	157.8
Feb 24	103.2	120.2	137.9	141.6	147.6	154.7	157.7
Feb 25	103.0	119.2	137.3	141.5	147.7	154.8	157.8
Feb 26	103.1	119.0	137.1	141.5	147.7	154.8	157.8
Feb 27	102.9	118.6	137.0	141.6	147.9	154.8	157.9
Feb 28	102.9	118.5	137.0	141.6	147.9	154.8	157.9
Average	103.8	121.5	137.8	141.3	147.3	154.6	157.6

**Solid Waste Daily Borehole Temperature Averages for
Borehole 40
Chiquita LF**

TP-40	Depth from Surface							
	15 ft	30 ft	45 ft	75 ft	110 ft	155 ft	185 ft	220 ft
Feb 1	95.0	120.6	126.0	124.7	120.6	141.0	145.8	132.4
Feb 2	95.0	120.7	126.0	124.8	120.6	141.0	145.7	132.4
Feb 3	95.0	120.7	126.0	124.9	120.6	141.1	145.8	132.4
Feb 4	95.1	120.6	126.1	124.9	120.7	141.1	145.9	132.5
Feb 5	95.1	120.5	126.0	124.9	120.7	141.1	145.8	132.3
Feb 6	95.1	120.4	126.0	124.9	120.7	141.1	145.8	132.4
Feb 7	95.4	120.5	126.0	125.0	120.8	141.1	145.9	132.4
Feb 8	95.4	120.5	126.0	125.0	120.8	141.2	145.9	132.4
Feb 9	95.2	120.5	126.0	124.9	120.8	141.1	145.8	132.3
Feb 10	95.2	120.4	125.9	124.9	120.9	141.0	145.8	132.3
Feb 11	94.1	120.2	125.9	124.9	120.8	141.0	145.8	132.3
Feb 12	94.3	120.2	125.9	124.9	120.6	141.0	145.7	132.2
Feb 13	94.1	120.2	126.0	125.0	120.9	141.1	145.9	132.4
Feb 14	94.2	120.2	125.9	125.0	120.8	141.0	145.8	132.3
Feb 15	94.2	120.2	125.9	125.0	120.9	141.0	145.8	132.3
Feb 16	93.4	119.9	125.8	124.8	120.8	140.9	145.7	132.1
Feb 17	93.0	119.8	125.8	124.8	120.8	140.9	145.7	132.1
Feb 18	92.1	119.7	125.9	124.8	120.8	141.0	145.8	132.3
Feb 19	92.7	119.8	125.8	124.6	120.7	140.8	145.6	132.1
Feb 20	92.9	119.9	125.9	124.9	121.0	141.0	145.9	132.4
Feb 21	92.9	120.0	126.0	124.9	120.9	141.0	145.9	132.4
Feb 22	93.2	120.1	126.1	125.0	121.1	141.2	146.1	132.5
Feb 23	93.2	120.2	126.2	125.1	121.2	141.3	146.2	132.6
Feb 24	93.1	120.3	126.2	125.1	121.3	141.3	146.2	132.5
Feb 25	93.2	120.2	126.2	125.2	121.3	141.3	146.1	132.5
Feb 26	93.2	120.2	126.3	125.3	121.4	141.4	146.2	132.6
Feb 27	93.1	120.3	126.4	125.4	121.5	141.5	146.3	132.7
Feb 28	93.1	120.1	126.3	125.4	121.5	141.4	146.3	132.6
Average	94.0	120.2	126.0	125.0	120.9	141.1	145.9	132.4

Attachment F
Draeger Tube Readings

Attachment F - Lab Analysis and Draeger Tube Data

February 2026

Date Sampled	Flare	Permanent Flare Station				Zeeco TOx (Reaction Area)				Parnel TOx (Reaction Area)				Hero TOx (Reaction Area)			
		Draeger Tube (ppmv)	Lab Analysis (ppmv)			Draeger Tube (ppmv)	Lab Analysis (ppmv)			Draeger Tube (ppmv)	Lab Analysis (ppmv)			Draeger Tube (ppmv)	Lab Analysis (ppmv)		
			H2S	H2S	DMS		TRS	H2S	H2S		DMS	TRS	H2S		H2S	DMS	TRS
02/01/26	FL-2009	100	151.0	281	531.7	170	256.0	280	644.4	140	173.0	681	1130.9	120	160.0	689	1132.4
02/02/26	FL-1995	100	120.0	269	472	150	228.0	282	611.4	160	157.0	620	1030.8	130	168.0	697	1153.8
02/03/26	FL-2009	120	161.0	267	522	210	227.0	257	568.7	150	163.0	653	1081.7	110	168.0	729	1215.9
02/04/26	FL-2009	80	145.0	247	479.1	175	225.0	245	549.4	125	155.0	584	979.5	120	178.0	757	1267.1
02/05/26	FL-1995	80	143.0	220	444.6	180	245.0	276	607.6	120	173.0	656	1102.2	120	174.0	732	1231.1
02/06/26	FL-2009	90	152.0	238	476.5	150	235.0	269	591.1	100	157.0	578	977.6	150	166.0	679	1144.5
02/07/26	FL-1995	100	120.0	291	511.1	250	266.0	284	645.1	170	188.0	779	1296.1	140	141.0	505	860.1
02/08/26	FL-1995	65	108.0	284	491.3	100	260.0	290	645.6	110	189.0	836	1392.8	100	162.0	630	1063
02/09/26	FL-1995	80	141.0	273	510.9	200	271.0	296	662.2	120	186	768	1277.8	100	173	600	1031.7
02/10/26	FL-1995	100	176.0	325	630.3	200	215.0	304	616.2	190	192	821	1383.7	100	137	385	633.4
02/11/26	FL-1995	160	167.0	261	532.8	180	190.0	301	585.4	210	211	698	1208.3	180	152	589	988.3
02/12/26	FL-2009	180	176.0	202	457	100	94.3	324	524.4	230	203	813	1368.9	180	152	711	1166.8
02/13/26	FL-2009	140	182.0	204	463.5	100	89.4	278	450.5	210	213	889	1484	200	163	731	1200.4
02/14/26	FL-2009	110	164.0	196	431.4	80	86.7	347	545.9	200	212	895	1489.6	200	156	706	1166.7
02/15/26	FL-2009	120	176.0	193	443.3	85	111.0	431	703.1	200	211	875	1458.9	160	177	792	1311.2
02/16/26	FL-2009	140	163.0	166	392.2	100	103.0	337	563.3	200	230.0	841	1434.5	200	181.0	773	1289
02/17/26	FL-2009	160	165.0	179	414.4	100	88.0	324	525.9	210	194.0	798	1332.2	200	170.0	793	1302
02/18/26	FL-2009	160	158.0	223	471.7	80	90.1	316	516.6	160	182.0	765	1259.7	200	172.0	747	1250.8
02/19/26	FL-2009	120	169.0	185	423.2	80	91.5	283	473.1	210	187.0	778	1289.5	200	162.0	729	1202.4
02/20/26	FL-2009	150	146.0	157	363.7	90	79.9	288	468.1	220	177.0	718	1199.5	200	153.0	744	1213.3
02/21/26	FL-2009	140	164.0	179	411.4	80	86.6	283	467.8	180	217.0	890	1488.6	160	162.0	764	1252.2
02/22/26	FL-2009	120	166.0	186	424.6	75	92.6	308	515.7	160	183.0	826	1354.9	160	160.0	806	1304.2
02/23/26	FL-2009	140	151.0	159	370	80	80.0	249	418.3	170	165.0	739	1206.7	140	140.0	684	1109.7
02/24/26	FL-2009	150	156.0	168	389.7	80	88.4	309	507.7	200	183.0	758	1254.1	200	164.0	768	1252.5
02/25/26	FL-2009	130	141.0	154	352.6	80	82.4	256	431.5	190	174.0	763	1251.5	150	144.0	707	1145
02/26/26	FL-2009	140	146.0	168	373.3	75	94.1	341	564.9	210	195.0	891	1460.5	200	164.0	835	1352.2
02/27/26	FL-2009	135	140.0	132	323	90	89.3	310	517.4	150	146.0	672	1075.8	150	126.0	599	977.7
02/28/26	FL-2009	130	133.0	123	301.8	110	93.5	327	543.1	140	167.0	852	1346.4	140	134.0	727	1162.3

Attachment F - Lab Analysis and Draeger Tube Data

Chiquita Canyon Landfill Flare Station H₂S Draeger Tube Readings

February 2026

Sample Date	Time	H ₂ S (PPM)	Tube Used				Technician	Flare
			2 to 20 ppm 20 to 200 ppm (6728821)	2 to 60 ppm (8101961)	5 to 60 ppm (29801)	100 to 2000 ppm (CH29101)		
2/1/26	13:10	100	x				Donald Senegal	FL-2009
2/2/26	7:57	100	x				Eric Arias	FL-1995
2/3/26	7:35	120	x				Victor Amaya	FL-2009
2/4/26	7:40	80	x				Victor Amaya	FL-2009
2/5/26	7:45	80	x				Victor Amaya	FL-1995
2/6/26	5:50	90	x				Victor Amaya	FL-2009
2/7/26	8:51	100	x				Eric Arias	FL-1995
2/8/26	12:19	65	x				Angel Javalera	FL-1995
2/9/26	7:05	80	x				Victor Amaya	FL-1995
2/10/26	6:55	100	x				Victor Amaya	FL-1995
2/11/26	6:55	160	x				Victor Amaya	FL-1995
2/12/26	7:15	180	x				Victor Amaya	FL-2009
2/13/26	6:50	140	x				Victor Amaya	FL-2009
2/14/26	7:50	110	x				Angel Javalera	FL-2009
2/15/26	13:35	120	x				Donald Senegal	FL-2009
2/16/26	6:40	140	x				Angel Javalera	FL-2009
2/17/26	7:20	160	x				Victor Amaya	FL-2009
2/18/26	6:50	160	x				Victor Amaya	FL-2009
2/19/26	7:05	120	x				Victor Amaya	FL-2009
2/20/26	7:00	150	x				Victor Amaya	FL-2009
2/21/26	8:34	140	x				Eric Arias	FL-2009
2/22/26	13:55	120	x				Donald Senegal	FL-2009
2/23/26	7:57	140	x				Eric Arias	FL-2009
2/24/26	7:07	150	x				Cage Johnson	FL-2009
2/25/26	5:30	130	x				Victor Amaya	FL-2009
2/26/26	7:45	140	x				Alex Higuera	FL-2009
2/27/26	7:35	135	x				Alex Higuera	FL-2009
2/28/26	0:00	130	x				Alex Higuera	FL-2009

Attachment F - Lab Analysis and Draeger Tube Data

Chiquita Canyon Landfill Zeeco TOx H₂S Draeger Tube Readings
February 2026

Sample Date	Time	H ₂ S (PPM)	Tube Used			Technician	
			2 to 20 ppm 20 to 200 ppm (6728821)	2 to 60 ppm (8101961)	5 to 60 ppm (29801)		100 to 2000 ppm (CH29101)
2/1/26	13:45	170				x	Donald Senegal
2/2/26	7:49	150	x				Eric Arias
2/3/26	7:25	210				x	Victor Amaya
2/4/26	7:30	175				x	Victor Amaya
2/5/26	7:20	180				x	Victor Amaya
2/6/26	5:25	150				x	Victor Amaya
2/7/26	8:48	250				x	Eric Arias
2/8/26	12:45	100				x	Angel Javalera
2/9/26	7:30	200				x	Victor Amaya
2/10/26	7:30	200				x	Victor Amaya
2/11/26	7:40	180	x				Victor Amaya
2/12/26	7:35	100	x				Victor Amaya
2/13/26	7:25	100	x				Victor Amaya
2/14/26	8:15	80	x				Angel Javalera
2/15/26	13:25	85	x				Donald Senegal
2/16/26	6:55	100	x				Angel Javalera
2/17/26	6:50	100	x				Victor Amaya
2/18/26	7:30	80	x				Victor Amaya
2/19/26	7:45	80	x				Victor Amaya
2/20/26	7:25	90	x				Victor Amaya
2/21/26	8:33	80	x				Eric Arias
2/22/26	14:20	75	x				Donald Senegal
2/23/26	8:02	80	x				Eric Arias
2/24/26	7:10	80	x				Cage Johnson
2/25/26	5:55	80	x				Victor Amaya
2/26/26	14:30	75	x				Alex Higuera
2/27/26	7:20	90	x				Alex Higuera
2/28/26	7:20	110	x				Alex Higuera

Attachment F - Lab Analysis and Draeger Tube Data

Chiquita Canyon Landfill Parnel TOx H₂S Draeger Tube Readings
February 2026

Sample Date	Time	H ₂ S (PPM)	Tube Used			Technician
			2 to 20 ppm 20 to 200 ppm (6728821)	2 to 60 ppm (8101961)	5 to 60 ppm (29801)	
2/1/26	13:50	140	x			Donald Senegal
2/2/26	7:55	160	x			Eric Arias
2/3/26	7:15	150				Victor Amaya
2/4/26	7:25	125				Victor Amaya
2/5/26	7:25	120				Victor Amaya
2/6/26	5:15	100				Victor Amaya
2/7/26	8:49	170	x			Eric Arias
2/8/26	12:40	110				Angel Javalera
2/9/26	7:35	120	x			Victor Amaya
2/10/26	7:15	190				Victor Amaya
2/11/26	7:35	210				Victor Amaya
2/12/26	7:30	230				Victor Amaya
2/13/26	7:20	210				Victor Amaya
2/14/26	8:10	200				Angel Javalera
2/15/26	13:20	200				Donald Senegal
2/16/26	6:50	200				Angel Javalera
2/17/26	6:55	210				Victor Amaya
2/18/26	16:34	160	x			Cage Johnson
2/19/26	7:35	210				Victor Amaya
2/20/26	7:20	220				Victor Amaya
2/21/26	8:27	180	x			Eric Arias
2/22/26	14:15	160	x			Donald Senegal
2/23/26	7:59	170	x			Eric Arias
2/24/26	7:04	200				Cage Johnson
2/25/26	5:50	190				Victor Amaya
2/26/26	7:36	210				Alex Higuera
2/27/26	7:25	150				Alex Higuera
2/28/26	7:23	140	x			Alex Higuera

Attachment F - Lab Analysis and Draeger Tube Data


Chiquita Canyon Landfill Hero TOx H₂S Draeger Tube Readings

February 2026

Sample Date	Time	H ₂ S (PPM)	Tube Used			Technician
			2 to 20 ppm 20 to 200 ppm (6728821)	2 to 60 ppm (8101961)	5 to 60 ppm (29801)	
2/1/26	13:40	120	x			Donald Senegal
2/2/26	7:52	130	x			Eric Arias
2/3/26	7:15	110				Victor Amaya
2/4/26	7:35	120				Victor Amaya
2/5/26	7:35	120				Victor Amaya
2/6/26	5:30	150				Victor Amaya
2/7/26	8:50	140	x			Eric Arias
2/8/26	12:35	100				Angel Javalera
2/9/26	7:20	100	x			Victor Amaya
2/10/26	7:10	100				Victor Amaya
2/11/26	7:30	180				Victor Amaya
2/12/26	7:25	180				Victor Amaya
2/13/26	7:10	200				Victor Amaya
2/14/26	8:00	200				Angel Javalera
2/15/26	13:15	160	x			Donald Senegal
2/16/26	6:45	200				Angel Javalera
2/17/26	7:10	200				Victor Amaya
2/18/26	7:10	200				Victor Amaya
2/19/26	7:30	200				Victor Amaya
2/20/26	7:10	200				Victor Amaya
2/21/26	8:35	160	x			Eric Arias
2/22/26	14:05	160	x			Donald Senegal
2/23/26	8:05	140	x			Eric Arias
2/24/26	7:02	200				Cage Johnson
2/25/26	5:40	150				Victor Amaya
2/26/26	7:29	200				Victor Amaya
2/27/26	7:15	150				Alex Higuera
2/28/26	7:15	140	x			Alex Higuera

Attachment G

Graphic Maps



Ranges Mapped

Color	Range	# Points
Pink	>= 0 and < 0.5	250
Orange	>= 0.5 and < 0.9	141
Yellow	>= 0.9 and < 1.1	91
Green	>= 1.1 and < 1.5	251
Cyan	>= 1.5 and < 101	19
Grey	N/A	N/A

Point Type Legend

○ well

Google


Imagery ©2026 Airbus, Maxar Technologies

Chiquita Canyon Landfill
Range Map
Parameter: CH4/CO2 Ratio (high range)
Analysis Method: Average

Date Range: 02/01/2026 - 02/28/2026

Map generation date : 03/19/2026





Ranges Mapped

		# Points
■	>= 0 and < 1000	52
■	>= 1000 and < 1500	9
■	>= 1500 and < 2000	22
■	>= 2000 and < 2500	11
■	>= 2500 and < 1000000	33

Point Type Legend

well

Google

Imagery ©2026 Airbus, Maxar Technologies

**Chiquita Canyon Landfill
Range Map**


Parameter: CO (mid range)

Analysis Method: Average

Date Range: 02/01/2026 - 02/28/2026

Map generation date : 03/19/2026





Ranges Mapped

			# Points
Cyan	>= 0	and < 20000	32
Yellow	>= 20000	and < 50000	9
Orange	>= 50000	and < 100000	16
Magenta	>= 100000	and < 10000000	57

Point Type Legend

○ well

Google

Imagery ©2026 Airbus, Maxar Technologies

**Chiquita Canyon Landfill
Range Map**

Parameter: H2 (mid range)

Analysis Method: Average

Date Range: 02/01/2026 - 02/28/2026

Map generation date : 03/19/2026





Ranges Mapped

				# Points
Cyan	> -50	and	<= 145	680
Yellow	> 145	and	<= 160	18
Orange	> 160	and	<= 169.99	18
Magenta	> 169.99	and	<= 999	36
Grey	N/A		N/A	10

Point Type Legend

○ well

Google

Imagery ©2026 Airbus, Maxar Technologies

Chiquita Canyon Landfill
Range Map
Parameter: Adj Temp (mid range)
Analysis Method: Average
 Date Range: 02/01/2026 - 02/28/2026
 Map generation date : 03/19/2026



Attachment H

Inspection Logs



February 10, 2026

Via E-Mail

Karen Gork
Chief Environmental Health Specialist
Los Angeles County Department of Public Health
Local Enforcement Agency
Environmental Programs Division
5050 Commerce Drive,
Baldwin Park, California 91706
KGork@ph.lacounty.gov

Re: Chiquita Canyon, LLC's Weekly Report on the Documentation and Tracking of Cover Issues, Monthly Summary and Monthly Isopach Map

Dear Ms. Gork:

In accordance with the Local Enforcement Agency's ("LEA") May 2, 2024 letter approving Chiquita's April 16, 2024 Second Revised Written Plan for Documenting and Tracking Cover Issues ("Second Revised Written Plan"), the LEA's May 29, 2024 letter, and the LEA's June 6, 2024 Compliance Order, Chiquita presents the enclosed report for documenting and tracking cover issues for the week of February 2, 2026 to February 7, 2026.

Also included in this report are the monthly isopach map and the monthly summary of fissures and tension cracks prepared for January 2026, pursuant to the Second Revised Written Plan.

Please contact me if you have any questions regarding this matter.

Regards,

Sarah Phillips
Corporate Compliance Manager
Waste Connections

Attachment: February 10, 2026 Weekly Cover Issues Report
cc: Mark Como, Department of Public Health
Eric Morofuji, Department of Public Health

Fissures and Tension Cracks

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

2 Feb 2026 / Tom Roe

Complete

Conducted on

2 Feb 2026 10:16 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 164



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

3 Feb 2026 / Tom Roe

Complete

Conducted on

3 Feb 2026 10:48 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 160



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

4 Feb 2026 / Tom Roe

Complete

Conducted on

4 Feb 2026 10:29 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 83



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

5 Feb 2026 / John Boucher

Complete

Conducted on

5 Feb 2026 6:57 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks


Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

Yes

Using the attached image, annotate all areas where inspectors identified a fissure or tension crack.



Grid Location

198

Date and Time Found

5 Feb 2026 10:20 AM PST

Image of Fissure/Tension Crack



Photo 1



Photo 2



Photo 3

Length of crack (ft) or area containing multiple cracks (ft x ft) 4ft

Horizontal Offset (width) Extra Small <0.5 in width

Vertical Offset (height) Extra small <0.5" in height

Orientation (direction) E to W

Location Castaic CA 91384
United States
(34.43230245344594,
-118.6486940635171)

Was Fissure or Crack fixed? If yes, add photo and description of repairs performed Yes



Photo 4



Photo 5

Date and time of repairs 5 Feb 2026 11:34 AM PST

Description of repairs Cracks were track walked.


Pipes moved and dirt added

Chiquita Reaction Area Tracking of Fissures and Tension Cracks 2

Fissure or Tension Crack Found?

Yes

Using the attached image, annotate all areas where inspectors identified a fissure or tension crack.



Grid Location

83

Date and Time Found

5 Feb 2026 11:38 AM PST

Image of Fissure/Tension Crack



Photo 6



Photo 7

Length of crack (ft) or area containing multiple cracks (ft x ft)

11ft

Horizontal Offset (width)

Extra Small <0.5 in width

Vertical Offset (height)

Extra small <0.5" in height

Orientation (direction)

E to W

Location

Castaic CA 91384
United States
(34.43501850652935,
-118.64491234811581)

Was Fissure or Crack fixed? If yes, add photo and description of repairs performed

Yes



Photo 8



Photo 9

Date and time of repairs

5 Feb 2026 1:56 PM PST

Description of repairs

Cracks were track walked.

Cracks were track walked and compacted with excavator

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

6 Feb 2026 / John Boucher

Complete

Conducted on

6 Feb 2026 7:08 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks


Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

Yes

Using the attached image, annotate all areas where inspectors identified a fissure or tension crack.



Grid Location

83

Date and Time Found

6 Feb 2026 10:27 AM PST

Image of Fissure/Tension Crack




Photo 1



Photo 2



Photo 3



Photo 4

Length of crack (ft) or area containing multiple cracks (ft x ft)

Multiple cracks in a 11ft x 16ft area

Horizontal Offset (width)

Small 0.5-2" in width

Vertical Offset (height)

Extra small <0.5" in height

Orientation (direction)

E to W

Location

Castaic CA 91384
United States
(34.434193771180176,
-118.64603794500265)

Was Fissure or Crack fixed? If yes, add photo and description of repairs performed

Yes



Photo 5

Date and time of repairs

6 Feb 2026 11:45 AM PST

Description of repairs

Cracks were track walked.

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

7 Feb 2026 / John Boucher

Complete

Conducted on

7 Feb 2026 7:32 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 198



Photo 1

Instability

Are there any indications of slope stability concerns?

No

Settlement

The bi-weekly drone flyover was not conducted this week. The drone data from the next flyover event will be included in the next weekly report.

Geosynthetic Cover

4050 - Geosynthetic Cover Inspection

2 Feb 2026 / Tom Roe

Complete

Flagged items

0

Conducted on

2 Feb 2026 7:14 AM PST

Prepared by

Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

2 Feb 2026 9:47 AM PST

Grid Location



Grid Number

184

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Hole where a pole was removed needs to be patched and extrusion welded.

Take photo of repair



Photo 2




Photo 3

Description of repair work

Hole was taped and sandbagged upon discovery. As part of ongoing construction the area was covered with dirt and will eventually be lined with EVOH.

Date and time of repair (within 2 hours)

2 Feb 2026 9:52 AM PST

Are further permanent repairs required?

No

Date and Time of final repair (if necessary)

Identified Issue 2


Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

2 Feb 2026 10:02 AM PST

Grid Location



Grid Number

170

Take photo of identified issues



Photo 4

Notate what the issue is and what needs to be repaired

Hole in liner needs to be patched/extrusion welded.

Take photo of repair



Photo 5



Photo 6

Description of repair work

Hole taped and sandbagged upon discovery and later patched and extrusion welded.

Date and time of repair (within 2 hours)

2 Feb 2026 12:40 PM PST

Are further permanent repairs required?

No

Date and Time of final repair (if necessary)


2 Feb 2026 1:06 PM PST

Identified Issue 3

Are there any issues with the geosynthetic cover?

Yes

Grid Location



Grid Number

152

Take photo of identified issues



Photo 7

Notate what the issue is and what needs to be repaired

Tear in liner needs to be patched/extrusion welded.

Take photo of repair



Photo 8




Photo 9

Description of repair work

Tear was taped and sandbagged upon discovery and later extrusion welded.

Date and time of repair (within 2 hours)

2 Feb 2026 1:00 PM PST

Are further permanent repairs required?

No

Date and Time of final repair (if necessary)

4 Feb 2026 7:53 AM PST

Identified Issue 4


Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

2 Feb 2026 1:11 PM PST

Grid Location



Grid Number

167

Take photo of identified issues



Photo 10

Notate what the issue is and what needs to be repaired

Hole in liner needs to be patched and extrusion welded.

Take photo of repair



Photo 11



Photo 12

Description of repair work

Tear taped and sandbagged upon discovery and later extrusion welded.

Date and time of repair (within 2 hours)

2 Feb 2026 1:13 PM PST

Are further permanent repairs required?

No

Date and Time of final repair (if necessary)

4 Feb 2026 12:47 PM PST

Identified Issue 5


Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

2 Feb 2026 1:16 PM PST

Grid Location



Grid Number

165

Take photo of identified issues



Photo 13

Notate what the issue is and what needs to be repaired

Hole in liner needs to be patched/extrusion welded.

Take photo of repair



Photo 14



Photo 15

Description of repair work

Hole taped and sandbagged upon discovery and later extrusion welded.

Date and time of repair (within 2 hours)

2 Feb 2026 1:18 PM PST

Are further permanent repairs required?

No

Date and Time of final repair (if necessary)

4 Feb 2026 12:04 PM PST

Identified Issue 6


Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

2 Feb 2026 1:47 PM PST

Grid Location



Grid Number

166

Take photo of identified issues



Photo 16



Photo 17

Notate what the issue is and what needs to be repaired

Two small tears in liner near each other need to be extrusion welded.

Take photo of repair



Photo 18



Photo 19



Photo 20



Photo 21

Description of repair work	Tears taped and sandbagged upon discovery and later extrusion welded.
Date and time of repair (within 2 hours)	2 Feb 2026 1:51 PM PST
Are further permanent repairs required?	No
Date and Time of final repair (if necessary)	4 Feb 2026 11:19 AM PST
Instability under the cover	
Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?	No
Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?	No
Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?	No

4050 - Geosynthetic Cover Inspection

3 Feb 2026 / Tom Roe

Complete

Flagged items

0

Conducted on

3 Feb 2026 6:28 AM PST

Prepared by

Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

3 Feb 2026 2:16 PM PST

Grid Location



Grid Number

168

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Hole in liner needs to be patched/extrusion welded.

Take photo of repair

Patch photo states repair was on 2/3 but was actually conducted on 2/4



Photo 2



Photo 3

Description of repair work

Hole taped and sandbagged upon discovery and later patched and extrusion welded.

Date and time of repair (within 2 hours)

3 Feb 2026 2:20 PM PST

Are further permanent repairs required?

No

Date and Time of final repair (if necessary)

4 Feb 2026 12:17 PM PST

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

4 Feb 2026 / Tom Roe

Complete

Flagged items

0

Conducted on

4 Feb 2026 1:47 PM PST

Prepared by

Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

5 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

5 Feb 2026 6:57 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

6 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

6 Feb 2026 7:08 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

7 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

7 Feb 2026 7:32 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

February 9, 2026

Mr. Kevin Green
Chiquita Canyon Landfill
29201 Henry Mayo Drive
Castaic, California 91384

**JANUARY 2026 FISSURE AND TENSION CRACK MONITORING SUMMARY
CHIQUITA CANYON LANDFILL
CASTAIC, CALIFORNIA**

Dear Mr. Green:

This monthly summary report was prepared by Geo-Logic Associates, Inc. (GLA) to summarize the monitoring and tracking of fissures and tension cracks that was performed at the Chiquita Canyon Landfill (Landfill) between January 1 and January 31, 2026, in accordance with Milestone 2B of the Local Enforcement Agency's (LEA) June 6, 2024 Compliance Order, formerly referred to as Mitigation Measure #2B. This summary was prepared in accordance with Chiquita Canyon, LLC's (Chiquita) April 16, 2024 Second Revised Written Plan (Second Revised Written Plan) to document and track cover issues and is associated with Milestone 2B.

JANUARY OBSERVATIONS

Chiquita conducts daily monitoring of the soil cover for fissures and tension cracks and of the geomembrane-covered area for damage or evidence of possible instability. The cracks and fissures that were observed in January 2026 are summarized in Table 1. Table 2 summarizes the daily observations performed in geomembrane-covered areas in January 2026. Chiquita repaired all the cracks identified in Table 1 and all the small geomembrane tears identified in Table 2.

As indicated in these tables, no evidence of instability was reported in the soil-covered areas or the geomembrane-covered areas. The cracks and fissures summarized in Table 1 were reviewed with respect to the criteria for "significant" as that term is defined in Chiquita's Second Revised Written Plan.¹ As shown in this table, three cracks or fissures that potentially met these criteria were observed in January:

¹ Pursuant to the Second Revised Written Plan, a "significant" fissure or tension crack is one that (1) is 100 feet or longer in length; (2) has a horizontal offset of 0.5 inches or more when the fissure/crack is at least 50 feet in length; or (3) has a vertical offset of 0.5 inches or more when the fissure/crack is at least 50 feet in length or there are multiple fissures/cracks oriented in the same direction. The classification of

- An approximately 130 ft by 8 ft area with “small” horizontal offset and “extra small” vertical offset cracks was observed on January 13, 2026 in Grid 148 in the portion of the grid not yet covered by EVOH geomembrane. No crack was greater than 50 feet. As shown in Figure 1, Grid 148 had been covered by geomembrane by the end of January.
- An approximately 60 ft by 45 ft area with “small” horizontal offset and “extra small” vertical offset cracks was observed on January 20, 2026 in Grid 148 in the portion of the grid not yet covered by EVOH geomembrane. No crack was greater than 50 feet. As shown in Figure 1, Grid 148 had been covered by geomembrane by the end of January.
- An approximately 70 ft by 35 ft area with “small” horizontal offset and “extra small” vertical offset cracks was observed on January 28, 2026 in Grid 155 adjacent to the EVOH geomembrane cover. No crack was greater than 50 feet. The log notes that no individual crack was over 50 feet long.

All the cracks identified in Table 1 and summarized above were repaired. Cross sections that compare December 30, 2025 and January 28, 2026 topography are shown in Figures 2A through 2E. The locations of these cross sections are shown in Figure 1. The sections show no significant differences in slope or evidence of instability between the December 2025 and January 2026 profiles, which is consistent with the observational records summarized in Tables 1 and 2.

GRID TRENDS

Monitoring in May, June, and December 2024 and in June, July, August, September, and October 2025 documented cracks potentially meeting the definition of “significant”, as that term is defined in Chiquita’s Second Revised Written Plan, in the following grids:

- **Grid 183.** On May 23, 2024, a 65-ft tension crack with 0.5–2 in. horizontal offset (“small”) was observed. It was repaired by track-walking, and no further cracking was reported in subsequent May and June 2024 inspections. The grid has since been geomembrane-covered, with no evidence of instability observed from July 2024 through January 2026.
- **Grid 151.** Cracking was noted on May 20 and 28, 2024. A June 19, 2024 inspection confirmed multiple cracks within a 15 ft x 35 ft area, including one with >4 in. horizontal offset (“large”) and 0.5–2 in. vertical offset (“small”). On July 2, 2024,

a crack or fissure as “significant” for purposes of this summary does not mean that there is a concern for slope instability or that the Landfill’s containment system is compromised. The criteria were established for comparison purposes only.

- an additional non-significant crack with similar offsets was observed and repaired. This grid has since been geomembrane-covered and there has been no evidence of instability from August 2024 through January 2026.
- **Grid 180.** On June 3, 2024, a 60-ft crack with “small” horizontal offset was observed. The feature was not present in subsequent June 2024 monitoring. The grid has been geomembrane-covered, with no evidence of instability observed through January 2026.
 - **Grid 152.** On June 24, 2024, a 55-ft crack with “small” horizontal offset was observed. No cracking was reported in this grid in subsequent inspections until more than a year later. On July 30, 2025, a 10 ft x 5 ft area of cracks with “medium” horizontal and “extra small” vertical offsets was documented, classified as nonsignificant, and repaired. This grid is geomembrane-covered, and there has been no evidence of instability through January 2026.
 - **Grid 146.** A 55-ft crack with “medium” horizontal and “extra-small” vertical offsets was documented and repaired on December 4, 2024. Additional minor cracks with “medium” to “large” horizontal offsets were identified and repaired in May and June 2025. On July 8, 2025, a 75-ft-long crack with “small” horizontal and “extra-small” vertical offsets was observed across the Grid 146/147 boundary and repaired. Two minor cracks were noted later in July, one in August, and five in September 2025; all were repaired. In October 2025, one potentially “significant” and two minor cracks were documented and subsequently repaired by soil placement and track-walking. One non-significant crack with “large” displacement was identified in November 2025 and was repaired. This grid was partially covered at the beginning of January 2026 and was completely covered by geomembrane by the end of January. No cracking was observed in the exposed portions of the grid in December 2025 or January 2026.
 - **Grid 147.** A 100-ft crack with “large” horizontal and “medium” vertical offsets was documented and repaired on June 23, 2025. On July 8, 2025, a 75-ft crack spanning Grids 146 and 147 with “small” horizontal and “extra-small” vertical offsets was observed and repaired. Later July inspections identified three minor cracks with “medium” to “large” offsets; all were repaired. In August 2025, one 65-ft crack and several localized cracks or small settlement-related “collapse” features were documented and repaired. Five additional minor cracks were observed and repaired in September. In October 2025, two potentially “significant” cracks within Grid 147 and one spanning Grids 147–148 were documented, along with three minor cracks. All October features were repaired by soil placement and track-walking. One non-significant crack with “large”

displacement was identified in November 2025 and was repaired. One non-significant crack with “small” horizontal offset and “extra small” vertical offset was identified in the exposed portion of the grid in December 2025 and was repaired. This grid was partially covered at the beginning of January 2026 and was completely covered by geomembrane by the end of January. Non-significant cracking was observed in the exposed portion of the grid on January 19, 2026.

- **Grid 164.** On September 12, 2025, potentially “significant” cracking was observed in Grid 164 based on the presence of an approximately 40-ft x 50-ft area containing multiple intersecting cracks, the longest of which was about 50 ft. The horizontal offset (width) of the crack(s) was identified as “large,” the vertical offset (height) of the crack(s) was identified as “extra small”, and the orientation of the crack(s) was identified as northeast-to-southwest. No slope-stability concerns were noted in this grid at the time of observation, and the cracks were repaired. Approximately 50 percent of this grid is now covered by the geomembrane. No cracking was documented in exposed portions of Grid 164 in the October 2025 through December 2026 field records. Non-significant cracking was documented in the grid on January 20, 2026.

CONCLUSIONS

As summarized in Table 1, three areas with maximum crack lengths of no more than 50 feet were identified in January 2026 at the approximate location shown in Figure 1. Although much of the top deck of the landfill in the affected area is now geomembrane-covered, monitoring to date indicates the documented cracking is attributable to settlement and does not constitute evidence of slope instability.

Please let me know if you have any questions regarding the information in this report.

Very truly yours,

Geo-Logic Associates, Inc.


Richard A. Mitchell, PG, CEG
Principal Engineering Geologist



Table 1
SUMMARY OF JANUARY 2026 FISSURE AND TENSION CRACK OBSERVATIONS
Chiquita Canyon Landfill

DATE	INSPECTOR	GRID	LOCATION	TYPE	LENGTH (ft)	AREA (ft x ft)	HORIZONTAL OFFSET	VERTICAL OFFSET	ORIENTATION	LATITUDE	LONGITUDE	REPAIRED	INDICATIONS OF SLOPE STABILITY CONCERNS
1/2/2026	John Boucher		No Cracks Found	N/A									No
1/3/2026	John Boucher		No Cracks Found	N/A									No
1/5/2026	Tom Roe		No Cracks Found	N/A									No
1/6/2026	Tom Roe		No Cracks Found	N/A									No
1/7/2026	Tom Roe		No Cracks Found	N/A									No
1/8/2026	John Boucher		No Cracks Found	N/A									No
1/9/2026	John Boucher		No Cracks Found	N/A									No
1/10/2026	John Boucher		No Cracks Found	N/A									No
1/12/2026	Tom Roe		No Cracks Found	N/A									No
1/13/2026	Tom Roe	148	Top Deck	Area		130x8	Small	Extra Small	NW	34.435554	-118.646344	Yes	No
1/14/2026	John Boucher		No Cracks Found	N/A									No
1/15/2026	John Boucher		No Cracks Found	N/A									No
1/16/2026	John Boucher		No Cracks Found	N/A									No
1/17/2026	John Boucher		No Cracks Found	N/A									No
1/19/2026	Tom Roe	147	Top Deck	Area		20x35	Small	Extra Small	NW	34.435674	-118.646393	Yes	No
1/20/2026	Tom Roe	148	Top Deck	Area		60x45	Small	Extra Small	NW	34.435364	-118.645982	Yes	No
1/20/2026	Tom Roe	164	Top Deck South	Area		40x6	Extra Small	Extra Small	EW	34.432527	-118.648376	Yes	No
1/21/2026	Tom Roe	82	Top Deck South	Area		15x3	Extra Small	Extra Small	NE	34.434375	-118.645724	Yes	No
1/22/2026	John Boucher		No Cracks Found	N/A									No
1/23/2026	John Boucher		No Cracks Found	N/A									No
1/24/2026	John Boucher		No Cracks Found	N/A									No
1/26/2026	Tom Roe		No Cracks Found	N/A									No
1/27/2026	Tom Roe	160	Top Deck South	Area		30x35	Extra Small	Extra Small	NE	34.432932	-118.647636	Yes	No
1/28/2026	Tom Roe	155	Top Deck South	Area		70x35	Small	Extra Small	NE	34.434001	-118.646200	Yes	No
1/29/2026	John Boucher		No Cracks Found	N/A									No
1/30/2026	John Boucher		No Cracks Found	N/A									No
1/31/2026	John Boucher		No Cracks Found	N/A									No

HORIZONTAL CRACK DEFINITIONS

Extra Small <0.5-in Width
 Small 0.5-in to 2-in Width
 Medium 2-in to 4-in Width
 Large >4-in Width

VERTICAL CRACK DEFINITIONS

Extra Small <0.5-in Height
 Small 0.5-in to 2-in Height
 Medium 2-in to 4-in Height
 Large >4-in Height


Pursuant to the Second Revised Written Plan, a "significant" fissure or tension crack is one that (1) is 100 feet or longer in length; (2) has a horizontal offset of 0.5 inches or more when the fissure/crack is at least 50 feet in length; or (3) has a vertical offset of 0.5 inches or more when the fissure/crack is at least 50 feet in length or there are multiple fissures/cracks oriented in the same direction. The classification of a crack or fissure as "significant" for purposes of this summary does not mean that there is a concern for slope instability or that the Landfill's containment system is compromised. The criteria were established for comparison purposes only.

Table 2
SUMMARY OF JANUARY 2026 GEOMEMBRANE COVER OBSERVATIONS
Chiquita Canyon Landfill

DATE	ISSUES OR CONCERNS			
	Issue Identified	Evidence of Underlying Deformation	Tension Cracks at Top of Slope or Bulging at Toe of Slope	Vetical Deformation of Infrastructure Such as Wells or Probes
1/2/2026	No	No	No	No
1/3/2026	No	No	No	No
1/5/2026	No	No	No	No
1/6/2026	No	No	No	No
1/7/2026	Yes ¹	No	No	No
1/8/2026	No	No	No	No
1/9/2026	Yes ²	No	No	No
1/10/2026	No	No	No	No
1/12/2026	No	No	No	No
1/13/2026	No	No	No	No
1/14/2026	No	No	No	No
1/15/2026	No	No	No	No
1/16/2026	No	No	No	No
1/17/2026	No	No	No	No
1/19/2026	Yes ³	No	No	No
1/20/2026	Yes ^{4,5}	No	No	No
1/21/2026	Yes ^{6,7,8,9}	No	No	No
1/22/2026	Yes ¹⁰	No	No	No
1/23/2026	Yes ^{11,12}	No	No	No
1/24/2026	No	No	No	No
1/26/2026	Yes ¹³	No	No	No
1/27/2026	Yes ^{14,15}	No	No	No
1/28/2026	Yes ^{16,17}	No	No	No
1/29/2026	Yes ^{18,19}	No	No	No
1/30/2026	No	No	No	No
1/31/2026	No	No	No	No

JANUARY 2026 NOTES:


1. Liner tear in Grid 183. Tear taped and sandbagged on discovery. Final repair completed on 1/8/2026.
2. Liner tear in Grid 191. Flex tap placed on discovery. Final repair scheduled for 1/13/2026.
3. Small hole in cover in Grid 185. Hole was patched and extrusion welded on 1/19/2026.
4. Old repair needs to be patched and extrusion welded. Work was performed on 1/20/2026.
5. Small hole in weld. Hole was taped on discovery.
6. Tear in liner in Grid 148. Tear was taped and sandbagged on discovery. Final repair scheduled for 1/26/2026.
7. Two small tears in liner in Grid 159. Tears were taped and sandbagged on discovery. Final repair performed on 1/26/2026.
8. Tear in liner in Grid 170. Tear was taped and sandbagged on discovery. Final repair performed on 1/23/2026.
9. Four small tears in liner in Grid 173. Tears were taped on discovery and later extrusion welded. Final repairs completed on 1/23/2026.
10. Small hole in liner in Grid 210. Hole was sealed with flex tape on discovery. Hole was later patched and extrusion welded. Final Repairs completed on 1/27/2026.
11. Liner torn in Grid 182. Tears were temporarily sealed using flex tape and a piece of liner. Final repairs scheduled for 1/28/2026.
12. Liner torn in Grid 205. Liner was patched and extrusion welded.
13. Pipe boot needs to be lowered; tears in liner in Grid 81. Tears were taped on discovery and were later extrusion welded. Final repairs completed on 1/27/2026.
14. Liner torn in Grid 200. Tear was taped and sandbagged on discovery and was later patched and extrusion welded. Final repairs were completed on 1/27/2026.
15. Liner torn in Grid 201. Tear was taped and sandbagged on discovery. Final repairs scheduled for 2/4/2026.
16. Two small tears in Grid 175. Tears were taped and sandbagged on discovery and later patched and extrusion welded. Final repairs were completed on 1/29/2026.
17. Tears in liner in Grid 181. Tears were in an area that could not be accessed safely. A repair plan was under development.
18. Pinhole in liner in Grid 155. Flex tape placed to seal hole. Hole was later patched and extrusion welded. Final Repairs completed 2/2/2026.
19. Liner torn in Grid 188. Liner sealed with flex tape. Tear was later patched and extrusion welded. Final repairs completed on 2/2/2026.



LEGEND:

- PROPERTY LINE
- LOR LINER LIMIT
- CROSS SECTION WS= WESTERN SLOPE EVALUATION
- CROSS SECTION LOCATION
- NS= NORTHERN SLOPE EVALUATION
- CROSS SECTION LOCATION

SCALE: 1" = 300'



This drawing has not been published but rather has been prepared by Geo-Logic Associates, Inc. for use by the client named in the title block, solely in respect of the construction operation, and maintenance of the facility named in the title block. Geo-Logic Associates, Inc. shall not be liable for the use of this drawing on any other facility or for any other purpose.

ISSUED FOR REVIEW
REFERENCE AERIAL TOPO BASED ON JANUARY 28, 2026 AERIAL SURVEY PROVIDED BY PROPELLER

REV. NO.	DATE	DESCRIPTION	APPROVED BY

DATE OF ISSUE: **FEBRUARY 2026**
 DESIGNED BY: **R MITCHELL**
 CAD DESIGN BY: **L PADILLA**
 CHECKED BY: **R MITCHELL**
 APPROVED BY: **R MITCHELL**



Geo-Logic ASSOCIATES

2777 EAST GUASTI ROAD
 SUITE 1
 ONTARIO, CA 91761
 (909) 626-2282
 www.geo-logic.com

CHIQUITA CANYON
A Waste Connections Company

29201 HENRY MAYO DRIVE
 CASTAIC, CA 91384


JANUARY 2026 MONITORING SUMMARY
 CHIQUITA CANYON LANDFILL
 COUNTY OF LOS ANGELES, CA

MONITORING GRID

FIG NO. **01**
 PROJECT NO. **RM22.1077**

P:\SITES\CHIQUITA_CYN_LP_MONITORING_SUMMARY\FIGURES\RM22-1077-COL-MS-FIG 1-(2026-02-09).DWG February 9, 2026 - 10:35 AM BY: GJA-USER

P:\SITES\CHIQUITA CYN LF\MONITORING SUMMARY\FIGURES\RM22.1077-CCL-MS-FIG 2A-2E-(2026-02-09).DWG February 9, 2026 - 11:09 AM BY: GLA-USER



LEGEND:

- SUBGRADE
- TOPO 2025-12-30
- TOPO 2026-01-28








FIGURE 2A

WESTERN SLOPE CROSS SECTION A
JANUARY 2026 MONITORING SUMMARY
CHIQUITA CANYON LANDFILL
COUNTY OF LOS ANGELES, CA



DRAWN BY: LP/RM | DATE: FEBRUARY 2026 | JOB NO.: RM22.1077

P:\SITES\CHIQUITA CYN LF\MONITORING SUMMARY\FIGURES\RM22.1077-CCL-MS-FIG 2A-2E-(2026-02-09).DWG February 9, 2026 - 11:09 AM BY: GLA-USER



LEGEND:

- SUBGRADE
- TOPO 2025-12-30
- TOPO 2026-01-28







FIGURE 2B

WESTERN SLOPE CROSS SECTION B
JANUARY 2026 MONITORING SUMMARY
CHIQUITA CANYON LANDFILL
COUNTY OF LOS ANGELES, CA



DRAWN BY: LP/RM | DATE: FEBRUARY 2026 | JOB NO.: RM22.1077

P:\SITES\CHIQUITA CYN LF\MONITORING SUMMARY\FIGURES\RM22.1077-CCL-MS-FIG 2A-2E-(2026-02-09).DWG February 9, 2026 - 11:08 AM BY: GLA-USER









FIGURE 2C
WESTERN SLOPE CROSS SECTION C
JANUARY 2026 MONITORING SUMMARY
CHIQUITA CANYON LANDFILL
COUNTY OF LOS ANGELES, CA



DRAWN BY: LP/RM | DATE: FEBRUARY 2026 | JOB NO.: RM22.1077

P:\SITES\CHIQUITA CYN LF\MONITORING SUMMARY\FIGURES\RM22.1077-CCL-MS-FIG 2A-2E-(2026-02-09).DWG February 9, 2026 - 11:08 AM BY: GLA-USER








FIGURE 2D
WESTERN SLOPE CROSS SECTION D
JANUARY 2026 MONITORING SUMMARY
CHIQUITA CANYON LANDFILL
COUNTY OF LOS ANGELES, CA



DRAWN BY: LP/RM | DATE: FEBRUARY 2026 | JOB NO.: RM22.1077

P:\SITES\CHIQUITA CYN LF\MONITORING SUMMARY\FIGURES\RM22.1077-CCL-MS-FIG 2A-2E-(2026-02-09).DWG February 9, 2026 - 11:08 AM BY: GLA-USER



LEGEND:

- SUBGRADE
- TOPO 2025-12-30
- TOPO 2026-01-28









FIGURE 2E

WESTERN SLOPE CROSS SECTION E
JANUARY 2026 MONITORING SUMMARY
CHIQUITA CANYON LANDFILL
COUNTY OF LOS ANGELES, CA



DRAWN BY: LP/RM | DATE: FEBRUARY 2026 | JOB NO.: RM22.1077

Chiquita Canyon Landfill - Isopach



January 28, 2026 Survey Image. January 7, 2026 vs. January 28, 2026



CHIQUITA CANYON
A Waste Connections Company

February 17, 2026

Via E-Mail

Karen Gork
Chief Environmental Health Specialist
Los Angeles County Department of Public Health
Local Enforcement Agency
Environmental Programs Division
5050 Commerce Drive,
Baldwin Park, California 91706
KGork@ph.lacounty.gov

Re: Chiquita Canyon, LLC's Weekly Report on the Documentation and Tracking of Cover Issues

Dear Ms. Gork:

In accordance with the Local Enforcement Agency's ("LEA") May 2, 2024 letter approving Chiquita's April 16, 2024 Second Revised Written Plan for Documenting and Tracking Cover Issues ("Second Revised Written Plan"), the LEA's May 29, 2024 letter, and the LEA's June 6, 2024 Compliance Order, Chiquita presents the enclosed report for documenting and tracking cover issues for the week of February 9, 2026 to February 14, 2026.

Please contact me if you have any questions regarding this matter.

Regards,

Sarah Phillips

Sarah Phillips
Corporate Compliance Manager
Waste Connections

Attachment: February 17, 2026 Weekly Cover Issues Report
cc: Mark Como, Department of Public Health
Eric Morofuji, Department of Public Health

Fissures and Tension Cracks

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

9 Feb 2026 / Tom Roe

Complete

Conducted on

9 Feb 2026 9:49 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 160



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

10 Feb 2026 / Tom Roe

Complete

Conducted on

10 Feb 2026 10:21 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 164



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

11 Feb 2026 / John Boucher

Complete

Conducted on

11 Feb 2026 7:19 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 160



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

12 Feb 2026 / Nancy Bahena Hernandez

Complete

Conducted on

12 Feb 2026 9:20 AM PST

Prepared by

Nancy Bahena Hernandez

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 198



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

13 Feb 2026 / John Boucher

Complete

Conducted on

13 Feb 2026 7:01 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 164



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

14 Feb 2026 / John Boucher

Complete

Conducted on

14 Feb 2026 7:19 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No



Photo 1

Instability

Are there any indications of slope stability concerns?





No

Settlement

Settlement Data Notes

- The charts on the following page show the settlement in cubic yards measured at a fixed location.
 - Chiquita restaked the survey benchmarks between July 31, 2025 and August 13, 2025 to maintain accuracy. After performing additional surveys, Chiquita has confirmed that the restaking caused the data to show an inflated amount of settlement, which does not accurately convey the true rate of settlement.
- The map shows the area between 2/6/2025 and 2/10/2026 where the grades have changed more than 10 feet. A typical MSW strain rate is 3% per year - for a landfill with a 300-foot waste column, this would be 9 feet per year.
 - On January 16, 2026, all three flares went offline as a result of high temperatures at Flares 1 and 3, and a blower failure at Flare 2. Due to the decrease in landfill gas collection, landfill gas temporarily accumulated under the geomembrane cover creating a “ballooning” effect. This ballooning effect disrupted the drone’s ability to accurately capture the amount of settlement – making it appear as though more settlement had occurred. Flares 1, 2, and 3 were initially brought back online by January 23, 2026. There have been subsequent downtimes associated with Flares 2 and 3 as described in the downtime alerts posted to Chiquita’s public website. Chiquita anticipates that the imaging, and settlement results, will return to normal by the time of the next flyover event.
 - Recently, Castaic, California has experienced atypical amounts of rainfall resulting in standing stormwater across the landfill. As the water evaporates and the levels of standing water decrease, the evaporation manifests as increased settlement in the drone flyovers, although no such settlement has occurred. Chiquita anticipates that the imaging, and settlement results, will return to normal once the stormwater has fully evaporated.
 - As previously noted, on November 19, 2025, landfill gas piping was temporarily offline in certain areas to perform tie in work as part of the EVOH/HDPE geomembrane cover deployment work. Taking the piping offline caused a small amount of landfill gas to temporarily accumulate under the geomembrane cover. As a result, the image gives the impression of more settlement than what actually occurred. The piping has since been reinstalled and is back online, and the landfill gas bubbles are no longer present.
- During normal site operations before site closure, large stockpiles of rock materials were maintained, and sometimes moved as other operations necessitated. The areas used for these material stockpiles were south and east of the lined area. There is not a way to differentiate between settlement and stockpile movements.
- On a monthly basis, SCS leads the collection and review of data to determine whether the boundaries of the Reaction Area, as defined in the Stipulated Order for Abatement with the South Coast Air Quality Management District (SCAQMD), have changed. The Reaction Committee of experts formed under the Stipulated Order then further reviews and submits these monthly determinations to SCAQMD. These determinations are also posted on Chiquita’s website. As part of this monthly review, SCS considers the below factors in determining the estimated boundary of the reaction area, in accordance with the Stipulated Order.
 - Landfill gas (LFG) wellhead temperatures in excess of approximately 160 degrees Fahrenheit.

- Poor gas quality (defined as methane levels of less than 30 percent) in conjunction with methane-to-carbon dioxide (CH₄:CO₂) ratios less than 1.0.
- The concentration of hydrogen (H₂) in the LFG measured greater than 2 percent by volume.
- The concentration of carbon monoxide (CO) in the LFG measured greater than 2,000 ppm.
- Accelerated settlement of the landfill surface, defined as approximately 18 inches or greater within a 60-day period, and cracks in the landfill cover.
- First-hand observations of the Chiquita Canyon Landfill (Landfill) and/or SCS engineering, construction, and operations and maintenance field personnel who are on-site related to: 1) atypical excess leachate quantities (presence and quantity of liquids); 2) instances of pressurized liquids emitting from the Landfill surface, from boreholes during drilling, and from LFG wells; and, 3) the characteristics of the odors originating from the select areas of the waste footprint (often described as “chemical-like” and distinctly different from typical LFG or landfill working face odors).
- Observations of subsurface waste conditions and characteristics as noted on borehole drilling logs for recently installed new wells and/or TMPs.
- Subsurface temperatures recorded at the in-situ waste TMPs during the month being assessed.
- Temperature of gas or liquids measured at depth within the LFG well riser pipe (using an automated transmitter or manual field instrumentation).



Location 1

Flyover Date	Days Between Flights	Volume Change	Cumulative Volume Change	Volume Change Per Day
5/31/2023	0	-	-	-
6/19/2023	19	26,000	26,000	1,368
7/21/2023	32	55,000	90,000	1,719
8/11/2023	21	33,000	126,000	1,571
8/28/2023	17	24,000	156,000	1,412
9/25/2023	28	44,000	205,000	1,571
10/9/2023	14	13,000	229,000	929
10/23/2023	14	16,000	254,000	1,143
11/7/2023	15	13,000	272,000	867
11/22/2023	15	27,000	304,000	1,800
12/4/2023	12	10,000	325,000	833
12/13/2023	9	3,000	338,000	333
1/2/2024	20	25,000	352,000	1,250
1/15/2024	13	17,000	367,000	1,308
1/29/2024	14	21,000	377,000	1,500
2/12/2024	14	22,000	398,000	1,571
2/28/2024	16	16,000	411,000	1,000
3/5/2024	6	12,000	430,000	2,000
3/20/2024	15	12,000	436,000	800
3/27/2024	7	3,000	442,362	429
4/3/2024	7	3,000	454,000	429
4/10/2024	7	2,000	459,000	286
4/17/2024	7	4,000	467,000	571
4/24/2024	7	3,000	476,000	429
5/1/2024	7	4,000	484,000	571
5/8/2024	7	4,000	494,000	571
5/15/2024	7	3,000	505,000	429
5/22/2024	7	3,000	511,000	429
5/29/2024	7	2,000	524,000	286
6/5/2024	7	2,000	532,000	286
6/12/2024	7	6,000	542,853	857
6/19/2024	7	2,000	540,000	286
6/26/2024	7	2,000	545,000	286
7/3/2024	7	4,000	555,000	571
7/10/2024	7	3,000	563,000	429
7/17/2024	7	3,000	573,000	429
7/24/2024	7	4,000	590,000	571
7/31/2024	7	3,000	597,000	429
8/8/2024	8	4,000	609,000	500
8/14/2024	6	2,000	619,000	333
8/21/2024	7	3,000	631,000	429
8/28/2024	7	4,000	649,000	571
9/4/2024	7	1,000	654,000	143
9/11/2024	7	4,000	665,000	571
9/18/2024	7	2,000	673,000	286
9/25/2024	7	2,000	679,000	286
10/2/2024	7	5,000	696,000	714
10/9/2024	7	3,000	689,000	429
10/16/2024	7	4,000	706,000	571
10/23/2024	7	2,000	712,000	286
10/30/2024	7	2,000	719,000	286
11/8/2024	9	9,000	739,000	1,000
11/13/2024	5	1,000	739,000	200
11/20/2024	7	4,000	753,000	571
11/27/2024	7	5,000	768,000	714
12/4/2024	7	7,000	788,000	1,000
12/11/2024	7	5,000	794,000	714
12/18/2024	7	4,000	807,000	571
12/26/2024	8	2,000	816,000	250
1/3/2025	8	1,000	821,000	125
1/10/2025	7	2,000	835,000	286
1/17/2025	7	5,000	843,000	714
1/22/2025	5	3,000	856,000	600
1/29/2025	7	4,000	868,000	571
2/6/2025	8	3,000	880,000	375
2/14/2025	8	6,000	894,000	750
2/19/2025	5	3,000	903,000	600
2/26/2025	7	4,000	915,000	571
3/7/2025	9	2,000	925,000	222
3/11/2025	4	2,000	930,000	500
3/19/2025	8	3,000	945,000	375
3/26/2025	7	2,000	956,000	286
4/2/2025	7	2,000	964,000	286
4/9/2025	7	4,000	985,000	571
4/16/2025	7	600	990,000	86
4/23/2025	7	400	991,000	57
4/30/2025	7	2,000	1,009,000	286



*Waste fill near reaction area

*Waste fill near reaction area

5/7/2025	7	400	1,020,000	57
5/14/2025	7	500	1,027,000	71
5/21/2025	7	600	1,038,000	86
5/28/2025	7	600	1,044,000	86
6/4/2025	7	822	1,058,000	117
6/11/2025	7	200	1,062,000	29
6/18/2025	7	3,000	1,081,000	429
6/28/2025	10	1,000	1,084,000	100
7/2/2025	4	600	1,099,000	150
7/9/2025	7	200	1,106,000	29
7/16/2025	7	900	1,114,000	129
7/23/2025	7	2,000	1,132,000	286
7/31/2025	8	1,000	1,132,000	125
8/13/2025	13	25,000	1,160,000	1,923
8/20/2025	7	800	1,163,000	114
8/27/2025	7	1,000	1,172,000	143
9/3/2025	7	700	1,160,000	100
9/10/2025	7	500	1,167,000	71
9/17/2025	7	4,000	1,189,000	571
9/24/2025	7	1,000	1,193,000	143
10/1/2025	7	1,000	1,202,000	143
10/8/2025	7	1,000	1,209,000	143
10/15/2025	7	500	1,203,000	71
10/22/2025	7	3,000	1,211,000	429
10/29/2025	7	2,000	1,214,000	286
11/5/2025	7	2,000	1,212,000	286
11/12/2025	7	8,000	1,218,000	1,143
11/19/2025	7	8,000	1,236,000	1,143
11/26/2025	7	1,000	1,242,000	143
12/3/2025	7	5,000	1,263,000	714
12/10/2025	7	2,000	1,266,000	286
12/17/2025	7	800	1,267,000	114
12/23/2025	6	200	1,256,000	33
12/30/2025	7	1,000	1,271,000	143
1/7/2026	8	2,000	1,288,000	250
1/14/2026	7	500	1,288,000	71
1/21/2026	7	1,000	1,267,000	143
1/28/2026	7	29,000	1,305,000	4,143
2/4/2026	7	7,000	1,317,000	1,000
2/10/2026	6	4,000	1,314,000	667

Location 2

Flyover Date	Days Between Flights	Volume Change	Cumulative Volume Change	Volume Change Per Day
5/31/2023	0	-	-	-
6/19/2023	19	18,000	18,000	947
7/21/2023	32	34,000	54,000	1,063
8/11/2023	21	20,000	75,000	952
8/28/2023	17	15,000	93,000	882
9/25/2023	28	26,000	121,000	929
10/9/2023	14	8,000	134,000	571
10/23/2023	14	10,000	149,000	714
11/7/2023	15	7,000	161,000	467
11/22/2023	15	13,000	178,000	867
12/4/2023	12	5,000	190,000	417
12/13/2023	9	1,000	197,000	111
1/2/2024	20	16,000	199,000	800
1/15/2024	13	10,000	208,000	769
1/29/2024	14	11,000	220,000	786
2/12/2024	14	12,000	233,000	857
2/28/2024	16	9,000	241,000	563
3/5/2024	6	8,000	254,000	1,333
3/20/2024	15	6,000	254,000	400
3/27/2024	7	2,000	260,000	286
4/3/2024	7	1,000	267,000	143
4/10/2024	7	1,000	269,000	143
4/17/2024	7	1,000	274,000	143
4/24/2024	7	2,000	281,000	286
5/1/2024	7	2,000	284,000	286
5/8/2024	7	2,000	289,000	286
5/15/2024	7	1,000	296,000	143
5/22/2024	7	1,000	300,000	143
5/29/2024	7	1,000	308,000	143
6/5/2024	7	1,000	312,000	143
6/12/2024	7	3,000	316,000	429
6/19/2024	7	1,000	315,000	143
6/26/2024	7	1,000	320,000	143
7/3/2024	7	2,000	330,000	286
7/10/2024	7	1,000	334,000	143



*Waste fill near reaction area

*Waste fill near reaction area

7/17/2024	7	1,000	339,000	143
7/24/2024	7	1,000	350,000	143
7/31/2024	7	1,000	354,000	143
8/8/2024	8	1,000	361,000	125
8/14/2024	6	1,000	366,000	167
8/21/2024	7	2,000	375,000	286
8/28/2024	7	2,000	385,000	286
9/4/2024	7	300	387,000	43
9/11/2024	7	1,000	393,000	143
9/18/2024	7	400	396,000	57
9/25/2024	7	400	397,000	57
10/2/2024	7	4,000	407,000	571
10/9/2024	7	2,000	406,000	286
10/16/2024	7	1,000	412,000	143
10/23/2024	7	500	415,000	71
10/30/2024	7	500	419,000	71
11/8/2024	9	4,000	431,000	444
11/13/2024	5	500	432,000	100
11/20/2024	7	2,000	441,000	286
11/27/2024	7	1,000	448,000	143
12/4/2024	7	4,000	461,000	571
12/11/2024	7	1,000	461,000	143
12/18/2024	7	3,000	471,000	429
12/26/2024	8	1,000	473,000	125
1/3/2025	8	1,000	478,000	125
1/10/2025	7	300	485,000	43
1/17/2025	7	1,000	490,000	143
1/22/2025	5	1,000	498,000	200
1/29/2025	7	1,000	503,000	143
2/6/2025	8	1,000	511,000	125
2/14/2025	8	2,000	518,000	250
2/19/2025	5	1,000	523,000	200
2/26/2025	7	1,000	531,000	143
3/7/2025	9	400	536,000	44
3/11/2025	4	700	537,000	175
3/19/2025	8	2,000	547,000	250
3/26/2025	7	300	551,000	43
4/2/2025	7	400	558,000	57
4/9/2025	7	2,000	569,000	286
4/16/2025	7	200	573,000	29
4/23/2025	7	60	572,000	9
4/30/2025	7	1,000	585,000	143
5/7/2025	7	200	591,000	29
5/14/2025	7	80	594,000	11
5/21/2025	7	200	599,000	29
5/28/2025	7	60	603,000	9
6/4/2025	7	200	612,000	29
6/11/2025	7	40	613,000	6
6/18/2025	7	1,000	624,000	143
6/28/2025	10	700	626,000	70
7/2/2025	4	100	633,000	25
7/9/2025	7	30	637,000	4
7/16/2025	7	200	641,000	29
7/23/2025	7	300	650,000	43
7/31/2025	8	300	648,000	38
8/13/2025	13	16,000	661,000	1,231
8/20/2025	7	400	665,000	57
8/27/2025	7	300	674,000	43
9/3/2025	7	50	670,000	7
9/10/2025	7	90	674,000	13
9/17/2025	7	3,000	686,000	429
9/24/2025	7	40	690,000	6
10/1/2025	7	50	695,000	7
10/8/2025	7	100	700,000	14
10/15/2025	7	30	699,000	4
10/22/2025	7	500	703,000	71
10/29/2025	7	1,000	705,000	143
11/5/2025	7	2,000	707,000	286
11/12/2025	7	600	710,000	86
11/19/2025	7	2,000	717,000	286
11/26/2025	7	900	721,000	129
12/3/2025	7	3,000	732,000	429
12/10/2025	7	1,000	734,000	143
12/17/2025	7	400	736,000	57
12/23/2025	6	70	725,000	12
12/30/2025	7	700	732,000	100
1/7/2026	8	1,000	743,000	125
1/14/2026	7	300	740,000	43
1/21/2026	7	800	733,000	114

1/28/2026	7	9,000	748,000	1,286
2/4/2026	7	4,000	754,000	571
2/10/2026	6	600	750,000	100





Settlement area between 1/29/2025 to 1/28/2026, submitted on 2/3/2026, and provided here again for comparison.

Geosynthetic Cover

4050 - Geosynthetic Cover Inspection

9 Feb 2026 / Tom Roe

Complete

Flagged items

0

Conducted on

9 Feb 2026 10:09 AM PST

Prepared by

Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

9 Feb 2026 12:29 PM PST

Grid Location



Grid Number

200

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Tear in liner needs to be patched and extrusion welded.

Take photo of repair



Photo 2

Description of repair work	Tear was patched and extrusion welded.
Date and time of repair (within 2 hours)	10 Feb 2026 1:09 PM PST
Are further permanent repairs required?	No
Date and Time of final repair (if necessary)	
Instability under the cover	
Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?	No
Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?	No
Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?	No

4050 - Geosynthetic Cover Inspection

10 Feb 2026 / Tom Roe

Complete

Flagged items	0
Conducted on	10 Feb 2026 10:06 AM PST
Prepared by	Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

11 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

11 Feb 2026 7:19 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

11 Feb 2026 11:50 AM PST

Grid Location



Grid Number

169

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Small tear in liner. Needs to be patched and extrusion welded

Take photo of repair



Photo 2



Photo 3



Photo 4

Description of repair work

Taped and sandbagged upon discovery. Permanent repairs were conducted and tear was patched and extrusion welded

Date and time of repair (within 2 hours)

11 Feb 2026 11:52 AM PST

Are further permanent repairs required?

No

Date and Time of final repair (if necessary)

12 Feb 2026 9:10 AM PST

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

12 Feb 2026 / Nancy Bahena Hernandez

Complete

Flagged items	0
Conducted on	12 Feb 2026 8:31 AM PST
Prepared by	Nancy Bahena Hernandez

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

13 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

13 Feb 2026 7:01 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

14 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

14 Feb 2026 7:19 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No



February 24, 2026

Via E-Mail

Karen Gork
Chief Environmental Health Specialist
Los Angeles County Department of Public Health
Local Enforcement Agency
Environmental Programs Division
5050 Commerce Drive,
Baldwin Park, California 91706
KGork@ph.lacounty.gov

Re: Chiquita Canyon, LLC's Weekly Report on the Documentation and Tracking of Cover Issues

Dear Ms. Gork:

In accordance with the Local Enforcement Agency's ("LEA") May 2, 2024 letter approving Chiquita's April 16, 2024 Second Revised Written Plan for Documenting and Tracking Cover Issues ("Second Revised Written Plan"), the LEA's May 29, 2024 letter, and the LEA's June 6, 2024 Compliance Order, Chiquita presents the enclosed report for documenting and tracking cover issues for the week of February 16, 2026 to February 21, 2026.

Please contact me if you have any questions regarding this matter.

Regards,

Matt Breuer
Environmental Manager
Waste Connections

Attachment: February 24, 2026 Weekly Cover Issues Report

cc: Mark Como, Department of Public Health
Eric Morofuji, Department of Public Health

Fissures and Tension Cracks

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

16 Feb 2026 / Tom Roe

Complete

Conducted on

16 Feb 2026 9:14 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 160



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

17 Feb 2026 / Tom Roe

Complete

Conducted on

17 Feb 2026 9:48 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 163



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

18 Feb 2026 / Tom Roe

Complete

Conducted on

18 Feb 2026 9:33 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 90



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

19 Feb 2026 / John Boucher

Complete

Conducted on

19 Feb 2026 7:04 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 198



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

20 Feb 2026 / John Boucher

Complete

Conducted on

20 Feb 2026 7:05 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 160



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

21 Feb 2026 / John Boucher

Complete

Conducted on

21 Feb 2026 7:57 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 196



Photo 1

Instability

Are there any indications of slope stability concerns?

No

Settlement

The bi-weekly drone flyover was not conducted this week. The drone data from the next flyover event will be included in the next weekly report.

Geosynthetic Cover

4050 - Geosynthetic Cover Inspection

16 Feb 2026 / Tom Roe

Complete

Flagged items

0

Conducted on

16 Feb 2026 9:24 AM PST

Prepared by

Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

17 Feb 2026 / Tom Roe

Complete

Flagged items

0

Conducted on

17 Feb 2026 9:52 AM PST

Prepared by

Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

18 Feb 2026 / Tom Roe

Complete

Flagged items	0
Conducted on	18 Feb 2026 9:41 AM PST
Prepared by	Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

19 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

19 Feb 2026 7:04 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

20 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

20 Feb 2026 7:05 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

21 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

21 Feb 2026 7:57 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No



March 3, 2026

Via E-Mail

Karen Gork
Chief Environmental Health Specialist
Los Angeles County Department of Public Health
Local Enforcement Agency
Environmental Programs Division
5050 Commerce Drive,
Baldwin Park, California 91706
KGork@ph.lacounty.gov

Re: Chiquita Canyon, LLC's Weekly Report on the Documentation and Tracking of Cover Issues

Dear Ms. Gork:

In accordance with the Local Enforcement Agency's ("LEA") May 2, 2024 letter approving Chiquita's April 16, 2024 Second Revised Written Plan for Documenting and Tracking Cover Issues ("Second Revised Written Plan"), the LEA's May 29, 2024 letter, and the LEA's June 6, 2024 Compliance Order, Chiquita presents the enclosed report for documenting and tracking cover issues for the week of February 23, 2026 to February 28, 2026.

Please contact me if you have any questions regarding this matter.

Regards,

Sarah Phillips

Sarah Phillips
Corporate Compliance Manager
Chiquita Canyon

Attachment: March 3, 2026 Weekly Cover Issues Report

cc: Mark Como, Department of Public Health
Eric Morofuji, Department of Public Health

Fissures and Tension Cracks

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

23 Feb 2026 / Tom Roe

Complete

Conducted on

23 Feb 2026 11:14 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 160



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

24 Feb 2026 / Tom Roe

Complete

Conducted on

24 Feb 2026 10:40 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks


Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

Yes

Using the attached image, annotate all areas where inspectors identified a fissure or tension crack.



Grid Location

196

Date and Time Found

24 Feb 2026 11:08 AM PST

Image of Fissure/Tension Crack



Photo 1



Photo 2

Length of crack (ft) or area containing multiple cracks (ft x ft)

approximately 3ft x 3ft rainfall-related depression with an

approximately 1ft crack at the bottom of the depression

Horizontal Offset (width)

Large >4" in width

While the rainfall-related depression was greater than 4" in width, the width of the crack at the bottom of the depression was less than 1"

Vertical Offset (height)

Extra small <0.5" in height

Orientation (direction)

NE to SW

Location

Castaic CA 91384
United States
(34.4320926802783,
-118.64784376107973)

Was Fissure or Crack fixed? If yes, add photo and description of repairs performed

Yes



Photo 3

Date and time of repairs

24 Feb 2026 11:44 AM PST

Description of repairs

Other (please describe)

Depression filled with dirt and compacted.

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

25 Feb 2026 / Tom Roe

Complete

Conducted on

25 Feb 2026 10:51 AM PST

Prepared by

Tom Roe

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 164



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

26 Feb 2026 / John Boucher

Complete

Conducted on

26 Feb 2026 7:30 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 196



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

27 Feb 2026 / John Boucher

Complete

Conducted on

27 Feb 2026 7:08 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 161



Photo 1

Instability

Are there any indications of slope stability concerns?

No

4050 - Chiquita Reaction Area Tracking of Fissures and Tension Cracks

28 Feb 2026 / John Boucher

Complete

Conducted on

28 Feb 2026 7:55 AM PST

Prepared by

John Boucher

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks

Chiquita Reaction Area Tracking of Fissures and Tension Cracks
1

Fissure or Tension Crack Found?

No

Grid 164



Photo 1

Instability





Are there any indications of slope stability concerns?

No

Settlement

Settlement Data Notes

- The charts on the following page show the settlement in cubic yards measured at a fixed location.
 - Chiquita restaked the survey benchmarks between July 31, 2025 and August 13, 2025 to maintain accuracy. After performing additional surveys, Chiquita has confirmed that the restaking caused the data to show an inflated amount of settlement, which does not accurately convey the true rate of settlement.
- The map shows the area between 2/26/2025 and 2/25/2026 where the grades have changed more than 10 feet. A typical MSW strain rate is 3% per year - for a landfill with a 300-foot waste column, this would be 9 feet per year.
- During normal site operations before site closure, large stockpiles of rock materials were maintained, and sometimes moved as other operations necessitated. The areas used for these material stockpiles were south and east of the lined area. There is not a way to differentiate between settlement and stockpile movements.
- On a monthly basis, SCS leads the collection and review of data to determine whether the boundaries of the Reaction Area, as defined in the Stipulated Order for Abatement with the South Coast Air Quality Management District (SCAQMD), have changed. The Reaction Committee of experts formed under the Stipulated Order then further reviews and submits these monthly determinations to SCAQMD. These determinations are also posted on Chiquita's website. As part of this monthly review, SCS considers the below factors in determining the estimated boundary of the reaction area, in accordance with the Stipulated Order.
 - Landfill gas (LFG) wellhead temperatures in excess of approximately 160 degrees Fahrenheit.
 - Poor gas quality (defined as methane levels of less than 30 percent) in conjunction with methane-to-carbon dioxide (CH₄:CO₂) ratios less than 1.0.
 - The concentration of hydrogen (H₂) in the LFG measured greater than 2 percent by volume.
 - The concentration of carbon monoxide (CO) in the LFG measured greater than 2,000 ppm.
 - Accelerated settlement of the landfill surface, defined as approximately 18 inches or greater within a 60-day period, and cracks in the landfill cover.
 - First-hand observations of the Chiquita Canyon Landfill (Landfill) and/or SCS engineering, construction, and operations and maintenance field personnel who are on-site related to: 1) atypical excess leachate quantities (presence and quantity of liquids); 2) instances of pressurized liquids emitting from the Landfill surface, from boreholes during drilling, and from LFG wells; and, 3) the characteristics of the odors originating from the select areas of the waste footprint (often described as "chemical-like" and distinctly different from typical LFG or landfill working face odors).
 - Observations of subsurface waste conditions and characteristics as noted on borehole drilling logs for recently installed new wells and/or TMPs.
 - Subsurface temperatures recorded at the in-situ waste TMPs during the month being assessed.
 - Temperature of gas or liquids measured at depth within the LFG well riser pipe (using an automated transmitter or manual field instrumentation).



Location 1

Flyover Date	Days Between Flights	Volume Change	Cumulative Volume Change	Volume Change Per Day
5/31/2023	0	-	-	-
6/19/2023	19	26,000	26,000	1,368
7/21/2023	32	55,000	90,000	1,719
8/11/2023	21	33,000	126,000	1,571
8/28/2023	17	24,000	156,000	1,412
9/25/2023	28	44,000	205,000	1,571
10/9/2023	14	13,000	229,000	929
10/23/2023	14	16,000	254,000	1,143
11/7/2023	15	13,000	272,000	867
11/22/2023	15	27,000	304,000	1,800
12/4/2023	12	10,000	325,000	833
12/13/2023	9	3,000	338,000	333
1/2/2024	20	25,000	352,000	1,250
1/15/2024	13	17,000	367,000	1,308
1/29/2024	14	21,000	377,000	1,500
2/12/2024	14	22,000	398,000	1,571
2/28/2024	16	16,000	411,000	1,000
3/5/2024	6	12,000	430,000	2,000
3/20/2024	15	12,000	436,000	800
3/27/2024	7	3,000	442,362	429
4/3/2024	7	3,000	454,000	429
4/10/2024	7	2,000	459,000	286
4/17/2024	7	4,000	467,000	571
4/24/2024	7	3,000	476,000	429
5/1/2024	7	4,000	484,000	571
5/8/2024	7	4,000	494,000	571
5/15/2024	7	3,000	505,000	429
5/22/2024	7	3,000	511,000	429
5/29/2024	7	2,000	524,000	286
6/5/2024	7	2,000	532,000	286
6/12/2024	7	6,000	542,853	857
6/19/2024	7	2,000	540,000	286
6/26/2024	7	2,000	545,000	286
7/3/2024	7	4,000	555,000	571
7/10/2024	7	3,000	563,000	429
7/17/2024	7	3,000	573,000	429
7/24/2024	7	4,000	590,000	571
7/31/2024	7	3,000	597,000	429
8/8/2024	8	4,000	609,000	500
8/14/2024	6	2,000	619,000	333
8/21/2024	7	3,000	631,000	429
8/28/2024	7	4,000	649,000	571
9/4/2024	7	1,000	654,000	143
9/11/2024	7	4,000	665,000	571
9/18/2024	7	2,000	673,000	286
9/25/2024	7	2,000	679,000	286
10/2/2024	7	5,000	696,000	714
10/9/2024	7	3,000	689,000	429
10/16/2024	7	4,000	706,000	571
10/23/2024	7	2,000	712,000	286
10/30/2024	7	2,000	719,000	286
11/8/2024	9	9,000	739,000	1,000
11/13/2024	5	1,000	739,000	200
11/20/2024	7	4,000	753,000	571
11/27/2024	7	5,000	768,000	714
12/4/2024	7	7,000	788,000	1,000
12/11/2024	7	5,000	794,000	714
12/18/2024	7	4,000	807,000	571
12/26/2024	8	2,000	816,000	250
1/3/2025	8	1,000	821,000	125
1/10/2025	7	2,000	835,000	286
1/17/2025	7	5,000	843,000	714
1/22/2025	5	3,000	856,000	600
1/29/2025	7	4,000	868,000	571
2/6/2025	8	3,000	880,000	375
2/14/2025	8	6,000	894,000	750
2/19/2025	5	3,000	903,000	600
2/26/2025	7	4,000	915,000	571
3/7/2025	9	2,000	925,000	222
3/11/2025	4	2,000	930,000	500
3/19/2025	8	3,000	945,000	375
3/26/2025	7	2,000	956,000	286
4/2/2025	7	2,000	964,000	286
4/9/2025	7	4,000	985,000	571
4/16/2025	7	600	990,000	86
4/23/2025	7	400	991,000	57
4/30/2025	7	2,000	1,009,000	286
5/7/2025	7	400	1,020,000	57
5/14/2025	7	500	1,027,000	71



*Waste fill near reaction area

*Waste fill near reaction area

5/21/2025	7	600	1,038,000	86
5/28/2025	7	600	1,044,000	86
6/4/2025	7	822	1,058,000	117
6/11/2025	7	200	1,062,000	29
6/18/2025	7	3,000	1,081,000	429
6/28/2025	10	1,000	1,084,000	100
7/2/2025	4	600	1,099,000	150
7/9/2025	7	200	1,106,000	29
7/16/2025	7	900	1,114,000	129
7/23/2025	7	2,000	1,132,000	286
7/31/2025	8	1,000	1,132,000	125
8/13/2025	13	25,000	1,160,000	1,923
8/20/2025	7	800	1,163,000	114
8/27/2025	7	1,000	1,172,000	143
9/3/2025	7	700	1,160,000	100
9/10/2025	7	500	1,167,000	71
9/17/2025	7	4,000	1,189,000	571
9/24/2025	7	1,000	1,193,000	143
10/1/2025	7	1,000	1,202,000	143
10/8/2025	7	1,000	1,209,000	143
10/15/2025	7	500	1,203,000	71
10/22/2025	7	3,000	1,211,000	429
10/29/2025	7	2,000	1,214,000	286
11/5/2025	7	2,000	1,212,000	286
11/12/2025	7	8,000	1,218,000	1,143
11/19/2025	7	8,000	1,236,000	1,143
11/26/2025	7	1,000	1,242,000	143
12/3/2025	7	5,000	1,263,000	714
12/10/2025	7	2,000	1,266,000	286
12/17/2025	7	800	1,267,000	114
12/23/2025	6	200	1,256,000	33
12/30/2025	7	1,000	1,271,000	143
1/7/2026	8	2,000	1,288,000	250
1/14/2026	7	500	1,288,000	71
1/21/2026	7	1,000	1,267,000	143
1/28/2026	7	29,000	1,305,000	4,143
2/4/2026	7	7,000	1,317,000	1,000
2/10/2026	6	4,000	1,314,000	667
2/18/2026	8	4,000	1,330,000	500
2/25/2026	7	600	1,342,000	86

Location 2

Flyover Date	Days Between Flights	Volume Change	Cumulative Volume Change	Volume Change Per Day
5/31/2023		0	-	-
6/19/2023	19	18,000	18,000	947
7/21/2023	32	34,000	54,000	1,063
8/11/2023	21	20,000	75,000	952
8/28/2023	17	15,000	93,000	882
9/25/2023	28	26,000	121,000	929
10/9/2023	14	8,000	134,000	571
10/23/2023	14	10,000	149,000	714
11/7/2023	15	7,000	161,000	467
11/22/2023	15	13,000	178,000	867
12/4/2023	12	5,000	190,000	417
12/13/2023	9	1,000	197,000	111
1/2/2024	20	16,000	199,000	800
1/15/2024	13	10,000	208,000	769
1/29/2024	14	11,000	220,000	786
2/12/2024	14	12,000	233,000	857
2/28/2024	16	9,000	241,000	563
3/5/2024	6	8,000	254,000	1,333
3/20/2024	15	6,000	254,000	400
3/27/2024	7	2,000	260,000	286
4/3/2024	7	1,000	267,000	143
4/10/2024	7	1,000	269,000	143
4/17/2024	7	1,000	274,000	143
4/24/2024	7	2,000	281,000	286
5/1/2024	7	2,000	284,000	286
5/8/2024	7	2,000	289,000	286
5/15/2024	7	1,000	296,000	143
5/22/2024	7	1,000	300,000	143
5/29/2024	7	1,000	308,000	143
6/5/2024	7	1,000	312,000	143
6/12/2024	7	3,000	316,000	429
6/19/2024	7	1,000	315,000	143
6/26/2024	7	1,000	320,000	143
7/3/2024	7	2,000	330,000	286
7/10/2024	7	1,000	334,000	143
7/17/2024	7	1,000	339,000	143
7/24/2024	7	1,000	350,000	143



*Waste fill near reaction area

*Waste fill near reaction area

7/31/2024	7	1,000	354,000	143
8/8/2024	8	1,000	361,000	125
8/14/2024	6	1,000	366,000	167
8/21/2024	7	2,000	375,000	286
8/28/2024	7	2,000	385,000	286
9/4/2024	7	300	387,000	43
9/11/2024	7	1,000	393,000	143
9/18/2024	7	400	396,000	57
9/25/2024	7	400	397,000	57
10/2/2024	7	4,000	407,000	571
10/9/2024	7	2,000	406,000	286
10/16/2024	7	1,000	412,000	143
10/23/2024	7	500	415,000	71
10/30/2024	7	500	419,000	71
11/8/2024	9	4,000	431,000	444
11/13/2024	5	500	432,000	100
11/20/2024	7	2,000	441,000	286
11/27/2024	7	1,000	448,000	143
12/4/2024	7	4,000	461,000	571
12/11/2024	7	1,000	461,000	143
12/18/2024	7	3,000	471,000	429
12/26/2024	8	1,000	473,000	125
1/3/2025	8	1,000	478,000	125
1/10/2025	7	300	485,000	43
1/17/2025	7	1,000	490,000	143
1/22/2025	5	1,000	498,000	200
1/29/2025	7	1,000	503,000	143
2/6/2025	8	1,000	511,000	125
2/14/2025	8	2,000	518,000	250
2/19/2025	5	1,000	523,000	200
2/26/2025	7	1,000	531,000	143
3/7/2025	9	400	536,000	44
3/11/2025	4	700	537,000	175
3/19/2025	8	2,000	547,000	250
3/26/2025	7	300	551,000	43
4/2/2025	7	400	558,000	57
4/9/2025	7	2,000	569,000	286
4/16/2025	7	200	573,000	29
4/23/2025	7	60	572,000	9
4/30/2025	7	1,000	585,000	143
5/7/2025	7	200	591,000	29
5/14/2025	7	80	594,000	11
5/21/2025	7	200	599,000	29
5/28/2025	7	60	603,000	9
6/4/2025	7	200	612,000	29
6/11/2025	7	40	613,000	6
6/18/2025	7	1,000	624,000	143
6/28/2025	10	700	626,000	70
7/2/2025	4	100	633,000	25
7/9/2025	7	30	637,000	4
7/16/2025	7	200	641,000	29
7/23/2025	7	300	650,000	43
7/31/2025	8	300	648,000	38
8/13/2025	13	16,000	661,000	1,231
8/20/2025	7	400	665,000	57
8/27/2025	7	300	674,000	43
9/3/2025	7	50	670,000	7
9/10/2025	7	90	674,000	13
9/17/2025	7	3,000	686,000	429
9/24/2025	7	40	690,000	6
10/1/2025	7	50	695,000	7
10/8/2025	7	100	700,000	14
10/15/2025	7	30	699,000	4
10/22/2025	7	500	703,000	71
10/29/2025	7	1,000	705,000	143
11/5/2025	7	2,000	707,000	286
11/12/2025	7	600	710,000	86
11/19/2025	7	2,000	717,000	286
11/26/2025	7	900	721,000	129
12/3/2025	7	3,000	732,000	429
12/10/2025	7	1,000	734,000	143
12/17/2025	7	400	736,000	57
12/23/2025	6	70	725,000	12
12/30/2025	7	700	732,000	100
1/7/2026	8	1,000	743,000	125
1/14/2026	7	300	740,000	43
1/21/2026	7	800	733,000	114
1/28/2026	7	9,000	748,000	1,286
2/4/2026	7	4,000	754,000	571
2/10/2026	6	600	750,000	100
2/18/2026	8	2,000	760,000	250

2/25/2026

7

400

766,000

57



Settlement area between 2/6/2025 and 2/10/2026,
submitted on 2/17/2026. and produced here again
for comparison.



Geosynthetic Cover

4050 - Geosynthetic Cover Inspection

23 Feb 2026 / Tom Roe

Complete

Flagged items

0

Conducted on

23 Feb 2026 10:58 AM PST

Prepared by

Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

23 Feb 2026 1:55 PM PST

Grid Location



Grid Number

200

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Tear in liner needs to be patched and extrusion welded.

Take photo of repair



Photo 2

Description of repair work

Tear taped upon discovery.

Date and time of repair (within 2 hours)

23 Feb 2026 1:58 PM PST

Are further permanent repairs required?

Yes

Permanent repair scheduled for 3/2/26

Date and Time of final repair (if necessary)

Identified Issue 2


Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

23 Feb 2026 10:58 AM PST

Grid Location



Grid Number

145

Take photo of identified issues



Photo 3

Notate what the issue is and what needs to be repaired

Tear at seam in liner, needs to be patched and extrusion welded.

Take photo of repair



Photo 4

Description of repair work

Tears taped and sandbagged upon discovery.

Date and time of repair (within 2 hours)

23 Feb 2026 11:06 AM PST

Are further permanent repairs required?

Yes

Permanent repairs scheduled for 3/2/26

Date and Time of final repair (if necessary)

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying

No

instability?



Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?



Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?



4050 - Geosynthetic Cover Inspection

24 Feb 2026 / Tom Roe

Complete

Flagged items	0
Conducted on	24 Feb 2026 10:51 AM PST
Prepared by	Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1


Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

24 Feb 2026 12:33 PM PST

Grid Location



Grid Number

146

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Tear in liner needs to be patched and extrusion welded.

Take photo of repair



Photo 2

Description of repair work

Tear taped and sandbagged upon discovery.

Date and time of repair (within 2 hours)

24 Feb 2026 12:36 PM PST

Are further permanent repairs required?

Yes

Permanent repairs scheduled for 3/2/26

Date and Time of final repair (if necessary)

Identified Issue 2


Are there any issues with the geosynthetic cover?

Yes

Date and Time Issue Found

24 Feb 2026 12:36 PM PST

Grid Location



Grid Number

147

Take photo of identified issues



Photo 3



Photo 4

Notate what the issue is and what needs to be repaired

Two tears in liner in close proximity need to be extrusion welded.

Take photo of repair



Photo 5



Photo 6

Description of repair work

Tears taped and sandbagged upon discovery.

Date and time of repair (within 2 hours)

24 Feb 2026 12:39 PM PST

Are further permanent repairs required?

Permanent repairs scheduled for 3/2/26

Yes

Date and Time of final repair (if necessary)

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

25 Feb 2026 / Tom Roe

Complete

Flagged items	0
Conducted on	25 Feb 2026 2:41 PM PST
Prepared by	Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

26 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

26 Feb 2026 7:30 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4



Photo 5

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

27 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

27 Feb 2026 7:08 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No



Photo 1



Photo 2



Photo 3



Photo 4

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?

No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

4050 - Geosynthetic Cover Inspection

28 Feb 2026 / John Boucher

Complete

Flagged items

0

Conducted on

28 Feb 2026 7:55 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

No




Photo 1



Photo 2



Photo 3



Photo 4



Photo 5

Instability under the cover

Are there any anomalous (unusual or unexpected) areas of cover damage or deformation that may indicate underlying instability?

No

Are there any signs of a downslope tension crack at the top of the slope or bulging at or near the toe of the slope?



No

Is there any movement of the equipment that vertically penetrates the cover (e.g., tilting)?

No

Attachment I

Drilling and Waste Characterization Map, Surface Emissions Monitoring Grid
Map, and GCCS As-Built Map




LEGEND

	TOPOGRAPHIC CONTOUR
	EXISTING CELL LIMITS (APPROXIMATE)
	EXISTING VERTICAL LFG EXTRACTION WELL
	EXISTING LFG VERTICAL EXTRACTION WELL - PRESSURIZED LEACHATE RELEASE
	REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW
	REACTION AREA BOUNDARY - CONDITION 9A
	SURFACE EMISSION MONITORING GRID

DATE	
REVISION	
NO.	
SHEET TITLE: SURFACE EMISSION MONITORING GRIDS AND VERTICAL LFG EXTRACTION WELLS	CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA
PROJECT TITLE:	CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA
CLIENT:	SCS ENGINEERS ENVIRONMENTAL CONSULTANTS 3800 ALAMO AVENUE, SUITE 300 LONG BEACH, CA 90808 PH: (562) 428-9544
ACAD FILE: F:\FIELD SERVICES	WCH
APP. BY: AEK	WCH
CHK. BY:	
DATE:	03/03/2026
SCALE:	AS SHOWN
SHEET:	1

GENERAL DRAWING NOTES:

- EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLOR. AERIAL PHOTOGRAPHY DATED FEBRUARY 25, 2026.
- NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.
- THE LOCATION OF ANY EXISTING GCCS COMPONENTS AND OTHER FEATURES ARE APPROXIMATE AND SHOULD BE USED FOR INFORMATION PURPOSES ONLY.
- EXISTING GCCS AS-BUILT DATED FEBRUARY 28, 2026.



LEGEND

	TOPOGRAPHIC CONTOUR
	EXISTING CELL LIMITS (APPROXIMATE)
	EXISTING VERTICAL LFG EXTRACTION WELL
	EXISTING LFG VERTICAL EXTRACTION WELL - PRESSURIZED LEACHATE RELEASE
	SURFACE EMISSION MONITORING GRID
	AREAS EXCLUDED FROM CONDITION 15(B)

NO.	REVISION	DATE

SHEET TITLE: SURFACE EMISSION MONITORING GRIDS AND VERTICAL LFG EXTRACTION WELLS
 PROJECT TITLE: CHIQUITA CANYON LANDFILL, CASTAIC, CALIFORNIA



CLIENT: CHIQUITA CANYON LANDFILL, CASTAIC, CALIFORNIA

SCS ENGINEERS ENVIRONMENTAL CONSULTANTS
 3500 ALAMO AVENUE, SUITE 300
 LONG BEACH, CA 90808
 PH: (562) 428-9544
 PROJ. NO: 01204123.41
 DSN. BY: AEK
 CHK. BY: WCH
 APP. BY: WCH

- GENERAL DRAWING NOTES:**
- EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLOR. AERIAL PHOTOGRAPHY DATED FEBRUARY 25, 2026.
 - NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.
 - THE LOCATION OF ANY EXISTING GCCS COMPONENTS AND OTHER FEATURES ARE APPROXIMATE AND SHOULD BE USED FOR INFORMATION PURPOSES ONLY.
 - EXISTING GCCS AS-BUILT DATED FEBRUARY 28, 2026.

DATE: 03/03/2026
 SCALE: AS SHOWN
 SHEET: 1

N:\CAD\ASBUILT - MASTERS\CHIOUITA\GCCS\CLF MASTER EXISTING GCCS MAP_2026-03-04.dwg Mar 04, 2026 - 7:07am Bv.smedina



- LEGEND**
- TOPOGRAPHIC CONTOUR
 - - - EXISTING CELL LIMITS (APPROXIMATE)
 - ◆ CV-XX EXISTING LFG VERTICAL EXTRACTION WELL
 - ◆ CV-XX-PLR EXISTING LFG VERTICAL EXTRACTION WELL - PRESSURIZED LEACHATE RELEASE
 - ◆ BH-GW EXISTING GASBON LFG COLLECTOR WELL
 - ◆ SW-XX EXISTING SOIL VAPOR EXTRACTION WELL
 - ◆ FP-XX EXISTING SURFACE COLLECTOR WELLHEAD
 - H-XX EXISTING HORIZONTAL WELLS
 - H-XX EXISTING REMOTE VERTICAL WELLHEAD
 - ▲ GP-XX EXISTING PERIMETER MIGRATION PROBE
 - ◆ TP-XX EXISTING TEMPERATURE PROBE
 - ⊗ EXISTING ISOLATION VALVE
 - ⊙ EXISTING ACTIVATED CARBON VESSEL
 - ⊙ EXISTING CONDENSATE SUMP
 - EXISTING HDPE LINER RISER
 - EXISTING CORRUGATED LINER RISER
 - 36" EXISTING 36" LFG COLLECTION HEADER PIPING
 - 30" EXISTING 30" LFG COLLECTION HEADER PIPING
 - 24" EXISTING 24" LFG COLLECTION HEADER PIPING
 - 20" EXISTING 20" LFG COLLECTION HEADER PIPING
 - 18" EXISTING 18" LFG COLLECTION HEADER PIPING
 - 12" EXISTING 12" LFG COLLECTION HEADER PIPING
 - 10" EXISTING 10" LFG COLLECTION HEADER PIPING
 - 8" EXISTING 8" LFG COLLECTION LATERAL PIPING
 - 4/8" EXISTING 4/8" LFG COLLECTION LATERAL PIPING
 - 2" EXISTING 2" LFG COLLECTION LATERAL PIPING
 - - - BELOW-GRADE PIPES ARE SHOWN DASHED
 - - - REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW
 - EXISTING BLIND FLANGE
 - EXISTING FRAC TANKS

- GENERAL DRAWING NOTES**
1. EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLER, AERIAL PHOTOGRAPHY DATED FEBRUARY 10, 2026.
 2. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.
 3. THE LOCATION OF ANY EXISTING PIPING, VALVES, TIE-IN LOCATIONS AND OTHER FEATURES ARE APPROXIMATE AND SHOULD BE USED FOR INFORMATION PURPOSES ONLY. ACTUAL FIELD CONDITIONS MAY VARY AND SUBJECT TO CHANGE BASED ON TOPOGRAPHIC FEATURES AND OTHER SITE-SPECIFIC FACTORS.
 4. EXISTING GCCS AS-BUILT DATED MARCH 04, 2026.

	DATE				
	REVISION				
	NO.				
EXISTING GCCS MAP					
CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA					
SHEET TITLE:					
PROJECT TITLE:					
CLIENT:					
SCS ENGINEERS ENVIRONMENTAL CONSULTANTS					
DATE: 03/04/2026					
SCALE: AS SHOWN					
1 of 1					

Attachment J

Leachate Temperature Data

Chiquita Canyon Landfill Leachate Tank Temperatures

Date: 2/24/2026

Technician: Angel Javalera

Time	Location	Temperature (F)
10:00am	LCRS Settling Frac Tank (20K Brown)	106
10:45am	Tank Farm #10	60
12:00pm	Tank Farm #13	70
12:30pm	Tank Farm #7	72

Comments _____

 North Perimeter Receiving Tanks (Tank Farm #6) no longer in service.

 East Perimeter Receiving Tanks (Tank Farm #2) no longer in service.

 Canyon D Receiving Tanks no longer in service.

Attachment K
Leachate Seep Report



February 3, 2026

Via E-Mail

Baitong Chen, Air Quality Engineer, bchen@aqmd.gov
Nathaniel Dickel, Senior Air Quality Engineer, ndickel@aqmd.gov
Christina Ojeda, Air Quality Inspector, cojeda@aqmd.gov
South Coast Air Quality Management District
21865 East Copley Drive
Diamond Bar, California 91765-4182

Re: Chiquita Canyon, LLC's Weekly Leachate Inspection Report for Stipulated Order for Abatement (Case No. 6177-4), Condition 27(c)

All:

Pursuant to Condition 27(c) of the Stipulated Order for Abatement (the “SOFA”) with the South Coast Air Quality Management District (“South Coast AQMD”) in Case No. 6177-4, Chiquita Canyon, LLC (“Chiquita”) encloses a compilation of the twice daily leachate seep inspection logs for the dates of January 26, 2026 through February 1, 2026.

Chiquita reported on January 27, 2026, that a seep in grid 185 began on January 19, 2026. As described in the January 27, 2026 report, liquid was first observed on January 19, 2026 during one of Chiquita’s daily cover inspections. Chiquita initially believed the source of the liquid to be a leak, but after additional investigation, determined the source to be a seep. Chiquita repaired the failed weld in the cover; however, the repaired weld did not hold, likely as a result of moisture preventing the weld bead from properly bonding. On January 19, 2026, and again the following day January 20, 2026, Chiquita personnel pressure washed the geomembrane cover while applying vacuum to ensure the collection of all wash water and any standing liquid. Saturated soil was also removed and placed in appropriate containers for disposal. Chiquita considers this seep to be corrected.

On January 30, 2026, at approximately 2:30 a.m., a seep was observed in grid 210, as described in the enclosed logs. Between 6-10 gallons of leachate leaked from the ground beneath the cover and into the stormwater channel. The total area impacted was approximately 100 square feet. The impacted soil in the area was saturated. Odor from the seep ranged from strong odor to light odor. Chiquita personnel pressure washed the stormwater channel while applying vacuum to ensure the proper collection of all wash water and standing liquid. A berm was created around the location of the seep. A steel plate and geomembrane cover were then placed on top of the beamed area to mitigate the potential for odors. Finally, a hose was inserted to remove any standing liquid from

February 3, 2026

Page 2 of 2

the bermed area in the event the seep produced any additional liquid. No liquid has been observed in the area since January 30, 2026. Notwithstanding, Chiquita personnel continue to inspect the area multiple times per day.

Please contact me if you have any questions regarding this matter.

Regards,

Sarah Phillips

Sarah Phillips
Corporate Compliance Manager
Waste Connections

Attachment: Leachate Inspection Logs from January 26 – February 1, 2026

4050 - Chiquita Leachate Seep/Pooling Inspection

26 Jan 2026 / Tom Roe

Complete

Conducted on

26 Jan 2026 6:55 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

26 Jan 2026 / Tom Roe

Complete

Conducted on

26 Jan 2026 2:33 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

27 Jan 2026 / Tom Roe

Complete

Conducted on

27 Jan 2026 6:56 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

27 Jan 2026 / Tom Roe

Complete

Conducted on

27 Jan 2026 2:02 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

28 Jan 2026 / Tom Roe

Complete

Conducted on

28 Jan 2026 6:55 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

28 Jan 2026 / Tom Roe

Complete

Conducted on

28 Jan 2026 1:43 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

29 Jan 2026 / John Boucher

Complete

Conducted on

29 Jan 2026 7:19 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

29 Jan 2026 / John Boucher

Complete

Conducted on

29 Jan 2026 2:45 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

30 Jan 2026 / Tom Roe

Complete

Conducted on

30 Jan 2026 2:30 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

Yes

Which grid is the leachate seep/pooling located?

210

Indicate on the map the location



Drop Pin to record lat/long of seep/pooling location.

Time seep/pooling was discovered

30 Jan 2026 2:30 AM PST

Estimated duration of presence of leachate at such location

3 1/2 hours

Estimated quantity of leachate

6-10 gallons

Extent of area impacted (approximate sq ft impacted)

100 sq ft

Odor type

Leachate

Odor intensity

4 - Strong Odor

Surrounding soil saturation level

Standing free liquid

Image of seep/pooling

Did the seep/pooling travel into the stormwater channel?

Yes

Did the seep/pooling travel to the stormwater basin?

No

Actions taken to contain seep/pooling?

Containment measures described below.

4050 - Chiquita Leachate Seep/Pooling Inspection

30 Jan 2026 / John Boucher

Complete

Conducted on

30 Jan 2026 7:09 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

Yes

Which grid is the leachate seep/pooling located?

210

Indicate on the map the location



Drop Pin to record lat/long of seep/pooling location.

(34.43214061516819,
-118.65141679755638)

Time seep/pooling was discovered

30 Jan 2026 7:09 AM PST

Estimated duration of presence of leachate at such location

4.5 hours

Estimated quantity of leachate

6-10 gallons

Extent of area impacted (approximate sq ft impacted)

100sq ft

Odor type

Leachate

Odor intensity

4 - Strong Odor

Surrounding soil saturation level

Standing free liquid

Image of seep/pooling



Photo 1



Photo 2

Did the seep/pooling travel into the stormwater channel?

Yes



Photo 3

Did the seep/pooling travel to the stormwater basin?

No

Actions taken to contain seep/pooling?

Leachate vacuumed out, storm water channel pressure washed and vacuumed, shallow hole dug and sandbag berm created around seep location to contain seep. work is ongoing to contain seep.



Photo 4

4050 - Chiquita Leachate Seep/Pooling Inspection

30 Jan 2026 / John Boucher

Complete

Conducted on

30 Jan 2026 2:37 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1



Photo 2

Description of area in photo where there is no leachate seepage or pooling.

Seep from previous inspection was not observed. Berm was created around morning seep location. Steel plate and liner placed on top to prevent atmospheric exposure. Hose inserted to remove any standing liquid should any present itself.

4050 - Chiquita Leachate Seep/Pooling Inspection

31 Jan 2026 / John Boucher

Complete

Conducted on

31 Jan 2026 7:58 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No

Seep from previous inspection has maintained containment and no actively seeping location has been observed.



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

31 Jan 2026 / John Boucher

Complete

Conducted on

31 Jan 2026 1:10 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

1 Feb 2026 / Tom Roe

Complete

Conducted on

1 Feb 2026 7:16 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

1 Feb 2026 / Tom Roe

Complete

Conducted on

1 Feb 2026 1:08 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.



February 10, 2026

Via E-Mail

Baitong Chen, Air Quality Engineer, bchen@aqmd.gov
Nathaniel Dickel, Senior Air Quality Engineer, ndickel@aqmd.gov
Christina Ojeda, Air Quality Inspector, cojeda@aqmd.gov
South Coast Air Quality Management District
21865 East Copley Drive
Diamond Bar, California 91765-4182

Re: Chiquita Canyon, LLC's Weekly Leachate Inspection Report for Stipulated Order for Abatement (Case No. 6177-4), Condition 27(c)

All:

Pursuant to Condition 27(c) of the Stipulated Order for Abatement with the South Coast Air Quality Management District in Case No. 6177-4 (the "Order"), Chiquita Canyon, LLC ("Chiquita") encloses a compilation of the twice daily leachate seep inspection logs for the dates of February 2, 2026 through February 8, 2026. No leachate seepage or pooling was observed at the Chiquita Canyon Landfill during these inspections. There is no additional information to provide under Condition 27(c).

Chiquita reported on February 3, 2026, that a seep in grid 210 began on January 30, 2026, and that corrective actions were implemented that day. No liquid has been observed in that area since that day. Chiquita considers this seep to be corrected; however, Chiquita continues to inspect the area multiple times per day. Please contact me if you have any questions regarding this matter.

Regards,

Sarah Phillips

Sarah Phillips
Corporate Compliance Manager
Waste Connections

Attachment: Leachate Inspection Logs from February 2, 2026 – February 8, 2026

4050 - Chiquita Leachate Seep/Pooling Inspection

2 Feb 2026 / Tom Roe

Complete

Conducted on

2 Feb 2026 7:12 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

2 Feb 2026 / Tom Roe

Complete

Conducted on

2 Feb 2026 2:05 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

3 Feb 2026 / Tom Roe

Complete

Conducted on

3 Feb 2026 7:01 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

3 Feb 2026 / Tom Roe

Complete

Conducted on

3 Feb 2026 1:51 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

4 Feb 2026 / Tom Roe

Complete

Conducted on

4 Feb 2026 7:21 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

4 Feb 2026 / Tom Roe

Complete

Conducted on

4 Feb 2026 2:45 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

5 Feb 2026 / John Boucher

Complete

Conducted on

5 Feb 2026 6:56 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

5 Feb 2026 / John Boucher

Complete

Conducted on

5 Feb 2026 2:01 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

6 Feb 2026 / John Boucher

Complete

Conducted on

6 Feb 2026 7:08 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

6 Feb 2026 / John Boucher

Complete

Conducted on

6 Feb 2026 2:26 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

7 Feb 2026 / John Boucher

Complete

Conducted on

7 Feb 2026 7:32 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

7 Feb 2026 / John Boucher

Complete

Conducted on

7 Feb 2026 1:00 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

8 Feb 2026 / Tom Roe

Complete

Conducted on

8 Feb 2026 6:38 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

8 Feb 2026 / Tom Roe

Complete

Conducted on

8 Feb 2026 1:01 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.



February 17, 2026

Via E-Mail

Baitong Chen, Air Quality Engineer, bchen@aqmd.gov
Nathaniel Dickel, Senior Air Quality Engineer, ndickel@aqmd.gov
Christina Ojeda, Air Quality Inspector, cojeda@aqmd.gov
South Coast Air Quality Management District
21865 East Copley Drive
Diamond Bar, California 91765-4182

Re: Chiquita Canyon, LLC's Weekly Leachate Inspection Report for Stipulated Order for Abatement (Case No. 6177-4), Condition 27(c)

All:

Pursuant to Condition 27(c) of the Stipulated Order for Abatement with the South Coast Air Quality Management District in Case No. 6177-4 (the "Order"), Chiquita Canyon, LLC ("Chiquita") encloses a compilation of the twice daily leachate seep inspection logs for the dates of February 9, 2026 through February 15, 2026.

During this week, there was a multi-day seep observed at the Landfill. On February 12, 2026, a seep was observed at the toe of the western slope in an area just west of grid 210 and south of grid 208. During this time, there was standing free liquid and a moderate odor of leachate detected.

At the time of discovery, the seep had reached the stormwater channel and a small amount had reached Stage 1 of the South Sedimentation Basin. Upon discovery of the seep, Chiquita immediately blocked the inlet to Stage 1 of the South Sedimentation Basin and placed soil check dams within the stormwater channel to stop the seep from traveling to the basin. A small visible sheen of dark liquid, approximately 10 feet by 15 feet in area, was observed in Stage 1 of the South Sedimentation Basin. Chiquita promptly deployed a vacuum truck to the basin and removed the leachate along with additional stormwater present within the vicinity of the inlet. Chiquita estimates that approximately 20-40 gallons of leachate entered Stage 1 of the basin. In total, approximately 3,360 gallons of liquid were removed from the basin, consisting primarily of stormwater in addition to the estimated volume of leachate. Chiquita believes that it successfully removed all leachate from the South Sedimentation Basin, which was confirmed with sampling results. As part of its cleanup efforts, Chiquita also pressure-washed the stormwater channel and culvert leading to the South Sedimentation Basin and removed the wash water by vacuum truck.

To contain the seep, Chiquita dug a containment area at the source of the seep at the western toe to collect the liquid. This containment area is approximately 40 feet in length and has an estimated capacity of approximately 300 gallons. The containment area is also covered by a steel plate, and a layer of 60-mil geomembrane cover to prevent potential emissions in the event liquids reappear. Since February 13, 2026, no active flow has been observed, and no liquid has accumulated in the containment

February 17, 2026

Page 2 of 2

area. Chiquita is monitoring the containment area and is prepared to remove liquids using a vacuum truck in the event they reappear during the ongoing rain event. Further, rock has been added to the access road to ensure reliable access during wet conditions. In total, the cleanup of this seep, including the installation of the containment area, took approximately 24 hours.

A log for this seep was not initially prepared. The seep was detected outside of the normal twice-daily seep inspections conducted pursuant to Condition 27(b). During the routine inspection, upon reaching the location of the seep, the inspector observed the response team taking corrective measures to address the seep. The inspector erroneously believed the response team was documenting and reporting the incident and thus did not include the seep in the daily logs. This inspector will be retrained on inspection procedure. Chiquita anticipates that this training will be completed on or before February 20, 2026.

Please contact me if you have any questions regarding this matter.

Regards,



Sarah Phillips
Corporate Compliance Manager
Waste Connections

Attachment: Leachate Inspection Logs from February 9, 2026 – February 15, 2026

4050 - Chiquita Leachate Seep/Pooling Inspection

9 Feb 2026 / Tom Roe

Complete

Conducted on

9 Feb 2026 7:07 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

9 Feb 2026 / Tom Roe

Complete

Conducted on

9 Feb 2026 2:00 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

10 Feb 2026 / Tom Roe

Complete

Conducted on

10 Feb 2026 6:59 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

10 Feb 2026 / Nancy Bahena Hernandez

Complete

Conducted on

10 Feb 2026 3:09 PM PST

Prepared by

Nancy Bahena Hernandez

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

11 Feb 2026 / John Boucher

Complete

Conducted on

11 Feb 2026 7:19 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

11 Feb 2026 / John Boucher

Complete

Conducted on

11 Feb 2026 2:36 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

12 Feb 2026 / Nancy Bahena Hernandez

Complete

Conducted on

12 Feb 2026 7:34 AM PST

Prepared by

Nancy Bahena Hernandez

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Northside perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

12 Feb 2026 / Nancy Bahena Hernandez

Complete

Conducted on

12 Feb 2026 3:34 PM PST

Prepared by

Nancy Bahena Hernandez

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

13 Feb 2026 / John Boucher

Complete

Conducted on

13 Feb 2026 7:00 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

13 Feb 2026 / John Boucher

Complete

Conducted on

13 Feb 2026 1:28 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

14 Feb 2026 / John Boucher

Complete

Conducted on

14 Feb 2026 7:19 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

14 Feb 2026 / John Boucher

Complete

Conducted on

14 Feb 2026 1:01 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

15 Feb 2026 / Tom Roe

Complete

Conducted on

15 Feb 2026 6:58 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

15 Feb 2026 / Tom Roe

Complete

Conducted on

15 Feb 2026 1:01 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.



February 24, 2026

Via E-Mail

Baitong Chen, Air Quality Engineer, bchen@aqmd.gov
Nathaniel Dickel, Senior Air Quality Engineer, ndickel@aqmd.gov
Christina Ojeda, Air Quality Inspector, cojeda@aqmd.gov
South Coast Air Quality Management District
21865 East Copley Drive
Diamond Bar, California 91765-4182

Re: Chiquita Canyon, LLC's Weekly Leachate Inspection Report for Stipulated Order for Abatement (Case No. 6177-4), Condition 27(c)

All:

Pursuant to Condition 27(c) of the Stipulated Order for Abatement with the South Coast Air Quality Management District in Case No. 6177-4 (the "Order"), Chiquita Canyon, LLC ("Chiquita") encloses a compilation of the twice daily leachate seep inspection logs for the dates of February 16, 2026 through February 22, 2026. No leachate seepage or pooling was observed in the inspection areas at the Chiquita Canyon Landfill, as set forth in Condition 27(b) of the Order. There is no additional information to provide under Condition 27(c).

Regards,

Matt Breuer
Environmental Manager
Waste Connections

Attachment: Leachate Inspection Logs from February 16, 2026 – February 22, 2026

4050 - Chiquita Leachate Seep/Pooling Inspection

16 Feb 2026 / Tom Roe

Complete

Conducted on

16 Feb 2026 6:50 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

16 Feb 2026 / Tom Roe

Complete

Conducted on

16 Feb 2026 1:26 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

17 Feb 2026 / Tom Roe

Complete

Conducted on

17 Feb 2026 7:02 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

17 Feb 2026 / Tom Roe

Complete

Conducted on

17 Feb 2026 1:37 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

18 Feb 2026 / Tom Roe

Complete

Conducted on

18 Feb 2026 7:31 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

18 Feb 2026 / John Boucher

Complete

Conducted on

18 Feb 2026 2:39 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

19 Feb 2026 / John Boucher

Complete

Conducted on

19 Feb 2026 7:04 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No

No picture is available

Description of area in photo where there is no leachate seepage or pooling.

No seep or pooling observed.

4050 - Chiquita Leachate Seep/Pooling Inspection

19 Feb 2026 / John Boucher

Complete

Conducted on

19 Feb 2026 1:51 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No

The seep from the morning inspection was not observed at this time



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

20 Feb 2026 / John Boucher

Complete

Conducted on

20 Feb 2026 7:04 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

20 Feb 2026 / John Boucher

Complete

Conducted on

20 Feb 2026 1:47 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

21 Feb 2026 / John Boucher

Complete

Conducted on

21 Feb 2026 7:56 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

West side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

21 Feb 2026 / John Boucher

Complete

Conducted on

21 Feb 2026 1:01 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North side perimeter road

4050 - Chiquita Leachate Seep/Pooling Inspection

22 Feb 2026 / Tom Roe

Complete

Conducted on

22 Feb 2026 6:43 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road.

4050 - Chiquita Leachate Seep/Pooling Inspection

22 Feb 2026 / Tom Roe

Complete

Conducted on

22 Feb 2026 1:12 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.



March 3, 2026

Via E-Mail

Baitong Chen, Air Quality Engineer, bchen@aqmd.gov
Nathaniel Dickel, Senior Air Quality Engineer, ndickel@aqmd.gov
Christina Ojeda, Air Quality Inspector, cojeda@aqmd.gov
South Coast Air Quality Management District
21865 East Copley Drive
Diamond Bar, California 91765-4182

Re: Chiquita Canyon, LLC's Weekly Leachate Inspection Report for Stipulated Order for Abatement (Case No. 6177-4), Condition 27(c)

All:

Pursuant to Condition 27(c) of the Stipulated Order for Abatement with the South Coast Air Quality Management District in Case No. 6177-4 (the "Order"), Chiquita Canyon, LLC ("Chiquita") encloses a compilation of the twice daily leachate seep inspection logs for the dates of February 23, 2026 through March 1, 2026.

During this week, there was a multi-day seep observed at the Landfill. On February 23, 2026, a seep was observed at the toe of the western slope in an area just west of grid 210 and south of grid 208. The seep occurred between February 23 and February 25. The exact location of the seep is set forth in the maps included in the attachment.

The total approximate amount of leachate collected from this seep was 3,855 gallons as of March 2, 2026. The extent of the area impacted varied – on the day the seep reached the stormwater channel, impacted area was approximately 20 square feet at location of seep, with approximately 3,000 feet of additional impacted area as a result of the seep traveling to the stormwater channel and the associated cleanup efforts; impacted area for the remaining days was approximately 20 square feet. The saturation of the soil ranged from "Standing Free Liquid" to "Saturated" and "Semi-dry." The odor fluctuated between "Strong Odor," "Moderate Odor," "Light Odor," and "Very Light Odor."

At the time of discovery, the seep had reached the stormwater channel and a small amount had reached Stage 1 of the South Sedimentation Basin. Chiquita estimates that approximately 5 gallons of leachate travelled through the stormwater channel and entered Stage 1 of the basin. Upon discovery of the seep, Chiquita immediately placed a total of six soil check dams within the stormwater channel to prevent additional liquids from the seep from entering the basin. Chiquita promptly deployed a vacuum truck to the basin and removed the approximately 5 gallons of leachate along with additional stormwater present within the vicinity of the inlet. In total, approximately 1,500 gallons of liquid were removed from the basin, consisting primarily of stormwater in addition to the estimated 5 gallons of leachate. As part of its cleanup efforts, Chiquita also pressure-washed the stormwater channel and culvert leading to the South Sedimentation Basin and removed the wash water by vacuum truck.

March 3, 2026

Page 2 of 2

To contain the seep, Chiquita constructed a berm at the source of the seep. Chiquita also constructed a containment area that is currently covered by a steel plate and geomembrane cover to prevent potential emissions in the event liquids reappear. Chiquita is monitoring the containment area and is continuing to remove liquids using a vacuum truck as they reappear. In total, the cleanup of this seep, including the installation of the cover over the containment area, took approximately 80 hours.

Additionally, out of an abundance of caution and in an effort to be transparent, Chiquita also provides notice that a seep with approximately 0.5 gallons of leachate was observed on February 28, 2026 at approximately 10:23 a.m. in Grid 95, which is outside the Reaction Area as defined in Condition 9(a) of the Order and therefore outside the area required to be inspected under Condition 27. The liquid entered the stormwater channel but did not reach either stormwater basin. Chiquita constructed a check dam in the stormwater channel, removed impacted soil and placed it into a container for proper disposal, and performed additional cleanup. Chiquita promptly notified the Los Angeles Regional Water Quality Control Board (“Water Board”) about the seep and will provide additional information about the seep and cleanup efforts in the 7-day report to the Water Board.

Please contact me if you have any questions regarding this matter.

Regards,

Sarah Phillips

Sarah Phillips
Corporate Compliance Manager

Attachment: Leachate Inspection Logs from February 23, 2026 – March 1, 2026

4050 - Chiquita Leachate Seep/Pooling Inspection

23 Feb 2026 / Tom Roe

Complete

Conducted on

23 Feb 2026 9:00 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

Yes

Which grid is the leachate seep/pooling located?

Adjacent to 210

Indicate on the map the location



Drop Pin to record lat/long of seep/pooling location.

(34.43170688212353,
-118.65096071220283)

Time seep/pooling was discovered

23 Feb 2026 3:15 AM PST

Estimated duration of presence of leachate at such location

6 hours

Estimated quantity of leachate

>150 gallons

Extent of area impacted (approximate sq ft impacted)

20 sq ft at location of seep and
approximately 3,000 ft of
stormwater channel.

Odor type

Leachate

Odor intensity

4 - Strong Odor

Surrounding soil saturation level

Standing free liquid

Image of seep/pooling



Photo 1



Photo 2

Did the seep/pooling travel into the stormwater channel?

Yes



Photo 3



Photo 4

Did the seep/pooling travel to the stormwater basin?

Yes

Actions taken to contain seep/pooling?

Berm placed around seep. Leachate being vacuumed out throughout day to minimize pooling. Stormwater channel pressure washed and liquid vacuumed out. Check dams put in place in stormwater channel.

4050 - Chiquita Leachate Seep/Pooling Inspection

23 Feb 2026 / Tom Roe

Complete

Conducted on

23 Feb 2026 1:38 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

Yes

Which grid is the leachate seep/pooling located?

Adjacent to 210

Indicate on the map the location



Drop Pin to record lat/long of seep/pooling location.

(34.43209505578834,
-118.65137177761433)

Time seep/pooling was discovered

23 Feb 2026 2:00 PM PST

Estimated duration of presence of leachate at such location

11 hours

Estimated quantity of leachate

>150 gallons

Extent of area impacted (approximate sq ft impacted)

20 sq ft

Odor type

Leachate

Odor intensity

3 - Moderate Odor

Surrounding soil saturation level

Standing free liquid

Image of seep/pooling



Photo 1

Did the seep/pooling travel into the stormwater channel?

No

Actions taken to contain seep/pooling?

Berm placed around seep. Leachate being vacuumed out throughout day to minimize pooling. Stormwater channel pressure washed and liquid vacuumed out. Check dams put in place in stormwater channel. No additional liquid reached the stormwater channel following the morning inspection.

4050 - Chiquita Leachate Seep/Pooling Inspection

24 Feb 2026 / Tom Roe

Complete

Conducted on

24 Feb 2026 9:23 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

Yes

Which grid is the leachate seep/pooling located?

Adjacent to 210

Indicate on the map the location



Drop Pin to record lat/long of seep/pooling location.

(34.43215542066448,
-118.65154696884296)

Time seep/pooling was discovered

24 Feb 2026 9:47 AM PST

Estimated duration of presence of leachate at such location

31 hours

Estimated quantity of leachate

>150 gallons

Extent of area impacted (approximate sq ft impacted)

20 sq ft

Odor type

Leachate

Odor intensity

2 - Light Odor Detected

Surrounding soil saturation level

Saturated

Image of seep/pooling




Photo 1

Did the seep/pooling travel into the stormwater channel?

No

Actions taken to contain seep/pooling?

Berm placed around seep. Leachate being vacuumed out throughout day to minimize pooling. Stormwater channel pressure washed and liquid vacuumed out. Check dams put in place in stormwater channel.




Photo 2

4050 - Chiquita Leachate Seep/Pooling Inspection

24 Feb 2026 / Tom Roe

Complete

Conducted on

24 Feb 2026 2:55 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

Yes

Which grid is the leachate seep/pooling located?

Adjacent to 210

Indicate on the map the location



Drop Pin to record lat/long of seep/pooling location.

(34.43166455291356,
-118.65101317790655)

Time seep/pooling was discovered

24 Feb 2026 3:21 PM PST

Estimated duration of presence of leachate at such location

35 hours

Estimated quantity of leachate

>150 gallons

Extent of area impacted (approximate sq ft impacted)

20 sq ft

Odor type

Leachate

Odor intensity

2 - Light Odor Detected

Surrounding soil saturation level

Saturated

Image of seep/pooling



Photo 1

Did the seep/pooling travel into the stormwater channel?

No

Actions taken to contain seep/pooling?

Berm placed around seep. Leachate being vacuumed out throughout day to minimize pooling. Stormwater channel pressure washed and liquid vacuumed out. Check dams put in place in stormwater channel. Work to repair seep schedule to begin 2/25/26.



Photo 2



Photo 3

4050 - Chiquita Leachate Seep/Pooling Inspection

25 Feb 2026 / John Boucher

Complete

Conducted on

25 Feb 2026 7:11 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

Yes

Which grid is the leachate seep/pooling located?

Adjacent to 210

Indicate on the map the location



Drop Pin to record lat/long of seep/pooling location.

(34.43166455291356,
-118.65101317790655)

Time seep/pooling was discovered

25 Feb 2026 7:11 AM PST

Estimated duration of presence of leachate at such location

51 hours

Estimated quantity of leachate

21-50 gallons

Extent of area impacted (approximate sq ft impacted)

20sq ft

Odor type

Leachate

Odor intensity

1 - Very Light Odor Detected

Surrounding soil saturation level

Semi-dry

Image of seep/pooling

Repairs began before picture could be taken.



Photo 1

Did the seep/pooling travel into the stormwater channel?

No

Actions taken to contain seep/pooling?

Berm was constructed to contain seep.
Construction work to repair the seep is ongoing.



Photo 2

4050 - Chiquita Leachate Seep/Pooling Inspection

25 Feb 2026 / Tom Roe

Complete

Conducted on

25 Feb 2026 3:01 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road. Seep from morning inspection was not observed. Trench was dug to contain leachate and steel plates were placed on top. Leachate is periodically vacuumed out. Construction is ongoing to further contain the area.

4050 - Chiquita Leachate Seep/Pooling Inspection

26 Feb 2026 / John Boucher

Complete

Conducted on

26 Feb 2026 7:30 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Seep starting on 2/23/26 was not observed. Trench was dug to contain leachate and steel plates were placed on top. Leachate is periodically vacuumed out. Construction is ongoing to further contain the area.

4050 - Chiquita Leachate Seep/Pooling Inspection

26 Feb 2026 / John Boucher

Complete

Conducted on

26 Feb 2026 2:09 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

The seep starting on 2/23/26 was not observed. Trench was dug to contain leachate, steel plates and liner were placed ovetop to prevent atmospheric exposure. Leachate is periodically vacuumed out. Construction is ongoing to further contain the area.

4050 - Chiquita Leachate Seep/Pooling Inspection

27 Feb 2026 / John Boucher

Complete

Conducted on

27 Feb 2026 7:08 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

The seep starting on 2/23/26 was not observed. Trench was dug to contain leachate, steel plates and liner were placed overtop to prevent atmospheric exposure. Leachate is periodically vacuumed out. Construction is ongoing to further contain the area.

4050 - Chiquita Leachate Seep/Pooling Inspection

27 Feb 2026 / John Boucher

Complete

Conducted on

27 Feb 2026 2:14 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

The seep starting on 2/23/26 was not observed. Trench was dug to contain leachate, steel plates and liner were placed ovetop to prevent atmospheric exposure. Leachate is periodically vacuumed out. Construction is ongoing to further contain the area.

4050 - Chiquita Leachate Seep/Pooling Inspection

28 Feb 2026 / John Boucher

Complete

Conducted on

28 Feb 2026 7:54 AM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

The seep starting on 2/23/26 was not observed. Trench was dug to contain leachate, steel plates and liner were placed overtop to prevent atmospheric exposure. Leachate is periodically vacuumed out. Construction is ongoing to further contain the area.

4050 - Chiquita Leachate Seep/Pooling Inspection

28 Feb 2026 / John Boucher

Complete

Conducted on

28 Feb 2026 1:13 PM PST

Prepared by

John Boucher

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

The seep starting on 2/23/26 was not observed. Trench was dug to contain leachate, steel plates and liner were placed ovetop to prevent atmospheric exposure. Leachate is periodically vacuumed out. Construction is ongoing to further contain the area.

4050 - Chiquita Leachate Seep/Pooling Inspection

1 Mar 2026 / Tom Roe

Complete

Conducted on

1 Mar 2026 7:08 AM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

Westside perimeter road. The seep starting on 2/23/26 was not observed. Trench was dug to contain leachate, steel plates and liner were placed overtop to prevent atmospheric exposure. Leachate is periodically vacuumed out. Construction is ongoing to further contain the area.

4050 - Chiquita Leachate Seep/Pooling Inspection

1 Mar 2026 / Tom Roe

Complete

Conducted on

1 Mar 2026 1:19 PM PST

Prepared by

Tom Roe

Leachate Seep Inspection

Leachate seep/pooling Inspection

Leachate seep/pooling Inspection 1

Has a leachate seep/pooling been located?

No



Photo 1

Description of area in photo where there is no leachate seepage or pooling.

North perimeter road.

Attachment L

Leachate Gallon Data

Leachate Gallons for the Month of February 2026

Off-site Disposal

Week	Date	Facility	Address	Estimated Gallons
1	2/1-2/1	Avalon	14700 S. Avalon Blvd. Gardena, CA 90248	24,340
1	2/1-2/1	East Valley Remediation	62150 Gene Welmas Way Mecca, CA 92254	5,390
1	2/1-2/1	Durham Regional Landfill	22316 South Harmon Rd. Florence, AZ 85132	5,802
1	2/1-2/1	Crystal Clean, Bakersfield	1620 E Brundage Ln, Bakersfield, CA 93307	11,521
2	2/2-2/8	Avalon	14700 S. Avalon Blvd. Gardena, CA 90248	398,837
2	2/2-2/8	East Valley Remediation	62150 Gene Welmas Way Mecca, CA 92254	252,792
2	2/2-2/8	Durham Regional Landfill	22316 South Harmon Rd. Florence, AZ 85132	170,568
2	2/2-2/8	Clean Harbors Texas	Clean Harbors, Deer Park 2027 Independence Parkway South La Porte, TX 77571	84,080
2	2/2-2/8	Clean Harbors Utah	Clean Harbors, Argonite 11600 North Aptus Road Grantsville, UT 84029	48,795
2	2/2-2/8	Clean Harbors Nebraska	Clean Harbors, Kimball 2247 South Highway 71 Kimball, NE 69145	62,918
2	2/2-2/8	Crystal Clean, Bakersfield	1620 E Brundage Ln, Bakersfield, CA 93307	134,698
3	2/9-2/15	Avalon	14700 S. Avalon Blvd. Gardena, CA 90248	26,856
3	2/9-2/15	East Valley Remediation	62150 Gene Welmas Way Mecca, CA 92254	263,792
3	2/9-2/15	Durham Regional Landfill	22316 South Harmon Rd. Florence, AZ 85132	352,492
3	2/9-2/15	Clean Harbors Texas	Clean Harbors, Deer Park 2027 Independence Parkway South La Porte, TX 77571	46,830
3	2/9-2/15	Clean Harbors Utah	Clean Harbors, Argonite 11600 North Aptus Road Grantsville, UT 84029	46,858
3	2/9-2/15	Clean Harbors Nebraska	Clean Harbors, Kimball 2247 South Highway 71 Kimball, NE 69145	92,842
3	2/9-2/15	Crystal Clean, Bakersfield	1620 E Brundage Ln, Bakersfield, CA 93307	538,795
4	2/16-2/22	East Valley Remediation	62150 Gene Welmas Way Mecca, CA 92254	279,185
4	2/16-2/22	Durham Regional Landfill	22316 South Harmon Rd. Florence, AZ 85132	400,603
4	2/16-2/22	Clean Harbors Utah	Clean Harbors, Argonite 11600 North Aptus Road Grantsville, UT 84029	52,014
4	2/16-2/22	Clean Harbors Nebraska	Clean Harbors, Kimball 2247 South Highway 71 Kimball, NE 69145	97,930
4	2/16-2/22	Crystal Clean, Bakersfield	1620 E Brundage Ln, Bakersfield, CA 93307	730,978
5	2/23-2/28	East Valley Remediation	62150 Gene Welmas Way Mecca, CA 92254	255,066
5	2/23-2/28	Durham Regional Landfill	22316 South Harmon Rd. Florence, AZ 85132	324,389

5	2/23-2/28	Clean Harbors Nebraska	Clean Harbors, Kimball 2247 South Highway 71 Kimball, NE 69145	113,887
5	2/23-2/28	Industrial Recycling, Baja	Industrial Recycling Monte Alban, 126 Benito Juarez, Ciudad de Mexico, C.P. 03020	14,193
5	2/23-2/28	Crystal Clean, Bakersfield	1620 E Brundage Ln, Bakersfield, CA 93307	395,231

On-site Extraction and Treatment

Week	Date	Estimated Gallons Extracted*	Estimated Gallons Treated On-Site
1	2/1/26-2/1/26	464,300	194,832
2	2/2/26-2/8/26	2,538,423	1,015,005
3	2/9/26-2/15/26	2,855,761	890,234
4	2/16/26-2/22/26	2,569,263	1,134,405
5	2/23/26-2/28/26	1,886,588	705,992

*Chiquita is currently investigating potential over-reporting by the on-site flow meters which may be resulting in overestimating the amount of leachate extraction volumes. Chiquita is continuing to evaluate this issue and potential corrective actions.

Attachment M

Leachate Pressure Gauge Readings

4050 - Daily Pressure Gauge Readings

Tom Roe

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	1 Feb 2026 8:15 AM PST				
Prepared by	Tom Roe				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
44	-0.03
111	Maintenance Needed
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.03
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.01
LCM 10	-0.02
LCM 1	0.13
LCM 2	Maintenance Needed

LCM 3	Maintenance Needed
LCM 4	0.24
LCM 5	-0.05
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	0.25
D15	Maintenance Needed
D14	0.23
D13	Maintenance Needed
D12	-0.02
D11	-0.25
D10	0.25
D9	Maintenance Needed
D8	-0.04
D7	Maintenance Needed
D6	Maintenance Needed
D5	Maintenance Needed
D4	Maintenance Needed
D3	-0.25
D18	-0.05

D19	-0.02
D20	-0.11
D21	-0.25
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.04
D25	Maintenance Needed
D26	0.25
D27	-0.01
D28	Maintenance Needed
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
D32	-0.25
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed
D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	Tank Not In Use/In Staging Area
C13-07	Tank Not In Use/In Staging Area
C13-06	Tank Not In Use/In Staging Area
C13-05	Tank Not In Use/In Staging Area

C13-04	Tank Not In Use/In Staging Area
C13-03	Tank Not In Use/In Staging Area
C13-02	Tank Not In Use/In Staging Area
C13-01	Tank Not In Use/In Staging Area
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.02
U13-61	-0.01
U13-60	-0.01
U13-59	Maintenance Needed
U13-58	-0.02
U13-57	-0.03
U13-56	-0.03
U13-55	-0.05
U13-54	0.06
U13-53	-0.01

U13-52	Maintenance Needed
U13-51	Maintenance Needed
U13-50	-0.05
U13-49	-0.02
U13-48	-0.07
U13-47	-0.02
U13-46	-0.02
U13-45	0
U13-44	0.01
U13-43	0.02
U13-42	-0.04
U13-41	-0.02
U13-40	0
U13-39	-0.02
U13-38	-0.02
U13-37	Maintenance Needed
U13-36	-0.04
U13-35	-0.03
U13-34	-0.04
U13-33	-0.04
U13-32	-0.02
U13-31	-0.05
U13-30	Maintenance Needed
U13-29	-0.03

U13-28	-0.02
U13-27	-0.08
U13-26	-0.12
U13-25	-0.01
U13-24	-0.14
U13-23	-0.08
U13-22	-0.07
U13-21	-0.05
U13-20	Maintenance Needed
U13-19	-0.06
U13-18	-0.01
U13-17	-0.02
U13-16	0.03
U13-15	-0.02
U13-14	-0.02
U13-13	-0.20
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.15
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25

U13-04	-0.14
U13-03	-0.08
U13-02	-0.04
U13-01	-0.25
L13-01	-0.08
L13-02	-0.06
L13-03	-0.06
L13-04	-0.06
L13-05	-0.07
L13-06	-0.01
L13-07	-0.05
L13-08	-0.05
L13-09	-0.05
L13-10	0.05
L13-11	-0.04
L13-12	-0.02
L13-13	-0.02
L13-14	-0.03
L13-15	-0.06
L13-16	-0.07
L13-17	-0.08
L13-18	-0.07
L13-19	-0.05
L13-20	-0.05

L13-21	-0.07
L13-22	-0.04
L13-23	-0.04
L13-24	-0.05
L13-25	-0.05
L13-26	-0.02
L13-27	-0.03
L13-28	-0.06
L13-29	Maintenance Needed
L13-30	0.05
L13-31	-0.09
L13-32	0.06
L13-33	-0.02
L13-34	-0.03
L13-35	-0.02
L13-36	0.17
L13-37	-0.07
L13-38	-0.05
L13-39	-0.03
L13-40	-0.03
L13-41	-0.02
L13-42	0
L13-43	-0.03
L13-44	-0.03

L13-45	-0.03
L13-46	-0.04
L13-47	-0.04
L13-48	-0.03
L13-49	-0.02
L13-50	-0.03
L13-51	-0.02
L13-52	-0.02
L13-53	-0.03
L13-54	-0.05
L13-55	-0.02
L13-56	-0.03
L13-57	-0.04
L13-58	0
L13-59	-0.02
L13-60	-0.03
L13-61	-0.14
L13-62	0
L13-63	-0.04
L13-64	-0.01
L13-65	-0.18
L13-66	-0.01
L13-67	-0.02
L13-68	-0.02

L13-69	-0.03
L13-70	0
L13-71	-0.06
L13-72	-0.03
L13-73	-0.15
L13-74	-0.05
L13-75	-0.07
L13-76	0
L13-77	-0.02
L13-78	-0.05
L13-79	-0.01
L13-80	-0.03

Certification

A handwritten signature in black ink, appearing to read 'Tom Roe', is displayed on a light gray background.

Tom Roe
1 Feb 2026 10:41 AM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
--------------	------------------	----------------------	---	----------------	---

Site conducted

4050 - Chiquita Canyon Landfill - ,
Corporate (Overall), Western,
Western/SO CA L/F

Conducted on

2 Feb 2026 9:00 AM PST

Prepared by

Nancy Bahena Hernandez

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	0
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	0
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.01
LCM 10	-0.01
LCM 1	0.10

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.16
LCM 5	-0.08
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.25
CD3	Tank Not In Use/In Staging Area
CD4	Tank Not In Use/In Staging Area
D17	Maintenance Needed
D16	-0.12
D15	Maintenance Needed
D14	0.24
D13	Maintenance Needed
Meter not attached	
D12	-0.20
D11	-0.25
D10	0.25
D9	Maintenance Needed
Meter not attached	
D8	-0.02
D7	0
D6	Maintenance Needed
D5	Maintenance Needed
meter not attached	

D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	-0.05
D19	-0.02
D20	-0.11
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.05
D25	Maintenance Needed
Meter not attached	
D26	0.25
D27	Maintenance Needed
D28	Maintenance Needed
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
Meter not attached	
D32	-0.25
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	
D/SW-03	Maintenance Needed

No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.10
C13-07	0.01
C13-06	0.01
C13-05	0
C13-04	0.02
C13-03	0.01
C13-02	0
C13-01	-0.01
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	-0.04
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	-0.01
U13-62	-0.02

U13-61	0
U13-60	-0.02
U13-59	Maintenance Needed
U13-58	-0.01
U13-57	-0.02
U13-56	-0.02
U13-55	-0.05
U13-54	-0.22
U13-53	-0.05
U13-52	-0.23
U13-51	-0.02
U13-50	-0.01
U13-49	-0.02
U13-48	-0.10
U13-47	-0.01
U13-46	-0.01
U13-45	0
U13-44	0
U13-43	0
U13-42	-0.01
U13-41	-0.02
U13-40	0
U13-39	-0.02
U13-38	-0.02

U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.07
U13-35	-0.06
U13-34	-0.07
U13-33	-0.07
U13-32	-0.07
U13-31	-0.05
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.04
U13-28	-0.01
U13-27	-0.10
U13-26	-0.16
U13-25	-0.15
U13-24	-0.22
U13-23	-0.07
U13-22	-0.06
U13-21	-0.05
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.06
U13-18	-0.01
U13-17	0
U13-16	-0.01

U13-15	0
U13-14	0
U13-13	-0.22
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.25
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25
U13-04	-0.15
U13-03	-0.05
U13-02	-0.02
U13-01	-0.25
L13-01	-0.10
L13-02	-0.06
L13-03	-0.07
L13-04	-0.05
L13-05	-0.05
L13-06	0
L13-07	-0.05
L13-08	-0.06
L13-09	-0.06

L13-10	0.07
L13-11	Maintenance Needed
Meter not attached	
L13-12	0
L13-13	-0.02
L13-14	-0.02
L13-15	-0.08
L13-16	-0.10
L13-17	-0.10
L13-18	-0.08
L13-19	-0.08
L13-20	-0.05
L13-21	-0.10
L13-22	-0.06
L13-23	-0.06
L13-24	-0.07
L13-25	-0.04
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.05
L13-28	-0.10
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.01
L13-31	-0.05

L13-32	-0.05
L13-33	0.02
L13-34	-0.02
L13-35	-0.01
L13-36	0.25
L13-37	-0.10
L13-38	-0.05
L13-39	-0.02
L13-40	-0.02
L13-41	-0.02
L13-42	-0.03
L13-43	-0.02
L13-44	-0.01
L13-45	-0.01
L13-46	-0.02
L13-47	-0.02
L13-48	-0.03
L13-49	-0.02
L13-50	-0.02
L13-51	-0.03
L13-52	0
L13-53	-0.02
L13-54	-0.02
L13-55	-0.02

L13-56	0
L13-57	-0.01
L13-58	0
L13-59	-0.02
L13-60	-0.05
L13-61	-0.10
L13-62	-0.02
L13-63	-0.05
L13-64	-0.05
L13-65	-0.25
L13-66	-0.01
L13-67	-0.02
L13-68	-0.03
L13-69	0
L13-70	-0.02
L13-71	-0.07
L13-72	-0.07
L13-73	-0.25
L13-74	-0.05
L13-75	-0.06
L13-76	0
L13-77	0
L13-78	-0.10
L13-79	0

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written on a light-colored background.

Nancy Bahena Hernandez
2 Feb 2026 3:26 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	3 Feb 2026 8:40 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.01
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	0
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	0
LCM 10	0
LCM 1	0.10

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.23
LCM 5	-0.09
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.25
CD3	Tank Not In Use/In Staging Area
CD4	Tank Not In Use/In Staging Area
D17	Maintenance Needed
D16	0.25
D15	Maintenance Needed
Meter not attached	
D14	0.20
D13	Maintenance Needed
Meter not attached	
D12	-0.07
D11	-0.25
D10	0.25
D9	Maintenance Needed
Meter not attached	
D8	-0.05
D7	0
D6	-0.01
D5	Maintenance Needed

Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	-0.05
D19	-0.01
D20	-0.11
D21	Maintenance Needed
Meter not attached	
D22	-0.02
D23	-0.01
D24	-0.05
D25	Maintenance Needed
Meter not attached	
D26	0.25
D27	Maintenance Needed
D28	Maintenance Needed
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
D32	-0.25
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	
D/SW-03	Maintenance Needed

No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.04
C13-07	-0.01
C13-06	-0.03
C13-05	-0.04
C13-04	-0.01
C13-03	-0.01
C13-02	-0.01
C13-01	-0.05
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.06
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	-0.03
U13-62	-0.03

U13-61	0
U13-60	-0.02
U13-59	Maintenance Needed
U13-58	-0.01
U13-57	-0.02
U13-56	-0.01
U13-55	-0.05
U13-54	-0.22
U13-53	-0.03
U13-52	Maintenance Needed
U13-51	Maintenance Needed
U13-50	-0.05
U13-49	-0.25
U13-48	-0.10
U13-47	-0.02
U13-46	-0.02
U13-45	0
U13-44	0
U13-43	0
U13-42	-0.02
U13-41	0
U13-40	0
U13-39	-0.02
U13-38	-0.02

U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.07
U13-35	-0.07
U13-34	-0.06
U13-33	-0.06
U13-32	-0.02
U13-31	-0.06
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.04
U13-28	-0.01
U13-27	-0.10
U13-26	-0.12
U13-25	-0.02
U13-24	-0.15
U13-23	-0.07
U13-22	Maintenance Needed
U13-21	-0.05
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.07
U13-18	0
U13-17	-0.02
U13-16	-0.22

U13-15	0
U13-14	-0.01
U13-13	-0.20
U13-12	-0.24
U13-11	-0.25
U13-10	-0.25
U13-09	-0.04
U13-08	-0.25
U13-07	-0.25
U13-06	-0.02
U13-05	-0.25
U13-04	-0.12
U13-03	-0.01
U13-02	0
U13-01	0
L13-01	-0.07
L13-02	-0.06
L13-03	-0.07
L13-04	-0.05
L13-05	-0.05
L13-06	0
L13-07	-0.07
L13-08	-0.05
L13-09	-0.06

L13-10	0.06
L13-11	Maintenance Needed
Meter not attached	
L13-12	0
L13-13	-0.05
L13-14	-0.01
L13-15	-0.07
L13-16	-0.10
L13-17	-0.07
L13-18	-0.10
L13-19	-0.06
L13-20	-0.06
L13-21	-0.10
L13-22	-0.06
L13-23	-0.06
L13-24	-0.06
L13-25	-0.03
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.04
L13-28	-0.08
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.06
L13-31	0

L13-32	-0.05
L13-33	0.03
L13-34	-0.02
L13-35	-0.02
L13-36	-0.09
L13-37	0
L13-38	-0.04
L13-39	-0.05
L13-40	-0.01
L13-41	-0.01
L13-42	0.25
L13-43	0.01
L13-44	Maintenance Needed
L13-45	-0.01
L13-46	-0.05
L13-47	-0.05
L13-48	-0.05
L13-49	-0.05
L13-50	-0.05
L13-51	-0.03
L13-52	-0.01
L13-53	-0.05
L13-54	-0.05
L13-55	-0.01

L13-56	-0.02
L13-57	-0.02
L13-58	0
L13-59	-0.04
L13-60	-0.05
L13-61	-0.15
L13-62	-0.03
L13-63	-0.06
L13-64	-0.04
L13-65	-0.25
L13-66	0
L13-67	-0.02
L13-68	-0.05
L13-69	-0.05
L13-70	-0.02
L13-71	-0.06
L13-72	-0.04
L13-73	-0.25
L13-74	-0.02
L13-75	-0.05
L13-76	0
L13-77	-0.05
L13-78	-0.05
L13-79	0

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written on a light gray background.

Nancy Bahena Hernandez
3 Feb 2026 3:40 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill -, Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	4 Feb 2026 9:14 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.02
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.02
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	Maintenance Needed
LCM 10	-0.01
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.25
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	-0.03
D16	0.25
D15	Maintenance Needed
Meter not attached	
D14	0.25
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
Meter not attached	
D8	-0.05
D7	0
D6	Maintenance Needed
D5	Maintenance Needed

Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	-0.05
D19	0
D20	-0.10
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.05
D25	Maintenance Needed
D26	0.25
D27	Maintenance Needed
D28	Maintenance Needed
D29	Maintenance Needed
D30	-0.24
D31	Maintenance Needed
D32	-0.25
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	
D/SW-03	Maintenance Needed
No meter	

D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.07
C13-07	-0.01
C13-06	0
C13-05	-0.02
C13-04	0.03
C13-03	0.01
C13-02	0
C13-01	-0.02
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.04
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.03
U13-61	0

U13-60	-0.05
U13-59	Maintenance Needed
U13-58	-0.02
U13-57	-0.02
U13-56	-0.03
U13-55	-0.05
U13-54	-0.20
U13-53	-0.05
U13-52	Maintenance Needed
U13-51	Maintenance Needed
U13-50	-0.10
U13-49	-0.10
U13-48	-0.05
U13-47	0
U13-46	0
U13-45	0
U13-44	0
U13-43	-0.03
U13-42	-0.05
U13-41	-0.01
U13-40	0
U13-39	-0.02
U13-38	-0.02
U13-37	Maintenance Needed

U13-36	-0.05
U13-35	-0.05
U13-34	-0.05
U13-33	-0.05
U13-32	-0.01
U13-31	-0.03
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.05
U13-28	0
U13-27	-0.10
U13-26	-0.12
U13-25	-0.10
U13-24	-0.15
U13-23	-0.10
U13-22	Maintenance Needed
U13-21	-0.10
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.10
U13-18	-0.02
U13-17	-0.02
U13-16	-0.06
U13-15	0
U13-14	-0.01

U13-13	-0.15
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.21
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25
U13-04	-0.14
U13-03	-0.01
U13-02	-0.01
U13-01	-0.25
L13-01	-0.06
L13-02	-0.04
L13-03	-0.06
L13-04	-0.05
L13-05	-0.05
L13-06	0
L13-07	-0.07
L13-08	-0.06
L13-09	-0.06
L13-10	0.10
L13-11	Maintenance Needed

Meter not attached

L13-12	-0.01
L13-13	-0.01
L13-14	-0.04
L13-15	-0.06
L13-16	-0.09
L13-17	-0.07
L13-18	-0.10
L13-19	-0.08
L13-20	-0.09
L13-21	-0.10
L13-22	-0.05
L13-23	-0.05
L13-24	-0.07
L13-25	-0.05
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.05
L13-28	-0.07
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.08
L13-31	0.02
L13-32	-0.06
L13-33	0.05

L13-34	-0.02
L13-35	-0.02
L13-36	-0.10
L13-37	-0.10
L13-38	-0.05
L13-39	-0.04
L13-40	0.10
L13-41	-0.02
L13-42	-0.02
L13-43	-0.02
L13-44	Maintenance Needed
L13-45	-0.02
L13-46	-0.02
L13-47	-0.02
L13-48	-0.05
L13-49	-0.02
L13-50	-0.02
L13-51	-0.02
L13-52	-0.05
L13-53	-0.04
L13-54	-0.05
L13-55	0
L13-56	0
L13-57	0

L13-58	0
L13-59	-0.04
L13-60	-0.05
L13-61	-0.16
L13-62	-0.03
L13-63	-0.06
L13-64	-0.04
L13-65	-0.25
L13-66	0
L13-67	-0.02
L13-68	-0.05
L13-69	-0.05
L13-70	-0.03
L13-71	-0.07
L13-72	-0.07
L13-73	-0.25
L13-74	-0.02
L13-75	-0.06
L13-76	0.10
L13-77	0
L13-78	-0.05
L13-79	0
L13-80	-0.01

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written on a light blue background.

Nancy Bahena Hernandez
4 Feb 2026 4:40 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill -, Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	5 Feb 2026 11:39 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.05
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.01
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	0
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.01
LCM 10	0
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.25
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.25
CD3	Tank Not In Use/In Staging Area
CD4	Tank Not In Use/In Staging Area
D17	Maintenance Needed
D16	0.25
D15	Maintenance Needed
Meter not attached	
D14	0.25
D13	Maintenance Needed
No meter attached	
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
Meter not attached	
D8	-0.02
D7	Maintenance Needed
D6	Maintenance Needed
D5	Maintenance Needed

Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	-0.06
D19	-0.01
D20	-0.10
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.03
D25	Maintenance Needed
Meter not attached	
D26	0.25
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	

D/SW-03	Maintenance Needed
No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.08
C13-07	0
C13-06	-0.01
C13-05	0.02
C13-04	0.01
C13-03	0
C13-02	-0.02
C13-01	-0.25
C13-09	0.05
C13-10	-0.25
C13-11	0.06
C13-12	-0.10
C13-13	-0.20
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	0

U13-62	-0.01
U13-61	0
U13-60	-0.02
U13-59	Maintenance Needed
U13-58	-0.01
U13-57	-0.02
U13-56	-0.01
U13-55	-0.05
U13-54	-0.16
U13-53	-0.02
U13-52	Maintenance Needed
U13-51	Maintenance Needed
U13-50	-0.02
U13-49	-0.02
U13-48	-0.10
U13-47	-0.02
U13-46	0
U13-45	0
U13-44	0
U13-43	0
U13-42	0
U13-41	-0.01
U13-40	0
U13-39	0

U13-38	-0.01
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.02
U13-35	-0.02
U13-34	-0.03
U13-33	-0.04
U13-32	-0.02
U13-31	-0.05
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.03
U13-28	0
U13-27	-0.10
U13-26	-0.10
U13-25	-0.10
U13-24	-0.10
U13-23	-0.07
U13-22	-0.02
U13-21	-0.05
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	0
U13-17	0

U13-16	0
U13-15	0
U13-14	0
U13-13	-0.20
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.20
U13-08	-0.25
U13-07	-0.25
U13-06	-0.04
U13-05	-0.25
U13-04	-0.15
U13-03	-0.01
U13-02	-0.02
U13-01	-0.25
L13-01	0.20
L13-02	-0.05
L13-03	-0.06
L13-04	-0.02
L13-05	0
L13-06	0
L13-07	-0.05
L13-08	-0.05

L13-09	-0.05
L13-10	0.05
L13-11	Maintenance Needed
Meter not attached	
L13-12	0
L13-13	0
L13-14	-0.01
L13-15	-0.06
L13-16	-0.06
L13-17	-0.06
L13-18	-0.07
L13-19	-0.06
L13-20	-0.05
L13-21	-0.06
L13-22	-0.04
L13-23	-0.04
L13-24	-0.06
L13-25	-0.01
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.04
L13-28	-0.07
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.05

L13-31	-0.01
L13-32	-0.05
L13-33	0.05
L13-34	-0.04
L13-35	-0.02
L13-36	-0.07
L13-37	-0.10
L13-38	-0.05
L13-39	-0.04
L13-40	-0.03
L13-41	-0.02
L13-42	-0.04
L13-43	-0.02
L13-44	Maintenance Needed
L13-45	0
L13-46	0
L13-47	0
L13-48	0
L13-49	0
L13-50	-0.01
L13-51	-0.01
L13-52	0
L13-53	-0.01
L13-54	-0.01

L13-55	0
L13-56	-0.01
L13-57	-0.01
L13-58	0
L13-59	0
L13-60	-0.04
L13-61	-0.15
L13-62	0
L13-63	-0.02
L13-64	-0.02
L13-65	-0.25
L13-66	0
L13-67	-0.02
L13-68	-0.04
L13-69	-0.05
L13-70	-0.03
L13-71	-0.07
L13-72	-0.07
L13-73	-0.25
L13-74	-0.01
L13-75	-0.06
L13-76	-0.02
L13-77	-0.02
L13-78	-0.05

L13-79

-0.01

L13-80

-0.02

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written on a light gray background.

Nancy Bahena Hernandez
5 Feb 2026 3:26 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	6 Feb 2026 11:48 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.01
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.01
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	0
LCM 10	0
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.13
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.25
CD3	Tank Not In Use/In Staging Area
CD4	Tank Not In Use/In Staging Area
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	0.25
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
D8	-0.02
D7	0
D6	Maintenance Needed
D5	Maintenance Needed
Meter not attached	

D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	-0.05
D19	-0.01
D20	-0.08
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.05
D25	Maintenance Needed
Meter not attached	
D26	0.25
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	
D/SW-03	Maintenance Needed

No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.05
C13-07	-0.01
C13-06	-0.01
C13-05	-0.01
C13-04	0.02
C13-03	0.01
C13-02	0
C13-01	-0.02
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
Broken hose nipple	
U13-63	-0.02

U13-62	-0.02
U13-61	Maintenance Needed
U13-60	-0.02
U13-59	Maintenance Needed
U13-58	-0.02
U13-57	-0.01
U13-56	-0.01
U13-55	-0.05
U13-54	-0.15
Water inside meter	
U13-53	-0.02
U13-52	-0.23
U13-51	Maintenance Needed
U13-50	-0.03
U13-49	-0.10
U13-48	-0.05
U13-47	-0.03
U13-46	-0.03
U13-45	0
U13-44	0
U13-43	0
U13-42	-0.02
U13-41	-0.01
U13-40	0

U13-39	-0.02
U13-38	-0.01
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.05
U13-35	-0.10
U13-34	-0.05
U13-33	-0.05
U13-32	-0.04
U13-31	-0.05
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.05
U13-28	-0.02
U13-27	-0.11
U13-26	-0.15
U13-25	-0.11
U13-24	-0.15
U13-23	-0.07
U13-22	-0.06
U13-21	-0.05
Meter not attached	
U13-20	Maintenance Needed
U13-19	-0.06
U13-18	-0.01

U13-17	-0.01
U13-16	-0.01
U13-15	-0.02
U13-14	-0.01
U13-13	-0.20
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.20
U13-08	-0.25
U13-07	-0.03
U13-06	-0.25
U13-05	-0.15
U13-04	-0.01
U13-03	-0.01
U13-02	-0.01
U13-01	-0.25
L13-01	-0.07
L13-02	-0.06
L13-03	-0.07
L13-04	-0.07
L13-05	-0.08
L13-06	-0.02
L13-07	0

L13-08	0
L13-09	-0.02
L13-10	-0.25
L13-11 Meter not attached	Maintenance Needed
L13-12	-0.01
L13-13	0
L13-14	-0.01
L13-15	-0.07
L13-16	-0.07
L13-17	-0.07
L13-18	-0.07
L13-19	-0.07
L13-20	-0.06
L13-21	-0.07
L13-22	-0.05
L13-23	-0.05
L13-24	-0.07
L13-25	0
L13-26 Meter not attached	Maintenance Needed
L13-27	-0.04
L13-28	-0.10
L13-29 Meter not attached	Maintenance Needed

L13-30	-0.05
L13-31	0
L13-32	-0.05
L13-33	0.05
L13-34	-0.04
L13-35	-0.04
L13-36	-0.07
L13-37	-0.07
L13-38	-0.05
L13-39	-0.02
L13-40	-0.05
L13-41	-0.03
L13-42	-0.04
L13-43	-0.04
L13-44	Maintenance Needed
Broken hose nipple	
L13-45	-0.02
L13-46	-0.03
L13-47	-0.02
L13-48	-0.02
L13-49	-0.02
L13-50	0
L13-51	-0.01
L13-52	-0.01

L13-53	-0.03
L13-54	-0.02
L13-55	-0.01
L13-56	-0.02
L13-57	-0.03
L13-58	0
L13-59	-0.02
L13-60	-0.05
L13-61	-0.15
L13-62	-0.02
L13-63	0.01
L13-64	-0.05
L13-65	-0.20
L13-66	0.01
L13-67	-0.05
L13-68	-0.04
L13-69	-0.04
L13-70	-0.04
L13-71	-0.07
L13-72	-0.07
L13-73	-0.20
L13-74	-0.05
Water inside meter	
L13-75	-0.08

L13-76		-0.01
L13-77		-0.02
L13-78		-0.05
L13-79		-0.05
L13-80		-0.01

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written over a light gray rectangular background.

Nancy Bahena Hernandez
6 Feb 2026 5:15 PM PST

4050 - Daily Pressure Gauge Readings

John Boucher

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill -, Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	7 Feb 2026 7:33 AM PST				
Prepared by	John Boucher				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
44	-0.01
111	Maintenance Needed
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.02
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.01
LCM 10	-0.01
LCM 1	0.15
LCM 2	Maintenance Needed

LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	-0.16
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.25
CD3	Tank Not In Use/In Staging Area
CD4	Tank Not In Use/In Staging Area
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
D14	0.25
D13	Maintenance Needed
D12	-0.25
D11	-0.13
D10	0.25
D9	Maintenance Needed
D8	Maintenance Needed
D7	-0.01
D6	Maintenance Needed
D5	Maintenance Needed
D4	Maintenance Needed
D3	-0.25
D18	-0.05

D19	-0.03
D20	-0.13
D21	Maintenance Needed
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.04
D25	Maintenance Needed
D26	0.25
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
D32	-0.01
D/SW-01	Tank Not In Use/In Staging Area
D/SW-02	Tank Not In Use/In Staging Area
D/SW-03	Tank Not In Use/In Staging Area
D/SW-04	Tank Not In Use/In Staging Area
D/SW-05	Tank Not In Use/In Staging Area
#13 Tank Farm	160 / 160 (100%)
C13-08	0.06
C13-07	-0.03
C13-06	-0.03
C13-05	-0.03

C13-04	0
C13-03	0
C13-02	0
C13-01	-0.04
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	-0.04
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	-0.02
U13-62	-0.03
U13-61	-0.01
U13-60	-0.01
U13-59	Maintenance Needed
U13-58	-0.01
U13-57	-0.02
U13-56	-0.02
U13-55	-0.05
U13-54	0.14
U13-53	-0.03

U13-52	-0.20
U13-51	Maintenance Needed
U13-50	-0.06
U13-49	-0.02
U13-48	-0.07
U13-47	-0.03
U13-46	0
U13-45	0
U13-44	-0.23
U13-43	0.05
U13-42	-0.04
U13-41	-0.02
U13-40	0
U13-39	-0.01
U13-38	-0.01
U13-37	Maintenance Needed
U13-36	-0.03
U13-35	-0.02
U13-34	-0.03
U13-33	-0.04
U13-32	-0.02
U13-31	-0.05
U13-30	Maintenance Needed
U13-29	-0.02

U13-28	-0.01
U13-27	-0.05
U13-26	-0.08
U13-25	0.04
U13-24	-0.08
U13-23	-0.04
U13-22	-0.05
U13-21	-0.03
U13-20	Maintenance Needed
U13-19	-0.04
U13-18	-0.03
U13-17	-0.05
U13-16	-0.10
U13-15	-0.03
U13-14	-0.02
U13-13	-0.03
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.10
U13-08	-0.25
U13-07	-0.25
U13-06	-0.04
U13-05	-0.25

U13-04	-0.10
U13-03	-0.03
U13-02	-0.07
U13-01	-0.25
L13-01	-0.05
L13-02	-0.04
L13-03	-0.05
L13-04	-0.04
L13-05	-0.05
L13-06	0
L13-07	-0.04
L13-08	-0.03
L13-09	-0.03
L13-10	0.03
L13-11	Maintenance Needed
L13-12	-0.01
L13-13	-0.03
L13-14	0
L13-15	0.25
L13-16	0.25
L13-17	-0.06
L13-18	-0.05
L13-19	-0.04
L13-20	-0.03

L13-21	-0.05
L13-22	-0.03
L13-23	-0.01
L13-24	-0.02
L13-25	-0.04
L13-26	Maintenance Needed
L13-27	-0.04
L13-28	-0.03
L13-29	Maintenance Needed
L13-30	-0.05
L13-31	-0.03
L13-32	-0.04
L13-33	0.02
L13-34	-0.03
L13-35	-0.03
L13-36	-0.04
L13-37	-0.08
L13-38	-0.05
L13-39	-0.04
L13-40	-0.04
L13-41	-0.03
L13-42	-0.02
L13-43	-0.03
L13-44	0

L13-45	-0.03
L13-46	-0.02
L13-47	-0.03
L13-48	-0.03
L13-49	-0.01
L13-50	-0.04
L13-51	-0.01
L13-52	-0.01
L13-53	-0.01
L13-54	-0.04
L13-55	-0.02
L13-56	-0.01
L13-57	-0.03
L13-58	-0.01
L13-59	0
L13-60	0
L13-61	-0.15
L13-62	-0.01
L13-63	-0.05
L13-64	-0.02
L13-65	-0.01
L13-66	-0.23
L13-67	-0.03
L13-68	-0.03

L13-69	-0.04
L13-70	-0.03
L13-71	-0.05
L13-72	-0.05
L13-73	-0.15
L13-74	-0.03
L13-75	-0.05
L13-76	-0.05
L13-77	-0.03
L13-78	-0.05
L13-79	-0.02
L13-80	-0.03

Certification

A handwritten signature in black ink, appearing to be 'JB', written on a light gray background.

John Boucher
7 Feb 2026 10:21 AM PST

4050 - Daily Pressure Gauge Readings

Tom Roe

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	Marked as 'my site is not listed here'				
Conducted on	8 Feb 2026 7:47 AM PST				
Prepared by	Tom Roe				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
44	-0.03
111	Maintenance Needed
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.03
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.01
LCM 10	-0.01
LCM 1	0.12
LCM 2	Maintenance Needed

LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.20
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
D14	0.05
D13	Maintenance Needed
D12	-0.25
D11	Maintenance Needed
D10	0.08
D9	Maintenance Needed
D8	Maintenance Needed
D7	Maintenance Needed
D6	Maintenance Needed
D5	Maintenance Needed
D4	Maintenance Needed
D3	-0.25
D18	-0.06

D19	-0.02
D20	-0.11
D21	Maintenance Needed
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.04
D25	Maintenance Needed
D26	0.25
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
D32	Maintenance Needed
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed
D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	0.06
C13-07	-0.02
C13-06	-0.03
C13-05	-0.03

C13-04	0.01
C13-03	0
C13-02	-0.02
C13-01	-0.04
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.03
U13-61	-0.02
U13-60	-0.02
U13-59	Maintenance Needed
U13-58	-0.02
U13-57	-0.03
U13-56	-0.03
U13-55	-0.05
U13-54	0.14
U13-53	-0.01

U13-52	Maintenance Needed
U13-51	Maintenance Needed
U13-50	-0.04
U13-49	-0.02
U13-48	-0.05
U13-47	-0.02
U13-46	-0.01
U13-45	0
U13-44	0.08
U13-43	0.01
U13-42	-0.04
U13-41	-0.02
U13-40	0
U13-39	-0.02
U13-38	-0.02
U13-37	Maintenance Needed
U13-36	-0.04
U13-35	-0.03
U13-34	-0.04
U13-33	-0.04
U13-32	-0.02
U13-31	-0.05
U13-30	Maintenance Needed
U13-29	-0.02

U13-28	-0.01
U13-27	-0.07
U13-26	-0.10
U13-25	-0.06
U13-24	-0.12
U13-23	-0.06
U13-22	-0.04
U13-21	-0.05
U13-20	Maintenance Needed
U13-19	-0.05
U13-18	-0.03
U13-17	-0.06
U13-16	-0.12
U13-15	-0.04
U13-14	-0.03
U13-13	-0.03
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.18
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25

U13-04	-0.12
U13-03	Tank Not In Use/In Staging Area
U13-02	-0.09
U13-01	-0.25
L13-01	-0.06
L13-02	-0.04
L13-03	-0.06
L13-04	-0.05
L13-05	-0.04
L13-06	-0.01
L13-07	-0.04
L13-08	-0.04
L13-09	-0.04
L13-10	0.03
L13-11	Maintenance Needed
L13-12	0
L13-13	-0.03
L13-14	-0.01
L13-15	-0.04
L13-16	-0.05
L13-17	-0.05
L13-18	-0.05
L13-19	-0.04
L13-20	-0.03

L13-21	-0.05
L13-22	-0.03
L13-23	0
L13-24	0.25
L13-25	0.05
L13-26	Maintenance Needed
L13-27	-0.03
L13-28	-0.02
L13-29	Maintenance Needed
L13-30	-0.05
L13-31	-0.02
L13-32	-0.04
L13-33	0.03
L13-34	-0.03
L13-35	-0.02
L13-36	-0.05
L13-37	-0.08
L13-38	-0.06
L13-39	-0.03
L13-40	-0.04
L13-41	-0.02
L13-42	-0.02
L13-43	-0.03
L13-44	-0.01

L13-45	-0.03
L13-46	-0.03
L13-47	-0.04
L13-48	-0.03
L13-49	-0.02
L13-50	-0.02
L13-51	-0.02
L13-52	-0.01
L13-53	-0.02
L13-54	-0.05
L13-55	-0.02
L13-56	-0.03
L13-57	-0.03
L13-58	0
L13-59	-0.03
L13-60	-0.03
L13-61	-0.14
L13-62	0
L13-63	-0.05
L13-64	-0.02
L13-65	-0.15
L13-66	0
L13-67	Maintenance Needed
L13-68	-0.03

L13-69	-0.04
L13-70	-0.02
L13-71	-0.05
L13-72	-0.05
L13-73	-0.14
L13-74	-0.05
L13-75	-0.05
L13-76	-0.02
L13-77	-0.03
L13-78	-0.05
L13-79	-0.01
L13-80	-0.03

Certification

A handwritten signature in black ink, appearing to read 'Tom Roe', is displayed on a light gray background.

Tom Roe
8 Feb 2026 9:55 AM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	9 Feb 2026 11:43 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.07
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.02
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	0
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	0
LCM 10	0
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.24
LCM 5	0.10
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.15
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
D14	-0.01
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
Meter not attached	
D8	Maintenance Needed
D7	Maintenance Needed
D6	Maintenance Needed
D5	Maintenance Needed
Meter not attached	

D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	Maintenance Needed
D19	-0.01
D20	-0.12
D21	Maintenance Needed
Meter not attached	
D22	-0.01
D23	0
D24	-0.04
D25	Maintenance Needed
Meter not attached	
D26	0.25
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	
D/SW-03	Maintenance Needed

No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	-0.05
C13-07	-0.03
C13-06	-0.03
C13-05	-0.01
C13-04	-0.01
C13-03	-0.01
C13-02	0
C13-01	-0.03
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	-0.03
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
Broken hose nipple	
U13-63	Maintenance Needed

U13-62	-0.02
U13-61	0
U13-60	Maintenance Needed
U13-59	0
U13-58	-0.02
U13-57	-0.01
U13-56	-0.04
U13-55	-0.15
U13-54	-0.04
U13-53	Maintenance Needed
U13-52	Maintenance Needed
U13-51	Maintenance Needed
U13-50	0
U13-49	-0.05
U13-48	-0.05
U13-47	-0.02
U13-46	-0.02
U13-45	0
U13-44	0
U13-43	0
U13-42	-0.02
U13-41	-0.02
U13-40	0
U13-39	0

U13-38	-0.01
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.04
U13-35	-0.15
U13-34	-0.05
U13-33	-0.05
U13-32	-0.02
U13-31	-0.04
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.02
U13-28	-0.01
U13-27	-0.06
U13-26	-0.10
U13-25	-0.05
U13-24	-0.12
U13-23	-0.05
U13-22	-0.02
U13-21	-0.04
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	-0.02
U13-17	-0.04

U13-16	-0.10
U13-15	-0.02
U13-14	-0.02
U13-13	-0.02
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.10
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25
U13-04	-0.11
U13-03	-0.02
U13-02	-0.10
U13-01	-0.25
L13-01	-0.05
L13-02	-0.04
L13-03	-0.05
L13-04	-0.05
L13-05	-0.05
L13-06	0
L13-07	-0.05
L13-08	-0.05

L13-09	-0.03
L13-10	0.05
L13-11	Maintenance Needed
Meter not attached	
L13-12	0
L13-13	0
L13-14	-0.01
L13-15	-0.05
L13-16	-0.06
L13-17	-0.06
L13-18	-0.05
L13-19	-0.05
L13-20	-0.05
L13-21	-0.06
L13-22	-0.03
L13-23	-0.03
L13-24	-0.05
L13-25	0
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.01
L13-28	-0.05
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.05

L13-31	-0.01
L13-32	-0.05
L13-33	0.02
L13-34	-0.02
L13-35	-0.02
L13-36	-0.06
L13-37	-0.07
L13-38	-0.05
L13-39	-0.02
L13-40	-0.03
L13-41	-0.02
L13-42	-0.02
L13-43	-0.02
L13-44	Maintenance Needed
L13-45	-0.01
L13-46	-0.02
L13-47	-0.02
L13-48	-0.01
L13-49	-0.01
L13-50	-0.01
L13-51	0
L13-52	0
L13-53	0
L13-54	-0.01

L13-55	-0.01
L13-56	-0.01
L13-57	-0.01
L13-58	0
L13-59	0
L13-60	0
L13-61	-0.13
L13-62	0.01
L13-63	0
L13-64	0.01
L13-65	-0.20
L13-66	0
L13-67	-0.02
L13-68	-0.02
L13-69	-0.02
L13-70	-0.02
L13-71	-0.05
L13-72	-0.05
L13-73	-0.25
L13-74	-0.01
L13-75	-0.05
L13-76	-0.05
L13-77	-0.03
L13-78	-0.05

L13-79

-0.02

L13-80

-0.03

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written on a light gray background.

Nancy Bahena Hernandez
9 Feb 2026 5:00 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	10 Feb 2026 8:47 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.02
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.01
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.01
LCM 10	-0.02
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.13
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	0
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
Meter not attached	
D8	Maintenance Needed
D7	0
D6	Maintenance Needed
D5	Maintenance Needed

Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	Maintenance Needed
D19	0
D20	-0.11
D21	Maintenance Needed
Meter not attached / damaged	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.05
D25	Maintenance Needed
Meter not attached	
D26	0.25
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	

D/SW-03	Maintenance Needed
No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.05
C13-07	-0.02
C13-06	-0.02
C13-05	-0.03
C13-04	0
C13-03	0
C13-02	-0.01
C13-01	-0.05
C13-09	-0.25
C13-10	0.10
C13-11	-0.25
C13-12	0.05
C13-13	-0.10
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	-0.02

U13-62	-0.03
U13-61	0
U13-60	0
U13-59	0
U13-58	0
U13-57	-0.01
U13-56	-0.02
U13-55	-0.05
U13-54	0.03
U13-53	-0.02
U13-52	-0.20
U13-51	Maintenance Needed
U13-50	-0.01
U13-49	-0.02
U13-48	-0.02
U13-47	-0.03
U13-46	0
U13-45	-0.02
U13-44	0
U13-43	0
U13-42	-0.03
U13-41	-0.03
U13-40	0
U13-39	-0.01

U13-38	-0.01
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.03
U13-35	-0.03
U13-34	-0.04
U13-33	-0.04
U13-32	-0.02
U13-31	-0.05
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.01
U13-28	0
U13-27	-0.02
U13-26	-0.05
U13-25	-0.01
U13-24	-0.06
U13-23	-0.04
U13-22	-0.03
U13-21	-0.05
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	-0.01
U13-17	-0.05

U13-16	-0.10
U13-15	-0.04
U13-14	-0.02
U13-13	-0.02
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.15
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25
U13-04	-0.12
U13-03	-0.05
U13-02	-0.10
U13-01	-0.25
L13-01	-0.05
L13-02	-0.05
L13-03	-0.06
L13-04	-0.05
L13-05	-0.07
L13-06	-0.01
L13-07	-0.05
L13-08	-0.05

L13-09	-0.05
L13-10	0.05
L13-11	Maintenance Needed
Meter not attached	
L13-12	-0.03
L13-13	-0.02
L13-14	-0.01
L13-15	-0.05
L13-16	-0.07
L13-17	-0.05
L13-18	-0.06
L13-19	-0.05
L13-20	0.05
L13-21	0.01
L13-22	0.01
L13-23	0.01
L13-24	-0.05
L13-25	-0.01
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.01
L13-28	-0.06
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.07

L13-31	-0.01
L13-32	-0.05
L13-33	0.01
L13-34	-0.02
L13-35	-0.02
L13-36	-0.05
L13-37	-0.08
L13-38	-0.05
L13-39	-0.04
L13-40	-0.04
L13-41	-0.02
L13-42	-0.02
L13-43	-0.03
L13-44	Maintenance Needed
L13-45	-0.01
L13-46	-0.05
L13-47	-0.02
L13-48	-0.03
L13-49	-0.02
L13-50	-0.03
L13-51	-0.01
L13-52	0
L13-53	-0.01
L13-54	-0.01

L13-55	-0.01
L13-56	-0.01
L13-57	-0.02
L13-58	0
L13-59	-0.02
L13-60	-0.02
L13-61	-0.10
L13-62	0
L13-63	-0.02
L13-64	-0.02
L13-65	-0.12
L13-66	-0.01
L13-67	-0.05
Needs new tape	
L13-68	-0.02
L13-69	-0.05
L13-70	-0.02
L13-71	-0.06
L13-72	-0.05
L13-73	-0.20
L13-74	-0.05
L13-75	-0.05
L13-76	-0.03
L13-77	-0.01

L13-78

-0.05

L13-79

-0.02

L13-80

-0.02

Certification



Nancy Bahena Hernandez
10 Feb 2026 3:10 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	11 Feb 2026 2:36 PM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.15
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.02
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.10
LCM 10	-0.03
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.25
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.07
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	0.02
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
Meter not attached	
D8	Maintenance Needed
D7	Maintenance Needed
D6	-0.01
D5	Maintenance Needed

Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	Maintenance Needed
D19	Maintenance Needed
D20	-0.12
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.05
D25	Maintenance Needed
Meter not attached	
D26	0.11
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	

D/SW-03	Maintenance Needed
No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.06
C13-07	-0.02
C13-06	-0.01
C13-05	-0.01
C13-04	0
C13-03	0
C13-02	0
C13-01	-0.02
C13-09	-0.25
C13-10	-0.20
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed

U13-62	-0.15
U13-61	-0.01
U13-60	-0.02
U13-59	-0.02
U13-58	-0.01
U13-57	-0.02
U13-56	-0.02
U13-55	-0.05
U13-54	-0.03
U13-53	-0.05
U13-52	Maintenance Needed
U13-51	Maintenance Needed
U13-50	-0.10
U13-49	-0.05
U13-48	-0.06
U13-47	-0.02
U13-46	0
U13-45	-0.02
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.02
U13-40	-0.02
U13-39	-0.01

U13-38	-0.01
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.05
U13-35	-0.05
U13-34	-0.05
U13-33	-0.05
U13-32	-0.04
U13-31	-0.20
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.04
U13-28	-0.02
U13-27	-0.06
U13-26	-0.10
U13-25	-0.07
U13-24	-0.10
U13-23	-0.06
U13-22	-0.06
U13-21	-0.05
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	-0.02
U13-17	-0.05

U13-16	-0.08
U13-15	-0.05
U13-14	-0.03
U13-13	-0.01
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.10
U13-08	-0.25
U13-07	-0.25
U13-06	-0.03
U13-05	-0.25
U13-04	-0.10
U13-03	-0.02
U13-02	-0.07
U13-01	-0.25
L13-01	-0.05
L13-02	-0.01
L13-03	-0.05
L13-04	-0.02
L13-05	-0.02
L13-06	-0.20
L13-07	-0.04
L13-08	-0.06

L13-09	-0.05
L13-10	0.02
L13-11	Maintenance Needed
Meter not attached	
L13-12	-0.02
L13-13	0
L13-14	-0.03
L13-15	-0.05
L13-16	-0.06
L13-17	-0.02
L13-18	-0.02
L13-19	-0.01
L13-20	0.02
L13-21	-0.01
L13-22	0.01
L13-23	0.15
L13-24	-0.05
L13-25	-0.04
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.04
L13-28	-0.05
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.05

L13-31	0.25
L13-32	-0.07
L13-33	0.25
L13-34	-0.05
L13-35	-0.02
L13-36	-0.09
L13-37	-0.10
L13-38	-0.06
L13-39	-0.03
L13-40	-0.04
L13-41	-0.02
L13-42	-0.03
L13-43	-0.05
L13-44	Maintenance Needed
L13-45	-0.02
L13-46	-0.05
L13-47	-0.04
L13-48	-0.02
L13-49	-0.02
L13-50	-0.05
L13-51	-0.02
L13-52	-0.01
L13-53	-0.02
L13-54	-0.03

L13-55	0
L13-56	-0.02
L13-57	-0.03
L13-58	-0.03
L13-59	-0.02
L13-60	-0.02
L13-61	-0.15
L13-62	0
L13-63	-0.05
L13-64	-0.02
L13-65	-0.20
L13-66	0
L13-67	Maintenance Needed
Meter not attached	
L13-68	-0.02
L13-69	-0.02
L13-70	-0.02
L13-71	-0.05
L13-72	-0.02
L13-73	-0.17
L13-74	-0.01
L13-75	-0.05
L13-76	-0.05
L13-77	-0.04

L13-78

-0.05

L13-79

-0.02

L13-80

-0.05

Certification



Nancy Bahena Hernandez
11 Feb 2026 4:50 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill -, Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	12 Feb 2026 10:52 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.04
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	Maintenance Needed
No meter	
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.01
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.03
LCM 10	-0.02

LCM 1	Maintenance Needed
LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.15
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.06
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	0.04
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	0.10
D9	Maintenance Needed
Meter not attached	
D8	Maintenance Needed
D7	Maintenance Needed
D6	Maintenance Needed

D5	Maintenance Needed
Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	Maintenance Needed
D19	Maintenance Needed
D20	-0.11
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	-0.01
D24	-0.03
D25	Maintenance Needed
Meter not attached	
D26	0.25
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed

No meter	
D/SW-03	Maintenance Needed
No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.06
C13-07	-0.01
C13-06	-0.02
C13-05	-0.01
C13-04	0.01
C13-03	0.01
C13-02	-0.01
C13-01	-0.01
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.20
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed

U13-63	Maintenance Needed
U13-62	-0.01
U13-61	0
U13-60	-0.02
U13-59	-0.01
U13-58	-0.01
U13-57	-0.02
U13-56	-0.02
U13-55	-0.05
U13-54	-0.10
U13-53	-0.05
U13-52	Maintenance Needed
U13-51	Maintenance Needed
U13-50	-0.02
U13-49	-0.02
U13-48	-0.06
U13-47	-0.05
U13-46	-0.02
U13-45	-0.02
U13-44	-0.01
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.02
U13-40	-0.02

U13-39	-0.02
U13-38	-0.02
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.06
U13-35	-0.05
U13-34	-0.05
U13-33	-0.05
U13-32	-0.04
U13-31	-0.25
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.02
U13-28	-0.02
U13-27	-0.07
U13-26	-0.10
U13-25	-0.08
U13-24	-0.10
U13-23	-0.05
U13-22	-0.05
U13-21	-0.05
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	-0.04

U13-17	-0.05
U13-16	-0.10
U13-15	-0.02
U13-14	-0.02
U13-13	-0.02
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.12
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25
U13-04	-0.15
U13-03	-0.04
U13-02	-0.10
U13-01	-0.25
L13-01	-0.06
L13-02	-0.01
L13-03	-0.07
L13-04	-0.06
L13-05	-0.08
L13-06	-0.02
L13-07	-0.06

L13-08	-0.06
L13-09	-0.05
L13-10	0.05
L13-11	Maintenance Needed
Meter not attached	
L13-12	-0.02
L13-13	-0.02
L13-14	-0.02
L13-15	-0.05
L13-16	-0.05
L13-17	-0.06
L13-18	-0.06
L13-19	-0.05
L13-20	-0.05
L13-21	-0.07
L13-22	-0.05
L13-23	-0.02
L13-24	-0.06
L13-25	-0.03
L13-26	Maintenance Needed
Never not attached	
L13-27	-0.02
L13-28	-0.05
L13-29	Maintenance Needed
Meter not attached	

L13-30	-0.17
L13-31	0.25
L13-32	-0.02
L13-33	-0.04
L13-34	0.01
L13-35	-0.02
L13-36	-0.02
L13-37	0.25
L13-38	-0.10
L13-39	-0.03
L13-40	-0.02
L13-41	-0.02
L13-42	-0.03
L13-43	-0.02
L13-44	-0.05
L13-45	Maintenance Needed
L13-46	-0.02
L13-47	-0.03
L13-48	-0.02
L13-49	-0.02
L13-50	-0.02
L13-51	-0.03
L13-52	-0.02
L13-53	-0.02

L13-54	-0.02
L13-55	-0.02
L13-56	-0.02
L13-57	-0.02
L13-58	-0.05
L13-59	-0.02
L13-60	-0.02
L13-61	-0.04
L13-62	-0.10
L13-63	-0.01
L13-64	-0.01
L13-65	-0.01
L13-66	-0.20
L13-67	0
L13-68	Maintenance Needed
Needs tape	
L13-69	-0.02
L13-70	-0.03
L13-71	-0.02
L13-72	-0.06
L13-73	-0.05
L13-74	-0.10
L13-75	-0.03
L13-76	-0.06

L13-77		-0.01
L13-78		-0.02
L13-79		-0.05
L13-80		-0.02

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written on a light gray background.

Nancy Bahena Hernandez
12 Feb 2026 4:23 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	13 Feb 2026 3:46 PM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.05
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No Meter	
44	-0.03
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	0
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.01
LCM 10	-0.02
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.20
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.15
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	-0.04
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
Meter not attached	
D8	Maintenance Needed
D7	0
D6	Maintenance Needed
D5	Maintenance Needed

Meter not attached

D4

Maintenance Needed

Meter not attached

D3

-0.25

D18

Maintenance Needed

D19

Maintenance Needed

D20

-0.10

D21

Maintenance Needed

D22

0

D23

Maintenance Needed

D24

-0.03

D25

Maintenance Needed

Meter not attached

D26

-0.25

D27

Maintenance Needed

D28

0.25

D29

Maintenance Needed

D30

Maintenance Needed

D31

Maintenance Needed

Meter not attached

D32

Maintenance Needed

D/SW-01

Maintenance Needed

D/SW-02

Maintenance Needed

D/SW-03

Maintenance Needed

D/SW-04

Maintenance Needed

D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	0.06
C13-07	0.01
C13-06	0
C13-05	-0.01
C13-04	-0.01
C13-03	0
C13-02	0
C13-01	0
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.03
U13-61	Maintenance Needed
U13-60	-0.01
U13-59	0

U13-58	-0.02
U13-57	-0.02
U13-56	-0.02
U13-55	-0.06
U13-54	-0.10
U13-53	-0.05
U13-52	Maintenance Needed
U13-51	-0.02
U13-50	0
U13-49	0
U13-48	-0.02
U13-47	-0.02
U13-46	-0.02
U13-45	-0.02
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	0
U13-40	0
U13-39	0
U13-38	-0.01
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.05

U13-35	-0.05
U13-34	-0.05
U13-33	-0.06
U13-32	-0.02
U13-31	-0.05
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.02
U13-28	0
U13-27	-0.06
U13-26	-0.10
U13-25	-0.07
U13-24	-0.10
U13-23	-0.05
U13-22	-0.05
U13-21	-0.05
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	-0.02
U13-17	-0.04
U13-16	-0.06
U13-15	-0.02
U13-14	-0.01
U13-13	-0.01

U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.12
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25
U13-04	-0.06
U13-03	-0.04
U13-02	-0.10
U13-01	-0.25
L13-01	0.25
L13-02	-0.01
L13-03	-0.05
L13-04	-0.02
L13-05	-0.05
L13-06	-0.02
L13-07	-0.06
L13-08	-0.05
L13-09	-0.06
L13-10	0.05
L13-11	Maintenance Needed
Meter not attached	

L13-12	-0.02
L13-13	0
L13-14	0
L13-15	-0.06
L13-16	-0.06
L13-17	-0.06
L13-18	-0.05
L13-19	-0.05
L13-20	-0.05
L13-21	-0.06
L13-22	-0.05
L13-23	-0.02
L13-24	-0.07
L13-25	0
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.01
L13-28	-0.07
L13-29	Maintenance Needed
Meter not attached	
L13-30	0.05
L13-31	0
L13-32	-0.05
L13-33	0.02
L13-34	-0.04

L13-35	-0.02
L13-36	-0.06
L13-37	-0.07
L13-38	-0.05
L13-39	-0.03
L13-40	-0.05
L13-41	-0.02
L13-42	-0.02
L13-43	-0.02
L13-44	Maintenance Needed
L13-45	-0.02
L13-46	-0.04
L13-47	-0.02
L13-48	-0.02
L13-49	-0.02
L13-50	-0.05
L13-51	-0.02
L13-52	-0.02
L13-53	-0.02
L13-54	-0.05
L13-55	-0.02
L13-56	-0.02
L13-57	-0.02
L13-58	0

L13-59	-0.01
L13-60	-0.05
L13-61	-0.15
L13-62	-0.01
L13-63	-0.01
L13-64	0
L13-65	-0.23
L13-66	0
L13-67	Maintenance Needed
Meter not attached Needs tape	
L13-68	-0.02
L13-69	-0.02
L13-70	-0.02
L13-71	-0.05
L13-72	-0.05
L13-73	-0.25
L13-74	-0.02
L13-75	-0.05
L13-76	0
L13-77	0
L13-78	0
L13-79	0
L13-80	Maintenance Needed
Meter not attached	

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written in a cursive style.

Nancy Bahena Hernandez
13 Feb 2026 4:53 PM PST

4050 - Daily Pressure Gauge Readings

John Boucher

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	14 Feb 2026 7:29 AM PST				
Prepared by	John Boucher				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.04
SW 02	Maintenance Needed
SW 01	Maintenance Needed
44	-0.02
111	Maintenance Needed
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	0
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.01
LCM 10	-0.02
LCM 1	Maintenance Needed
LCM 2	Maintenance Needed

LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.20
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.15
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
D14	-0.04
D13	Maintenance Needed
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
D8	Maintenance Needed
D7	0
D6	Maintenance Needed
D5	Maintenance Needed
D4	Maintenance Needed
D3	-0.25
D18	Maintenance Needed

D19	Maintenance Needed
D20	-0.10
D21	Maintenance Needed
D22	0
D23	Maintenance Needed
D24	-0.02
D25	Maintenance Needed
D26	-0.25
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
D32	Maintenance Needed
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed
D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	-0.05
C13-07	-0.01
C13-06	0
C13-05	0

C13-04	0
C13-03	0
C13-02	0
C13-01	0
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	-0.03
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.02
U13-61	Maintenance Needed
U13-60	-0.01
U13-59	0
U13-58	-0.02
U13-57	-0.01
U13-56	-0.01
U13-55	-0.06
U13-54	-0.10
U13-53	-0.06

U13-52	Maintenance Needed
U13-51	-0.02
U13-50	0
U13-49	0
U13-48	-0.02
U13-47	-0.04
U13-46	-0.01
U13-45	-0.02
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	0
U13-40	0
U13-39	0
U13-38	-0.01
U13-37	Maintenance Needed
U13-36	-0.06
U13-35	-0.05
U13-34	-0.07
U13-33	-0.06
U13-32	-0.03
U13-31	-0.06
U13-30	Maintenance Needed
U13-29	-0.02

U13-28	0
U13-27	-0.05
U13-26	-0.10
U13-25	-0.06
U13-24	-0.10
U13-23	-0.05
U13-22	-0.05
U13-21	-0.03
U13-20	Maintenance Needed
U13-19	-0.05
U13-18	-0.01
U13-17	-0.05
U13-16	-0.06
U13-15	-0.01
U13-14	0
U13-13	0
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.10
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25

U13-04	-0.04
U13-03	-0.05
U13-02	-0.10
U13-01	-0.25
L13-01	-0.25
L13-02	-0.25
L13-03	-0.02
L13-04	-0.02
L13-05	-0.04
L13-06	-0.01
L13-07	-0.06
L13-08	-0.04
L13-09	-0.05
L13-10	0.06
L13-11	Maintenance Needed
L13-12	-0.02
L13-13	0
L13-14	0
L13-15	-0.05
L13-16	-0.06
L13-17	-0.05
L13-18	-0.05
L13-19	-0.05
L13-20	-0.05

L13-21	-0.05
L13-22	-0.01
L13-23	-0.09
L13-24	-0.06
L13-25	Maintenance Needed
L13-26	Maintenance Needed
L13-27	0
L13-28	-0.05
L13-29	Maintenance Needed
L13-30	0.05
L13-31	-0.01
L13-32	-0.05
L13-33	-0.05
L13-34	-0.05
L13-35	-0.01
L13-36	-0.05
L13-37	-0.05
L13-38	-0.05
L13-39	-0.03
L13-40	-0.05
L13-41	-0.02
L13-42	-0.01
L13-43	-0.02
L13-44	Maintenance Needed

L13-45	-0.01
L13-46	-0.05
L13-47	-0.01
L13-48	-0.01
L13-49	-0.01
L13-50	-0.05
L13-51	-0.01
L13-52	-0.02
L13-53	-0.02
L13-54	-0.05
L13-55	-0.02
L13-56	-0.02
L13-57	-0.02
L13-58	0
L13-59	0
L13-60	-0.05
L13-61	-0.14
L13-62	-0.01
L13-63	-0.01
L13-64	0
L13-65	-0.24
L13-66	0
L13-67	Maintenance Needed
L13-68	0

L13-69	-0.01
L13-70	-0.01
L13-71	-0.05
L13-72	-0.05
L13-73	-0.25
L13-74	-0.01
L13-75	-0.04
L13-76	0
L13-77	0
L13-78	0
L13-79	0
L13-80	Maintenance Needed

Certification

A handwritten signature in black ink, appearing to be 'JB', enclosed in a light gray square box.

John Boucher
14 Feb 2026 10:33 AM PST

4050 - Daily Pressure Gauge Readings

Tom Roe

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	15 Feb 2026 7:36 AM PST				
Prepared by	Tom Roe				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	0
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
44	-0.02
111	Maintenance Needed
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.03
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.03
LCM 10	-0.02
LCM 1	0.12
LCM 2	Maintenance Needed

LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.16
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.06
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
D14	0
D13	Maintenance Needed
D12	-0.25
D11	Maintenance Needed
D10	-0.14
D9	Maintenance Needed
D8	Maintenance Needed
D7	-0.01
D6	Maintenance Needed
D5	Maintenance Needed
D4	Maintenance Needed
D3	-0.25
D18	Maintenance Needed

D19	Maintenance Needed
D20	-0.11
D21	Maintenance Needed
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.04
D25	Maintenance Needed
D26	0.25
D27	Maintenance Needed
D28	0.25
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
D32	Maintenance Needed
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed
D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	0.05
C13-07	-0.03
C13-06	-0.02
C13-05	-0.03

C13-04	0
C13-03	-0.01
C13-02	-0.02
C13-01	-0.05
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.03
U13-61	-0.02
U13-60	-0.01
U13-59	-0.01
U13-58	-0.01
U13-57	-0.03
U13-56	-0.03
U13-55	-0.05
U13-54	0.13
U13-53	-0.03

U13-52	Maintenance Needed
U13-51	-0.02
U13-50	-0.05
U13-49	-0.04
U13-48	-0.05
U13-47	-0.03
U13-46	-0.02
U13-45	-0.01
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.03
U13-40	-0.01
U13-39	-0.02
U13-38	-0.02
U13-37	Maintenance Needed
U13-36	-0.03
U13-35	-0.04
U13-34	-0.04
U13-33	-0.05
U13-32	-0.03
U13-31	-0.05
U13-30	-0.07
U13-29	-0.02

U13-28	-0.01
U13-27	-0.05
U13-26	-0.08
U13-25	-0.05
U13-24	-0.10
U13-23	-0.06
U13-22	-0.05
U13-21	-0.04
U13-20	Maintenance Needed
U13-19	-0.04
U13-18	-0.02
U13-17	-0.05
U13-16	-0.08
U13-15	-0.03
U13-14	-0.03
U13-13	-0.02
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.10
U13-08	-0.25
U13-07	-0.25
U13-06	-0.04
U13-05	-0.25

U13-04	-0.15
U13-03	-0.05
U13-02	-0.09
U13-01	-0.25
L13-01	-0.05
L13-02	-0.04
L13-03	-0.06
L13-04	-0.05
L13-05	-0.05
L13-06	-0.02
L13-07	-0.05
L13-08	-0.04
L13-09	-0.04
L13-10	0.03
L13-11	Maintenance Needed
L13-12	-0.02
L13-13	-0.02
L13-14	-0.02
L13-15	-0.05
L13-16	-0.06
L13-17	-0.06
L13-18	-0.05
L13-19	-0.04
L13-20	-0.04

L13-21	-0.05
L13-22	-0.03
L13-23	-0.01
L13-24	0.10
L13-25	-0.01
L13-26	Maintenance Needed
L13-27	-0.02
L13-28	-0.03
L13-29	Maintenance Needed
L13-30	-0.05
L13-31	-0.03
L13-32	-0.05
L13-33	0.02
L13-34	-0.03
L13-35	-0.03
L13-36	-0.05
L13-37	-0.08
L13-38	-0.05
L13-39	-0.03
L13-40	-0.04
L13-41	-0.03
L13-42	-0.02
L13-43	-0.03
L13-44	Maintenance Needed

L13-45	-0.02
L13-46	-0.04
L13-47	-0.02
L13-48	-0.02
L13-49	0
L13-50	0.01
L13-51	-0.02
L13-52	-0.01
L13-53	-0.02
L13-54	-0.04
L13-55	-0.02
L13-56	-0.03
L13-57	-0.04
L13-58	-0.02
L13-59	-0.02
L13-60	-0.03
L13-61	-0.14
L13-62	0
L13-63	-0.04
L13-64	-0.02
L13-65	-0.16
L13-66	-0.01
L13-67	Maintenance Needed
L13-68	-0.03

L13-69	-0.04
L13-70	-0.02
L13-71	-0.05
L13-72	-0.04
L13-73	-0.06
L13-74	-0.03
L13-75	-0.05
L13-76	-0.03
L13-77	-0.04
L13-78	-0.05
L13-79	-0.02
L13-80	Maintenance Needed

Certification



Tom Roe
15 Feb 2026 9:56 AM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill -, Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	16 Feb 2026 2:04 PM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.05
SW 02	-0.02
SW 01	Maintenance Needed
No meter	
44	-0.06
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.05
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	Maintenance Needed
LCM 10	-0.02
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.25
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.25
D2	-0.07
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	-0.05
D13	Maintenance Needed
Meter not attached	
D12	-0.25
Meter not attached	
D11	Maintenance Needed
Meter not attached	
D10	-0.25
D9	Maintenance Needed
Meter not attached	
D8	Maintenance Needed
D7	Maintenance Needed
D6	Maintenance Needed

D5	Maintenance Needed
Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	Maintenance Needed
D19	Maintenance Needed
D20	-0.10
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.06
D25	Maintenance Needed
Meter not attached	
D26	Maintenance Needed
D27	Maintenance Needed
D28	-0.10
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
D32	Maintenance Needed
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed

D/SW-04	Maintenance Needed
D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	0
C13-07	-0.08
C13-06	-0.03
C13-05	-0.05
C13-04	-0.02
C13-03	-0.05
C13-02	-0.05
C13-01	-0.08
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.05
U13-61	-0.03
U13-60	-0.02

U13-59	0
U13-58	-0.05
U13-57	-0.02
U13-56	-0.10
U13-55	-0.08
U13-54	0.10
U13-53	-0.05
U13-52	-0.22
U13-51	-0.03
U13-50	-0.02
U13-49	-0.01
U13-48	-0.05
U13-47	-0.05
U13-46	-0.02
U13-45	-0.10
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.05
U13-40	-0.02
U13-39	-0.05
U13-38	-0.02
U13-37	Maintenance Needed
Meter not attached	

U13-36	-0.07
U13-35	-0.07
U13-34	-0.12
U13-33	-0.07
U13-32	-0.05
U13-31	-0.12
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.08
U13-28	-0.05
U13-27	-0.10
U13-26	-0.15
U13-25	-0.25
U13-24	-0.25
U13-23	-0.07
U13-22	-0.06
U13-21	-0.10
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	-0.02
U13-17	-0.03
U13-16	-0.07
U13-15	-0.02
U13-14	-0.02

U13-13	0
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.05
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25
U13-04	-0.07
U13-03	-0.07
U13-02	-0.10
U13-01	-0.25
L13-01	-0.06
L13-02	-0.07
L13-03	-0.07
L13-04	-0.10
L13-05	-0.25
L13-06	-0.02
L13-07	-0.07
L13-08	-0.07
L13-09	-0.12
L13-10	0.05
L13-11	Maintenance Needed

Meter not attached

L13-12	-0.05
L13-13	0.09
L13-14	-0.02
L13-15	-0.10
L13-16	-0.10
L13-17	-0.10
L13-18	-0.06
L13-19	-0.06
L13-20	-0.12
L13-21	-0.12
L13-22	-0.02
L13-23	-0.05
L13-24	-0.10
L13-25	0
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.05
L13-28	-0.10
L13-29	Maintenance Needed
L13-30	-0.05
L13-31	-0.01
L13-32	-0.05
L13-33	-0.15
L13-34	-0.06

L13-35	-0.04
L13-36	-0.06
L13-37	-0.10
L13-38	-0.06
L13-39	-0.05
L13-40	-0.05
L13-41	-0.02
L13-42	-0.05
L13-43	-0.03
L13-44	Maintenance Needed
L13-45	-0.01
L13-46	-0.06
L13-47	-0.07
L13-48	-0.01
L13-49	-0.02
L13-50	-0.05
L13-51	-0.03
L13-52	-0.01
L13-53	-0.01
L13-54	-0.05
L13-55	-0.03
L13-56	-0.01
L13-57	-0.05
L13-58	-0.01

L13-59	-0.05
L13-60	-0.05
L13-61	-0.15
L13-62	0
L13-63	0
L13-64	-0.25
L13-65	-0.07
L13-66	0
L13-67	Maintenance Needed
Meter not attached	
L13-68	-0.07
L13-69	-0.06
L13-70	-0.13
L13-71	-0.07
L13-72	-0.05
L13-73	-0.02
L13-74	-0.05
L13-75	-0.05
L13-76	-0.02
L13-77	-0.05
L13-78	-0.10
L13-79	-0.01
L13-80	Maintenance Needed
Meter not attached	

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written on a light gray background.

Nancy Bahena Hernandez
16 Feb 2026 3:51 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	17 Feb 2026 11:35 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.10
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.06
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.02
LCM 10	-0.02
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.25
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.05
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	-0.12
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
Meter not attached	
D8	Maintenance Needed
D7	0
D6	Maintenance Needed
D5	Maintenance Needed

Meter not attached

D4	Maintenance Needed
D3	-0.25
D18	Maintenance Needed
D19	Maintenance Needed
D20	-0.10
D21	Maintenance Needed

Meter not attached

D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.05
D25	Maintenance Needed

Meter not attached

D26	0.05
D27	Maintenance Needed
D28	-0.25
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed

Meter not attached

D32	Maintenance Needed
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed

D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	0
C13-07	-0.02
C13-06	-0.02
C13-05	-0.05
C13-04	-0.03
C13-03	-0.02
C13-02	-0.03
C13-01	-0.05
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	-0.02
U13-62	-0.05
U13-61	0
U13-60	-0.01
U13-59	-0.01

U13-58	-0.01
U13-57	-0.01
U13-56	-0.02
U13-55	-0.05
U13-54	0.05
U13-53	-0.02
U13-52	Maintenance Needed
U13-51	-0.02
U13-50	-0.02
U13-49	-0.02
U13-48	-0.03
U13-47	-0.05
U13-46	-0.02
U13-45	-0.10
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.01
U13-40	-0.01
U13-39	0
U13-38	-0.02
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.08

U13-35	-0.09
U13-34	-0.06
U13-33	-0.10
U13-32	-0.05
U13-31	-0.12
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.03
U13-28	-0.02
U13-27	-0.10
U13-26	-0.12
U13-25	-0.12
U13-24	-0.12
U13-23	-0.07
U13-22	-0.07
U13-21	-0.05
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	-0.07
U13-17	-0.07
U13-16	-0.10
U13-15	-0.05
U13-14	-0.05
U13-13	-0.05

U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.05
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25
U13-04	-0.10
U13-03	-0.10
U13-02	-0.07
U13-01	-0.22
L13-01	-0.07
L13-02	-0.05
L13-03	-0.13
L13-04	-0.07
L13-05	-0.07
L13-06	-0.05
L13-07	-0.04
L13-08	-0.03
L13-09	-0.05
L13-10	0.02
L13-11	Maintenance Needed
Meter not attached	

L13-12	-0.07
L13-13	-0.05
L13-14	-0.02
L13-15	0
L13-16	-0.02
L13-17	Maintenance Needed
Meter not attached	
L13-18	-0.10
L13-19	-0.05
L13-20	-0.05
L13-21	-0.08
L13-22	-0.05
L13-23	-0.05
L13-24	-0.06
L13-25	-0.05
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.03
L13-28	-0.07
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.10
L13-31	-0.02
L13-32	-0.05
L13-33	0.02

L13-34	-0.05
L13-35	-0.05
L13-36	-0.07
L13-37	-0.07
L13-38	-0.10
L13-39	-0.05
L13-40	-0.05
L13-41	-0.04
L13-42	-0.05
L13-43	-0.05
L13-44	Maintenance Needed
L13-45	-0.03
L13-46	-0.10
L13-47	-0.05
L13-48	-0.05
L13-49	-0.02
L13-50	-0.05
L13-51	-0.05
L13-52	-0.02
L13-53	-0.05
L13-54	-0.05
L13-55	-0.05
L13-56	-0.04
L13-57	-0.04

L13-58	-0.01
L13-59	-0.05
L13-60	-0.03
L13-61	-0.15
L13-62	-0.02
L13-63	-0.02
L13-64	-0.10
L13-65	-0.12
L13-66	-0.02
L13-67	Maintenance Needed
Meter not attached	
L13-68	-0.02
L13-69	-0.06
L13-70	-0.20
L13-71	-0.07
L13-72	-0.06
L13-73	-0.05
L13-74	-0.03
L13-75	-0.07
L13-76	-0.02
L13-77	-0.05
L13-78	-0.10
L13-79	-0.02
L13-80	Maintenance Needed
Meter not attached	

Certification



Nancy Bahena Hernandez
17 Feb 2026 3:41 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	18 Feb 2026 1:32 PM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.04
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.02
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.03
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.02
LCM 10	-0.02
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.23
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.10
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	0.25
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	0.25
D9	Maintenance Needed
Meter not attached	
D8	Maintenance Needed
D7	-0.02
D6	Maintenance Needed
D5	Maintenance Needed

Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	Maintenance Needed
D19	Maintenance Needed
D20	-0.11
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	Maintenance Needed
D25	Maintenance Needed
Meter not attached	
D26	Maintenance Needed
D27	Maintenance Needed
D28	0
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed

D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	0.02
C13-07	-0.02
C13-06	0
C13-05	-0.01
C13-04	-0.10
C13-03	-0.02
C13-02	-0.02
C13-01	-0.05
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	Maintenance Needed
U13-61	0
U13-60	0
U13-59	-0.01

U13-58	-0.01
U13-57	-0.01
U13-56	-0.02
U13-55	-0.05
U13-54	-0.05
U13-53	-0.01
U13-52	Maintenance Needed
U13-51	-0.02
U13-50	-0.06
U13-49	-0.02
U13-48	-0.03
U13-47	-0.15
U13-46	-0.02
U13-45	-0.02
U13-44	-0.01
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.05
U13-40	-0.15
U13-39	0
U13-38	-0.01
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.05

U13-35	-0.07
U13-34	-0.04
U13-33	-0.06
U13-32	-0.03
U13-31	-0.22
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.04
U13-28	-0.02
U13-27	-0.10
U13-26	-0.15
U13-25	-0.10
U13-24	-0.15
U13-23	-0.07
U13-22	-0.07
U13-21	-0.06
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	-0.02
U13-17	-0.06
U13-16	-0.08
U13-15	-0.03
U13-14	-0.02
U13-13	-0.02

U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.05
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.05
U13-04	-0.05
U13-03	-0.02
U13-02	-0.02
U13-01	-0.01
L13-01	-0.07
L13-02	-0.06
L13-03	-0.07
L13-04	-0.05
L13-05	-0.02
L13-06	-0.20
L13-07	-0.02
L13-08	0.05
L13-09	0.10
L13-10	0.05
L13-11	Maintenance Needed
L13-12	-0.02

L13-13	-0.01
L13-14	-0.02
L13-15	-0.06
L13-16	-0.07
L13-17	Maintenance Needed
Meter not attached	
L13-18	-0.07
L13-19	-0.06
L13-20	-0.06
L13-21	-0.07
L13-22	-0.05
L13-23	-0.05
L13-24	-0.06
L13-25	0
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.02
L13-28	-0.07
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.05
L13-31	-0.01
L13-32	-0.05
L13-33	0.01
L13-34	-0.04

L13-35	-0.02
L13-36	-0.06
L13-37	0.20
L13-38	-0.06
L13-39	-0.02
L13-40	-0.05
L13-41	0
L13-42	-0.05
L13-43	-0.04
L13-44	Maintenance Needed
L13-45	-0.02
L13-46	-0.15
L13-47	-0.03
L13-48	-0.02
L13-49	-0.02
L13-50	-0.04
L13-51	-0.15
L13-52	-0.02
L13-53	-0.01
L13-54	-0.03
L13-55	-0.01
L13-56	-0.01
L13-57	-0.05
L13-58	-0.02

L13-59	-0.02
L13-60	-0.02
L13-61	-0.15
L13-62	-0.02
L13-63	0
L13-64	Maintenance Needed
Meter not attached	
L13-65	-0.17
L13-66	0
L13-67	Maintenance Needed
Meter not attached	
L13-68	-0.03
L13-69	-0.04
L13-70	-0.02
L13-71	-0.06
L13-72	-0.05
L13-73	-0.15
L13-74	-0.01
L13-75	-0.05
L13-76	-0.04
L13-77	-0.02
L13-78	-0.05
L13-79	-0.01
L13-80	Maintenance Needed
Meter not attached	

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written on a light gray background.

Nancy Bahena Hernandez
18 Feb 2026 5:08 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	19 Feb 2026 1:17 PM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.07
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	-0.02
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.02
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	0
LCM 10	Maintenance Needed
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.25
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.05
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	0.25
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	0.25
D9	Maintenance Needed
Meter not attached	
D8	-0.05
D7	-0.10
D6	Maintenance Needed
D5	Maintenance Needed

Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	Maintenance Needed
D19	Maintenance Needed
D20	-0.10
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.10
D25	Maintenance Needed
Meter not attached	
D26	-0.15
D27	Maintenance Needed
D28	Maintenance Needed
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	

D/SW-03	Maintenance Needed
No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	-0.12
C13-07	-0.05
C13-06	-0.02
C13-05	-0.12
C13-04	-0.06
C13-03	-0.07
C13-02	-0.15
C13-01	-0.05
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed

U13-62	Maintenance Needed
U13-61	0
U13-60	-0.02
U13-59	-0.02
U13-58	-0.02
U13-57	-0.01
U13-56	-0.07
U13-55	-0.05
U13-54	0.05
U13-53	-0.10
U13-52	-0.25
U13-51	-0.10
U13-50	-0.07
U13-49	-0.02
U13-48	-0.12
U13-47	-0.10
U13-46	-0.02
U13-45	-0.02
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.01
U13-40	-0.22
U13-39	-0.01

U13-38	-0.02
U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.07
U13-35	-0.05
U13-34	-0.05
U13-33	-0.12
U13-32	-0.02
U13-31	-0.22
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.02
U13-28	-0.01
U13-27	-0.06
U13-26	-0.12
U13-25	-0.12
U13-24	-0.15
U13-23	-0.08
U13-22	-0.12
U13-21	-0.06
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.07
U13-18	-0.05
U13-17	-0.05

U13-16	-0.08
U13-15	-0.05
U13-14	-0.06
U13-13	-0.02
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.07
U13-08	-0.25
U13-07	-0.25
U13-06	-0.02
U13-05	-0.25
U13-04	-0.07
U13-03	-0.10
U13-02	-0.07
U13-01	-0.20
L13-01	0.25
L13-02	-0.07
L13-03	-0.07
L13-04	0.01
L13-05	-0.03
L13-06	-0.15
L13-07	-0.05
L13-08	-0.05

L13-09	-0.05
L13-10	0.02
L13-11	Maintenance Needed
Meter not attached	
L13-12	-0.14
L13-13	-0.01
L13-14	-0.02
L13-15	-0.06
L13-16	-0.07
L13-17	Maintenance Needed
Meter not attached	
L13-18	-0.07
L13-19	-0.07
L13-20	-0.05
L13-21	-0.25
L13-22	-0.05
L13-23	-0.06
L13-24	-0.07
L13-25	-0.06
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.02
L13-28	-0.05
L13-29	Maintenance Needed
Meter not attached	

L13-30	-0.05
L13-31	0
L13-32	-0.05
L13-33	0.02
L13-34	-0.03
L13-35	-0.02
L13-36	-0.15
L13-37	0
L13-38	-0.02
L13-39	-0.02
L13-40	-0.02
L13-41	-0.01
L13-42	0
L13-43	-0.01
L13-44	Maintenance Needed
L13-45	-0.02
L13-46	-0.16
L13-47	-0.03
L13-48	-0.13
L13-49	-0.02
L13-50	-0.15
L13-51	-0.01
L13-52	-0.01
L13-53	-0.10

L13-54	-0.05
L13-55	-0.10
L13-56	-0.02
L13-57	-0.14
L13-58	0
L13-59	-0.04
L13-60	-0.05
L13-61	-0.15
L13-62	-0.05
L13-63	-0.01
L13-64	Maintenance Needed
Meter not attached	
L13-65	-0.20
L13-66	0
L13-67	Maintenance Needed
Meter not attached	
L13-68	-0.03
L13-69	-0.12
L13-70	-0.02
L13-71	-0.07
L13-72	-0.05
L13-73	-0.12
L13-74	-0.15
L13-75	-0.05
L13-76	-0.05

L13-77	-0.05
L13-78	-0.06
L13-79	-0.07
L13-80	Maintenance Needed
Meter not attached	

Certification

A handwritten signature in black ink, appearing to be 'Nancy Bahena Hernandez', written on a light-colored background.

Nancy Bahena Hernandez
19 Feb 2026 3:19 PM PST

4050 - Daily Pressure Gauge Readings

John Boucher

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	20 Feb 2026 7:06 AM PST				
Prepared by	John Boucher				

Pressure Gauge Readings		224 / 224 (100%)
#7 Tank Farm		25 / 25 (100%)
SW 08		-0.04
SW 07		Maintenance Needed
SW 06		Maintenance Needed
SW 05		Maintenance Needed
SW 04		Maintenance Needed
SW 03		-0.06
SW 02		Maintenance Needed
SW 01		Maintenance Needed
44		-0.04
111		Maintenance Needed
LCM 11		Maintenance Needed
LCM 12		Maintenance Needed
LCM 13		Maintenance Needed
LCM 14		Maintenance Needed
LCM 15		-0.01
LCM 6		Maintenance Needed
LCM 7		Maintenance Needed
LCM 8		Maintenance Needed
LCM 9		-0.01
LCM 10		0
LCM 1		Maintenance Needed
LCM 2		Maintenance Needed

LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.12
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.05
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	-0.04
D16	Maintenance Needed
D15	Maintenance Needed
D14	0.18
D13	Maintenance Needed
D12	-0.25
D11	Maintenance Needed
D10	-0.25
D9	Maintenance Needed
D8	Maintenance Needed
D7	-0.02
D6	Maintenance Needed
D5	Maintenance Needed
D4	Maintenance Needed
D3	-0.25
D18	-0.05

D19	-0.02
D20	-0.09
D21	Maintenance Needed
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.04
D25	Maintenance Needed
D26	-0.11
D27	Maintenance Needed
D28	Maintenance Needed
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
D32	Maintenance Needed
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed
D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	-0.10
C13-07	-0.03
C13-06	-0.03
C13-05	-0.10

C13-04	-0.04
C13-03	-0.08
C13-02	-0.03
C13-01	-0.05
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	-0.03
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	-0.03
U13-62	Maintenance Needed
U13-61	-0.01
U13-60	-0.01
U13-59	-0.01
U13-58	-0.02
U13-57	-0.03
U13-56	-0.03
U13-55	-0.06
U13-54	-0.08
U13-53	-0.03

U13-52	-0.22
U13-51	-0.02
U13-50	-0.11
U13-49	0
U13-48	-0.02
U13-47	-0.03
U13-46	0
U13-45	-0.01
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.03
U13-40	-0.15
U13-39	-0.03
U13-38	-0.04
U13-37	Maintenance Needed
U13-36	-0.05
U13-35	-0.25
U13-34	-0.06
U13-33	-0.05
U13-32	-0.03
U13-31	-0.13
U13-30	-0.07
U13-29	-0.03

U13-28	-0.02
U13-27	-0.09
U13-26	-0.12
U13-25	-0.10
U13-24	-0.14
U13-23	-0.08
U13-22	-0.08
U13-21	-0.05
U13-20	Maintenance Needed
U13-19	-0.08
U13-18	-0.03
U13-17	-0.05
U13-16	-0.09
U13-15	-0.04
U13-14	-0.03
U13-13	-0.03
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.06
U13-08	-0.25
U13-07	-0.25
U13-06	-0.05
U13-05	-0.25

U13-04	-0.10
U13-03	-0.10
U13-02	-0.08
U13-01	-0.25
L13-01	-0.07
L13-02	-0.07
L13-03	-0.06
L13-04	-0.05
L13-05	-0.03
L13-06	-0.04
L13-07	-0.07
L13-08	-0.05
L13-09	-0.05
L13-10	0.04
L13-11	Maintenance Needed
L13-12	-0.08
L13-13	-0.03
L13-14	-0.03
L13-15	-0.05
L13-16	-0.05
L13-17	Maintenance Needed
L13-18	0.17
L13-19	-0.03
L13-20	-0.02

L13-21	-0.04
L13-22	-0.04
L13-23	-0.05
L13-24	-0.05
L13-25	-0.02
L13-26	Maintenance Needed
L13-27	-0.03
L13-28	-0.07
L13-29	Maintenance Needed
L13-30	-0.06
L13-31	-0.02
L13-32	-0.05
L13-33	0.03
L13-34	-0.04
L13-35	-0.03
L13-36	-0.07
L13-37	-0.08
L13-38	-0.12
L13-39	-0.03
L13-40	-0.04
L13-41	-0.03
L13-42	-0.03
L13-43	-0.02
L13-44	-0.03

L13-45	-0.10
L13-46	-0.03
L13-47	-0.03
L13-48	-0.03
L13-49	-0.09
L13-50	-0.03
L13-51	-0.03
L13-52	-0.25
L13-53	-0.05
L13-54	-0.03
L13-55	-0.03
L13-56	-0.05
L13-57	-0.02
L13-58	-0.04
L13-59	-0.04
L13-60	-0.15
L13-61	-0.01
L13-62	-0.03
L13-63	Maintenance Needed
L13-64	-0.19
L13-65	0
L13-66	Maintenance Needed
L13-67	-0.03
L13-68	-0.04

L13-69	-0.05
L13-70	-0.07
L13-71	-0.04
L13-72	-0.05
L13-73	-0.03
L13-74	-0.06
L13-75	0.06
L13-76	-0.04
L13-77	-0.05
L13-78	-0.03
L13-79	-0.01
L13-80	Maintenance Needed

Certification

A handwritten signature in black ink, appearing to be 'JB', enclosed in a light gray square box.

John Boucher
20 Feb 2026 11:53 AM PST

4050 - Daily Pressure Gauge Readings

John Boucher

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	21 Feb 2026 7:57 AM PST				
Prepared by	John Boucher				

Pressure Gauge Readings		224 / 224 (100%)
#7 Tank Farm		25 / 25 (100%)
SW 08		-0.05
SW 07		Maintenance Needed
SW 06		Maintenance Needed
SW 05		Maintenance Needed
SW 04		Maintenance Needed
SW 03		-0.06
SW 02		Maintenance Needed
SW 01		Maintenance Needed
44		-0.04
111		Maintenance Needed
LCM 11		Maintenance Needed
LCM 12		Maintenance Needed
LCM 13		Maintenance Needed
LCM 14		Maintenance Needed
LCM 15		-0.01
LCM 6		Maintenance Needed
LCM 7		Maintenance Needed
LCM 8		Maintenance Needed
LCM 9		0
LCM 10		0
LCM 1		Maintenance Needed
LCM 2		Maintenance Needed

LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	-0.10
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.07
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	-0.05
D16	Maintenance Needed
D15	Maintenance Needed
D14	0.25
D13	Maintenance Needed
D12	-0.25
D11	Maintenance Needed
D10	0.25
D9	Maintenance Needed
D8	-0.05
D7	-0.02
D6	-0.03
D5	Maintenance Needed
D4	Maintenance Needed
D3	-0.25
D18	Maintenance Needed

D19	Maintenance Needed
D20	-0.10
D21	Maintenance Needed
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.03
D25	Maintenance Needed
D26	-0.07
D27	Maintenance Needed
D28	Maintenance Needed
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
D32	Maintenance Needed
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed
D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	0.07
C13-07	-0.03
C13-06	-0.03
C13-05	-0.04

C13-04	-0.01
C13-03	0.01
C13-02	-0.02
C13-01	-0.04
C13-09	-0.25
C13-10	0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	-0.05
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	Maintenance Needed
U13-61	0.01
U13-60	-0.02
U13-59	-0.02
U13-58	-0.04
U13-57	-0.03
U13-56	-0.03
U13-55	-0.06
U13-54	-0.08
U13-53	-0.02

U13-52	-0.23
U13-51	-0.01
U13-50	-0.09
U13-49	-0.02
U13-48	-0.08
U13-47	-0.03
U13-46	0
U13-45	0
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.03
U13-40	-0.15
U13-39	-0.02
U13-38	-0.03
U13-37	Maintenance Needed
U13-36	-0.05
U13-35	-0.03
U13-34	-0.05
U13-33	-0.04
U13-32	-0.02
U13-31	-0.09
U13-30	Maintenance Needed
U13-29	-0.03

U13-28	0
U13-27	-0.07
U13-26	-0.10
U13-25	-0.09
U13-24	-0.12
U13-23	-0.06
U13-22	-0.05
U13-21	-0.05
U13-20	Maintenance Needed
U13-19	-0.08
U13-18	-0.03
U13-17	-0.03
U13-16	-0.07
U13-15	-0.03
U13-14	-0.03
U13-13	-0.02
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.13
U13-08	-0.25
U13-07	-0.25
U13-06	-0.03
U13-05	-0.25

U13-04	-0.09
U13-03	-0.10
U13-02	-0.07
U13-01	-0.22
L13-01	-0.05
L13-02	-0.03
L13-03	-0.04
L13-04	-0.03
L13-05	-0.02
L13-06	0
L13-07	-0.03
L13-08	0
L13-09	0.05
L13-10	-0.25
L13-11	Maintenance Needed
L13-12	-0.01
L13-13	-0.03
L13-14	-0.25
L13-15	-0.05
L13-16	-0.07
L13-17	Maintenance Needed
L13-18	-0.08
L13-19	-0.07
L13-20	-0.05

L13-21	-0.06
L13-22	-0.04
L13-23	-0.03
L13-24	-0.05
L13-25	-0.03
L13-26	Maintenance Needed
L13-27	-0.03
L13-28	-0.06
L13-29	Maintenance Needed
L13-30	-0.05
L13-31	0
L13-32	-0.05
L13-33	0.03
L13-34	0.01
L13-35	-0.03
L13-36	-0.08
L13-37	-0.10
L13-38	-0.06
L13-39	-0.03
L13-40	-0.03
L13-41	-0.03
L13-42	-0.03
L13-43	-0.03
L13-44	0

L13-45	-0.01
L13-46	-0.04
L13-47	-0.04
L13-48	-0.02
L13-49	-0.02
L13-50	-0.03
L13-51	-0.02
L13-52	0
L13-53	-0.01
L13-54	-0.03
L13-55	-0.02
L13-56	-0.03
L13-57	-0.03
L13-58	-0.01
L13-59	-0.04
L13-60	-0.04
L13-61	-0.15
L13-62	-0.02
L13-63	-0.05
L13-64	Maintenance Needed
L13-65	-0.23
L13-66	0.25
L13-67	Maintenance Needed
L13-68	-0.05

L13-69	-0.05
L13-70	-0.04
L13-71	-0.05
L13-72	0.06
L13-73	-0.02
L13-74	-0.02
L13-75	-0.05
L13-76	-0.02
L13-77	-0.02
L13-78	-0.05
L13-79	-0.02
L13-80	Maintenance Needed

Certification

A handwritten signature in black ink, appearing to be 'JB', enclosed in a light gray square box.

John Boucher
21 Feb 2026 10:54 AM PST

4050 - Daily Pressure Gauge Readings

Tom Roe

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	22 Feb 2026 7:51 AM PST				
Prepared by	Tom Roe				

Pressure Gauge Readings		224 / 224 (100%)
#7 Tank Farm		25 / 25 (100%)
SW 08		-0.04
SW 07		Maintenance Needed
SW 06		Maintenance Needed
SW 05		Maintenance Needed
SW 04		Maintenance Needed
SW 03		-0.06
SW 02		Maintenance Needed
SW 01		Maintenance Needed
44		-0.05
111		Maintenance Needed
LCM 11		Maintenance Needed
LCM 12		Maintenance Needed
LCM 13		Maintenance Needed
LCM 14		Maintenance Needed
LCM 15		-0.03
LCM 6		Maintenance Needed
LCM 7		Maintenance Needed
LCM 8		Maintenance Needed
LCM 9		-0.02
LCM 10		-0.02
LCM 1		0.11
LCM 2		Maintenance Needed

LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.10
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.05
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
D14	0.25
D13	Maintenance Needed
D12	-0.25
D11	Maintenance Needed
D10	0.25
D9	Maintenance Needed
D8	Maintenance Needed
D7	Maintenance Needed
D6	Maintenance Needed
D5	Maintenance Needed
D4	Maintenance Needed
D3	-0.25
D18	Maintenance Needed

D19	Maintenance Needed
D20	-0.10
D21	Maintenance Needed
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.04
D25	Maintenance Needed
D26	0.25
D27	Maintenance Needed
D28	Maintenance Needed
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
D32	Maintenance Needed
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed
D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	0.06
C13-07	-0.02
C13-06	-0.03
C13-05	-0.03

C13-04	0.01
C13-03	0
C13-02	-0.02
C13-01	-0.03
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	Maintenance Needed
U13-61	-0.02
U13-60	-0.02
U13-59	-0.01
U13-58	-0.02
U13-57	-0.03
U13-56	-0.03
U13-55	-0.05
U13-54	0.13
U13-53	-0.02

U13-52	Maintenance Needed
U13-51	-0.02
U13-50	-0.07
U13-49	0
U13-48	-0.06
U13-47	-0.02
U13-46	-0.02
U13-45	0
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.02
U13-40	-0.01
U13-39	-0.02
U13-38	-0.03
U13-37	Maintenance Needed
U13-36	-0.04
U13-35	-0.02
U13-34	-0.04
U13-33	-0.04
U13-32	-0.03
U13-31	-0.05
U13-30	Maintenance Needed
U13-29	-0.03

U13-28	-0.02
U13-27	-0.08
U13-26	-0.10
U13-25	-0.08
U13-24	-0.13
U13-23	-0.07
U13-22	-0.06
U13-21	-0.06
U13-20	Maintenance Needed
U13-19	-0.07
U13-18	-0.02
U13-17	-0.04
U13-16	-0.07
U13-15	-0.03
U13-14	-0.03
U13-13	-0.03
U13-12	-0.19
U13-11	-0.25
U13-10	-0.25
U13-09	-0.04
U13-08	-0.25
U13-07	-0.25
U13-06	-0.04
U13-05	-0.25

U13-04	-0.09
U13-03	-0.10
U13-02	-0.07
U13-01	-0.12
L13-01	-0.06
L13-02	-0.04
L13-03	-0.06
L13-04	-0.05
L13-05	-0.04
L13-06	-0.02
L13-07	0.03
L13-08	0.05
L13-09	0.25
L13-10	0
L13-11	Maintenance Needed
L13-12	-0.03
L13-13	-0.02
L13-14	-0.03
L13-15	-0.02
L13-16	-0.05
L13-17	Maintenance Needed
L13-18	-0.05
L13-19	-0.05
L13-20	-0.04

L13-21	-0.06
L13-22	-0.03
L13-23	-0.02
L13-24	-0.05
L13-25	-0.04
L13-26	Maintenance Needed
L13-27	-0.03
L13-28	-0.06
L13-29	Maintenance Needed
L13-30	-0.05
L13-31	-0.03
L13-32	-0.05
L13-33	0.02
L13-34	-0.04
L13-35	-0.03
L13-36	-0.05
L13-37	-0.09
L13-38	-0.06
L13-39	-0.03
L13-40	-0.04
L13-41	-0.03
L13-42	-0.03
L13-43	-0.04
L13-44	Maintenance Needed

L13-45	-0.03
L13-46	-0.04
L13-47	-0.04
L13-48	-0.03
L13-49	-0.02
L13-50	-0.04
L13-51	-0.02
L13-52	-0.01
L13-53	-0.02
L13-54	-0.05
L13-55	-0.02
L13-56	-0.03
L13-57	-0.01
L13-58	-0.02
L13-59	-0.03
L13-60	-0.04
L13-61	-0.15
L13-62	-0.01
L13-63	-0.05
L13-64	Maintenance Needed
L13-65	-0.17
L13-66	-0.02
L13-67	Maintenance Needed
L13-68	-0.02

L13-69	-0.03
L13-70	-0.01
L13-71	-0.05
L13-72	-0.04
L13-73	0.05
L13-74	-0.01
L13-75	-0.05
L13-76	-0.02
L13-77	-0.03
L13-78	-0.04
L13-79	-0.01
L13-80	Maintenance Needed

Certification

A handwritten signature in black ink, appearing to read 'Tom Roe', is displayed on a light gray background.

Tom Roe
22 Feb 2026 10:47 AM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill -, Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	23 Feb 2026 1:58 PM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings		224 / 224 (100%)
#7 Tank Farm		25 / 25 (100%)
SW 08		-0.01
SW 07		Maintenance Needed
SW 06		Maintenance Needed
SW 05		Maintenance Needed
SW 04		Maintenance Needed
SW 03		-0.06
SW 02		Maintenance Needed
SW 01		Maintenance Needed
No meter		
44		-0.01
111		Maintenance Needed
No meter		
LCM 11		Maintenance Needed
LCM 12		Maintenance Needed
LCM 13		Maintenance Needed
LCM 14		Maintenance Needed
LCM 15		0
LCM 6		Maintenance Needed
LCM 7		Maintenance Needed
LCM 8		Maintenance Needed
LCM 9		-0.02
LCM 10		-0.02
LCM 1		Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.25
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.05
D2	-0.25
CD3 No meter attached	Maintenance Needed
CD4 No meter attached	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15 Meter not attached	Maintenance Needed
D14	0.25
D13 Meter not attached	Maintenance Needed
D12	-0.25
D11	Maintenance Needed
D10	Maintenance Needed
D9 No meter attached	Maintenance Needed
D8	Maintenance Needed
D7	0
D6	Maintenance Needed

D5	Maintenance Needed
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	Maintenance Needed
D19	Maintenance Needed
D20	-0.12
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.04
D25	Maintenance Needed
No meter attached	
D26	0.15
D27	Maintenance Needed
D28	Maintenance Needed
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	

D/SW-03	Maintenance Needed
No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.08
C13-07	0
C13-06	0.01
C13-05	0
C13-04	0.02
C13-03	0.01
C13-02	0.01
C13-01	0
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.03
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	Maintenance Needed
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed

U13-62	-0.02
U13-61	0
U13-60	-0.02
U13-59	-0.01
U13-58	0
U13-57	-0.02
U13-56	-0.02
U13-55	-0.05
U13-54	Maintenance Needed
U13-53	-0.03
U13-52	-0.25
U13-51	-0.01
U13-50	-0.10
U13-49	0
U13-48	-0.15
U13-47	-0.05
U13-46	-0.02
U13-45	0
U13-44	-0.01
U13-43	0
U13-42	Maintenance Needed
U13-41	0
U13-40	0
U13-39	0

U13-38	0
U13-37	Maintenance Needed
No meter attached	
U13-36	-0.01
U13-35	-0.05
U13-34	-0.05
U13-33	-0.05
U13-32	-0.01
U13-31	-0.05
U13-30	Maintenance Needed
No meter attached	
U13-29	-0.02
U13-28	0
U13-27	-0.06
U13-26	-0.10
U13-25	-0.07
U13-24	-0.10
U13-23	-0.05
U13-22	Maintenance Needed
U13-21	-0.05
U13-20	Maintenance Needed
No meter attached	
U13-19	-0.05
U13-18	-0.01
U13-17	-0.02

U13-16	-0.06
U13-15	-0.01
U13-14	-0.01
U13-13	0
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.12
U13-08	-0.25
U13-07	-0.25
U13-06	-0.02
U13-05	-0.25
U13-04	-0.07
U13-03	-0.05
U13-02	-0.05
U13-01	-0.20
L13-01	-0.25
L13-02	-0.05
L13-03	-0.06
L13-04	-0.05
L13-05	-0.04
L13-06	-0.01
L13-07	-0.05
L13-08	-0.05

L13-09	-0.04
L13-10	0.05
L13-11	Maintenance Needed
No meter attached	
L13-12	0
L13-13	-0.02
L13-14	0
L13-15	0
L13-16	-0.02
L13-17	Maintenance Needed
Meter not attached to the tank	
L13-18	-0.05
L13-19	-0.05
L13-20	-0.05
L13-21	-0.06
L13-22	-0.02
L13-23	-0.02
L13-24	-0.05
L13-25	-0.01
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.01
L13-28	-0.05
L13-29	Maintenance Needed
Meter not attached	

L13-30	-0.05
L13-31	0
L13-32	-0.05
L13-33	0.05
L13-34	-0.02
L13-35	-0.01
L13-36	-0.06
L13-37	-0.10
L13-38	-0.02
L13-39	-0.02
L13-40	-0.02
L13-41	-0.02
L13-42	-0.02
L13-43	-0.02
L13-44	Maintenance Needed
L13-45	-0.01
L13-46	-0.02
L13-47	-0.02
L13-48	-0.02
L13-49	-0.01
L13-50	-0.01
L13-51	-0.01
L13-52	-0.01
L13-53	-0.02

L13-54	0
L13-55	-0.02
L13-56	Maintenance Needed
L13-57	0
L13-58	-0.02
L13-59	-0.15
L13-60	-0.01
L13-61	-0.01
L13-62	0
L13-63	-0.01
L13-64	Maintenance Needed
No meter attached	
L13-65	-0.25
L13-66	0
L13-67	Maintenance Needed
No Meter attached	
L13-68	-0.01
L13-69	-0.02
L13-70	0
L13-71	-0.06
L13-72	-0.05
L13-73	-0.20
L13-74	Maintenance Needed
L13-75	-0.05
L13-76	0

L13-77	-0.02
L13-78	-0.02
L13-79	0
L13-80	Maintenance Needed
No meter attached	

Certification



Nancy bahena hernandez
23 Feb 2026 4:50 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	24 Feb 2026 8:09 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings		224 / 224 (100%)
#7 Tank Farm		25 / 25 (100%)
SW 08		-0.01
SW 07		Maintenance Needed
SW 06		Maintenance Needed
SW 05		Maintenance Needed
SW 04		Maintenance Needed
SW 03		-0.06
SW 02		Maintenance Needed
SW 01		Maintenance Needed
No meter		
44		-0.05
111		Maintenance Needed
No meter		
LCM 11		Maintenance Needed
LCM 12		Maintenance Needed
LCM 13		Maintenance Needed
LCM 14		Maintenance Needed
LCM 15		-0.02
LCM 6		Maintenance Needed
LCM 7		Maintenance Needed
LCM 8		-0.02
LCM 9		0
LCM 10		Maintenance Needed
LCM 1		Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.25
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.05
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached	
D14	0.25
D13	Maintenance Needed
Meter not attached	
D12	-0.25
D11	Maintenance Needed
D10	Maintenance Needed
D9	Maintenance Needed
Meter not attached	
D8	Maintenance Needed
D7	Maintenance Needed
D6	Maintenance Needed
D5	Maintenance Needed

Meter not attached	
D4	Maintenance Needed
Meter not attached	
D3	-0.25
D18	Maintenance Needed
D19	Maintenance Needed
D20	-0.12
D21	Maintenance Needed
Meter not attached	
D22	Maintenance Needed
D23	Maintenance Needed
D24	-0.03
D25	Maintenance Needed
D26	0.25
D27	Maintenance Needed
D28	Maintenance Needed
D29	Maintenance Needed
D30	Maintenance Needed
D31	Maintenance Needed
Meter not attached	
D32	Maintenance Needed
D/SW-01	Maintenance Needed
No meter	
D/SW-02	Maintenance Needed
No meter	
D/SW-03	Maintenance Needed

No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.05
C13-07	-0.02
C13-06	-0.01
C13-05	-0.02
C13-04	0.01
C13-03	0
C13-02	-0.01
C13-01	-0.03
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.04
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.01

U13-61	0
U13-60	0
U13-59	0
U13-58	0
U13-57	0
U13-56	-0.01
U13-55	-0.04
U13-54	0
U13-53	-0.05
U13-52	Maintenance Needed
U13-51	0
U13-50	-0.06
U13-49	-0.01
U13-48	-0.08
U13-47	-0.02
U13-46	0
U13-45	0
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	0
U13-40	0
U13-39	-0.01
U13-38	-0.01

U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.02
U13-35	-0.06
U13-34	-0.02
U13-33	-0.05
U13-32	-0.01
U13-31	-0.05
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.01
U13-28	0
U13-27	-0.05
U13-26	-0.06
U13-25	0.01
U13-24	-0.05
U13-23	-0.02
U13-22	-0.02
U13-21	-0.03
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.04
U13-18	-0.01
U13-17	-0.05
U13-16	-0.05

U13-15	-0.02
U13-14	-0.02
U13-13	0
U13-12	-0.21
U13-11	-0.24
U13-10	-0.25
U13-09	-0.10
U13-08	-0.25
U13-07	-0.25
U13-06	-0.02
U13-05	-0.22
U13-04	-0.07
U13-03	-0.07
U13-02	-0.05
U13-01	-0.20
L13-01	-0.14
L13-02	0.21
L13-03	-0.05
L13-04	0.16
L13-05	Maintenance Needed
L13-06	-0.05
L13-07	-0.05
L13-08	-0.06
L13-09	-0.05

L13-10	0.05
L13-11	Maintenance Needed
L13-12	-0.03
L13-13	-0.02
L13-14	-0.05
L13-15	-0.06
L13-16	-0.04
L13-17	Maintenance Needed
Meter not attached	
L13-18	-0.05
L13-19	-0.05
L13-20	-0.05
L13-21	-0.05
L13-22	-0.05
L13-23	-0.04
L13-24	-0.05
L13-25	-0.02
L13-26	Maintenance Needed
L13-27	-0.03
L13-28	-0.06
L13-29	Maintenance Needed
Meter not attached	
L13-30	-0.05
L13-31	-0.02
L13-32	-0.04

L13-33	0.02
L13-34	-0.02
L13-35	-0.02
L13-36	-0.07
L13-37	-0.10
L13-38	-0.05
L13-39	-0.02
L13-40	-0.04
L13-41	-0.02
L13-42	-0.05
L13-43	-0.05
L13-44	Maintenance Needed
L13-45	-0.05
L13-46	-0.02
L13-47	-0.03
L13-48	-0.01
L13-49	-0.02
L13-50	-0.03
L13-51	-0.01
L13-52	0
L13-53	-0.01
L13-54	-0.02
L13-55	-0.01
L13-56	-0.02

L13-57	-0.03
L13-58	-0.01
L13-59	-0.01
L13-60	-0.01
L13-61	-0.15
L13-62	-0.01
L13-63	-0.04
L13-64	Maintenance Needed
No meter attached	
L13-65	-0.25
L13-66	0
L13-67	Maintenance Needed
Meter not attached	
L13-68	-0.02
L13-69	-0.01
L13-70	-0.25
L13-71	-0.06
L13-72	-0.06
L13-73	-0.20
L13-74	0
L13-75	-0.06
L13-76	0
L13-77	0
L13-78	-0.03
L13-79	0

L13-80

Maintenance Needed

Meter not attached

Certification



Nancy Bahena Hernandez
24 Feb 2026 3:05 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	25 Feb 2026 9:03 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	Maintenance Needed
SW 07	Maintenance Needed
SW 06	Maintenance Needed
SW 05	Maintenance Needed
SW 04	Maintenance Needed
SW 03	-0.06
SW 02	Maintenance Needed
SW 01	Maintenance Needed
No meter	
44	0
111	Maintenance Needed
No meter	
LCM 11	Maintenance Needed
LCM 12	Maintenance Needed
LCM 13	Maintenance Needed
LCM 14	Maintenance Needed
LCM 15	-0.01
LCM 6	Maintenance Needed
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.01
LCM 10	0
LCM 1	Maintenance Needed

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.15
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.05
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	Maintenance Needed
D16	Maintenance Needed
D15	Maintenance Needed
Meter not attached to the tank	
D14	0.25
D13	Maintenance Needed
Meter not attached to the tank	
D12	-0.25
D11	-0.12
D10	0.25
D9	Maintenance Needed
Meter not attached to the tank	
D8	Maintenance Needed
D7	0
D6	-0.02
D5	Maintenance Needed

Meter not attached to the tank

D4

Maintenance Needed

Meter not attached to the tank

D3

-0.25

D18

Maintenance Needed

D19

Maintenance Needed

D20

-0.10

D21

Maintenance Needed

Meter not attached to the tank

D22

-0.02

D23

Maintenance Needed

D24

-0.02

D25

Maintenance Needed

D26

0.25

D27

Maintenance Needed

D28

Maintenance Needed

D29

Maintenance Needed

D30

Maintenance Needed

D31

Maintenance Needed

Meter not attached to the tank

D32

Maintenance Needed

D/SW-01

Maintenance Needed

No meter

D/SW-02

Maintenance Needed

No meter

D/SW-03

Maintenance Needed

No meter	
D/SW-04	Maintenance Needed
No meter	
D/SW-05	Maintenance Needed
No meter	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.03
C13-07	-0.02
C13-06	-0.02
C13-05	-0.02
C13-04	0
C13-03	0
C13-02	0
C13-01	-0.05
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.02

U13-61	Maintenance Needed
U13-60	-0.02
U13-59	0
U13-58	0
U13-57	-0.02
U13-56	-0.01
U13-55	-0.05
U13-54	-0.25
U13-53	-0.02
U13-52	Maintenance Needed
U13-51	-0.01
U13-50	0
U13-49	0
U13-48	-0.05
U13-47	-0.01
U13-46	0
U13-45	0
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	0
U13-40	0
U13-39	0
U13-38	-0.01

U13-37	Maintenance Needed
Meter not attached	
U13-36	-0.01
U13-35	-0.23
U13-34	-0.05
U13-33	-0.04
U13-32	-0.03
U13-31	-0.05
U13-30	Maintenance Needed
Meter not attached	
U13-29	-0.02
U13-28	0
U13-27	-0.07
U13-26	-0.10
U13-25	-0.07
U13-24	-0.10
U13-23	-0.07
U13-22	-0.06
U13-21	-0.03
U13-20	Maintenance Needed
Meter not attached	
U13-19	-0.05
U13-18	-0.02
U13-17	-0.02
U13-16	-0.05

U13-15	-0.01
U13-14	0
U13-13	-0.22
U13-12	-0.25
U13-11	-0.25
U13-10	-0.05
U13-09	-0.25
U13-08	-0.25
U13-07	-0.25
U13-06	-0.02
U13-05	-0.25
U13-04	-0.07
U13-03	-0.07
U13-02	-0.06
U13-01	-0.20
L13-01	-0.05
L13-02	-0.02
L13-03	-0.04
L13-04	-0.02
L13-05	0
L13-06	-0.02
L13-07	-0.04
L13-08	-0.05
L13-09	-0.04

L13-10	0.02
L13-11	Maintenance Needed
Meter not attached	
L13-12	-0.02
L13-13	-0.02
L13-14	-0.02
L13-15	-0.04
L13-16	Maintenance Needed
L13-17	Maintenance Needed
No meter attached	
L13-18	-0.04
L13-19	-0.03
L13-20	-0.02
L13-21	-0.04
L13-22	-0.03
L13-23	0.25
L13-24	-0.02
L13-25	0
L13-26	Maintenance Needed
Meter not attached	
L13-27	-0.01
L13-28	-0.02
L13-29	Maintenance Needed
No meter attached	
L13-30	-0.04

L13-31	-0.01
L13-32	-0.04
L13-33	0.02
L13-34	-0.02
L13-35	-0.02
L13-36	-0.05
L13-37	-0.07
L13-38	-0.03
L13-39	-0.01
L13-40	-0.02
L13-41	-0.02
L13-42	-0.02
L13-43	-0.02
L13-44	Maintenance Needed
L13-45	-0.02
L13-46	-0.04
L13-47	-0.02
L13-48	-0.01
L13-49	-0.02
L13-50	-0.04
L13-51	-0.01
L13-52	0
L13-53	-0.01
L13-54	-0.04

L13-55	-0.01
L13-56	-0.01
L13-57	-0.02
L13-58	0
L13-59	-0.02
L13-60	-0.02
L13-61	-0.15
L13-62	0
L13-63	-0.02
L13-64	Maintenance Needed
Meter not attached	
L13-65	-0.25
L13-66	-0.01
L13-67	Maintenance Needed
Meter not attached	
L13-68	-0.01
L13-69	-0.02
L13-70	-0.01
L13-71	-0.05
L13-72	-0.05
L13-73	-0.20
L13-74	0
L13-75	-0.05
L13-76	0
L13-77	-0.01

L13-78

-0.04

L13-79

0

L13-80

Maintenance Needed

Meter not attached

Certification



Nancy Bahena Hernandez
25 Feb 2026 3:49 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	26 Feb 2026 2:30 PM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	0.02
SW 07	-0.05
SW 06	-0.04
SW 05	0.03
SW 04	-0.04
SW 03	-0.05
SW 02	-0.02
SW 01	Maintenance Needed
No gauge	
44	-0.16
111	Maintenance Needed
No gauge	
LCM 11	-0.02
LCM 12	-0.03
LCM 13	-0.01
LCM 14	0
LCM 15	0
LCM 6	-0.05
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	-0.02
LCM 10	-0.01
LCM 1	Maintenance Needed

new gauge needed/broken

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.13
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.12
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	-0.02
D16	0.25
D15	Maintenance Needed
Remount Gauge	
D14	0.01
D13	Maintenance Needed
Remount Gauge	
D12	-0.25
D11	0.25
D10	0.25
D9	Maintenance Needed
Remount gauge	
D8	Maintenance Needed
D7	0
D6	Maintenance Needed

D5	Maintenance Needed
Remount gauge	
D4	Maintenance Needed
Remount gauge	
D3	-0.25
D18	-0.05
D19	Maintenance Needed
D20	-0.15
D21	Maintenance Needed
Needs a new gauge	
D22	Maintenance Needed
No gauge	
D23	-0.01
D24	-0.02
D25	Maintenance Needed
No gauge	
D26	0.25
D27	-0.01
D28	-0.25
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
Remount gauge	
D32	-0.25
D/SW-01	Maintenance Needed
No gauge	

D/SW-02	Maintenance Needed
No gauge	
D/SW-03	Maintenance Needed
No gauge	
D/SW-04	Maintenance Needed
No gauge	
D/SW-05	Maintenance Needed
No gauge	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.05
C13-07	0
C13-06	0.01
C13-05	0
C13-04	0.01
C13-03	0
C13-02	0
C13-01	0
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25

T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.05
U13-61	0
U13-60	-0.02
U13-59	-0.01
U13-58	-0.05
U13-57	-0.01
U13-56	-0.02
U13-55	0
U13-54	-0.25
U13-53	-0.05
U13-52	Maintenance Needed
U13-51	-0.02
U13-50	-0.05
U13-49	0
U13-48	-0.12
U13-47	0
U13-46	0
U13-45	0
U13-44	0
U13-43	0
U13-42	Maintenance Needed
U13-41	-0.02

U13-40	-0.02
U13-39	-0.02
U13-38	-0.01
U13-37	Maintenance Needed
Remount gauge	
U13-36	-0.05
U13-35	-0.04
U13-34	-0.05
U13-33	-0.05
U13-32	-0.04
U13-31	-0.07
U13-30	Maintenance Needed
Remount gauge	
U13-29	-0.02
U13-28	-0.01
U13-27	-0.06
U13-26	-0.12
U13-25	-0.11
U13-24	-0.12
U13-23	-0.07
U13-22	-0.05
U13-21	-0.05
U13-20	Maintenance Needed
Remount gauge	
U13-19	-0.05

U13-18	0
U13-17	-0.05
U13-16	-0.05
U13-15	-0.02
U13-14	-0.01
U13-13	-0.01
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.15
U13-08	-0.25
U13-07	-0.25
U13-06	-0.02
U13-05	-0.25
U13-04	-0.07
U13-03	-0.07
U13-02	-0.05
U13-01	-0.25
L13-01	-0.07
L13-02	-0.05
L13-03	-0.04
L13-04	-0.05
L13-05	-0.05
L13-06	-0.02

L13-07	-0.07
L13-08	-0.05
L13-09	-0.05
L13-10	0.05
L13-11	Maintenance Needed
Remount gauge	
L13-12	0.03
L13-13	0
L13-14	-0.01
L13-15	-0.07
L13-16	Maintenance Needed
L13-17	Maintenance Needed
Remount gauge	
L13-18	-0.02
L13-19	-0.05
L13-20	0
L13-21	-0.05
L13-22	-0.02
L13-23	-0.02
L13-24	-0.06
L13-25	-0.02
L13-26	Maintenance Needed
Remount gauge	
L13-27	-0.02
L13-28	-0.06

L13-29	Maintenance Needed
Remount gauge	
L13-30	-0.05
L13-31	0
L13-32	-0.02
L13-33	0.05
L13-34	-0.02
L13-35	-0.25
L13-36	-0.07
L13-37	-0.12
L13-38	-0.05
L13-39	-0.03
L13-40	-0.05
L13-41	-0.02
L13-42	-0.05
L13-43	0
L13-44	Maintenance Needed
L13-45	-0.02
L13-46	-0.03
L13-47	-0.05
L13-48	-0.03
L13-49	-0.03
L13-50	-0.04
L13-51	-0.02

L13-52	-0.01
L13-53	-0.01
L13-54	-0.02
L13-55	-0.01
L13-56	0
L13-57	-0.01
L13-58	0
L13-59	-0.05
L13-60	-0.05
L13-61	-0.16
L13-62	0
L13-63	-0.05
L13-64	Maintenance Needed
Remount gauge	
L13-65	-0.25
L13-66	-0.01
L13-67	Maintenance Needed
Remount gauge	
L13-68	-0.01
L13-69	-0.02
L13-70	-0.02
L13-71	-0.06
L13-72	-0.05
L13-73	-0.22
L13-74	-0.05

L13-75	-0.05
L13-76	0
L13-77	0
L13-78	-0.01
L13-79	0
L13-80	Maintenance Needed
Remount gauge	

Certification



Nancy Bahena Hernandez
26 Feb 2026 4:00 PM PST

4050 - Daily Pressure Gauge Readings

Nancy Bahena Hernandez

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill - , Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	27 Feb 2026 8:57 AM PST				
Prepared by	Nancy Bahena Hernandez				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	0
SW 07	-0.05
SW 06	-0.05
SW 05	0.01
SW 04	0
SW 03	-0.06
SW 02	0.25
SW 01	Maintenance Needed
Missing gauge	
44	-0.01
111	Maintenance Needed
Missing gauge	
LCM 11	-0.04
LCM 12	-0.02
LCM 13	-0.02
LCM 14	-0.03
LCM 15	0
LCM 6	-0.01
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	Maintenance Needed
LCM 10	-0.02
LCM 1	Maintenance Needed

Replace gauge/ broken

LCM 2	Maintenance Needed
LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.06
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.02
D2	-0.25
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	0.25
D16	0.25
D15	Maintenance Needed
Remount gauge	
D14	0.04
D13	Maintenance Needed
Remount gauge	
D12	-0.25
D11	0.25
D10	0.25
D9	Maintenance Needed
Remount gauge	
D8	Maintenance Needed
D7	0
D6	Maintenance Needed

D5	Maintenance Needed
Remount gauge	
D4	Maintenance Needed
Remount gauge	
D3	-0.25
D18	-0.05
D19	Maintenance Needed
D20	-0.12
D21	Maintenance Needed
Gauge replacement needed	
D22	Maintenance Needed
Missing gauge	
D23	0
D24	-0.02
D25	Maintenance Needed
Missing gauge	
D26	0.25
D27	-0.01
D28	-0.25
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
Remount gauge	
D32	-0.25
D/SW-01	Maintenance Needed
No gauge	

D/SW-02	Maintenance Needed
No gauge	
D/SW-03	Maintenance Needed
No gauge	
D/SW-04	Maintenance Needed
No gauge	
D/SW-05	Maintenance Needed
No gauge	
#13 Tank Farm	160 / 160 (100%)
C13-08	0.10
C13-07	0
C13-06	0
C13-05	0
C13-04	0.01
C13-03	0
C13-02	0
C13-01	0
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.02
C13-13	-0.25
C13-14	-0.25
C13-15	Maintenance Needed
C13-16	-0.25

T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.01
U13-61	0
U13-60	-0.01
U13-59	0
U13-58	0
U13-57	-0.01
U13-56	-0.01
U13-55	-0.05
U13-54	-0.25
U13-53	-0.03
U13-52	Maintenance Needed
U13-51	0
U13-50	-0.06
U13-49	0
U13-48	-0.18
U13-47	-0.01
U13-46	-0.02
U13-45	0
U13-44	-0.01
U13-43	0
U13-42	Maintenance Needed
U13-41	0

U13-40	0
U13-39	Maintenance Needed
U13-38	0
U13-37	Maintenance Needed
Remount gauge	
U13-36	-0.02
U13-35	-0.10
U13-34	-0.05
U13-33	-0.05
U13-32	-0.02
U13-31	-0.03
U13-30	Maintenance Needed
Remount gauge	
U13-29	-0.02
U13-28	0
U13-27	-0.06
U13-26	-0.09
U13-25	-0.06
U13-24	-0.10
U13-23	-0.05
U13-22	-0.06
U13-21	-0.02
U13-20	Maintenance Needed
Remount gauge	
U13-19	-0.04

U13-18	0.01
U13-17	-0.02
U13-16	-0.05
U13-15	-0.01
U13-14	-0.01
U13-13	0
U13-12	-0.25
U13-11	-0.25
U13-10	-0.25
U13-09	-0.04
U13-08	-0.25
U13-07	-0.25
U13-06	-0.01
U13-05	-0.25
U13-04	-0.07
U13-03	-0.07
U13-02	-0.06
U13-01	-0.22
L13-01	-0.05
L13-02	-0.05
L13-03	-0.05
L13-04	-0.02
L13-05	-0.05
L13-06	-0.02

L13-07	-0.05
L13-08	-0.05
L13-09	-0.05
L13-10	0.05
L13-11	Maintenance Needed
Remount gauge	
L13-12	-0.01
L13-13	-0.01
L13-14	0
L13-15	-0.05
L13-16	Maintenance Needed
L13-17	Maintenance Needed
Remount gauge	
L13-18	-0.05
L13-19	-0.04
L13-20	-0.03
L13-21	-0.05
L13-22	-0.02
L13-23	-0.03
L13-24	-0.05
L13-25	0.01
L13-26	Maintenance Needed
Remount gauge	
L13-27	0
L13-28	-0.05

L13-29	Maintenance Needed
Remount gauge	
L13-30	0.01
L13-31	0
L13-32	-0.04
L13-33	0.02
L13-34	-0.01
L13-35	-0.02
L13-36	0.25
L13-37	-0.10
L13-38	-0.05
L13-39	-0.05
L13-40	0
L13-41	-0.01
L13-42	-0.02
L13-43	-0.02
L13-44	Maintenance Needed
L13-45	-0.01
L13-46	-0.02
L13-47	-0.02
L13-48	-0.02
L13-49	-0.02
L13-50	-0.02
L13-51	-0.02

L13-52	0
L13-53	-0.02
L13-54	-0.02
L13-55	-0.01
L13-56	0
L13-57	-0.01
L13-58	0
L13-59	-0.02
L13-60	-0.02
L13-61	-0.15
L13-62	0
L13-63	-0.02
L13-64	Maintenance Needed
Remount gauge	
L13-65	-0.25
L13-66	0
L13-67	Maintenance Needed
Remount gauge	
L13-68	-0.02
L13-69	-0.04
L13-70	-0.02
L13-71	-0.06
L13-72	-0.05
L13-73	-0.25
L13-74	-0.03

L13-75	-0.10
L13-76	0
L13-77	0
L13-78	-0.01
L13-79	0
L13-80	Maintenance Needed
Remount gauge	

Certification



Nancy Bahena Hernandez
27 Feb 2026 3:44 PM PST

4050 - Daily Pressure Gauge Readings

John Boucher

Complete

Score	224 / 224 (100%)	Flagged items	0	Actions	0
Site conducted	4050 - Chiquita Canyon Landfill -, Corporate (Overall), Western, Western/SO CA L/F				
Conducted on	28 Feb 2026 7:55 AM PST				
Prepared by	John Boucher				

Pressure Gauge Readings

224 / 224 (100%)

#7 Tank Farm

25 / 25 (100%)

SW 08	0
SW 07	-0.06
SW 06	-0.05
SW 05	0.01
SW 04	0
SW 03	-0.06
SW 02	0.25
SW 01	Maintenance Needed
44	-0.01
111	Maintenance Needed
LCM 11	-0.04
LCM 12	-0.02
LCM 13	-0.01
LCM 14	-0.04
LCM 15	0
LCM 6	-0.01
LCM 7	Maintenance Needed
LCM 8	Maintenance Needed
LCM 9	Maintenance Needed
LCM 10	-0.01
LCM 1	Maintenance Needed
LCM 2	Maintenance Needed

LCM 3	Maintenance Needed
LCM 4	0.25
LCM 5	0.06
#10 Tank Farm Canyon D	39 / 39 (100%)
D1	-0.03
D2	Maintenance Needed
CD3	Maintenance Needed
CD4	Maintenance Needed
D17	-0.04
D16	0.25
D15	Maintenance Needed
D14	0.03
D13	Maintenance Needed
D12	-0.25
D11	-0.25
D10	0.25
D9	Maintenance Needed
D8	-0.03
D7	-0.02
D6	Maintenance Needed
D5	Maintenance Needed
D4	Maintenance Needed
D3	-0.25
D18	-0.05

D19	Maintenance Needed
D20	-0.10
D21	-0.25
D22	Maintenance Needed
D23	-0.03
D24	-0.03
D25	Maintenance Needed
D26	0.25
D27	-0.03
D28	-0.25
D29	Maintenance Needed
D30	-0.25
D31	Maintenance Needed
D32	-0.25
D/SW-01	Maintenance Needed
D/SW-02	Maintenance Needed
D/SW-03	Maintenance Needed
D/SW-04	Maintenance Needed
D/SW-05	Maintenance Needed
#13 Tank Farm	160 / 160 (100%)
C13-08	0.08
C13-07	-0.03
C13-06	-0.01
C13-05	-0.03

C13-04	0
C13-03	0.02
C13-02	-0.01
C13-01	-0.04
C13-09	-0.25
C13-10	-0.25
C13-11	-0.25
C13-12	0.05
C13-13	-0.25
C13-14	-0.25
C13-15	-0.03
C13-16	-0.25
T1/T2 190	Maintenance Needed
U13-63	Maintenance Needed
U13-62	-0.03
U13-61	-0.01
U13-60	-0.01
U13-59	-0.01
U13-58	-0.01
U13-57	-0.02
U13-56	-0.03
U13-55	-0.05
U13-54	0
U13-53	-0.02

U13-52	-0.02
U13-51	-0.06
U13-50	-0.01
U13-49	-0.08
U13-48	-0.04
U13-47	-0.01
U13-46	0.01
U13-45	0
U13-44	0.02
U13-43	Maintenance Needed
U13-42	0
U13-41	0.01
U13-40	-0.01
U13-39	-0.02
U13-38	Maintenance Needed
U13-37	-0.03
U13-36	0.03
U13-35	-0.04
U13-34	-0.04
U13-33	-0.03
U13-32	-0.04
U13-31	Maintenance Needed
U13-30	-0.02
U13-29	-0.01

U13-28	-0.05
U13-27	-0.07
U13-26	-0.04
U13-25	-0.05
U13-24	-0.11
U13-23	-0.05
U13-22	-0.05
U13-21	0
U13-20	Maintenance Needed
U13-19	-0.04
U13-18	-0.01
U13-17	-0.02
U13-16	-0.05
U13-15	-0.01
U13-14	-0.01
U13-13	0
U13-12	-0.24
U13-11	-0.25
U13-10	-0.25
U13-09	-0.04
U13-08	-0.25
U13-07	-0.25
U13-06	-0.01
U13-05	-0.25

U13-04	-0.06
U13-03	-0.06
U13-02	-0.05
U13-01	-0.05
L13-01	-0.04
L13-02	-0.01
L13-03	-0.01
L13-04	-0.01
L13-05	-0.05
L13-06	-0.01
L13-07	-0.05
L13-08	-0.04
L13-09	-0.05
L13-10	0.04
L13-11	Maintenance Needed
L13-12	-0.01
L13-13	-0.02
L13-14	-0.01
L13-15	-0.05
L13-16	Maintenance Needed
L13-17	Maintenance Needed
L13-18	-0.05
L13-19	-0.04
L13-20	-0.03

L13-21	-0.05
L13-22	-0.01
L13-23	-0.03
L13-24	-0.05
L13-25	0.01
L13-26	Maintenance Needed
L13-27	0
L13-28	-0.04
L13-29	Maintenance Needed
L13-30	0.02
L13-31	0
L13-32	-0.04
L13-33	0.02
L13-34	-0.01
L13-35	-0.02
L13-36	0.25
L13-37	0.09
L13-38	-0.05
L13-39	-0.04
L13-40	0
L13-41	-0.01
L13-42	-0.02
L13-43	-0.02
L13-44	Maintenance Needed

L13-45	-0.01
L13-46	-0.01
L13-47	-0.01
L13-48	-0.03
L13-49	-0.02
L13-50	-0.02
L13-51	-0.02
L13-52	0
L13-53	-0.02
L13-54	-0.02
L13-55	-0.01
L13-56	0
L13-57	-0.01
L13-58	0
L13-59	-0.01
L13-60	-0.02
L13-61	-0.14
L13-62	0
L13-63	-0.01
L13-64	Maintenance Needed
L13-65	-0.25
L13-66	0
L13-67	Maintenance Needed
L13-68	-0.01

L13-69	-0.04
L13-70	-0.02
L13-71	-0.06
L13-72	-0.05
L13-73	-0.25
L13-74	-0.02
L13-75	-0.10
L13-76	0
L13-77	0
L13-78	-0.02
L13-79	0
L13-80	Maintenance Needed

Certification



John Boucher
28 Feb 2026 10:15 AM PST

Attachment N

Leachate Tank Flow Summary Report

Tank Farm Flows Summary Report Excel

Chiquita Canyon Landfill
29201 Henry Mayo Dr
Castaic, CA 91384

SCS ENGINEERS

07224127.00 | @Report.Timestamp@

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

SCS	Engineers	Tank Farm 7B Summary						
Date	Tank 7B Flow Min (SCFM)	Tank 7B Flow Avg (SCFM)	Tank 7B Flow Max (SCFM)	Tank 7B Temp Min (°F)	Tank 7B Temp Avg (°F)	Tank 7B Temp Max (°F)	Total Tank 7B Flow (kSCF)	
Feb 1, 2026	160.31	581.54	1472.26	47.20	68.13	103.20	837.41	
Feb 2, 2026	134.57	845.17	2611.64	46.40	67.38	102.40	1217.04	
Feb 3, 2026	147.54	1037.99	4099.38	45.00	68.69	102.00	1494.71	
Feb 4, 2026	184.91	877.55	2044.47	54.00	71.87	101.20	1263.68	
Feb 5, 2026	<NA>	2389.05	19957.44	47.80	66.43	96.00	3440.23	
Feb 6, 2026	175.58	307.57	961.84	50.20	68.38	106.40	442.90	
Feb 7, 2026	191.46	274.51	808.50	46.80	69.50	103.20	395.30	
Feb 8, 2026	163.20	237.42	404.04	48.20	71.56	108.00	341.88	
Feb 9, 2026	175.85	245.75	1085.56	48.40	67.44	99.60	353.88	
Feb 10, 2026	150.43	221.49	295.41	53.20	60.52	74.40	318.95	
Feb 11, 2026	174.18	271.23	5089.47	45.60	60.40	85.20	390.57	
Feb 12, 2026	237.96	295.08	418.32	42.80	61.97	93.20	424.92	
Feb 13, 2026	284.76	538.05	1335.24	40.40	62.35	92.80	774.79	
Feb 14, 2026	218.39	346.41	908.75	39.60	61.65	97.20	498.82	
Feb 15, 2026	277.37	397.15	566.93	46.80	58.45	79.20	571.90	
Feb 16, 2026	244.62	421.39	1380.03	44.80	50.19	54.80	606.80	
Feb 17, 2026	278.51	371.77	575.58	41.60	51.38	68.00	535.34	
Feb 18, 2026	214.57	348.56	1723.72	40.80	56.89	83.60	501.92	
Feb 19, 2026	301.86	440.53	613.81	37.00	46.47	64.40	634.36	
Feb 20, 2026	215.98	422.53	2381.11	33.40	49.91	80.40	608.44	
Feb 21, 2026	290.64	481.65	695.01	33.40	55.36	83.20	693.58	
Feb 22, 2026	214.43	410.78	3284.46	38.20	60.33	91.20	591.52	
Feb 23, 2026	177.04	338.46	542.71	41.40	64.48	97.60	487.38	
Feb 24, 2026	259.14	439.24	3186.23	46.40	68.51	106.40	632.51	
Feb 25, 2026	230.03	549.78	1405.63	47.80	69.94	102.00	791.68	
Feb 26, 2026	274.65	825.55	29264.60	52.80	73.38	101.60	1188.79	
Feb 27, 2026	259.13	433.31	9264.67	56.80	77.84	111.20	623.96	
Feb 28, 2026	253.47	362.86	4481.74	52.80	75.68	112.80	522.52	
Summary		525.44			63.75		21,185.81	
			2 of 4				Scsengineers.com	

Note: Tank Farm 7B flowmeter malfunction on February 5, 2026

SCS	Engineers	Tank Farm 10 Summary						
Date	Tank 10 Flow Min (SCFM)	Tank 10 Flow Avg (SCFM)	Tank 10 Flow Max (SCFM)	Tank 10 Temp Min (°F)	Tank 10 Temp Avg (°F)	Tank 10 Temp Max (°F)	Total Tank 10 Flow (kSCF)	
Feb 1, 2026	76.41	92.70	107.36	49.60	71.83	116.80	133.49	
Feb 2, 2026	57.11	88.23	104.12	47.40	70.66	116.00	127.05	
Feb 3, 2026	53.18	89.71	100.02	49.00	71.74	108.80	129.18	
Feb 4, 2026	78.15	90.65	102.11	55.20	74.99	113.60	130.53	
Feb 5, 2026	25.10	88.56	100.33	50.40	68.36	108.00	127.52	
Feb 6, 2026	72.14	88.62	99.10	51.20	69.68	113.60	127.61	
Feb 7, 2026	74.39	87.26	96.34	48.60	70.94	113.60	125.66	
Feb 8, 2026	63.07	80.48	95.07	49.20	74.11	120.80	115.89	
Feb 9, 2026	70.33	82.57	112.30	49.40	69.03	111.20	118.90	
Feb 10, 2026	68.08	85.11	92.18	53.60	60.72	75.20	122.55	
Feb 11, 2026	64.32	82.33	92.26	46.20	61.95	91.60	118.56	
Feb 12, 2026	63.01	77.60	87.48	43.60	65.82	112.00	111.74	
Feb 13, 2026	64.22	75.87	87.18	42.40	67.51	112.80	109.26	
Feb 14, 2026	64.44	78.93	86.40	41.60	64.59	106.40	113.65	
Feb 15, 2026	71.16	80.24	84.11	48.80	60.45	86.80	115.55	
Feb 16, 2026	80.27	84.63	88.48	46.00	51.25	56.00	121.86	
Feb 17, 2026	76.11	84.40	88.22	43.40	52.61	76.40	121.53	
Feb 18, 2026	68.33	79.24	86.43	41.40	60.38	97.60	114.11	
Feb 19, 2026	75.07	83.58	86.46	37.60	47.03	70.40	120.35	
Feb 20, 2026	66.30	78.89	87.20	34.20	52.74	95.20	113.60	
Feb 21, 2026	65.50	76.50	83.45	35.00	59.66	99.20	110.16	
Feb 22, 2026	65.20	75.53	83.16	39.60	64.82	104.00	108.76	
Feb 23, 2026	40.20	72.63	81.50	44.00	68.99	112.00	104.59	
Feb 24, 2026	60.04	75.56	83.07	48.00	72.81	125.60	108.81	
Feb 25, 2026	54.16	70.41	83.27	49.40	74.93	123.20	101.40	
Feb 26, 2026	65.48	74.56	83.11	53.20	77.32	118.40	107.37	
Feb 27, 2026	63.11	77.28	85.32	56.80	82.68	128.80	111.28	
Feb 28, 2026	63.21	78.28	88.39	54.00	79.64	133.60	112.72	
Summary		81.44			66.69		3,283.67	
			3 of 4				Scsengineers.com	

SCS	Engineers	Tank Farm 13 Summary						
Date	Tank 13 Flow Min (SCFM)	Tank 13 Flow Avg (SCFM)	Tank 13 Flow Max (SCFM)	Tank 13 Temp Min (°F)	Tank 13 Temp Avg (°F)	Tank 13 Temp Max (°F)	Total Tank 13 Flow (kSCF)	
Feb 1, 2026	263.19	299.04	339.11	52.00	68.02	98.00	430.62	
Feb 2, 2026	182.85	285.77	327.54	50.60	67.53	97.60	411.50	
Feb 3, 2026	172.97	289.21	320.19	50.60	68.37	94.00	416.46	
Feb 4, 2026	260.44	292.58	318.32	56.40	70.75	95.60	421.32	
Feb 5, 2026	83.19	282.57	316.62	51.60	66.20	90.00	406.91	
Feb 6, 2026	252.59	284.46	309.09	54.00	68.15	99.60	409.62	
Feb 7, 2026	257.57	282.47	301.45	52.00	68.42	93.20	406.76	
Feb 8, 2026	212.00	260.85	303.87	52.40	70.96	100.80	375.63	
Feb 9, 2026	240.16	283.72	660.52	52.00	67.28	93.20	408.56	
Feb 10, 2026	218.37	287.58	344.66	56.40	62.26	72.80	414.11	
Feb 11, 2026	191.57	264.97	304.95	50.80	62.87	82.80	381.56	
Feb 12, 2026	174.72	222.05	257.36	48.60	63.39	90.00	319.75	
Feb 13, 2026	164.87	214.72	287.84	45.60	63.50	89.20	309.20	
Feb 14, 2026	159.02	226.82	307.98	45.00	62.04	90.40	326.62	
Feb 15, 2026	177.18	211.03	260.19	50.60	60.20	77.20	303.88	
Feb 16, 2026	194.25	203.37	214.33	49.40	53.65	56.80	292.85	
Feb 17, 2026	187.44	202.31	212.41	47.20	54.31	70.00	291.32	
Feb 18, 2026	179.58	195.52	212.63	45.60	59.12	81.60	281.54	
Feb 19, 2026	190.72	203.38	211.71	43.40	50.60	66.80	292.87	
Feb 20, 2026	177.86	197.52	209.83	40.80	54.60	80.40	284.43	
Feb 21, 2026	179.98	194.99	207.04	40.60	57.49	80.00	280.79	
Feb 22, 2026	170.12	193.69	240.18	43.20	60.44	84.40	278.91	
Feb 23, 2026	108.13	210.01	276.62	45.20	63.75	90.80	302.41	
Feb 24, 2026	160.40	207.73	272.76	49.60	66.58	96.40	299.14	
Feb 25, 2026	133.54	170.19	224.51	51.00	69.05	99.20	245.07	
Feb 26, 2026	150.62	171.67	196.71	54.80	71.13	94.40	247.21	
Feb 27, 2026	155.78	176.33	199.74	58.80	74.71	101.20	253.92	
Feb 28, 2026	149.89	170.66	189.86	56.00	72.94	100.80	245.76	
Summary		231.61			64.23		9,338.71	
			4 of 4				Scsengineers.com	

Attachment O

Various Location Equipment/PERP Log

Permit, VIN or Registration # of Equipment	Application # (if applicable)	Location of Equipment	Date In	Date Out	Comments
Reg# 164437 (Rent-A-Bin)		Pick Up Area	1/3/2025	Still Onsite	Eagle Crusher (third-party consultant)
Reg# 198839 & 198840 (United # 11456733)		Flares	1/28/2025	Still Onsite	Standby Generator for 3 Flares if lose power
Reg# 149175 (Rent-A-Bin)		Pick Up Area	6/1/2025	Still Onsite	McCloskey Screen (third-party consultant)
Reg# 184642 (United # 10966686)		Tank Farm 9	6/13/2025	Still Onsite	Standby Generator for Hero TOx if lose power
Reg# 199845 (United # 11442219)		Tank Farm 9	7/25/2025	Still Onsite	Standby Generator for Flare if lose power
Reg# 219024 (PDQ #76605)		Tank Farm 9	12/4/2025	2/24/2026	Pump for Continuum (third-party consultant)
Reg# 203347 (HERC Pump # 800-31-0889)		East Basin	1/1/2026	Still Onsite	Basin Pump as needed
Reg# 200469 (HERC Pump # 800-35-7162)		East Basin	1/1/2026	Still Onsite	Basin Pump as needed
Reg# 218467 (HERC Pump # 800-34-3231)		East Basin	1/2/2026	Still Onsite	Basin Pump as needed
Reg# 213795 (PDQ # 398303)		Tank Farm 9	2/13/2026	2/24/2026	Pump for Continuum (third-party consultant)

Attachment P

Geosynthetic Cover Weekly Inspections

4050 - Weekly Geosynthetic Cover Inspection-Condition 97

29 Jan 2026 / John Boucher/Tom Roe

Complete

Score	0 / 0 (0%)	Flagged items	0	Actions	0
Conducted on					29 Jan 2026 11:34 AM PST
Prepared by					John Boucher/Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

29 Jan 2026 11:34 AM PST

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Boot torn from liner. Needs to be patched and extrusion welded

Grid Location



Grid 169

Take photo of repair



Photo 2

Description of repair work

Pole was removed and hole was patched and extrusion welded.

Date and time of repair

2 Feb 2026 1:20 PM PST

Are further permanent repairs required?

No

Media summary



Photo 1



Photo 2

4050 - Weekly Geosynthetic Cover Inspection-Condition 97

5 Feb 2026 / John Boucher/Tom Roe

Complete

Score	0 / 0 (0%)	Flagged items	0	Actions	0
Conducted on					5 Feb 2026 6:58 AM PST
Prepared by					John Boucher/Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

6 Feb 2026 12:39 PM PST

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Boot separated from liner. Needs to be patched and extrusion welded

Grid Location



Take photo of repair



Photo 2

Description of repair work

Boot was replaced and extrusion welded

Date and time of repair

7 Feb 2026 8:30 AM PST

Are further permanent repairs required?

No

Identified Issue 2

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

6 Feb 2026 12:59 PM PST

Take photo of identified issues



Photo 3

Notate what the issue is and what needs to be repaired

Liner boot separated from liner,
needs to be patched and
extrusion welded

Grid Location



Grid 174

Take photo of repair



Photo 4

Description of repair work

Boot was replaced and extrusion
welded

Date and time of repair

7 Feb 2026 9:10 AM PST

Are further permanent repairs required?

No

Identified Issue 3

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

6 Feb 2026 1:05 PM PST

Take photo of identified issues



Photo 5

Notate what the issue is and what needs to be repaired

Liner boot separated from liner.
Needs to be patched and
extrusion welded

Grid Location



Grid 169

Take photo of repair



Photo 6

Description of repair work

Boot was replaced and extrusion
welded

Date and time of repair

7 Feb 2026 9:40 AM PST

Are further permanent repairs required?

No

Identified Issue 4

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

9 Feb 2026 1:44 PM PST

Take photo of identified issues




Photo 7

Notate what the issue is and what needs to be repaired

Tear on accordion boot needs to
be extrusion welded.

Grid Location



Grid 81

Take photo of repair



Photo 8



Photo 9

Description of repair work

Tear was taped upon discovery and later patched and extrusion welded.

Date and time of repair

9 Feb 2026 1:47 PM PST

Final repair completed on 2/10/26

Are further permanent repairs required?

No

Media summary



Photo 1



Photo 2



Photo 3



Photo 4



Photo 5



Photo 6



Photo 7



Photo 8




Photo 9

4050 - Weekly Geosynthetic Cover Inspection-Condition 97

11 Feb 2026 / John Boucher

Complete

Score	0 / 0 (0%)	Flagged items	0	Actions	0
--------------	------------	----------------------	---	----------------	---

Conducted on

11 Feb 2026 7:20 AM PST

Prepared by

John Boucher

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

11 Feb 2026 11:32 AM PST

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Liner boot separated from liner.
Needs to be patched and
extrusion welded

Grid Location



Take photo of repair



Photo 2

Description of repair work

Boot was replaced

Date and time of repair

12 Feb 2026 8:30 AM PST

Are further permanent repairs required?

No

Identified Issue 2

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

11 Feb 2026 11:58 AM PST

Take photo of identified issues



Photo 3

Notate what the issue is and what needs to be repaired

Small gap found in liner seam.
Needs to be patched and
extrusion welded

Grid Location



Grid 176

Take photo of repair



Photo 4

Description of repair work

Seam was patched and extrusion
welded

Date and time of repair

12 Feb 2026 9:26 AM PST

Are further permanent repairs required?

No

Media summary



Photo 1



Photo 2



Photo 3



Photo 4

4050 - Weekly Geosynthetic Cover Inspection-Condition 97

19 Feb 2026 / John Boucher/Tom Roe

Complete

Score	0 / 0 (0%)	Flagged items	0	Actions	0
--------------	------------	----------------------	---	----------------	---

Conducted on

19 Feb 2026 10:52 AM PST

Prepared by

John Boucher/Tom Roe

Identification of Issues

Identified Issue

Identified Issue 1

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

24 Feb 2026 11:59 AM PST

Take photo of identified issues



Photo 1

Notate what the issue is and what needs to be repaired

Tear around boot needs to be patched/extrusion welded.

Grid Location



Take photo of repair



Photo 2



Photo 3

Description of repair work

Tear taped upon discovery.

Date and time of repair

24 Feb 2026 12:03 PM PST

Are further permanent repairs required?

No

Repairs completed on 3/2/26

Identified Issue 2

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

24 Feb 2026 12:06 PM PST

Take photo of identified issues



Photo 4

Notate what the issue is and what needs to be repaired

Tear around boot needs to be patched/extrusion welded.

Grid Location



Take photo of repair



Photo 5



Photo 6

Description of repair work

Tear taped upon discovery and later a new boot was installed and extrusion welded.

Date and time of repair

24 Feb 2026 12:09 PM PST

Are further permanent repairs required?

No

Repairs completed on 3/2/26

Identified Issue 3

Are there any issues with the geosynthetic cover?

Yes

Date/Time Issue Found

24 Feb 2026 12:13 PM PST

Take photo of identified issues




Photo 7

Notate what the issue is and what needs to be repaired

Tear around boot needs to be patched/extrusion welded.

Grid Location



Take photo of repair



Photo 8



Photo 9

Description of repair work

Tear taped and sandbagged upon discovery and later patched and extrusion welded.

Date and time of repair

24 Feb 2026 12:16 PM PST

Are further permanent repairs required?

No

Repairs completed on 3/2/26

Media summary



Photo 1



Photo 2



Photo 3



Photo 4



Photo 5



Photo 6



Photo 7



Photo 8



Photo 9