

Eff St Date	Eff End Date	Source ID	Source Type	Atmos Press	Meter Type	Meter Desc	Serial Nbr	Test Hand	Tap Type	Tap Loc	Pipe Diam	Orifice Diam	Meter Mtrl	Meter Factor	UVol Vuom	FVol Vuom	Device ID	Device Type	Device SubType	Mode ID	Run No
06/02/2020 00:00		36197	GC - Hourly	14.73	Turbine	AAT-60	11812379	1000						0.9990	MCF	10MCF	000086	EC	MM-ATX	CN03-T	1

Start Date	End Date	CCF UVOL	Flow Temp	PSIA	DP (WC)	Spec Grav	MOL% Co2	MOL% N2	BTU	Flow Hours	Missing Interval	MCF	MMBTU	Status
01/01/2025 00:00	01/01/2025 23:00	0.0	0.00	0.00		0.5852 *	0.76 *	0.81 *	1029 *		0 *	0.0	0.0	C
01/02/2025 00:00	01/02/2025 23:00	0.0	0.00	0.00		0.5847 *	0.75 *	0.79 *	1029 *		0 *	0.0	0.0	C
01/03/2025 00:00	01/03/2025 23:00	0.0	0.00	0.00		0.5848 *	0.75 *	0.85 *	1028 *		0 *	0.0	0.0	C
01/04/2025 00:00	01/04/2025 23:00	0.0	0.00	0.00		0.5851 *	0.76 *	0.91 *	1028 *		0 *	0.0	0.0	C
01/05/2025 00:00	01/05/2025 23:00	0.0	0.00	0.00		0.5854 *	0.77 *	0.84 *	1029 *		0 *	0.0	0.0	C
01/06/2025 00:00	01/06/2025 23:00	0.0	0.00	0.00		0.5857 *	0.78 *	0.75 *	1031 *		0 *	0.0	0.0	C
01/07/2025 00:00	01/07/2025 23:00	0.0	0.00	0.00		0.5873 *	0.83 *	0.64 *	1034 *		0 *	0.0	0.0	C
01/08/2025 00:00	01/08/2025 23:00	0.0	0.00	0.00		0.5872	0.83	0.65	1033		0	0.0	0.0	C
01/09/2025 00:00	01/09/2025 23:00	0.0	0.00	0.00		0.5881	0.85	0.63	1035		0	0.0	0.0	C
01/10/2025 00:00	01/10/2025 23:00	0.0	0.00	0.00		0.5870	0.85	0.66	1033		0	0.0	0.0	C
01/11/2025 00:00	01/11/2025 23:00	0.0	0.00	0.00		0.5857	0.80	0.64	1032		0	0.0	0.0	C
01/12/2025 00:00	01/12/2025 23:00	0.0	0.00	0.00		0.5854	0.72	0.75	1032		0	0.0	0.0	C
01/13/2025 00:00	01/13/2025 23:00	0.0	0.00	0.00		0.5863	0.75	0.75	1032		0	0.0	0.0	C
01/14/2025 00:00	01/14/2025 23:00	0.0	0.00	0.00		0.5888	0.86	0.55	1037		0	0.0	0.0	C
01/15/2025 00:00	01/15/2025 23:00	0.0	0.00	0.00		0.5882	0.85	0.58	1036		0	0.0	0.0	C
01/16/2025 00:00	01/16/2025 23:00	0.0	0.00	0.00		0.5889	0.86	0.55	1037		0	0.0	0.0	C
01/17/2025 00:00	01/17/2025 23:00	0.0	0.00	0.00		0.5891	0.83	0.62	1037		0	0.0	0.0	C
01/18/2025 00:00	01/18/2025 23:00	0.0	0.00	0.00		0.5875	0.79	0.76	1033		0	0.0	0.0	C
01/19/2025 00:00	01/19/2025 23:00	0.0	0.00	0.00		0.5888	0.82	0.64	1036		0	0.0	0.0	C
01/20/2025 00:00	01/20/2025 23:00	0.0	0.00	0.00		0.5894	0.86	0.58	1037		0	0.0	0.0	C
01/21/2025 00:00	01/21/2025 23:00	0.0	0.00	0.00		0.5900	0.88	0.56	1038		0	0.0	0.0	C
01/22/2025 00:00	01/22/2025 23:00	0.0	0.00	0.00		0.5899	0.88	0.54	1038		0	0.0	0.0	C
01/23/2025 00:00	01/23/2025 23:00	0.0	0.00	0.00		0.5896	0.88	0.57	1037		0	0.0	0.0	C
01/24/2025 00:00	01/24/2025 23:00	0.0	0.00	0.00		0.5887	0.87	0.58	1036		0	0.0	0.0	C
01/25/2025 00:00	01/25/2025 23:00	0.0	0.00	0.00		0.5885	0.64	0.99	1035		0	0.0	0.0	C
01/26/2025 00:00	01/26/2025 23:00	0.0	0.00	0.00		0.5895	0.62	1.01	1036		0	0.0	0.0	C
01/27/2025 00:00	01/27/2025 23:00	0.0	0.00	0.00		0.5881	0.63	0.95	1035		0	0.0	0.0	C
01/28/2025 00:00	01/28/2025 23:00	0.0	0.00	0.00		0.5876	0.72	0.82	1034		0	0.0	0.0	C
01/29/2025 00:00	01/29/2025 23:00	0.0	0.00	0.00		0.5871	0.74	0.80	1033		0	0.0	0.0	C
01/30/2025 00:00	01/30/2025 23:00	0.0	0.00	0.00		0.5856	0.65	0.95	1030		0	0.0	0.0	C
01/31/2025 00:00	01/31/2025 23:00	0.0	0.00	0.00		0.5903	0.86	0.61	1038		0	0.0	0.0	C
02/01/2025 00:00	02/01/2025 23:00	0.0	0.00	0.00		0.5912	0.90	0.50	1041		0	0.0	0.0	C
02/02/2025 00:00	02/02/2025 23:00	0.0	0.00	0.00		0.5937	0.90	0.49	1044		0	0.0	0.0	C
02/03/2025 00:00	02/03/2025 23:00	0.0	0.00	0.00		0.5951	0.93	0.53	1045		0	0.0	0.0	C
02/04/2025 00:00	02/04/2025 23:00	0.0	0.00	0.00		0.5968	0.98	0.51	1047		0	0.0	0.0	C

* - record has been manually edited; # - gas analysis data failed validation and needs further review; ^ - closed record has been manually edited but not yet approved for recalculation. Hourly total and daily total may not match.

Date: 07/02/2025
Time: 02:21:58 pm

Enery Holdings Case 6248-3
Exhibit 6

Southern California Gas Company
Measurement Collections System
Gas Volume Detail Report

CONFIDENTIAL

Rep01

Page 2 of 6

GNN: 1394
CUSTOMER: Enery Holdings LLC
ADDRESS: 17171 Central Ave
Carson, CA 90746-1304

EXTERNAL ID: XXXXXXXXXX
ACCOUNT NUMBER XXXXXXXXXX
From 01/01/2025 **To** 06/28/2025

Eff St Date	Eff End Date	Source ID	Source Type	Atmos Press	Meter Type	Meter Desc	Serial Nbr	Test Hand	Tap Type	Tap Loc	Pipe Diam	Orifice Diam	Meter Mtrl	Meter Factor	UVol Vuom	FVol Vuom	Device ID	Device Type	Device SubType	Mode ID	Run No
06/02/2020 00:00		36197	GC - Hourly	14.73	Turbine	AAT-60	11812379	1000						0.9990	MCF	10MCF	000086	EC	MM-ATX	CN03-T	1

Start Date	End Date	CCF UVOL	Flow Temp	PSIA	DP (WC)	Spec Grav	MOL% Co2	MOL% N2	BTU	Flow Hours	Missing Interval	MCF	MMBTU	Status
02/05/2025 00:00	02/05/2025 23:00	0.0	0.00	0.00		0.5950	0.94	0.70	1042		0	0.0	0.0	C
02/06/2025 00:00	02/06/2025 23:00	0.0	0.00	0.00		0.5876	0.72	0.99	1031		0	0.0	0.0	C
02/07/2025 00:00	02/07/2025 23:00	0.0	0.00	0.00		0.5896	0.78	0.75	1037		0	0.0	0.0	C
02/08/2025 00:00	02/08/2025 23:00	0.0	0.00	0.00		0.5865	0.63	1.05	1031		0	0.0	0.0	C
02/09/2025 00:00	02/09/2025 23:00	0.0	0.00	0.00		0.5882	0.74	0.86	1034		0	0.0	0.0	C
02/10/2025 00:00	02/10/2025 23:00	0.0	0.00	0.00		0.5873	0.69	0.95	1032		0	0.0	0.0	C
02/11/2025 00:00	02/11/2025 23:00	0.0	0.00	0.00		0.5880	0.74	0.82	1034		0	0.0	0.0	C
02/12/2025 00:00	02/12/2025 23:00	0.0	0.00	0.00		0.5906	0.88	0.55	1039		0	0.0	0.0	C
02/13/2025 00:00	02/13/2025 23:00	0.0	0.00	0.00		0.5916	0.95	0.55	1039		0	0.0	0.0	C
02/14/2025 00:00	02/14/2025 23:00	0.0	0.00	0.00		0.5867	0.69	0.82	1033		0	0.0	0.0	C
02/15/2025 00:00	02/15/2025 23:00	0.0	0.00	0.00		0.5845	0.64	1.04	1027		0	0.0	0.0	C
02/16/2025 00:00	02/16/2025 23:00	0.0	0.00	0.00		0.5833	0.63	1.03	1026		0	0.0	0.0	C
02/17/2025 00:00	02/17/2025 23:00	0.0	0.00	0.00		0.5851	0.71	0.91	1029		0	0.0	0.0	C
02/18/2025 00:00	02/18/2025 23:00	0.0	0.00	0.00		0.5856	0.68	0.92	1030		0	0.0	0.0	C
02/19/2025 00:00	02/19/2025 23:00	0.0	0.00	0.00		0.5883	0.78	0.73	1035		0	0.0	0.0	C
02/20/2025 00:00	02/20/2025 23:00	0.0	0.00	0.00		0.5887	0.82	0.71	1035		0	0.0	0.0	C
02/21/2025 00:00	02/21/2025 23:00	0.0	0.00	0.00		0.5911	0.85	0.54	1041		0	0.0	0.0	C
02/22/2025 00:00	02/22/2025 23:00	0.0	0.00	0.00		0.5922	0.82	0.51	1044		0	0.0	0.0	C
02/23/2025 00:00	02/23/2025 23:00	0.0	0.00	0.00		0.5831	0.89	0.71	1024		0	0.0	0.0	C
02/24/2025 00:00	02/24/2025 23:00	0.0	0.00	0.00		0.5829	0.93	0.62	1025		0	0.0	0.0	C
02/25/2025 00:00	02/25/2025 23:00	0.0	0.00	0.00		0.5819	0.77	0.95	1022		0	0.0	0.0	C
02/26/2025 00:00	02/26/2025 23:00	0.0	0.00	0.00		0.5825	0.71	1.07	1022		0	0.0	0.0	C
02/27/2025 00:00	02/27/2025 23:00	0.0	0.00	0.00		0.5839	0.66	1.02	1026		0	0.0	0.0	C
02/28/2025 00:00	02/28/2025 23:00	0.0	0.00	0.00		0.5825	0.70	1.12	1021		0	0.0	0.0	C
03/01/2025 00:00	03/01/2025 23:00	0.0	0.00	0.00		0.5831	0.68	1.14	1023		0	0.0	0.0	C
03/02/2025 00:00	03/02/2025 23:00	0.0	0.00	0.00		0.5820	0.68	1.14	1021		0	0.0	0.0	C
03/03/2025 00:00	03/03/2025 23:00	0.0	0.00	0.00		0.5813	0.64	1.09	1022		0	0.0	0.0	C
03/04/2025 00:00	03/04/2025 23:00	0.0	0.00	0.00		0.5810	0.67	1.15	1020		0	0.0	0.0	C
03/05/2025 00:00	03/05/2025 23:00	0.0	0.00	0.00		0.5833	0.69	0.78	1029		0	0.0	0.0	C
03/06/2025 00:00	03/06/2025 23:00	0.0	0.00	0.00		0.5863	0.77	0.59	1034		0	0.0	0.0	C
03/07/2025 00:00	03/07/2025 23:00	0.0	0.00	0.00		0.5876	0.81	0.59	1035		0	0.0	0.0	C
03/08/2025 00:00	03/08/2025 23:00	0.0	0.00	0.00		0.5869	0.79	0.64	1034		0	0.0	0.0	C
03/09/2025 00:00	03/09/2025 23:00	0.0	0.00	0.00		0.5822	0.70	0.85	1025		0	0.0	0.0	C
03/10/2025 00:00	03/10/2025 23:00	0.0	0.00	0.00		0.5829	0.74	0.78	1027		0	0.0	0.0	C
03/11/2025 00:00	03/11/2025 23:00	0.0	0.00	0.00		0.5811	0.66	0.88	1024		0	0.0	0.0	C

* - record has been manually edited; # - gas analysis data failed validation and needs further review; ^ - closed record has been manually edited but not yet approved for recalculation. Hourly total and daily total may not match.

Eff St Date	Eff End Date	Source ID	Source Type	Atmos Press	Meter Type	Meter Desc	Serial Nbr	Test Hand	Tap Type	Tap Loc	Pipe Diam	Orifice Diam	Meter Mtrl	Meter Factor	UVol Vuom	FVol Vuom	Device ID	Device Type	Device SubType	Mode ID	Run No
06/02/2020 00:00		36197	GC - Hourly	14.73	Turbine	AAT-60	11812379	1000						0.9990	MCF	10MCF	000086	EC	MM-ATX	CN03-T	1

Start Date	End Date	CCF UVOL	Flow Temp	PSIA	DP (WC)	Spec Grav	MOL% Co2	MOL% N2	BTU	Flow Hours	Missing Interval	MCF	MMBTU	Status
03/12/2025 00:00	03/12/2025 23:00	0.0	0.00	0.00		0.5837	0.72	0.75	1029		0	0.0	0.0	C
03/13/2025 00:00	03/13/2025 23:00	0.0	0.00	0.00		0.5849	0.76	0.72	1030		0	0.0	0.0	C
03/14/2025 00:00	03/14/2025 23:00	0.0	0.00	0.00		0.5883	0.82	0.61	1036		0	0.0	0.0	C
03/15/2025 00:00	03/15/2025 23:00	0.0	0.00	0.00		0.5836	0.79	0.81	1026		0	0.0	0.0	C
03/16/2025 00:00	03/16/2025 23:00	0.0	0.00	0.00		0.5821	0.75	0.85	1024		0	0.0	0.0	C
03/17/2025 00:00	03/17/2025 23:00	0.0	0.00	0.00		0.5845	0.73	0.63	1032		0	0.0	0.0	C
03/18/2025 00:00	03/18/2025 23:00	0.0	0.00	0.00		0.5817	0.72	0.93	1023		0	0.0	0.0	C
03/19/2025 00:00	03/19/2025 23:00	0.0	0.00	0.00		0.5825	0.72	0.73	1027		0	0.0	0.0	C
03/20/2025 00:00	03/20/2025 23:00	0.0	0.00	0.00		0.5836	0.71	0.60	1032		0	0.0	0.0	C
03/21/2025 00:00	03/21/2025 23:00	0.0	0.00	0.00		0.5843	0.71	0.54	1034		0	0.0	0.0	C
03/22/2025 00:00	03/22/2025 23:00	0.0	0.00	0.00		0.5848	0.70	0.53	1035		0	0.0	0.0	C
03/23/2025 00:00	03/23/2025 23:00	0.0	0.00	0.00		0.5836	0.72	0.70	1030		0	0.0	0.0	C
03/24/2025 00:00	03/24/2025 23:00	0.0	0.00	0.00		0.5819	0.76	0.86	1023		0	0.0	0.0	C
03/25/2025 00:00	03/25/2025 23:00	0.0	0.00	0.00		0.5846	0.73	0.65	1032		0	0.0	0.0	C
03/26/2025 00:00	03/26/2025 23:00	0.0	0.00	0.00		0.5835	0.66	0.63	1032		0	0.0	0.0	C
03/27/2025 00:00	03/27/2025 23:00	0.0	0.00	0.00		0.5808	0.63	0.80	1026		0	0.0	0.0	C
03/28/2025 00:00	03/28/2025 23:00	0.0	0.00	0.00		0.5775	0.68	1.00	1016		0	0.0	0.0	C
03/29/2025 00:00	03/29/2025 23:00	0.0	0.00	0.00		0.5778	0.75	1.05	1014		0	0.0	0.0	C
03/30/2025 00:00	03/30/2025 23:00	0.0	0.00	0.00		0.5774	0.68	1.10	1014		0	0.0	0.0	C
03/31/2025 00:00	03/31/2025 23:00	0.0	0.00	0.00		0.5773	0.66	1.15	1014		0	0.0	0.0	C
04/01/2025 00:00	04/01/2025 23:00	0.0	0.00	0.00		0.5768	0.71	1.08	1013		0	0.0	0.0	C
04/02/2025 00:00	04/02/2025 23:00	0.0	0.00	0.00		0.5771	0.71	1.03	1014		0	0.0	0.0	C
04/03/2025 00:00	04/03/2025 23:00	0.0	0.00	0.00		0.5759	0.74	1.05	1011		0	0.0	0.0	C
04/04/2025 00:00	04/04/2025 23:00	0.0	0.00	0.00		0.5759	0.64	1.11	1013		0	0.0	0.0	C
04/05/2025 00:00	04/05/2025 23:00	0.0	0.00	0.00		0.5769	0.69	1.08	1014		0	0.0	0.0	C
04/06/2025 00:00	04/06/2025 23:00	0.0	0.00	0.00		0.5771	0.71	1.12	1013		0	0.0	0.0	C
04/07/2025 00:00	04/07/2025 23:00	0.0	0.00	0.00		0.5779	0.75	1.09	1013		0	0.0	0.0	C
04/08/2025 00:00	04/08/2025 23:00	0.0	0.00	0.00		0.5782	0.85	0.95	1014		0	0.0	0.0	C
04/09/2025 00:00	04/09/2025 23:00	0.0	0.00	0.00		0.5794	0.86	0.79	1018		0	0.0	0.0	C
04/10/2025 00:00	04/10/2025 23:00	0.0	0.00	0.00		0.5793	0.90	0.81	1017		0	0.0	0.0	C
04/11/2025 00:00	04/11/2025 23:00	0.0	0.00	0.00		0.5804	0.80	0.86	1020		0	0.0	0.0	C
04/12/2025 00:00	04/12/2025 23:00	0.0	0.00	0.00		0.5807	0.75	0.69	1025		0	0.0	0.0	C
04/13/2025 00:00	04/13/2025 23:00	0.0	0.00	0.00		0.5793	0.75	1.00	1017		0	0.0	0.0	C
04/14/2025 00:00	04/14/2025 23:00	0.0	0.00	0.00		0.5797	0.78	0.95	1018		0	0.0	0.0	C
04/15/2025 00:00	04/15/2025 23:00	0.0	0.00	0.00		0.5802	0.76	0.92	1020		0	0.0	0.0	C

* - record has been manually edited; # - gas analysis data failed validation and needs further review; ^ - closed record has been manually edited but not yet approved for recalculation. Hourly total and daily total may not match.

Eff St Date	Eff End Date	Source ID	Source Type	Atmos Press	Meter Type	Meter Desc	Serial Nbr	Test Hand	Tap Type	Tap Loc	Pipe Diam	Orifice Diam	Meter Mtrl	Meter Factor	UVol Vuom	FVol Vuom	Device ID	Device Type	Device SubType	Mode ID	Run No
06/02/2020 00:00		36197	GC - Hourly	14.73	Turbine	AAT-60	11812379	1000						0.9990	MCF	10MCF	000086	EC	MM-ATX	CN03-T	1

Start Date	End Date	CCF UVOL	Flow Temp	PSIA	DP (WC)	Spec Grav	MOL% Co2	MOL% N2	BTU	Flow Hours	Missing Interval	MCF	MMBTU	Status
04/16/2025 00:00	04/16/2025 23:00	0.0	0.00	0.00		0.5803	0.75	0.93	1020		0	0.0	0.0	C
04/17/2025 00:00	04/17/2025 23:00	0.0	0.00	0.00		0.5800	0.73	1.01	1019		0	0.0	0.0	C
04/18/2025 00:00	04/18/2025 23:00	0.0	0.00	0.00		0.5799	0.71	0.95	1020		0	0.0	0.0	C
04/19/2025 00:00	04/19/2025 23:00	0.0	0.00	0.00		0.5793	0.67	1.03	1019		0	0.0	0.0	C
04/20/2025 00:00	04/20/2025 23:00	0.0	0.00	0.00		0.5784	0.75	1.08	1014		0	0.0	0.0	C
04/21/2025 00:00	04/21/2025 23:00	0.0	0.00	0.00		0.5797	0.73	1.06	1017		0	0.0	0.0	C
04/22/2025 00:00	04/22/2025 23:00	0.0	0.00	0.00		0.5804	0.73	0.95	1020		0	0.0	0.0	C
04/23/2025 00:00	04/23/2025 23:00	0.0	0.00	0.00		0.5808	0.77	0.86	1021		0	0.0	0.0	C
04/24/2025 00:00	04/24/2025 23:00	0.0	0.00	0.00		0.5797	0.73	0.94	1019		0	0.0	0.0	C
04/25/2025 00:00	04/25/2025 23:00	0.0	0.00	0.00		0.5797	0.70	0.94	1020		0	0.0	0.0	C
04/26/2025 00:00	04/26/2025 23:00	0.0	0.00	0.00		0.5791	0.67	1.00	1019		0	0.0	0.0	C
04/27/2025 00:00	04/27/2025 23:00	0.0	0.00	0.00		0.5784	0.64	1.04	1018		0	0.0	0.0	C
04/28/2025 00:00	04/28/2025 23:00	0.0	0.00	0.00		0.5796	0.65	1.01	1020		0	0.0	0.0	C
04/29/2025 00:00	04/29/2025 23:00	0.0	0.00	0.00		0.5802	0.70	0.91	1021		0	0.0	0.0	C
04/30/2025 00:00	04/30/2025 23:00	0.0	0.00	0.00		0.5804	0.68	0.90	1022		0	0.0	0.0	C
05/01/2025 00:00	05/01/2025 23:00	0.0	0.00	0.00		0.5802	0.69	0.88	1022		0	0.0	0.0	C
05/02/2025 00:00	05/02/2025 23:00	0.0	0.00	0.00		0.5816	0.72	0.75	1026		0	0.0	0.0	C
05/03/2025 00:00	05/03/2025 23:00	0.0	0.00	0.00		0.5816	0.71	0.76	1026		0	0.0	0.0	C
05/04/2025 00:00	05/04/2025 23:00	0.0	0.00	0.00		0.5813	0.72	0.77	1025		0	0.0	0.0	C
05/05/2025 00:00	05/05/2025 23:00	0.0	0.00	0.00		0.5818	0.74	0.82	1024		0	0.0	0.0	C
05/06/2025 00:00	05/06/2025 23:00	0.0	0.00	0.00		0.5848	0.81	0.63	1030		0	0.0	0.0	C
05/07/2025 00:00	05/07/2025 23:00	0.0	0.00	0.00		0.5837	0.79	0.60	1030		0	0.0	0.0	C
05/08/2025 00:00	05/08/2025 23:00	0.0	0.00	0.00		0.5818	0.78	0.70	1026		0	0.0	0.0	C
05/09/2025 00:00	05/09/2025 23:00	0.0	0.00	0.00		0.5835	0.78	0.56	1030		0	0.0	0.0	C
05/10/2025 00:00	05/10/2025 23:00	10.0	92.46	421.27		0.5826	0.83	0.70	1025		0	28.2	28.9	C
05/11/2025 00:00	05/11/2025 23:00	0.0	0.00	0.00		0.5804	0.84	0.92	1018		0	0.0	0.0	C
05/12/2025 00:00	05/12/2025 23:00	0.0	0.00	0.00		0.5801	0.78	0.94	1019		0	0.0	0.0	C
05/13/2025 00:00	05/13/2025 23:00	0.0	0.00	0.00		0.5800	0.70	0.97	1020		0	0.0	0.0	C
05/14/2025 00:00	05/14/2025 23:00	50.0	70.72	418.62		0.5811	0.66	0.89	1024		0	146.7	150.2	C
05/15/2025 00:00	05/15/2025 23:00	0.0	0.00	0.00		0.5794	0.64	0.91	1022		0	0.0	0.0	C
05/16/2025 00:00	05/16/2025 23:00	0.0	0.00	0.00		0.5807	0.69	0.77	1025		0	0.0	0.0	C
05/17/2025 00:00	05/17/2025 23:00	0.0	0.00	0.00		0.5804	0.74	0.89	1021		0	0.0	0.0	C
05/18/2025 00:00	05/18/2025 23:00	0.0	0.00	0.00		0.5815	0.77	0.87	1022		0	0.0	0.0	C
05/19/2025 00:00	05/19/2025 23:00	0.0	0.00	0.00		0.5802	0.74	0.95	1020		0	0.0	0.0	C
05/20/2025 00:00	05/20/2025 23:00	0.0	0.00	0.00		0.5811	0.74	0.90	1022		0	0.0	0.0	C

* - record has been manually edited; # - gas analysis data failed validation and needs further review; ^ - closed record has been manually edited but not yet approved for recalculation. Hourly total and daily total may not match.

Southern California Gas Company
Measurement Collections System
Gas Volume Detail Report

CONFIDENTIAL

GNN: 1394
CUSTOMER: Enery Holdings LLC
ADDRESS: 17171 Central Ave
Carson, CA 90746-1304

EXTERNAL ID: [REDACTED]
ACCOUNT NUMBER [REDACTED]
From 01/01/2025 **To** 06/28/2025

Eff St Date	Eff End Date	Source ID	Source Type	Atmos Press	Meter Type	Meter Desc	Serial Nbr	Test Hand	Tap Type	Tap Loc	Pipe Diam	Orifice Diam	Meter Mtrl	Meter Factor	UVol Vuom	FVol Vuom	Device ID	Device Type	Device SubType	Mode ID	Run No
06/02/2020 00:00		36197	GC - Hourly	14.73	Turbine	AAT-60	11812379	1000						0.9990	MCF	10MCF	000086	EC	MM-ATX	CN03-T	1

Start Date	End Date	CCF UVOL	Flow Temp	PSIA	DP (WC)	Spec Grav	MOL% Co2	MOL% N2	BTU	Flow Hours	Missing Interval	MCF	MMBTU	Status
05/21/2025 00:00	05/21/2025 23:00	0.0	0.00	0.00		0.5815	0.71	0.76	1026		0	0.0	0.0	C
05/22/2025 00:00	05/22/2025 23:00	0.0	0.00	0.00		0.5811	0.73	0.98	1021		0	0.0	0.0	C
05/23/2025 00:00	05/23/2025 23:00	0.0	0.00	0.00		0.5821	0.74	0.80	1025		0	0.0	0.0	C
05/24/2025 00:00	05/24/2025 23:00	0.0	0.00	0.00		0.5811	0.81	0.92	1020		0	0.0	0.0	C
05/25/2025 00:00	05/25/2025 23:00	0.0	0.00	0.00		0.5804	0.80	0.93	1019		0	0.0	0.0	C
05/26/2025 00:00	05/26/2025 23:00	0.0	0.00	0.00		0.5802	0.75	0.91	1020		0	0.0	0.0	C
05/27/2025 00:00	05/27/2025 23:00	0.0	0.00	0.00		0.5812	0.75	0.88	1022		0	0.0	0.0	C
05/28/2025 00:00	05/28/2025 23:00	0.0	0.00	0.00		0.5820	0.77	0.78	1025		0	0.0	0.0	C
05/29/2025 00:00	05/29/2025 23:00	0.0	0.00	0.00		0.5828	0.76	0.69	1028		0	0.0	0.0	C
05/30/2025 00:00	05/30/2025 23:00	0.0	0.00	0.00		0.5828	0.78	0.75	1026		0	0.0	0.0	C
05/31/2025 00:00	05/31/2025 23:00	0.0	0.00	0.00		0.5819	0.72	0.89	1024		0	0.0	0.0	C
06/01/2025 00:00	06/01/2025 23:00	0.0	0.00	0.00		0.5820	0.76	0.91	1023		0	0.0	0.0	O
06/02/2025 00:00	06/02/2025 23:00	0.0	0.00	0.00		0.5820	0.76	0.88	1023		0	0.0	0.0	O
06/03/2025 00:00	06/03/2025 23:00	10.0	71.05	388.30		0.5836	0.76	0.77	1027		0	27.1	27.9	O
06/04/2025 00:00	06/04/2025 23:00	0.0	0.00	0.00		0.5822	0.70	0.83	1026		0	0.0	0.0	O
06/05/2025 00:00	06/05/2025 23:00	20.0	76.64	368.17		0.5831	0.72	0.77	1028		0	50.7	52.1	O
06/06/2025 00:00	06/06/2025 23:00	0.0	0.00	0.00		0.5824	0.64	0.96	1025		0	0.0	0.0	O
06/07/2025 00:00	06/07/2025 23:00	0.0	0.00	0.00		0.5806	0.60	1.04	1022		0	0.0	0.0	O
06/08/2025 00:00	06/08/2025 23:00	0.0	0.00	0.00		0.5801	0.62	0.97	1022		0	0.0	0.0	O
06/09/2025 00:00	06/09/2025 23:00	0.0	0.00	0.00		0.5795	0.63	1.00	1020		0	0.0	0.0	O
06/10/2025 00:00	06/10/2025 23:00	0.0	0.00	0.00		0.5815	0.72	0.96	1022		0	0.0	0.0	O
06/11/2025 00:00	06/11/2025 23:00	0.0	0.00	0.00		0.5824	0.69	0.89	1026		0	0.0	0.0	O
06/12/2025 00:00	06/12/2025 23:00	0.0	0.00	0.00		0.5818	0.64	0.94	1025		0	0.0	0.0	O
06/13/2025 00:00	06/13/2025 23:00	0.0	0.00	0.00		0.5814	0.68	0.96	1023		0	0.0	0.0	O
06/14/2025 00:00	06/14/2025 23:00	0.0	0.00	0.00		0.5818	0.67	0.92	1024		0	0.0	0.0	O
06/15/2025 00:00	06/15/2025 23:00	0.0	0.00	0.00		0.5821	0.69	0.94	1024		0	0.0	0.0	O
06/16/2025 00:00	06/16/2025 23:00	0.0	0.00	0.00		0.5819	0.66	0.93	1025		0	0.0	0.0	O
06/17/2025 00:00	06/17/2025 23:00	0.0	0.00	0.00		0.5820	0.70	0.85	1025		0	0.0	0.0	O
06/18/2025 00:00	06/18/2025 23:00	0.0	0.00	0.00		0.5812	0.69	0.88	1024		0	0.0	0.0	O
06/19/2025 00:00	06/19/2025 23:00	0.0	0.00	0.00		0.5819	0.71	0.86	1025		0	0.0	0.0	O
06/20/2025 00:00	06/20/2025 23:00	0.0	0.00	0.00		0.5815	0.71	0.83	1025		0	0.0	0.0	O
06/21/2025 00:00	06/21/2025 23:00	0.0	0.00	0.00		0.5825	0.72	0.78	1027		0	0.0	0.0	O
06/22/2025 00:00	06/22/2025 23:00	0.0	0.00	0.00		0.5841	0.76	0.80	1028		0	0.0	0.0	O
06/23/2025 00:00	06/23/2025 23:00	0.0	0.00	0.00		0.5842	0.77	0.79	1028		0	0.0	0.0	O
06/24/2025 00:00	06/24/2025 23:00	0.0	0.00	0.00		0.5819	0.74	0.96	1022		0	0.0	0.0	O

* - record has been manually edited; # - gas analysis data failed validation and needs further review; ^ - closed record has been manually edited but not yet approved for recalculation. Hourly total and daily total may not match.

Southern California Gas Company
Measurement Collections System
Gas Volume Detail Report

CONFIDENTIAL

GNN: 1394
CUSTOMER: Enery Holdings LLC
ADDRESS: 17171 Central Ave
Carson, CA 90746-1304

From 01/01/2025 **To** 06/28/2025

EXTERNAL ID: [REDACTED]
ACCOUNT NUMBER [REDACTED]

Eff St Date	Eff End Date	Source ID	Source Type	Atmos Press	Meter Type	Meter Desc	Serial Nbr	Test Hand	Tap Type	Tap Loc	Pipe Diam	Orifice Diam	Meter Mtrl	Meter Factor	UVol Vuom	FVol Vuom	Device ID	Device Type	Device SubType	Mode ID	Run No
06/02/2020 00:00		36197	GC - Hourly	14.73	Turbine	AAT-60	11812379	1000						0.9990	MCF	10MCF	000086	EC	MM-ATX	CN03-T	1

Start Date	End Date	CCF UVOL	Flow Temp	PSIA	DP (WC)	Spec Grav	MOL% Co2	MOL% N2	BTU	Flow Hours	Missing Interval	MCF	MMBTU	Status
06/25/2025 00:00	06/25/2025 23:00	0.0	0.00	0.00		0.5819	0.73	0.97	1022		0	0.0	0.0	O
06/26/2025 00:00	06/26/2025 23:00	0.0	0.00	0.00		0.5818	0.73	0.99	1022		0	0.0	0.0	O
06/27/2025 00:00	06/27/2025 23:00	0.0	0.00	0.00		0.5835	0.74	0.87	1026		0	0.0	0.0	O
06/28/2025 00:00	06/28/2025 23:00	0.0	0.00	0.00		0.5820	0.72	0.96	1023		0	0.0	0.0	O
		90.0	74.37	405.54	0.00	0.5819	0.70	0.83	1025			252.7	259.1	

* - record has been manually edited; # - gas analysis data failed validation and needs further review; ^ - closed record has been manually edited but not yet approved for recalculation. Hourly total and daily total may not match.

GAS VOLUME STATEMENT

July 2025

Enery Holdings Case 6248-3
Exhibit 6

Meter #: 1394
Name: 000086 CN03-T Enery Holdings LLC

Pressure Base:	14.730 psia	Meter Status:		CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.673	0.784	94.855	3.454	0.188	0.016	0.017	0.005
Atmos Pressure:	14.730 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		0.003		0.006					
Z Method:	AGA-8 Gross 2 (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:		HV Cond:	Dry				0.000				
Press. Comp.:		Meter Type:	EFM								
Temp. Comp.:		Interval:	1 Hour								

Day	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
1		393.77	74.40	0	0.5846		0.00	1030.73	0.00	No
2		403.90	75.74	0	0.5859		0.00	1032.71	0.00	No
3		382.88	78.26	0	0.5825		0.00	1023.14	0.00	No
4		399.41	77.53	0	0.5842		0.00	1027.84	0.00	No
5		387.06	77.58	0	0.5826		0.00	1026.28	0.00	No
6		389.94	75.80	0	0.5800		0.00	1022.02	0.00	No
7		404.81	75.53	0	0.5860		0.00	1035.72	0.00	No
8		390.24	74.47	0	0.5811		0.00	1021.99	0.00	No
9		389.50	76.85	0	0.5814		0.00	1023.35	0.00	No
10		376.62	79.88	10	0.5820		257.48	1027.21	264.48	No
11		370.85	79.73	0	0.5821		0.00	1026.31	0.00	No
12		384.80	77.02	0	0.5806		0.00	1023.38	0.00	No
13		372.20	79.21	28	0.5823		713.13	1027.05	732.42	No
14		386.73	81.10	82	0.5832		2,163.17	1029.13	2,226.17	No
15		404.17	81.31	105	0.5860		2,904.66	1035.29	3,007.17	No
16		403.49	81.25	40	0.5821		1,103.17	1021.30	1,126.67	No
17										
18										
19										
20										
21										
22										
23										
24										
25										
26										
27										
28										
29										
30										
31										
Total		394.60	80.97	265	0.5840		7,141.61		7,356.91	

Element	Flowday (Pacific)	Interval	Energy And AS Revenue (\$)	Energy Revenue (\$)	Meter Read Injection (MWh)	Meter Read Net (MWh)
Carson Hybrid	5/1/2025	01:00	0	0	0	
Carson Hybrid	5/13/2025	20:00	0	0	0	
Carson Hybrid	5/13/2025	21:00	0	0	0	
Carson Hybrid	5/13/2025	22:00	0	0	0	
Carson Hybrid	5/13/2025	23:00	0	0	0	
Carson Hybrid	5/13/2025	24:00	0	0	0	
Carson Hybrid	5/14/2025	01:00	0	0	0	
Carson Hybrid	5/14/2025	02:00	0	0	0	
Carson Hybrid	5/14/2025	03:00	0	0	0	
Carson Hybrid	5/14/2025	04:00	0	0	0	
Carson Hybrid	5/14/2025	05:00	0	0	0	
Carson Hybrid	5/14/2025	06:00	0	0	0	
Carson Hybrid	5/14/2025	07:00	-3.8271	-3.8271	0.2943	0.2943
Carson Hybrid	5/14/2025	08:00	-5.5819	-5.5819	0.5649	0.5649
Carson Hybrid	5/14/2025	09:00	1.9948	1.9948	0.1576	0.1576
Carson Hybrid	5/14/2025	10:00	0	0	0	
Carson Hybrid	5/14/2025	11:00	0	0	0	
Carson Hybrid	5/14/2025	12:00	0	0	0	
Carson Hybrid	5/14/2025	13:00	0	0	0	
Carson Hybrid	5/14/2025	14:00	0	0	0	
Carson Hybrid	5/14/2025	15:00	0	0	0	
Carson Hybrid	5/14/2025	16:00	0	0	0	
Carson Hybrid	5/14/2025	17:00	0	0	0	
Carson Hybrid	5/14/2025	18:00	0	0	0	
Carson Hybrid	5/14/2025	19:00	0	0	0	
Carson Hybrid	5/14/2025	20:00	-0.7536	-0.7536	0.0302	0.0302
Carson Hybrid	5/14/2025	21:00	0	0	0	
Carson Hybrid	5/14/2025	22:00	0	0	0	
Carson Hybrid	5/14/2025	23:00	0	0	0	
Carson Hybrid	5/14/2025	24:00	0	0	0	
Carson Hybrid	5/15/2025	01:00	0	0	0	
Carson Hybrid	5/15/2025	02:00	0	0	0	
Carson Hybrid	5/15/2025	03:00	0	0	0	
Carson Hybrid	5/15/2025	04:00	0	0	0	
Carson Hybrid	5/15/2025	05:00	0	0	0	
Carson Hybrid	5/15/2025	06:00	0	0	0	
Carson Hybrid	5/15/2025	07:00	0	0	0	
Carson Hybrid	5/15/2025	08:00	0	0	0	
Carson Hybrid	5/15/2025	09:00	0	0	0	
Carson Hybrid	5/15/2025	10:00	0	0	0	
Carson Hybrid	5/15/2025	11:00	0	0	0	
Carson Hybrid	5/15/2025	12:00	0	0	0	

Carson Hybrid	5/15/2025	13:00	0	0	0	
Carson Hybrid	5/15/2025	14:00	0	0	0	
Carson Hybrid	5/21/2025	03:00	0	0	0	
Carson Hybrid	5/21/2025	04:00	0	0	0	
Carson Hybrid	5/21/2025	05:00	0	0	0	
Carson Hybrid	5/21/2025	06:00	-0.3191	-0.3191	0.0108	0.0108
Carson Hybrid	5/21/2025	07:00	-0.0019	-0.0019	0.0001	0.0001
Carson Hybrid	5/21/2025	08:00	0	0	0	
Carson Hybrid	5/21/2025	09:00	0	0	0	
Carson Hybrid	5/21/2025	10:00	0	0	0	
Carson Hybrid	5/21/2025	11:00	0	0	0	
Carson Hybrid	5/21/2025	12:00	0	0	0	
Carson Hybrid	5/21/2025	13:00	0	0	0	
Carson Hybrid	5/21/2025	14:00	0	0	0	
Carson Hybrid	5/21/2025	15:00	0	0	0	
Carson Hybrid	5/21/2025	16:00	0	0	0	
Carson Hybrid	5/21/2025	17:00	0	0	0	
Carson Hybrid	5/21/2025	18:00	0	0	0	
Carson Hybrid	5/21/2025	19:00	0	0	0	
Carson Hybrid	5/21/2025	20:00	0	0	0	
Carson Hybrid	5/21/2025	21:00	0	0	0	
Carson Hybrid	5/21/2025	22:00	0	0	0	
Carson Hybrid	5/21/2025	23:00	0	0	0	
Carson Hybrid	5/21/2025	24:00	0	0	0	
Carson Hybrid	5/22/2025	01:00	0	0	0	
Carson Hybrid	5/22/2025	02:00	0	0	0	
Carson Hybrid	5/22/2025	03:00	0	0	0	
Carson Hybrid	5/22/2025	04:00	0	0	0	
Carson Hybrid	5/22/2025	05:00	0	0	0	
Carson Hybrid	5/22/2025	06:00	0	0	0	
Carson Hybrid	5/22/2025	07:00	0	0	0	
Carson Hybrid	5/22/2025	08:00	0	0	0	
Carson Hybrid	5/22/2025	09:00	0	0	0	
Carson Hybrid	5/22/2025	10:00	0	0	0	
Carson Hybrid	5/22/2025	11:00	0	0	0	
Carson Hybrid	5/22/2025	12:00	0	0	0	
Carson Hybrid	5/22/2025	13:00	0	0	0	
Carson Hybrid	5/22/2025	14:00	0	0	0	
Carson Hybrid	5/22/2025	15:00	0	0	0	
Carson Hybrid	5/22/2025	16:00	0	0	0	
Carson Hybrid	5/22/2025	17:00	0	0	0	
Carson Hybrid	5/22/2025	18:00	0	0	0	
Carson Hybrid	5/22/2025	19:00	0	0	0	
Carson Hybrid	5/22/2025	20:00	0	0	0	

Carson Hybrid	5/22/2025	21:00	0	0	0	
Carson Hybrid	5/22/2025	22:00	0	0	0	
Carson Hybrid	6/2/2025	23:00	0	0	0	
Carson Hybrid	6/2/2025	24:00	0	0	0	
Carson Hybrid	6/3/2025	01:00	0	0	0	
Carson Hybrid	6/3/2025	02:00	0	0	0	
Carson Hybrid	6/3/2025	03:00	0	0	0	
Carson Hybrid	6/3/2025	04:00	0	0	0	
Carson Hybrid	6/3/2025	05:00	0	0	0	
Carson Hybrid	6/3/2025	06:00	0	0	0	
Carson Hybrid	6/3/2025	07:00	0	0	0	
Carson Hybrid	6/3/2025	08:00	0	0	0	
Carson Hybrid	6/3/2025	09:00	0	0	0	
Carson Hybrid	6/3/2025	10:00	0	0	0	
Carson Hybrid	6/3/2025	11:00	0	0	0	
Carson Hybrid	6/3/2025	12:00	0	0	0	
Carson Hybrid	6/3/2025	13:00	0	0	0	
Carson Hybrid	6/3/2025	14:00	0	0	0	
Carson Hybrid	6/3/2025	15:00	0	0	0	
Carson Hybrid	6/3/2025	16:00	0	0	0	
Carson Hybrid	6/3/2025	17:00	-7.9629	-7.9629	0.1384	0.1384
Carson Hybrid	6/3/2025	18:00	0	0	0	
Carson Hybrid	6/3/2025	19:00	0	0	0	
Carson Hybrid	6/3/2025	20:00	0	0	0	
Carson Hybrid	6/3/2025	21:00	0	0	0	
Carson Hybrid	6/3/2025	22:00	0	0	0	
Carson Hybrid	6/3/2025	23:00	0	0	0	
Carson Hybrid	6/3/2025	24:00	0	0	0	
Carson Hybrid	6/4/2025	01:00	0	0	0	
Carson Hybrid	6/4/2025	02:00	0	0	0	
Carson Hybrid	6/4/2025	03:00	0	0	0	
Carson Hybrid	6/4/2025	04:00	0	0	0	
Carson Hybrid	6/4/2025	05:00	0	0	0	
Carson Hybrid	6/4/2025	06:00	0	0	0	
Carson Hybrid	6/4/2025	07:00	0	0	0	
Carson Hybrid	6/4/2025	08:00	0	0	0	
Carson Hybrid	6/4/2025	09:00	0	0	0	
Carson Hybrid	6/4/2025	10:00	0	0	0	
Carson Hybrid	6/4/2025	11:00	0	0	0	
Carson Hybrid	6/4/2025	12:00	0	0	0	
Carson Hybrid	6/4/2025	13:00	0	0	0	
Carson Hybrid	6/4/2025	14:00	0	0	0	
Carson Hybrid	6/4/2025	15:00	0	0	0	
Carson Hybrid	6/4/2025	16:00	0	0	0	

Carson Hybrid	6/4/2025	17:00	0	0	0	
Carson Hybrid	6/4/2025	18:00	0	0	0	
Carson Hybrid	6/4/2025	19:00	0	0	0	
Carson Hybrid	6/4/2025	20:00	0	0	0	
Carson Hybrid	6/4/2025	21:00	0	0	0	
Carson Hybrid	6/4/2025	22:00	0	0	0	
Carson Hybrid	6/4/2025	23:00	0	0	0	
Carson Hybrid	6/4/2025	24:00	0	0	0	
Carson Hybrid	6/5/2025	01:00	0	0	0	
Carson Hybrid	6/5/2025	02:00	0	0	0	
Carson Hybrid	6/5/2025	03:00	0	0	0	
Carson Hybrid	6/5/2025	04:00	0	0	0	
Carson Hybrid	6/5/2025	05:00	0	0	0	
Carson Hybrid	6/5/2025	06:00	0	0	0	
Carson Hybrid	6/5/2025	07:00	0	0	0	
Carson Hybrid	6/5/2025	08:00	0	0	0	
Carson Hybrid	6/5/2025	09:00	0	0	0	
Carson Hybrid	6/5/2025	10:00	0	0	0	
Carson Hybrid	6/5/2025	11:00	0	0	0	
Carson Hybrid	6/5/2025	12:00	0	0	0	
Carson Hybrid	6/5/2025	13:00	-2.1023	-2.1023	0.101	0.101
Carson Hybrid	6/5/2025	14:00	0	0	0	
Carson Hybrid	6/5/2025	15:00	0	0	0	
Carson Hybrid	6/5/2025	16:00	0	0	0	
Carson Hybrid	6/5/2025	17:00	0	0	0	
Carson Hybrid	6/5/2025	18:00	0	0	0	
Carson Hybrid	6/5/2025	19:00	0	0	0	
Carson Hybrid	6/5/2025	20:00	0	0	0	
Carson Hybrid	6/5/2025	21:00	0	0	0	
Carson Hybrid	6/5/2025	22:00	0	0	0	
Carson Hybrid	6/5/2025	23:00	0	0	0	
Carson Hybrid	6/5/2025	24:00	0	0	0	
Carson Hybrid	6/6/2025	01:00	0	0	0	
Carson Hybrid	6/6/2025	02:00	0	0	0	
Carson Hybrid	6/6/2025	03:00	0	0	0	
Carson Hybrid	6/6/2025	04:00	0	0	0	
Carson Hybrid	6/6/2025	05:00	0	0	0	
Carson Hybrid	6/6/2025	06:00	0	0	0	
Carson Hybrid	6/6/2025	07:00	0	0	0	
Carson Hybrid	6/6/2025	08:00	0	0	0	
Carson Hybrid	6/6/2025	09:00	0	0	0	
Carson Hybrid	6/6/2025	10:00	0	0	0	
Carson Hybrid	6/6/2025	11:00	0	0	0	
Carson Hybrid	6/6/2025	12:00	0	0	0	

Carson Hybrid	6/6/2025	13:00	0	0	0	
Carson Hybrid	6/6/2025	14:00	0	0	0	
Carson Hybrid	6/6/2025	15:00	0	0	0	
Carson Hybrid	7/9/2025	15:00	0	0		
Carson Hybrid	7/9/2025	16:00	0	0		
Carson Hybrid	7/9/2025	17:00	0	0		
Carson Hybrid	7/9/2025	18:00	0	0		
Carson Hybrid	7/9/2025	19:00	0	0		
Carson Hybrid	7/9/2025	20:00	0	0		
Carson Hybrid	7/9/2025	21:00	0	0		
Carson Hybrid	7/9/2025	22:00	0	0		
Carson Hybrid	7/9/2025	23:00	0	0		
Carson Hybrid	7/9/2025	24:00	0	0		
Carson Hybrid	7/10/2025	01:00	0	0		
Carson Hybrid	7/10/2025	02:00	0	0		
Carson Hybrid	7/10/2025	03:00	0	0		
Carson Hybrid	7/10/2025	04:00	0	0		
Carson Hybrid	7/10/2025	05:00	0	0		
Carson Hybrid	7/10/2025	06:00	0	0		
Carson Hybrid	7/10/2025	07:00	0	0		
Carson Hybrid	7/10/2025	08:00	0	0		
Carson Hybrid	7/10/2025	09:00	0	0		
Carson Hybrid	7/10/2025	10:00	0	0		
Carson Hybrid	7/10/2025	11:00	0	0		
Carson Hybrid	7/10/2025	12:00	0	0		
Carson Hybrid	7/10/2025	13:00	0	0		
Carson Hybrid	7/10/2025	14:00	0	0		
Carson Hybrid	7/10/2025	15:00	0	0		
Carson Hybrid	7/10/2025	16:00	0	0		
Carson Hybrid	7/10/2025	17:00	0	0		
Carson Hybrid	7/10/2025	18:00	0	0		
Carson Hybrid	7/10/2025	19:00	-220.4858	-220.4858		4.6666
Carson Hybrid	7/10/2025	20:00	0	0		
Carson Hybrid	7/10/2025	21:00	0	0		
Carson Hybrid	7/10/2025	22:00	0	0		
Carson Hybrid	7/10/2025	23:00	0	0		
Carson Hybrid	7/10/2025	24:00	0	0		
Carson Hybrid	7/11/2025	01:00	0	0		
Carson Hybrid	7/11/2025	02:00	0	0		
Carson Hybrid	7/11/2025	03:00	0	0		
Carson Hybrid	7/11/2025	04:00	0	0		
Carson Hybrid	7/11/2025	05:00	0	0		
Carson Hybrid	7/11/2025	06:00	0	0		
Carson Hybrid	7/11/2025	07:00	0	0		

Carson Hybrid	7/13/2025	04:00	0	0		
Carson Hybrid	7/13/2025	05:00	0	0		
Carson Hybrid	7/13/2025	06:00	0	0		
Carson Hybrid	7/13/2025	07:00	0	0		
Carson Hybrid	7/13/2025	08:00	0	0		
Carson Hybrid	7/13/2025	09:00	0	0		
Carson Hybrid	7/13/2025	10:00	0	0		
Carson Hybrid	7/13/2025	11:00	0	0		
Carson Hybrid	7/13/2025	12:00	0	0		
Carson Hybrid	7/13/2025	13:00	0	0		
Carson Hybrid	7/13/2025	14:00	0	0		
Carson Hybrid	7/13/2025	15:00	0	0		
Carson Hybrid	7/13/2025	16:00	0	0		
Carson Hybrid	7/13/2025	17:00	0	0		
Carson Hybrid	7/13/2025	18:00	0	0		
Carson Hybrid	7/13/2025	19:00	0	0		
Carson Hybrid	7/13/2025	20:00	0	0		
Carson Hybrid	7/13/2025	21:00	0	0		
Carson Hybrid	7/13/2025	22:00	0	0		
Carson Hybrid	7/13/2025	23:00	0	0		
Carson Hybrid	7/13/2025	24:00	0	0		
Carson Hybrid	7/14/2025	01:00	0	0		
Carson Hybrid	7/14/2025	02:00	0	0		
Carson Hybrid	7/14/2025	03:00	0	0		
Carson Hybrid	7/14/2025	04:00	0	0		
Carson Hybrid	7/14/2025	05:00	0	0		
Carson Hybrid	7/14/2025	06:00	0	0		
Carson Hybrid	7/14/2025	07:00	0	0		
Carson Hybrid	7/14/2025	08:00	0	0		
Carson Hybrid	7/14/2025	09:00	0	0		
Carson Hybrid	7/14/2025	10:00	0	0		
Carson Hybrid	7/14/2025	11:00	0	0		
Carson Hybrid	7/14/2025	12:00	0	0		
Carson Hybrid	7/14/2025	13:00	0	0		
Carson Hybrid	7/14/2025	14:00	0	0		
Carson Hybrid	7/14/2025	15:00	0	0		
Carson Hybrid	7/14/2025	16:00	0	0		
Carson Hybrid	7/14/2025	17:00	0	0		
Carson Hybrid	7/14/2025	18:00	-1490.0867	-1490.0867		
Carson Hybrid	7/14/2025	19:00	-2041.9116	-2041.9116		
Carson Hybrid	7/14/2025	20:00	-2442.3303	-2442.3303		
Carson Hybrid	7/14/2025	21:00	-2458.7334	-2458.7334		
Carson Hybrid	7/14/2025	22:00	-2054.9595	-2054.9595		
Carson Hybrid	7/14/2025	23:00	-993.7838	-993.7838		

Carson Hybrid	7/14/2025	24:00	0	0		
Carson Hybrid	7/15/2025	01:00	0	0		
Carson Hybrid	7/15/2025	02:00	0	0		
Carson Hybrid	7/15/2025	03:00	0	0		
Carson Hybrid	7/15/2025	04:00	0	0		
Carson Hybrid	7/15/2025	05:00	0	0		
Carson Hybrid	7/15/2025	06:00	0	0		
Carson Hybrid	7/15/2025	07:00	0	0		
Carson Hybrid	7/15/2025	08:00	0	0		
Carson Hybrid	7/15/2025	09:00	0	0		
Carson Hybrid	7/15/2025	10:00	0	0		
Carson Hybrid	7/15/2025	11:00	0	0		
Carson Hybrid	7/15/2025	12:00	0	0		
Carson Hybrid	7/15/2025	13:00	0	0		
Carson Hybrid	7/15/2025	14:00	0	0		
Carson Hybrid	7/15/2025	15:00	0	0		
Carson Hybrid	7/15/2025	16:00	0	0		
Carson Hybrid	7/15/2025	17:00	0	0		
Carson Hybrid	7/15/2025	18:00	0	0		
Carson Hybrid	7/15/2025	19:00	0	0		
Carson Hybrid	7/15/2025	20:00	0	0		
Carson Hybrid	7/15/2025	21:00	-877.7484	-877.7484		
Carson Hybrid	7/15/2025	22:00	-1768.5372	-1768.5372		
Carson Hybrid	7/15/2025	23:00	-1887.8001	-1887.8001		
Carson Hybrid	7/15/2025	24:00	-1840.8363	-1840.8363		
Carson Hybrid	7/16/2025	01:00	-1754.7378	-1754.7378		
Carson Hybrid	7/16/2025	02:00	-1938.7719	-1938.7719		
Carson Hybrid	7/16/2025	03:00	-1899.2496	-1899.2496		
Carson Hybrid	7/16/2025	04:00	-1775.6349	-1775.6349		
Carson Hybrid	7/16/2025	05:00	-753.3031	-753.3031		
Carson Hybrid	7/16/2025	06:00	0	0		
Carson Hybrid	7/16/2025	07:00	0	0		
Carson Hybrid	7/16/2025	08:00	0	0		
Carson Hybrid	7/29/2025	19:00	0			
Carson Hybrid	7/29/2025	20:00	0			
Carson Hybrid	7/29/2025	21:00	0			
Carson Hybrid	7/29/2025	22:00	0			
Carson Hybrid	7/29/2025	23:00	0			
Carson Hybrid	7/29/2025	24:00	0			