

OFFICE OF THE GENERAL COUNSEL
SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
NICHOLAS A. SANCHEZ, SBN 207998
Assistant Chief Deputy Counsel
JOSEPHINE LEE, SBN 308439
Principal Deputy District Counsel
GRACE M. LEBLANC, SBN 360180
Deputy District Counsel I
21865 Copley Drive
Diamond Bar, California 91765
Tel.: 909-396-3400 • Fax: 909-396-2961
Email: nsanchez@aqmd.gov; jlee4@aqmd.gov; gleblanc@aqmd.gov

SOUTH COAST AQMD
CLERK OF THE BOARDS

2026 JUL 21 A 11:22

Attorneys for Petitioner
SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

BEFORE THE HEARING BOARD OF THE
SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

In The Matter Of

SOUTH COAST AIR QUALITY
MANAGEMENT DISTRICT,

Petitioner,

vs.

LINEAGE LOGISTICS PFS, LLC,

[Facility ID No. 202700]

Respondent.

Case No.

PETITION FOR ORDER FOR
ABATEMENT

Date: August 5, 2026
Time: 9:30 a.m.
Place: Hearing Board
South Coast Air Quality
Management District
21865 Copley Drive
Diamond Bar, CA 91765

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT (hereinafter referred to as "District" or "Petitioner") petitions the Hearing Board for an Order for Abatement directed to Respondent Lineage Logistics PFS, LLC (hereinafter referred to as "Respondent" or "Lineage") with a facility located at 1400 S. Los Palos St., Los Angeles, CA 90023. The District alleges as follows:

1. Petitioner is a body corporate and politic established and existing pursuant to California Health and Safety Code ("HSC") section 40000, *et seq.* and section 40400, *et seq.*, and is the sole and exclusive local agency with the responsibility for comprehensive air pollution control in the South Coast Basin.

1 2. Respondent operates a cold food storage warehouse facility (Facility ID No. 202700)
2 located at 1400 S. Los Palos St., Los Angeles, CA 90023 ("Facility"), within and subject to the
3 jurisdiction of the District.

4 3. The Facility is located in the Boyle Heights neighborhood in the city of Los Angeles.

5 4. On June 17, 2026, a fire broke out on the roof and spread, burning a large portion of
6 the Facility. As part of emergency response efforts, the refrigeration systems in the Facility were shut
7 down. Since the fire has been put out, Respondent is in the process of removing approximately 85
8 million pounds of spoiled and decomposing food product, as well as other debris, as part of its
9 demolition and cleanup efforts.

10 5. Since July 12, 2026, the District has received over 1,700 odor complaints from the
11 public alleging the Facility as the source of the odors. The complainants have described the odors as
12 rotten food and garbage-type odors, and District inspectors have traced these odors and identified the
13 Facility as the source.

14 6. The Facility is in close proximity to a residential neighborhood, which is located north
15 of the Facility.

16 7. District Rule 402 and HSC section 41700 prohibit the "discharge from any source
17 whatsoever such quantities of air contaminants or other material which cause injury, detriment,
18 nuisance, or annoyance to any considerable number of persons or to the public, or which endanger
19 the comfort, repose, health or safety of any such persons or the public, or which cause, or have a
20 natural tendency to cause, injury or damage to business or property."

21 8. The District alleges that Respondent is in violation and has been in violation of Rule
22 402. As of July 21, 2026, District compliance staff has issued nine Notices of Violation ("NOV") to
23 Respondent for violations of District Rule 402 and HSC section 41700 alleging public nuisance
24 relating to the odors.

25 9. The District issued NOV P82956 to Respondent on or about July 12, 2026, alleging
26 violations of District Rule 402 and HSC section 41700.

27 10. The District issued NOV P82955 to Respondent on or about July 13, 2026, alleging
28 violations of District Rule 402 and HSC section 41700.

1 11. The District issued NOV P75935 to Respondent on or about July 14, 2026, alleging
2 violations of District Rule 402 and HSC section 41700.

3 12. The District issued NOV P68083 to Respondent on or about July 15, 2026, alleging
4 violations of District Rule 402 and HSC section 41700.

5 13. The District issued NOV P81976 to Respondent on or about July 16, 2026, alleging
6 violations of District Rule 402 and HSC section 41700.

7 14. The District issued NOV P81664 to Respondent on or about July 17, 2026, alleging
8 violations of District Rule 402 and HSC section 41700.

9 15. The District issued NOV P69340 to Respondent on or about July 18, 2026, alleging
10 violations of District Rule 402 and HSC section 41700.

11 16. The District issued NOV P82921 to Respondent on or about July 19, 2026, alleging
12 violations of District Rule 402 and HSC section 41700.

13 17. The District issued NOV P81327 to Respondent on or about July 20, 2026, alleging
14 violations of District Rule 402 and HSC section 41700.

15 18. The District alleges that the existing state of the Facility presents a continuing
16 violation of District Rule 402 and HSC section 41700.

17 19. The District, by this Petition, seeks an Order for Abatement to require Respondent to
18 cease violating District Rule 402 and HSC section 41700 by implementing enhanced odor mitigation
19 measures or comply with such other remedial measures as this Hearing Board deems appropriate.

20 20. The District intends to submit a more detailed proposed order including specific
21 measures to reduce odors to the greatest extent feasible. Prior to the filing of this Petition, Respondent
22 has engaged with the District on a cooperative basis. On or around July 17, 2026, the District issued
23 a formal demand letter to Respondent listing immediate odor mitigation measures for Respondent to
24 implement in addition to their current cleanup efforts at the Facility. A true and correct copy of the
25 demand letter is attached to this Petition as Exhibit 1.

26 21. It is not unreasonable to require Respondent to comply with District rules and state
27 law.

28

1 22. The issuance of an Order for Abatement upon a fully noticed hearing would not
2 constitute a taking of property without due process of law.

3 23. This Order for Abatement is not intended to be, nor does it act as a variance.

4 24. The issuance of the requested Order for Abatement is not expected to result in the
5 closing or elimination of an otherwise lawful business, but if it does result in such closure or
6 elimination, it would not be without a corresponding benefit in reducing air contaminants.


7 WHEREFORE, the District seeks an Order for Abatement as follows:

8 25. That this Hearing Board issue an Order for Abatement consistent with the proposed
9 Findings and Decisions to be submitted by the District in advance of the hearing, and order
10 Respondent to perform all the conditions and increments of progress set forth therein.


11 26. For such other and further relief that this Board deems just and proper.

12
13 Dated: July 21, 2026

SOUTH COAST AIR QUALITY
MANAGEMENT DISTRICT

14
15
16 

17 JOSEPHINE LEE
18 GRACE M. LEBLANC
19 Attorneys for Petitioner
20
21
22
23
24
25
26
27
28



South Coast Air Quality Management District



21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

OFFICE OF THE GENERAL COUNSEL

P.O. Box 4940

Diamond Bar, CA 91765-0940

Writer's Direct Dial:

(909) 396-3400 | Fax: (909) 396-2961

July 17, 2026

(sent via email to: glehmkuhl@onelineage.com and ddicarlo@onelineage.com)

Greg Lehmkuhl
President and CEO
Dominic DiCarlo
Vice President, Global Safety & Compliance
Lineage, Inc.
46500 Humboldt Drive
Novi, MI 48377

Re: Demand for Immediate Odor Mitigation

Dear Mr. Lehmkuhl and Mr. DiCarlo,

The South Coast AQMD has serious concerns regarding the ongoing air quality issues impacting the community surrounding the Lineage warehouse in Boyle Heights. This past week alone, our agency has responded to over 900 odor complaints, resulting in multiple enforcement actions alleging public nuisance.

The South Coast AQMD's foremost responsibility is to protect public health through ensuring compliance with air quality regulations. While our agency recognizes Lineage is implementing its Odor Management Plan dated July 12, 2026, included as Attachment 1, throughout the clean-up efforts, the significant increase in community complaints and resulting violations demonstrate that a more robust approach is necessary. The surrounding community deserves meaningful and measurable improvements without delay.

Today, a South Coast AQMD senior team visited the Lineage warehouse and met with representatives from Lineage, Clean Harbors Environmental Services, and Onterris to better understand odor mitigation measures that are being implemented. Accordingly, the South Coast AQMD has identified additional measures to address ongoing nuisance concerns. Specifically, we urge Lineage to immediately implement the measures outlined in Attachment 2. South Coast AQMD understands the clean-up is dynamic as work is being done in Buildings 1 and 2. We also recognize the measures may need to be modified over the duration of the clean-up and want to work with Lineage to ensure odors impacting the community are minimized and public health is protected.

By no later than Tuesday July 21, 2026, please provide a written response detailing Lineage's progress or completion of each proposed measure.

Greg Lehmkuhl
Dominic DiCarlo
Lineage, Inc.
July 17, 2026
Page 2

To further ensure the effective and enforceable implementation of these measures, the South Coast AQMD intends to file an Order for Abatement with the South Coast AQMD's independent Hearing Board. The Hearing Board will provide a public forum to guarantee greater transparency throughout this process. The South Coast AQMD remains committed to working collaboratively with Lineage, and we will pursue all appropriate enforcement remedies available under our legal authority to ensure compliance and protect public health.

The South Coast AQMD appreciates Lineage's willingness to invest resources toward addressing these concerns, and we look forward to your response and continued cooperation.

Sincerely,


Nicholas Sanchez
Assistant Chief Deputy Counsel

Attachments

cc: Helen Avunjian Kassan, Lineage Assistant General Counsel

Wayne Nastri, South Coast AQMD Executive Officer
Bayron Gilchrist, South Coast AQMD General Counsel
Susan Nakamura, South Coast AQMD Chief Operating Officer
Jason Aspell, South Coast AQMD Deputy Executive Officer
Terrence Mann, South Coast AQMD Deputy Executive Officer
Victor Yip, South Coast AQMD Assistant Deputy Executive Officer
Jason Low, South Coast AQMD Deputy Executive Officer
Stephen Dutz, South Coast AQMD Assistant Deputy Executive Officer

Attachment 1






Odor Management Plan
Los Palos Warehouse Fire
Los Angeles, California

Prepared for: Lineage Logistics

Prepared by: Onterris Response and Recovery

Effective July 12, 2026

Version 1.2

	Name/Organization	Signature	Date Signed
Prepared by:	Helen Dubach / Onterris		7/2/2026
Reviewed by:	Autumn Adams / Onterris	for 	7/2/2026
V 1.2 Revised by:	Helen Dubach / Onterris		7/12/2026
Reviewed by:	J. Fox CHES		7/12/26
Approved by:	Paul D. Scott		7-12-26
Approved by:			

Change Management

CHANGE 001

Addition to Section 3, page 3: Application of deodorizer or bleach solution to odorous material within the building by sprays systems, both fixed and by a tracked robotic system.

Name/Position		Signature	Date Signed
Prepared By:	Helen Dubach / Onterris	signed on cover page revision	07/03/2026
Approved By:	Adrian Sinay / Deputy IC	signed on cover page revision	07/03/2026

CHANGE 002

Description of Change (include sections & page numbers): Section 1: Clarification of ownership; Section 3: update to wrapping status, addition of carbon filters, update of mister locations (including map in Appendix) and maintenance; confirmation that cleaner and bleach products won't be mixed; clarification of staging area inspections

Name/Position		Signature	Date Signed
Prepared By:	Helen Dubach/Onterris		7/12/2026
Approved By:			

CHANGE 003

Description of Change (include sections & page numbers):

Name/Position		Signature	Date Signed
Prepared By:			
Approved By:			

1 Introduction and Purpose

This Odor Management Plan ("Plan") was prepared by Onterris Response and Recovery ("Onterris") on behalf of Lineage Logistics ("Lineage") in response to the Los Palos Warehouse Fire in Los Angeles, CA. The incident occurred on June 17, 2026. The address of the incident site ("Site") is 1400 Los Palos St, and GPS coordinates for the approximate location of the site are (34.016206, -118.193063)

The fire resulted in a loss of power to the facility's refrigeration systems, leaving perishable food products on site to decompose and generate strong, objectionable odors. In addition, fire suppression water, runoff, and waste materials produced during recovery and demolition activities have the potential to generate offensive odors.

The Site is surrounded by sensitive receptors, including nearby residential neighborhoods and commercial properties, making effective odor management an important component of the response.

This Odor Management Plan has been developed to support Incident Command by establishing procedures to identify, minimize, monitor, and mitigate odors associated with the fire and subsequent response, recovery, and demolition activities, with the goal of reducing impacts to surrounding communities. The operations described in this plan will be implemented and managed by the Operations Section.

A separate Air Sampling and Analysis Plan has been developed for the site.

2 Health and Safety

Personnel involved in odor management will review and adhere to any Site-Specific Health and Safety Plan. Activities will only be completed in a safe manner and under safe conditions as dictated by the Site-Specific Health and Safety Plan. Operations will be conducted in a manner so as to not pose a risk to worker, equipment, or the general public.

3 Site Odor Management

The following operations are proposed to manage odor emanating from the building:

- The damaged portion of building has been wrapped with plastic sheeting to contain debris, odor, dust, etc. during demolition operations. The condition of the wrapping will be inspected and maintained daily, and repairs will be made if damage or wear and tear is observed.
- Carbon filters are being installed at doorways on Los Palos St and Union Pacific Ave to allow the building to vent while mitigating the odor emanating from the building.

- Odor-neutralizing mist systems have been deployed around the perimeter of the building/fence. A map of the current location of perimeter misting systems is provided in **Attachment A**. The SDS of the deodorizer product (JPD) is provided in **Attachment B**. Misting system numbers and locations may be adjusted as needed, based on current demolition and waste movement operations, as well as wind direction. Misting systems will be serviced daily to ensure they are functional.
- Containment and management of water runoff – see separate Water Management Plan.
- Daily washing of two onsite locations with cleaner or bleach solution to wash runoff that has seeped from the building into the onsite drainage system. Washing occurs in two locations:
 - on the loading dock on the south side of the building; and
 - on parking lot along the west side of the building
- The SDS' of the cleaner (Simple Green) and bleach product are provided in **AttachmentB¹**. These products will not be mixed.

4 Waste Odor Management

Waste containment will be staged at the loading dock on the south side of the building.

4.1 Solid Wastes

- Waste will be managed in accordance with the current version of the Emergency Waste Managemnet, Characterization and Disposal Work Plan ("Waste Management Plan").
- Live loading of waste trucks will be maximized. This will reduce the volume of waste stored on site and therefore the potential for odor generation at the staging area.
- Rolloffs/trucks will be lined to prevent spillage onto pad/streets.
- After loading, containers without mechanical lids will be sprayed with Rusmar Long Duration Foam AC-645, an aqueous surfactant used at disposal and other waste facilities for odor and VOC control. The SDS of Rusmar Foam is provided in **Attachment B**.
- Wastes stockpiled within the building may also be sprayed with Rusmar Foam, where safely accessible, to control odors within the building.
- The waste staging area will be inspected daily, per the Waste Management Plan to ensure:
 - Rolloffs/trucks are kept tightly covered when not being loaded
 - Rolloffs/trucks are not leaking materials onto the pad or street



4.2 Liquids

- Frac tank valves will be kept tightly closed when not in use, Frac tanks will be staged within secondary containment berms
- The waste staging area will be monitored closely to ensure:
 - Frac tank valves are closed
 - Secondary containment berms are free of spilled liquids


Attachment A Mister Location Map



Odor Mister Locations
Los Palos Warehouse Fire
Los Angeles, CA | PROJ-069774



Updated At: 7/11/2026 6:16 PM
Projection: NAD 1983 2011 StatePlane California V F PS 0405 FT US



Attachment B Product SDS'

SAFETY DATA SHEET

Section 1. Identification

Product Name: JPD- with options of Bubble Gum/Green
Apple/ Jasmine/ Almond/ Floral
Product Use: Deodorizer
Product Type: Liquid
Product Manufacturer: Jayne Products Inc.
17904, South Star of India Lane
Carson, CA 90746 – USA

In case of an emergency: (310) 715-3070

Section 2. Hazards Identification

Emergency Overview

Appearance/Odor: Water white, transparent liquid.
Floral.

Classification: SKIN IRRITATION - Category 2, H315
EYE IRRITATION - Category 2B, H320
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
[Respiratory tract irritation] – Category 3, H335

Signal word : None

Hazard statements : H317: May cause an allergic
skin reaction
H320: Causes eye irritation.
H335: May cause respiratory irritation.

Hazard pictograms : None

Precautionary statements

Prevention :

P264: Wash hands and exposed skin thoroughly after handling.
P280: Wear eye protection/face protection. Wear protective
gloves.

Jayne Products JPD Deodorizer

Section 2. Hazards Identification

Response :

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313: If skin irritation occurs: Get medical advice/attention.
P337 + P313: If eye irritation persists: Get medical advice/attention.
P362: Take off contaminated clothing and wash before reuse.
P391: Collect spillage.

Storage :

P405: Store locked up
P403 + P233: Store in a well-ventilated place. Keep container tightly closed, keep cool.

Disposal :

P501: Disposal of contents/container to be specified in accordance with regulations.

GHS label elements

General:

Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

OSHA/HCS status :

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified:

None known.

Section 3. Composition/Information on Ingredients

Substance/Mixture:

Mixture

Other means of identification:

Not available

CAS Number/Other Identifiers

CAS Number :

Not applicable.

The specific chemical identities of the ingredients of this mixture are considered by Jayne Products, Inc. to be Trade Secrets and are withheld in accordance with the provisions of S1910.1200 of Title 29 of the Code of Federal Regulations (CFR).

Jayne Products JPD Deodorizer

Section 3. Composition/Information on Ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If irritation persists, get medical attention.

Skin Contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 15 minutes. Get medical attention.

Inhalation: Gargle with water. Relocate to fresh air.

Ingestion: Gargle with water. Drink plenty of water to dilute. If problem persists, obtain immediate medical attention.

Most Important Symptoms/Effects. Acute And Delayed Potential Acute Health Effects

Eye Contact: May cause eye irritation.

Inhalation: Vapors that are inhaled may be irritating.

Skin Contact: May cause skin irritation.

Ingestion: Irritating to mouth, throat and stomach.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

Jayne Products JPD Deodorizer

Section 4. First Aid Measures

Specific Treatments: No specific treatment.

Protection of First Responders: No action shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire Fighting Measures

Suitable Extinguishing Media:

Unsuitable Extinguishing Media:

Unusual Fire & Explosion Hazards: Non-flammable liquid.

Product of Combustion:

Protection of Firefighters: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-emergency Personnel: For small spill, wash away the leaky area immediately with plenty of water. Wastewater to flow by the treatment with activated sludge method, or the like.

For Emergency Responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Jayne Products JPD Deodorizer

Section 6. Accidental Release Measures

Environmental Precautions:

Avoid dispersal of spilled material and runoff.

Small Spill:

Stop leak if without risk. Move containers from spill area. Absorb with an inert absorbent material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Wash the spill area clean with water and detergent, observing environmental requirements. **DO NOT USE OXIDISABLE MATERIALS TO SOAK-UP SPILLS!**

Large Spill:

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with inert, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Wash the spill area clean with water and detergent, observing environmental requirements.

Section 7. Handling and Storage

Protective Measures:

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Jayne Products JPD Deodorizer

Section 7. Handling and Storage

Safe Storage Conditions:

Store in accordance with local regulations. Do not handle roughly. Avoid hitting, dropping or knocking down the container. Avoid direct sun light, store in a cool place. Open container carefully if product appears to be under pressure. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits:

No exposure limits noted for the components listed.

Engineering Controls:

Facilities storing or using this material should be equipped with and eyewash station and safety shower. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to minimize exposure.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Jayne Products JPD Deodorizer

Section 8. Exposure Controls/Personal Protection

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Body Protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and Chemical Properties

Physical State:

Liquid.

Color:

Water white, transparent.

Odor:

options of Bubble
Gum/Green Apple/
Jasmine/ Almond/ Floral

pH:

6.7-7.5

Freezing Point:

Boiling Point:

Specific Gravity:

1.00-1.01 (at 25° C)

Solubility in Water

100 %

Evaporation Rate:

Date of Issue: 3/1/21

Page 7 of 10

Revision: 1.00

Jayne Products JPD Deodorizer

Section 9. Physical and Chemical Properties

VOC Content: 2 grams per liter

Vapor Pressure: equal to water

Section 10. Stability and Reactivity

Chemical Stability: Stable in ordinary handling conditions

Conditions to Avoid: No specific data.

Incompatible Materials:

Hazardous Decomposition Products: No Data

Possibility of Hazardous Reactions:

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

: LD50 Oral (Mouse): >10mL/kg
LD50 Dermal: No Data
LC50 (96Hr) Water Flea 1500mg/L

Sensitization

: None is known to date.

Carcinogenicity

: None is known to date.

Reproductive Toxicity

: None is known to date.

Teratogenicity

: None is known to date.

Specific Target Organ Toxicity (single exposure) : None is known to date.

Specific Target Organ Toxicity (repeated exposure) : None is known to date.

Aspiration Hazard

: None is known to date.

Information on the likely routes of exposure

: No data available.

Section 12. Ecological Information

Ecotoxicity

Not available

Persistence and degradability : None

Bioaccumulative Potential : None

Mobility in Soil

Soil/water Partition Coefficient (K_{oc}) : None

Jayne Products JPD Deodorizer

Section 12. Ecological Information

Other Adverse Effects : No known significant effects of critical hazards.

Section 13. Disposal Considerations

Other Adverse Effects The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport Information

	DOT Classification	IMDG	IATA
UN Number	Not regulated	Not regulated	Not regulated
UN Proper Shipping Name	-	-	-
Transport Hazard Classes	-	-	-
Packing Group	-	-	-
Environmental Hazards	-	-	-
Additional Information	-	-	-

Special Precautions for User : Transport within user's premises: always transport inclosed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory Information

U.S. Federal Regulations : None

California Prop 65 : None

Section 16. Other Information

History

Date of printing : 3/1/21

Date of issue/Date of Revision : 3/1/21

Date of previous issue : None

References : Not available

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Safety Data Sheet: Simple Green® All-Purpose Cleaner (prefilled dilution bottle)

WPS - 1073287

Issuing Date: No data available

Revision Date: 11-Mar-2015

Revision Number: 1

In accordance with OSHA HCS-2012 / GHS

Section 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT IDENTIFIER

Product Name: Simple Green® All-Purpose Cleaner (prefilled dilution bottle)

OTHER MEANS OF IDENTIFICATION

Synonyms: None

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE

Recommended use: Cleaning Supplies – General Purpose Cleaner – non-aerosol

Uses advised against: No information available

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Supplier Name: Sunshine Makers Inc.
Supplier Address: 15922 Pacific Coast Highway
Huntington Beach
CA
92649
US
Supplier Phone Number: Phone: 800-228-0709
Fax: 562-592-3830
Contact Phone: 562-795-6000
Supplier Email: info@simplegreen.com

EMERGENCY TELEPHONE NUMBER

Chem-Tel 24-Hour Emergency Service: 800-255-3924

Section 2: HAZARDS IDENTIFICATION

CLASSIFICATION

This chemical is NOT considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health
Appearance: Green Physical State: Liquid Odor: Herbal Fruity Type

Hazard Statements: None

Signal Word: None

Symbol: Not required

Safety Data Sheet: Simple Green® All-Purpose Cleaner (prefilled dilution bottle)

WPS - 1073287

Issuing Date: No data available

Revision Date: 11-Mar-2015

Revision Number: 1

In accordance with OSHA HCS-2012 / GHS

Precautionary Statements – Prevention: Obtain special instructions before use.

Precautionary Statements – Response: None

Precautionary Statements – Storage: None

Precautionary Statements – Disposal: None

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) Not applicable

UNKNOWN TOXICITY The mixture does not consist of ingredient(s) of unknown toxicity.

OTHER INFORMATION

Prolonged or repeated contact may dry skin.

INTERACTIONS WITH OTHER CHEMICALS

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight Percent	Trade Secret
Alcohols, C9-11, ethoxylated	68439-46-3	0.1 – 1	*
Sodium Citrate	6132-04-3	0.1 – 1	*
Sodium Carbonate	497-19-8	0.01 – 0.1	*
Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate	51981-21-6	0.01 – 0.1	*
Citric Acid	77-92-9	0.01 – 0.1	*
Preservative	55965-84-9	0.0001- 0.001	*

* The exact percentage (concentration) of composition has been withheld as a trade secret

Section 4: FIRST-AID MEASURES

FIRST AID MEASURES

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact: Wash skin with soap and water. In the case of allergic reactions see a physician.

Inhalation: Remove to fresh air. If symptoms persist, call a physician.

Ingestion: Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Most Important Symptoms and Effects: No information available

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Notes to physician: Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Safety Data Sheet: Simple Green® All-Purpose Cleaner (prefilled dilution bottle)

WPS - 1073287

Issuing Date: No data available

Revision Date: 11-Mar-2015

Revision Number: 1

In accordance with OSHA HCS-2012 / GHS

Unsuitable Extinguishing Media: CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards arising from the Chemical: No information available.

Hazardous Combustion Products: Carbon oxides.

EXPLOSION DATA

Sensitivity to Mechanical Impact: No

Sensitivity to Static Discharge: No.

Protective equipment and precautions for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid contact with eyes.

ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Refer to protective measures listed in Sections 7 and 8.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Method for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up: Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Section 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

PRECAUTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep container tightly closed.

Incompatible Products: None known based on information supplied.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS

Exposure Guidelines: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

APPROPRIATE ENGINEERING CONTROLS

Engineering Measures: Showers, Eyewash stations, Ventilation systems

Safety Data Sheet: Simple Green® All-Purpose Cleaner (prefilled dilution bottle)

WPS - 1073287

Issuing Date: No data available

Revision Date: 11-Mar-2015

Revision Number: 1

In accordance with OSHA HCS-2012 / GHS

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

Eye/Face Protection: Goggles or eye protection recommended.

Skin and Body Protection: No special protective equipment required.

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Odor:	No added odor
Appearance:	Clear	Odor Threshold:	No information Available
Color:	Colorless		

PROPERTY	VALUES	REMARKS/METHOD
pH:	8.5 – 9.5	None Known
Melting / freezing point:	0°C	None Known
Boiling point / boiling range:	101°C / 212°F	None Known
Flash Point:	5001°C / 9034°F	None Known
Evaporation Rate:	No data available	None Known
Flammability (solid, gas):	No data available	None Known
Upper Flammability Limit in Air:	No data available	None Known
Lower Flammability Limit in Air:	No data available	None Known
Vapor Pressure:	No data available	None known
Vapor Density:	No data available	None known
Specific Gravity:	1.00 – 1.03	None known
Water Solubility:	Soluble in water	None known
Solubility in other solvents:	No data available	None known
Partition coefficient: n-octanol/water:	No data available	None known
Autoignition temperature:	No data available	None known
Decomposition temperature:	No data available	None known
Kinematic viscosity:	No data available	None known
Dynamic viscosity:	No data available	None known
Explosive properties:	No data available	None known
Oxidizing properties:	No data available	None known

OTHER INFORMATION

Softening Point:	No data available
VOC Content (%):	0.25%
Particle Size:	No data available
Particle Size Distribution:	No data available

Section 10: STABILITY AND REACTIVITY

Reactivity: No data available.

Safety Data Sheet: Simple Green® All-Purpose Cleaner (prefilled dilution bottle)

WPS - 1073287

Issuing Date: No data available

Revision Date: 11-Mar-2015

Revision Number: 1

In accordance with OSHA HCS-2012 / GHS

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to avoid: None known based on information supplied.

Incompatible materials: Acids, oxidizers, and chlorinated products.

Hazardous Decomposition Products: Carbon oxides.

Section 11: TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

Product Information: Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation: Specific test data for the substance or mixture is not available.

Eye Contact: Does not classify as an Eye Irritant per Ocular Irritation™ testing.

Skin Contact: Does not classify as a Dermal Irritant per Dermal Irritation™ testing.

Ingestion: Specific test data for the substance or mixture is not available.

Component Information: None supplied.

INFORMATION ON TOXICOLOGICAL EFFECTS

Symptoms: No information available.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

Sensitization: No information available.

Mutagenic Effects: No information available.

Carcinogenicity: Contains no ingredient listed as a carcinogen.

Reproductive Toxicity: No information available.

STOT- single exposure: No information available.

STOT- repeated exposure: No information available.

Chronic Toxicity: No known effect based on information supplied.

Target Organ Effects: None known.

Safety Data Sheet: Simple Green® All-Purpose Cleaner (prefilled dilution bottle)

WPS - 1073287

Issuing Date: No data available

Revision Date: 11-Mar-2015

Revision Number: 1

In accordance with OSHA HCS-2012 / GHS

Aspiration Hazard: No information available.

NUMERICAL MEASURES OF TOXICITY

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral): 20,000 mg/kg

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: The environmental impact of this product has not been fully investigated.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available.

Section 13: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

Disposal Methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging: Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes: 561

Connecticut Hazardous Waste Codes: CR04

Michigan Hazardous Waste Codes: 034L

Washington Hazardous Waste Codes: WT02

Section 14: TRANSPORT INFORMATION

DOT

Proper Shipping Name: Not Regulated.

Hazard Class: N/A.

TDG

Proper Shipping Name: Not Regulated.

Hazard Class: N/A.

MEX

Proper Shipping Name: Not Regulated.

Hazard Class: N/A.

Safety Data Sheet: Simple Green® All-Purpose Cleaner (prefilled dilution bottle)

WPS - 1073287

Issuing Date: No data available

Revision Date: 11-Mar-2015

Revision Number: 1

In accordance with OSHA HCS-2012 / GHS

ICAO

Proper Shipping Name: Not Regulated.
Hazard Class: N/A.

IATA

Proper Shipping Name: Not Regulated.
Hazard Class: N/A.

IMDG/IMO

Proper Shipping Name: Not Regulated.
Hazard Class: N/A.

RID

Proper Shipping Name: Not Regulated.
Hazard Class: N/A.

ADR

Proper Shipping Name: Not Regulated.
Hazard Class: N/A.

ADN

Proper Shipping Name: Not Regulated.
Hazard Class: N/A.

Section 15: REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory:	Complies.
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List:	All components are listed either on the DSL or NDSL.

US Consumer Product Safety Commission Regulations

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). However, the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. Therefore, the requirements of the Occupational Safety and Health Administration applicable to this MSDS differ from the labeling requirements of the CPSC, and this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

US FEDERAL REGULATIONS

SARA 313: Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 HAZARD CATEGORIES:	Acute Health Hazard :	No.
	Chronic Health Hazard:	No.
	Fire Hazard:	No.
	Sudden Release of Pressure Hazard:	No.

Safety Data Sheet: Simple Green® All-Purpose Cleaner (prefilled dilution bottle)

WPS - 1073287

Issuing Date: No data available

Revision Date: 11-Mar-2015

Revision Number: 1

In accordance with OSHA HCS-2012 / GHS

Reactive Hazard:

No.

CWA (Clean Water Act): This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.40).

CERCLA: This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US STATE REGULATIONS

California Proposition 65: This product does not contain any Proposition 65 chemicals.

US STATE RIGHT-TO-KNOW REGULATIONS

This product does not contain any substances regulated by state right-to-know regulations.

INTERNATIONAL REGULATIONS

Canada – WHMIS Hazard Class: Non-controlled

Section 16: OTHER INFORMATION

NFPA:	Health Hazards - 0	Flammability - 0	Instability - 0	Physical and Chemical Hazards - None
HMIS:	Health Hazards - 0	Flammability - 0	Instability - 0	Physical and Chemical Hazards - X

Prepared / Revised By: Sunshine Makers, Inc.
15922 Pacific Coast Highway
Huntington Beach, CA 92649
1-800-228-0709

Revision Date: 11-Mar-2015

Revision Note: OSHA HCS 2012 SDS created

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 08-Sep-2014

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publicly available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Simple Green All-Purpose Cleaner

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Sunshine Makers, Inc.
Supplier Address 15922 Pacific Coast Highway
Huntington HarbourBeach
California
92649
US
Supplier Phone Number Phone:800-228-0709
Fax:562-592-3830
Contact Phone1-562-795-6000
Supplier Email info@simplegreen.com
Emergency telephone number Chem-Tel 24-Hour Emergency Service: 500-255-3924

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS Label elements, including precautionary statements

Emergency Overview



The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Green Physical State Liquid Odor Herbal Fruity Type

Precautionary Statements - Prevention
Obtain special instructions before use

Precautionary Statements - Response
None

Precautionary Statements - Storage
None

Precautionary Statements - Disposal
None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

The mixture does not consist of ingredient(s) of unknown toxicity.

Other information

PROLONGED OR REPEATED CONTACT MAY DRY SKIN

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact

Wash skin with soap and water. In the case allergic reactions see a physician.

Inhalation

Remove to fresh air. If symptoms persist, call a physician.



Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection No special protective equipment required.

Skin and Body Protection No special protective equipment required.



Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Liquid		
Appearance	Green		
Color	Green	Odor	Herbal Fruity Type
		Odor Threshold	No information available
<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>	
pH	8.5 – 9.5	ASTM D-1293	
Melting / freezing point	0°C	ASTM D-1117	
Boiling point / boiling range	101 °C / 214 °F	ASTM D1120	
Flash Point	5001 C / 9034 F	ASTM D-93	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	0.60 PSI @77°C	ASTM D-323	
Vapor density	No data available	None known	
Specific Gravity	1.02 – 1.03	ASTM D-891	
Water Solubility	Completely soluble	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing Properties	No data available		

Other Information

Softening Point	No data available
VOC Content (%)	0.25%
Particle Size	No data available
Particle Size Distribution	



10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation

Specific test data for the substance or mixture is not available.

Eye Contact

Specific test data for the substance or mixture is not available.

Skin Contact

Specific test data for the substance or mixture is not available.

Ingestion

Specific test data for the substance or mixture is not available.

Component Information

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.



Carcinogenicity	Contains no ingredient listed as a carcinogen.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No known effect based on information supplied.
Target Organ Effects	None known.
Aspiration Hazard	No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
20,000.00 mg/kg

12. ECOLOGICAL INFORMATION**Ecotoxicity**

OECD 201, 202, 203 + Microtox: EC₅₀ & IC₅₀ ≥100 mg/L.

Persistence and Degradability

Readily Biodegradable per OECD 301D, Closed Bottle Test

Bioaccumulation

No information available

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 561

14. TRANSPORT INFORMATION

<u>DOT</u>	NOT REGULATED
Proper Shipping Name	NON REGULATED
Hazard Class	N/A

<u>TDG</u>	Not regulated
-------------------	---------------

<u>MEX</u>	Not regulated
-------------------	---------------

<u>ICAO</u>	Not regulated
--------------------	---------------

<u>IATA</u>	Not regulated
Proper Shipping Name	NON REGULATED
Hazard Class	N/A

<u>IMDG/IMO</u>	Not regulated
Hazard Class	N/A

<u>RID</u>	Not regulated
-------------------	---------------

<u>ADR</u>	Not regulated
-------------------	---------------

<u>ADN</u>	Not regulated
-------------------	---------------

15. REGULATORY INFORMATION**International Inventories**

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Consumer Products Safety Commission Regulations

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). However, the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. Therefore, the requirements of the Occupational Safety and Health Administration applicable to this MSDS differ from the labeling requirements of the CPSC, and this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

International Regulations

Canada
WHMIS Hazard Class
Non-controlled

16. OTHER INFORMATION

NFPA	Health Hazards 0	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 0	Flammability 0	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date 08-Sep-2014
Revision Note No information available



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Revision Date 14-Apr-2015

Version 1

1. IDENTIFICATION

Product identifier

Product Name Pure Bright Germicidal Ultra Bleach

Other means of identification

Product UPC 59647-21014
Product Code 11008635041

Recommended use of the chemical and restrictions on use

Recommended Use Disinfectant. Cleaning agent. Chlorine-based bleaching agents.
Uses advised against Do not mix with other chemicals

Details of the supplier of the safety data sheet

Manufacturer Address

KIK International LLC
33 Macintosh Blvd.
Concord, Ontario
Canada L4K 4L5
1-800-479-6603

Emergency telephone number

Emergency Telephone Poison Control Center (Medical) : (866) 366-5048
Chemtel (Transportation) 1-888-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1


Label elements

Emergency Overview

Danger

Hazard statements

Causes skin irritation
Causes serious eye damage



Color light yellow

Physical state liquid

Odor Chlorine

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Keep out of reach of children. Store in a well-ventilated place. Store in a closed container. Protect from sunlight.

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS**Mixture**

Chemical Name	CAS No.	Weight-%
Sodium hypochlorite	7681-52-9	6

4. FIRST AID MEASURES**Description of first aid measures****Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.

Skin contact

Wash skin with soap and water. If symptoms persist, call a physician.

Inhalation

Remove to fresh air.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed**Symptoms**

No information available.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically. Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

No information available.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURESPersonal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGEPrecautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Acids, Ammonia.

8. EXPOSURE CONTROLS/PERSONAL PROTECTIONControl parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. .

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	liquid	Odor	Chlorine
Appearance	clear, light yellow	Odor threshold	No information available
Color	light yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12.0 - 12.5	
Melting point/freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	~1.08	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Density	No information available	
Bulk density	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Do not mix with other chemicals. Extremes of temperature and direct sunlight.

Incompatible materials

Acids, Ammonia.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. May cause burns.
Skin contact	Avoid contact with skin. May cause irritation.
Ingestion	May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

*IARC (International Agency for Research on Cancer)
 Not classifiable as a human carcinogen*

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Very toxic to aquatic life with long lasting effects

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium hypochlorite 7681-52-9	0.095: 24 h <i>Skeletonema costatum</i> mg/L EC50	0.06 - 0.11: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 4.5 - 7.6: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.4 - 0.8: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 0.28 - 1: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 0.05 - 0.771: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.03 - 0.19: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 0.18 - 0.22: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	0.033 - 0.044: 48 h <i>Daphnia magna</i> mg/L EC50 Static 2.1: 96 h <i>Daphnia magna</i> mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION**DOT**

Not regulated

IATAUN/ID no.
Proper shipping name3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SODIUM
HYPOCHLORITE)Hazard Class
Packing Group
Description9
III
UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SODIUM
HYPOCHLORITE), 9, III**IMDG**UN/ID no.
Proper shipping name3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SODIUM
HYPOCHLORITE)Hazard Class
Packing Group
Description9
III
UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SODIUM
HYPOCHLORITE), 9, III

Marine pollutant

This material meets the definition of a marine pollutant

15. REGULATORY INFORMATION**International Inventories**

TSCA

Complies

DSL/NDSL

Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard

Yes

Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite 7681-52-9	100 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hypochlorite 7681-52-9	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hypochlorite 7681-52-9	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number 70271-13

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Difference between SDS and EPA Pesticide label

DANGER: Corrosive. May cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 0	Instability 1	Physical and Chemical Properties -
HMIS	Health hazards 2	Flammability 0	Physical hazards 1	Personal protection B

Prepared By Regulatory Affairs
Revision Date 14-Apr-2015
Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

LONG DURATION FOAM AC-645

Section 1. Identification

GHS product identifier : LONG DURATION FOAM AC-645
Chemical name : Proprietary Surfactant.
Other means of identification : Aqueous anionic surfactant mixture.
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Aqueous Surfactant. Spray application for VOC and Odor control.
Area of application : Industrial applications.

Supplier/Manufacturer : Rusmar, Inc.
216 Garfield Avenue
West Chester, PA 19380
Phone: 610-436-4314
Fax: 610-436-8436

e-mail address of person responsible for this SDS : info@rusmarinc.com
Website: www.rusmarinc.com

Emergency telephone number (with hours of operation) : 888 488 8044 or 212 682 1200
CHEMTREC 800 424 9300

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

GHS label elements

Signal word : No signal word.
Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Hazards not otherwise classified : None known.

Date of issue/Date of revision : 05/28/2015 Date of previous issue : No previous validation Version : 1 1/11

Section 3. Composition/information on ingredients

Substance/mixture : Substance
 Chemical name : Proprietary Surfactant.
 Other means of identification : Aqueous anionic surfactant mixture.

CAS number/other identifiers

CAS number : Not available.
 Product code : Not available.

Ingredient name	Other names	%	CAS number
Proprietary Surfactant.	-	100	-

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Date of issue/Date of revision	: 05/28/2015	Date of previous issue	: No previous validation	Version	: 1	2/11
--------------------------------	--------------	------------------------	--------------------------	---------	-----	------

Section 4. First aid measures

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
sulfur oxides

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 6. Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Section 8. Exposure controls/personal protection

- | | |
|------------------------|---|
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

Section 9. Physical and chemical properties

Appearance

- | | |
|--|--|
| Physical state | : Liquid. [Clear viscous liquid.] |
| Color | : Translucent. White. |
| Odor | : Odorless. |
| Odor threshold | : Not available. |
| pH | : Not available. |
| Melting point | : Not available. |
| Boiling point | : 99°C (210.2°F) |
| Flash point | : Not applicable. |
| Evaporation rate | : Not available. |
| Flammability (solid, gas) | : Not applicable. |
| Lower and upper explosive (flammable) limits | : Not available. |
| Vapor pressure | : 3.3 kPa (25 mm Hg) [room temperature] |
| Vapor density | : Not available. |
| Relative density | : 1.01 to 1.06 |
| Solubility | : Easily soluble in the following materials: cold water and hot water. |
| Solubility in water | : Easily soluble. |
| Partition coefficient: n-octanol/water | : Not available. |
| Auto-ignition temperature | : Not available. |
| Decomposition temperature | : Not available. |
| SADT | : Not available. |
| Viscosity | : Not available. |

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: Keep away from heat.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Low levels of sulfur oxides on exposure to high temperatures (concentrate).

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Conclusion/Summary : Not expected.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Section 11. Toxicological information

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Long term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects

Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Section 12. Ecological information

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : United States inventory (TSCA 8b): Not determined.

Clean Air Act Section 112 : Not listed

(b) Hazardous Air
Pollutants (HAPs)

Clean Air Act Section 602 : Not listed
Class I Substances

Clean Air Act Section 602 : Not listed
Class II Substances

DEA List I Chemicals : Not listed
(Precursor Chemicals)

DEA List II Chemicals : Not listed
(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

No products were found.

SARA 313

Not applicable.

State regulations

Massachusetts : This material is not listed.

New York : This material is not listed.

New Jersey : This material is not listed.

Pennsylvania : This material is not listed.

California Prop. 65

None of the components are listed.

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information


Hazardous Material Information System (U.S.A.)

Health	0
Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
Not classified.	

History

Date of issue/Date of revision	: 05/28/2015
Date of previous issue	: No previous validation
Version	: 1
Prepared by	: IHS
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Section 16. Other information

References : HCS (U.S.A.)- Hazard Communication Standard
International transport regulations

☑ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Attachment 2

Additional Measures in Lineage Logistics Odor Management Plan

1. Background

- a. Building 1: Building generally intact, no refrigeration, full of food (mainly meat and seafood)
- b. Building 2: Fire damaged, wall on Indiana is the working face

2. General Measures for Buildings 1 and 2

a. Misting System

- i. Existing Measure: Continue implementing misting measures in Odor Management Plan.

b. Wind Break Plan on Indiana Street

- i. New Measure:
 1. Submit a Wind Break Plan to minimize wind tunnel effects on Indiana Street to minimize impacts to downwind receptors while waste is being live loaded on Indiana Street and while any odor generating activities occur in Building 2.
 2. Install a wind monitoring station to develop work stoppage criteria.

c. Loading of Trucks

- i. Existing Measures:
 1. Conduct live loading of trucks as specified in Odor Management Plan.
 2. Line roll-offs/trucks to prevent spillage onto pad/streets as specified in Odor Management Plan.
- ii. New Measures:
 1. Apply odor neutralizer prior to and during loading, including during excavation of the waste material.
 2. Minimize drop height of decomposing food and waste from the loader bucket to the truck.
 3. Load trucks as close to the building as safely and reasonably possible.
 4. Cover each truck with either a solid covering or a vinyl tarp or the equivalent. If a vinyl tarp or the equivalent is used, operator shall use an odor containment material such as Rusmar on the decomposing food and waste.
 5. Solid covering of trucks shall be used for:
 - a. Particularly odorous loads;
 - b. Loads that will be stored for 8 hours or more at or near the site;

6. Operator shall specify a timeframe to completely cover a loaded truck; and
7. Operator shall specify a timeframe to apply Rusmar.

d. Loaded Trucks (New Measures)

- i. Any loaded truck that will be sitting at or near the property for 8 or more hours, shall be covered with a solid cover and sealed to minimize the potential for odors.
- ii. A canopy or shade cover shall be placed over any loaded truck that will be sitting for more than 12 hours.

e. Housekeeping

i. Existing Measures:

1. Continue daily washing of areas using the methods specified in the Odor Management Plan.
2. Inspect the waste staging area daily, pursuant to the Waste Management Plan to ensure:
 - a. Roll-offs/trucks are kept tightly covered when not being loaded; and
 - b. Roll-offs/trucks are not leaking materials onto the pad or street (from Odor Management Plan).

ii. New Measures

1. Daily washing includes any areas with runoff, not just runoff that seeped into onsite drainage system.
2. Daily washing where there is any track out or runoff, or openings such on Indiana St.
3. Daily washing of any loading areas that are outside of the building and any equipment operated in the building that will remain outside of the building.
4. Do not allow liquids from materials or clean-up materials to pool and create odors. Use power washing devices and heated water, if possible.
5. Empty and wash drains used to collect runoff once per day.
6. Conduct daily mobile wet scrubber sweeping, a quarter mile or to the first major street from the facility, on any street(s) where loaded trucks are traversing.

f. Encapsulation and Control of Odorous Waste

i. New Measures

1. Apply odor encapsulant material (e.g. Posi-Lock) via appropriate spray or hydroseeding equipment to odorous waste material, to create a physical crust over the waste surface to prevent odor migration.

2. Prior to or via the odor encapsulant material application, apply odor neutralizer to the odorous waste material to ensure that odors are neutralized while they are encapsulated to further reduce odor migration.
3. Incorporate routine odor surveillance and visual inspection of the encapsulant material on a regular basis (e.g. weekly) to determine the condition of the encapsulant material. If cracks, separation, or other degradation of the encapsulant material is identified, additional encapsulant material or other vapor barrier material shall be applied to the degraded areas of encapsulant material as soon as possible to mitigate odor migration.
4. As encapsulated waste material is excavated for removal, encapsulant material shall be applied to or on top of the remaining exposed waste material when excavation has ceased for the day.

g. Signage (New Measure)

- i. Install signs stating, "TO REPORT AIR QUALITY ISSUES SUCH AS ODORS, DUST, OR SMOKE FROM THIS FACILITY, CALL THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT AT 1-800-CUT-SMOG".
 1. Install signs within 50 feet of the main entrance of the facility and in a location on each side of the facility that is visible to the public;
 2. Sign shall measure at least 16 square feet; and
 3. Lettering at least 3 inches tall with text contrasting with the sign background.

h. Community Communication Plan (New Measures)

- i. Develop a plan to communicate to the public the status and anticipated activities that provides:
 1. Truck routes
 2. Status updates
 3. Anticipated work that may significantly result in odor nuisance
 4. Include an onsite environmental coordinator that is responsible for:
 - a. Conducting odor surveillance around the perimeter of the facility at least three times per day;
 - b. Ensuring measures in the Odor Management Plan are implemented; and
 - c. Answering community concerns
- ii. Notify the community if any of the following occurs:
 1. Wall between Building 1 and 2 is opened;
 2. Opening of plastic covering on Union Pacific or Indiana is needed while decomposing food or waste is being moved;
 3. Accidental collapse of building structure; or

4. Significant spills of odorous materials or wastewater.

3. Measures Specific to Building 1 (New Measures)

- a. Before any decomposing food or waste is moved out of Building 1, wrap decomposing food or waste, or place in a sealed containment within the building.
 - i. Utilize temporary, enclosed vestibules vented to air pollution control equipment if materials are brought out of Building 1 before being placed in containment.
- b. Submit a detailed Odor Management Plan for how waste will be removed from Building 1 that includes the phases, staging of materials, how materials will be loaded on trucks, housekeeping, and timeframe.
- c. The middle wall between Building 1 and 2 has a significant opening from the fire damage. The Granular Activated Carbon (GAC) Units will only control emissions that are collected by the ventilation system. Significant emissions of ammonia and VOC from the decomposition of organic materials are expected to escape the intended enclosure with the current configuration. Conduct smoke tests to demonstrate inward airflow for the Building 1 opening (including opening(s) at the roof). Perform the smoke test during daytime high temperatures. Subsequent to the smoke test, plastic sheeting shall be used to close any openings that indicated outward air flow from the structure. Specify the timeline for how quickly plastic sheeting will be applied to the areas of indicated outward air flow.
- d. Monitor the inlet and outlet of GAC units for VOC at least once every shift to ensure proper control of captured emissions. All monitoring results shall be documented and maintained in a daily log and made available to South Coast AQMD upon request.
- e. Conduct sampling at the inlet and outlet of GAC units for speciated organic compounds using a South Coast AQMD approved method (e.g. EPA TO-15). All results shall be maintained and made available to South Coast AQMD upon request. Sampling shall also include ammonia at the inlet and outlet of the units.
- f. Immediately shut down GAC units showing initial signs of breakthrough based on emissions monitoring.
- g. Maintain standby GAC units either at a readily accessible off-site storage location or on-site to accommodate timely GAC replacement to prevent and limit GAC breakthrough conditions.
- h. Monitor building pressure with three differential pressure monitoring systems on three different walls. Seal areas of positive differential pressure to the maximum extent possible.
- i. Any damage or wear and tear in the plastic sheeting shall be repaired or replaced within 72 hours.

4. Measures Specific to Building 2

- a. Existing Measures:

- i. Install carbon filters are being installed at doorways on Los Palos St and Union Pacific Ave at outlined in Odor Management Plan;
 - ii. Wrap damaged portion of the building as specified in Odor Management Plan; and
 - iii. Conduct daily inspections of wrapping as specified in Odor Management Plan.
- b. New Measures:
 - i. Containment
 - 1. Plastic sheeting is not required for the portion of the building where material is being actively worked on and shall provide sufficient space for the ingress and egress of equipment, materials and workers.
 - 2. Any damage or wear and tear in the plastic sheeting shall be repaired or replaced within 72 hours.
 - ii. Utilize products (e.g. Posi-lock) identified above in “Encapsulation of Odorous Waste” to create a solid, sealed barrier to prevent odorous emissions from organic debris in open air areas. Application of products shall be based on suggested timeframes from the manufacturer.
 - 1. Upon removal of all solid waste from Building 2, power wash, clean and disinfect concrete flooring.

5. Wastewater System (New Measures)

- a. Provide South Coast AQMD details on wastewater collection and storage system, locations of potential emissions where wastewater is open to air, products and compounds added to the wastewater, and lab analysis of wastewater tanks.
- b. Provide Rule 219 permit exemption for wastewater tanks or submit permit applications for tanks to South Coast AQMD, as appropriate.
- c. Include truck loading activities of sludge and/or wastewater in the Odor Management Plan. Significant odors were observed next to tanks containing wastewater.
- d. Keep all vessels containing wastewater closed, sealed, or vented to air pollution control. Air pollution control and odor mitigation strategies shall be evaluated in the Odor Management Plan for identified sources of wastewater odors.

6. Recordkeeping (New Measure)

- a. Log date, time, duration of any work stoppages due to the emission of air contaminants. Include reasons for work stoppage, any measurements of air contaminants, and location of measurement.