Mail To: SCAQMD P.O. Box 4944 Diamond Bar, CA 91765-0944

This form must be accompanied by a completed Application for a Permit to Construct/Operate - Forms 400-A, Form 400-CEQA, and Form 400-PS.

Tel: (909) 396-3385 www.aqmd.gov

Section A - Operator	r Information					
Facility Name (Business Name	e of Operator That Appears On Pern	nit): Valid	AQMD Facility ID (A	Available On Permit	Or Invoice Issued By	AQMD):
Address where the equipmen	nt will be operated (for equipment w	which will be moved to various locations i	n AQMD's jurisdictio	on, please list the in	itial location site):	
				Fixed Lo	ocation Vario	ous Locations
Tank Type	External Floating Roof Tank (EFRT) Internal Floating Roof Tank (IFRT) Horizontal Tank (HT)					
(Select ONE)	Vertical Fixed Roof Tank (VFRT)  Domed External Roof Tank (DEFRT)					
Identification	Tank Identification Number: Tank Contents/Product (include MSDS):					
Section B - Tank Info	ormation					
	Shell Diameter (ft.):	Shell Length (ft.):	Shell Height (ft.):		Turnovers Per Year	r:
	Is Tank Heated?	Is Tank Underground?	Net Throughput (	 (gal/year):	Self Support Roof:	
	Yes No	Yes No		_	Yes N	0
	Number of Columns?	Effective Column Diameter:				
		9" by 7" Built Up Column - 1.1		•	Unknown - 1	
	External Shell Condition:	Internal Shell Color:	External Shell Co		Consult in lat	
Tank Characteristics	Good Poor	Light Rust Dense Rust	White/White		Gray/Light Gray/Medium	
	P001		Aluminum/S	•	-	
	Average Liquid Height (ft )	Gunite Lining	Aluminum/D		Red/Primer	`
	Average Liquid Height (ft.) (Vertical Only):	Maximum Liquid Height (ft.) (Vertical Only):	Working Volume (Vertical Only):	(gai.)	Actual Volume (gal (Vertical Only):	.)
	Paint Condition:	Paint Color/Shade:			-	
	Good	White/White	Gray/Light		Gray/Medium	
	Poor	Aluminum/Diffuse	Aluminum/Specula	ar	Red/Primer	
	Roof Type:		Roof Fitting	g Category:	Roof Height (ft.):	
	Pontoon	Dome Roof (Height ft.)	Typica	al		
Roof Characteristics	Double Deck	Cone Roof (Heightft.)	Detail			
(Floating Roof Tank)	Roof Paint Condition:	Roof Color/Shade:				
	Good	White/White	Gray/Light		Gray/Medium	
	Poor	Aluminum/Diffuse	Aluminum/Specula	ar	Red/Primer	
	Deck Type:	Deck Fitting Characteristics:				
	Welded Bolted	Typical Detailed (Co	omplete Deck Seam	)		
Deck Characteristics (Floating Roof Tank)		Construction: Deck Seam Len	gth (ft.):	Deck Seam:		
, <b>,</b>		Sheet		5 ft. wide	6 ft. wide	7 ft. wide
		Panel		5 x 7.5 ft.	5 x 12 ft.	
Tank Construction and Rim	Tank Construction:	Primary Seal:		Second	ary Seal:	
-Seal System	Welded	Mechanical Shoe	Liquid Mounted	Ri	m Mounted	None
(Floating Roof Tank)	Riveted	Vapor Mounted		Sh	noe Mounted	
Breather Vent Setting Vacuum Setting (psig): Pressure Setting (psig):		ig):				

<sup>\*</sup> Section D of the application MUST be completed.



Mail To: **SCAQMD** P.O. Box 4944 Diamond Bar, CA 91765-0944

Tel: (909) 396-3385

This form must be accompanied by a completed Application for a Permit to Construct/Operate - Forms 400-A, Form 400-CEQA, and Form 400-PS. www.aqmd.gov Section B - Tank Information (cont.) Nearest Major City:\_\_\_ Daily Average Ambient Temperature (°F): Annual Average Minimum Temperature (°F):\_\_\_\_\_ Site Selection Annual Average Maximum Temperature (°F): Average Wind Speed (mph):\_\_\_\_\_ Annual Average Solar Insulation Factor ( Btu / (ft<sup>3</sup> \* ft \* day) ):\_\_\_\_\_ Chemical Category: **Organic Liquids** Crude Oil Petroleum Distillates Multiple Liquid: Single **Tank Contents** If Multiple, Select Speciation Option: **Full Speciation Partial Speciation Various Weight Speciation** None Section C - Operation Information Vapor Control During Loading or Unloading: Vapor Balance System Vapor Return Line Sparger Vented to Air Pollution Control Equipment <sup>1</sup> Vapor Control A separate permit is required. If APC equipment is already permitted, provide Permit or Device Number:\_ Indicate Type of Setting and Vapor Disposal Discharging to (Check Appropriate Box) Pressure Setting Number Vaccum Setting Atmosphere Vapor Control Flare Vent Valve Data Combination Pressure Vaccum Open Name all liquids, vapors, gases, or mixtures of such material to be stored in this tank:

	Concentration of Materials Dissolved:	% by Weight OR	% by Volume OR	lbs/gal		
Section D - Roof/Dec	k Fitting					
Section D is required for the following tanks: External Floating Roof Tank, Internal Floating Roof Tanks, or Domed External Floating Roof Tanks.						
Select the number	r of fittings for each applicable question. Examples: Unbolted Cover, Ungasketed Unbolted Cover, Gasketed					
	1. Access Hatch (24" diameter well)	Automatic Gauge Float Well     (20" diameter well)	3. Column Well (24" diameter well)			
Poof/Dock Fitting Datails	Bolted Cover, Gasketed Unbolted Cover, UnGasketed	Bolted Cover, Gasketed Unbolted Cover, Ungasketed	Built-Up Col - Sliding Cover	•		

Unbolted Cover, Gasketed

Name of Materials Dissolved:

If material is stored in a solution, supply the following information:

Name of Solvent:

\_Unbolted Cover, Gasketed

Materials

\_Pipe Col - Flex, Fabric Sleeve Seal Pipe Col - Sliding Cover, Gasketed Pipe Col - Sliding Cover, Ungasketed

## Form 400-E-18 Storage Tank

This form must be accompanied by a completed Application for a Permit to Construct/Operate - Forms 400-A, Form 400-CEQA, and Form 400-PS.

Section D - Roof/Deck Fitting (cont.)							
		4. Gauge Hatch/Sample Well (8" diameter well)	5. Ladder Well (36" diameter)				
		Weighted Mechanical Actuation, Gasketed	Sliding Cover, Gasketed				
		Weighted Mechanical Actuation, Ungasketed	Sliding Cover, Ungasketed				
		6. Rim Vent (6" diameter)	7. Roof Drain (3" diameter)				
		Weighted Mechanical Actuation, Gasketed	Open				
		Weighted Mechanical Actuation, Ungasketed	90% Close				
		8. Roof Leg (3" diameter leg)	9. Roof Leg or Hang Well				
		Adjustable, Pontoon Area, Ungasketed	Adjustable				
		Adjustable, Center Area, Ungasketed	Fixed				
		Adjustable, Double-Deck Roofs	10. Sample Pipe (24" diameter)				
	Fixed	Slotted Pipe – Sliding Cover, Gasketed					
	Adjustable, Pontoon Area, Gasketed	Slotted Pipe – Sliding Cover, Ungasketed					
Roof/Ded	k Fitting Details	Adjustable, Pontoon Area, Sock	Slit Fabric Seal, 10% Open				
	(cont.)	Adjustable, Center Area, Gasketed					
		Adjustable, Center Area, Sock					
		11. Guided Pole/Sample Well	12Stub Drain (1" diameter)				
		Ungasketed, Sliding Cover, Without Float	13. Unslotted Guide – Pole Well				
		Ungasketed Sliding Cover, With Float	Ungasketed, Sliding Cover				
		Gasketed Sliding Cover, Without Float	Gasketed Sliding Cover				
		Gasketed Sliding Cover, With Float	Ungasketed Sliding Cover with Sleeve				
		Gasketed Sliding Cover, With Pole Sleeve	Gasketed Sliding Cover with Sleeve				
		Gasketed Sliding Cover, With Pole Wiper	Gasketed Sliding Cover with Wiper				
		Gasketed Sliding Cover, With Float, Wiper	14. Vacuum Breaker (10" diameter well)				
		Gasketed Sliding Cover, With Float, Sleeve,	, WiperWeighted Mechanical Actuation, Gasketed				
		Gasketed Sliding Cover, With Pole Sleeve, V	WiperWeighted Mechanical Actuation, Ungasketed				
Section D - Authorization/Signature							
I hereby ce	ertify that all inforr	nation contained herein and information submitted with this a	application is true and correct.				
Signature:		Date:	Name:				
Preparer Info	Title:	Company Name:	Phone #: Fax #:				
	Title.	Sompany Name.	Email:				
	Name:		Phone #: Fax #:				
Contact Info Title:		Company Name:	Email:				
	.————						

## THIS IS A PUBLIC DOCUMENT

Pursuant to the California Public Records Act, your permit application and any supplemental documentation are public records and may be disclosed to a third party. If you wish to claim certain limited information as exempt from disclosure because it qualifies as a trade secret, as defined in the District's Guidelines for Implementing the California Public Records Act, you must make such claim at the time of submittal to the District.

Check here if you claim that this form or its attachments contain confidential trade secret information.