E-Mailed: January 25, 2013 environmental@emwd.org

January 25, 2013

Ms. Helen Stratton
Eastern Municipal Water District
P.O. Box 8300
Perris, CA 92572-8300

Review of the Draft Environmental Impact Report (Draft EIR) for the Proposed Recycled Water Ponds Expansion and Optimization Project

The South Coast Air Quality Management District (AQMD) staff appreciates the opportunity to comment on the above-mentioned document. The following comments are meant as guidance for the lead agency and should be incorporated into the final environmental impact report (Final EIR) as appropriate.

The AQMD staff is concerned about the significant regional and localized construction related air quality impacts from the proposed project. Specifically, the lead agency determined that the project exceeds the AQMD's CEQA regional construction significance threshold for NOx and the localized significance thresholds for NOX, PM10 and PM2.5. As a result, the AQMD staff recommends that pursuant to Section 15126.4 of the CEQA Guidelines the lead agency require the following additional construction related mitigation measures in the Final EIR.

Additional Construction Mitigation Measures

- Provide temporary traffic controls such as a flag person, during all phases of construction to maintain smooth traffic flow.
- Provide dedicated turn lanes for movement of construction trucks and equipment onand off-site.
- Reroute construction trucks away from congested streets or sensitive receptor areas.
- Appoint a construction relations officer to act as a community liaison concerning onsite construction activity including resolution of issues related to PM10 generation.
- Improve traffic flow by signal synchronization.
- Require the use of electricity from power poles rather than temporary diesel or gasoline power generators.
- Require the use of 2010 and newer diesel haul trucks (e.g., material delivery trucks and soil import/export) and if the lead agency determines that 2010 model year or

- newer diesel trucks cannot be obtained the lead agency shall use trucks that meet EPA 2007 model year NOx emissions requirements.
- Consistent with measures that other lead agencies in the region (including Port of Los Angeles, Port of Long Beach, Metro and City of Los Angeles)¹ have enacted, require all on-site construction equipment to meet EPA Tier 3 or higher emissions standards according to the following:
 - ✓ Project start, to December 31, 2014: All offroad diesel-powered construction equipment greater than 50 hp shall meet Tier 3 offroad emissions standards. In addition, all construction equipment shall be outfitted with BACT devices certified by CARB. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by a Level 3 diesel emissions control strategy for a similarly sized engine as defined by CARB regulations.
 - ✓ Post-January 1, 2015: All offroad diesel-powered construction equipment greater than 50 hp shall meet the Tier 4 emission standards, where available. In addition, all construction equipment shall be outfitted with BACT devices certified by CARB. Any emissions control device used by the contractor shall achieve emissions reductions that are no less than what could be achieved by a Level 3 diesel emissions control strategy for a similarly sized engine as defined by CARB regulations.
 - ✓ A copy of each unit's certified tier specification, BACT documentation, and CARB or SCAQMD operating permit shall be provided at the time of mobilization of each applicable unit of equipment.
 - Encourage construction contractors to apply for AQMD "SOON" funds. Incentives could be provided for those construction contractors who apply for AQMD "SOON" funds. The "SOON" program provides funds to accelerate clean up of off-road diesel vehicles, such as heavy duty construction equipment. More information on this program can be found at the following website: http://www.aqmd.gov/tao/Implementation/SOONProgram.htm

For additional measures to reduce off-road construction equipment, refer to the mitigation measure tables located at the following website: www.aqmd.gov/ceqa/handbook/mitigation/MM_intro.html.

Pursuant to Public Resources Code Section 21092.5, AQMD staff requests that the lead agency provide the AQMD with written responses to all comments contained herein prior to the adoption of the Final EIR. Further, staff is available to work with the lead agency

¹ For example see the Metro Green Construction Policy at: http://www.metro.net/projects_studies/sustainability/images/Green_Construction_Policy.pdf

to address these issues and any other questions that may arise. Please contact Dan Garcia, Air Quality Specialist CEQA Section, at (909) 396-3304, if you have any questions regarding the enclosed comments.

la V. M. Mill

Sincerely,

Ian MacMillan

Program Supervisor, CEQA Inter-Governmental Review Planning, Rule Development & Area Sources

<u>IM:DG</u>

RVC121214-02 Control Number