

SENT VIA E-MAIL:

May 28, 2025

Priit Kaskla, AICP, Associate Planner

[priitk@ggcity.org](mailto:priitk@ggcity.org)

City of Garden Grove,  
Planning Services Division  
11222 Acacia Parkway  
Garden Grove, CA 92840

**Notice of Intent to Adopt an Initial Study/Negative Declaration (IS/ND) for  
the Harbinger Motors (Proposed Project)  
(SCH No: 2025050492)**

South Coast Air Quality Management District (South Coast AQMD) staff appreciate the opportunity to review the above-mentioned document. The City of Garden Grove is the California Environmental Quality Act (CEQA) Lead Agency for the Proposed Project. To provide context, South Coast AQMD staff has provided a brief summary of the project information and prepared the following comments which are organized by topic of concern.

**Summary of Proposed Project Information in the IS/ND**

Based on the IS/ND, the Propose Project consists of construction of a 10,338 square foot mezzanine for additional office space within the existing approximately 173,000 square foot (gross floor area) warehouse on the project site. Based on a review of aerial photographs, South Coast AQMD staff found that the nearest sensitive receptor (e.g., residential development) is located 175 feet from the project site boundries. Construction of the Proposed Project is anticipated to occur in May 2025 and end in November 2025. The Proposed Project is located at 12821 Knott Street, in Garden Grove.

**South Coast AQMD Comments**

*South Coast AQMD Air Permits and Role as a Responsible Agency*

If implementation of the Proposed Project would require the use of new stationary and portable sources, including but not limited to emergency generators, fire water pumps, boilers, etc., air permits from South Coast AQMD will be required. The final CEQA document, should include a discussion about the potentially applicable rules that the Proposed Project needs to comply with. Those rules may include, for example, Rule 201 – Permit to Construct,<sup>1</sup> Rule 203 – Permit to Operate,<sup>2</sup> Rule 401 – Visible Emissions,<sup>3</sup> Rule 402 – Nuisance,<sup>4</sup> Rule 403 – Fugitive Dust,<sup>5</sup> Rule

---

<sup>1</sup> South Coast AQMD. Rule 201 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-ii/rule-201.pdf>

<sup>2</sup> South Coast AQMD. Rule 203 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-ii/rule-203.pdf>

<sup>3</sup> South Coast AQMD. Rule 401 available at: <https://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-401.pdf>

<sup>4</sup> South Coast AQMD. Rule 402 available at: <https://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-402.pdf>

<sup>5</sup> South Coast AQMD. Rule 403 available at: <https://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-403>

1110.2 – Emissions from Gaseous and Liquid Fueled Engines,<sup>6</sup> Rule 1113 – Architectural Coating,<sup>7</sup> Rule 1166 – Volatile Organic Compound Emissions from Decontamination of Soil,<sup>8</sup> Rule 1179 – Publicly Owned Treatment Works Operations,<sup>9</sup> Regulation XIII – New Source Review,<sup>10</sup> Rule 1401 – New Source Review of Toxic Air Contaminants,<sup>11</sup> Rule 1466 – Control of Particulate Emissions from Soils with Toxic Air Contaminants,<sup>12</sup> Rule 1470 – Requirements for Stationary Diesel-Fueled Internal Combustion and Other Compression Ignition Engines,<sup>13</sup> etc. It is important to note that when air permits from South Coast AQMD are required, the role of South Coast AQMD would change from a Commenting Agency to a Responsible Agency under CEQA. In addition, if South Coast AQMD is identified as a Responsible Agency, per CEQA Guidelines Sections 15086, the Lead Agency is required to consult with South Coast AQMD.

CEQA Guidelines Section 15096 sets forth specific procedures for a Responsible Agency, including making a decision on the adequacy of the CEQA document for use as part of the process for conducting a review of the Proposed Project and issuing discretionary approvals. Moreover, it is important to note that if a Responsible Agency determines that a CEQA document is not adequate to rely upon for its discretionary approvals, the Responsible Agency must take further actions listed in CEQA Guideline Section 15096(e), which could have the effect of delaying the implementation of the Proposed Project. In its role as CEQA Responsible Agency, the South Coast AQMD is obligated to ensure that the CEQA document prepared for this Proposed Project contains a sufficient project description and analysis to be relied upon in order to issue any discretionary approvals that may be needed for air permits.

For these reasons, the final CEQA document should be revised to include a discussion about any and all new stationary and portable equipment requiring South Coast AQMD air permits, provide the evaluation of their air quality and greenhouse gas impacts, and identify South Coast AQMD as a Responsible Agency for the Proposed Project as this information will be relied upon as the basis for the permit conditions and emission limits for the air permit(s). Please contact South Coast AQMD's Engineering and Permitting staff at (909) 396-3385 for questions regarding what types of equipment would require air permits. For more general information on permits, please visit South Coast AQMD's webpage at <https://www.aqmd.gov/home/permits>.

## Conclusion

The Lead Agency is recommended to revise the CEQA analysis to address the aforementioned comments and provide the necessary evidence to sufficiently support the conclusions reached. If the requested information and analysis are not included in the final CEQA document, either the Final ND or other type of CEQA document, the Lead Agency should provide reasons for not doing so. Pursuant to California Public Resources Code Section 21092.5(b) and CEQA Guidelines Section 15074, prior to approving the Proposed Project, the Lead Agency shall

---

<sup>6</sup> South Coast AQMD. Rule 1110.2 available at: [https://www.aqmd.gov/docs/default-source/rule-book/reg-xi/r1110\\_2.pdf](https://www.aqmd.gov/docs/default-source/rule-book/reg-xi/r1110_2.pdf)

<sup>7</sup> South Coast AQMD. Rule 1113 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-xi/r1113.pdf>

<sup>8</sup> South Coast AQMD. Rule 1166 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-xi/rule-1166.pdf>

<sup>9</sup> South Coast AQMD. Rule 1179 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-xi/rule-1179.pdf>

<sup>10</sup> South Coast AQMD. Regulation XIII available at: <https://www.aqmd.gov/home/rules-compliance/rules/scaqmd-rule-book/regulation-xiii>

<sup>11</sup> South Coast AQMD. Rule 1401 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-xiv/rule-1401.pdf>

<sup>12</sup> South Coast AQMD. Rule 1466 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-xiv/rule-1466.pdf>

<sup>13</sup> South Coast AQMD. Rule 1470 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-xiv/rule-1470.pdf>

consider the ND for adoption together with any comments received during the public review process and notify each public agency when any public hearings are scheduled. Please provide South Coast AQMD with written responses to all comments contained herein prior to the adoption of the Final ND. When responding to issues raised in the comments, detailed reasons supported by substantial evidence in the record to explain why specific comments and suggestions are not accepted must be provided. In addition, if the Lead Agency decides to adopt the Final ND, please provide South Coast AQMD with a notice of any scheduled public hearing(s).

Thank you for the opportunity to provide comments. South Coast AQMD staff is available to work with the Lead Agency to address any air quality questions that may arise from this comment letter. Please contact Sahar Ghadimi, Air Quality Specialist, at [sghadimi@aqmd.gov](mailto:sghadimi@aqmd.gov) should you have any questions.

Sincerely,

*Sam Wang*

Sam Wang

Program Supervisor, CEQA IGR

Planning, Rule Development & Implementation

SW:SG

ORC250513-05

Control Number