

## South Coast AQMD Site Survey Report for Long Beach (Hudson)

Last updated: May 16, 2025



AQS ID	ARB Number	Site Start Date	Reporting Agency and Agency Code
060374006	70033	01/2010	South Coast AQMD (061)

Site Address	County	Air Basin	Latitude	Longitude	Elevation
2425 Webster St. Long Beach, CA 90810	Los Angeles	South Coast	33.802417	-118.219933	10



## **Detailed Site Information**

Local site name			ash (Hudaan)				
Local site name		Long Beach (Hudson)					
AQS ID		060374006					
GPS coordinates (decimal degrees)		Latitude: 33.802417, Longitude: -118.219993					
Street Address		2425 Webster St. Long Beach, CA 90810  Los Angeles					
	County		eles				
Distance to roadways (meters)		9					
Traffic count (AADT, year)		281, 2022					
Groundcover		Asphalt					
(e.g. asphalt, dirt, sand)							
Representative statistical area name (i.e. MSA, CBSA, other)		31080-Los Angeles, Long Beach-Anaheim MSA					
Pollutant, POC	Continuous	PM10, 3					
Primary / QA	Primary	- , -					
Collocated / Other							
Parameter code	81102						
Basic monitoring	NAAQS						
objective(s)							
Site type(s)	Highest						
	Concentration	n					
Monitor (type)	SLAMS						
Network Affiliation	N/A						
Instrument	Met One BAM 1020						
manufacturer and							
model							
Method code	122						
FRM/FEM/ARM/	FEM						
other							
Collecting Agency	South Coast AQMD						
Analytical Lab (i.e.,	N/A						
weigh lab, toxics lab,							
other)							
Reporting Agency	South Coast AQMD						
Spatial scale (e.g.	Neighborhood						
micro, neighborhood)	0.1/2.5.5						
Monitoring start date (MM/DD/YYYY)	01/2022						
Current sampling	Continuous						
frequency (e.g.1:3,							
continuous)							
Calculated sampling	N/A						
frequency							
(e.g. 1:3/1:1)	01/01/12/2						
Sampling season	01/01-12/31						
(MM/DD-MM/DD)	4.7						
Probe height (meters)	4.7						
Distance from	N/A						
supporting structure							
(meters)	NT/A						
Distance from obstructions on roof	N/A						
(meters)							

D:	27/4	 T	
Distance from	N/A		
obstructions not on			
roof (meters)			
Distance from trees	N/A		
(meters)			
Distance to furnace or	N/A		
incinerator flue			
(meters)			
Distance between	N/A		
collocated monitors	1,112		
(meters)			
Unrestricted airflow	360°		
	300		
(degrees)	NT/A		
Probe material for	N/A		
reactive gases			
(e.g. Pyrex, stainless			
steel, Teflon)			
Residence time for	N/A		
reactive gases			
(seconds)			
Will there be changes	No		
within the next 18			
months? (Y/N)			
Is it suitable for	N/A		
comparison against			
the annual PM2.5?			
(Y/N)			
Frequency of flow	N/A		
rate verification for	14/11		
manual PM samplers			
Frequency of flow	Monthly		
rate verification for	Widitilly		
1			
automated PM			
analyzers	27/1		
Frequency of one-	N/A		
point QC check for			
gaseous instruments			
Last Annual	N/A		
Performance			
Evaluation for			
gaseous parameters			
(MM/DD/YYYY)			
Last two semi-annual	3/12/2024		
flow rate audits for	8/13/2024		
PM monitors			
(MM/DD/YYYY,			
MM/DD/YYYY)			
141141/1010/11111)	1	1	

## **Hudson (Long Beach) Site Photos**



Looking North from the probe.



Looking East from the probe.



**Looking South from the probe.** 



Looking West from the probe.

## **Hudson (Long Beach) Site Photos (Cont.)**



Looking at the probe from the North.



Looking at the probe from the East.



Looking at the probe from the South.



Looking at the probe from the West.