



# South Coast AQMD Site Survey Report for West Los Angeles

Last updated: April 21, 2026



AQS ID	ARB Number	Site Start Date	Reporting Agency and Agency Code
060370113	70091	05/1984	South Coast AQMD (0972)

Site Address	County	Air Basin	Latitude	Longitude	Elevation
Wilshire Blvd. & Sawtelle Blvd. Los Angeles, CA 90025	Los Angeles	South Coast	34.051110	-118.456386	92m



## Detailed Site Information

Local site name	West Los Angeles		
AQS ID	060370113		
GPS coordinates (decimal degrees)	Latitude: 34.051110, Longitude: -118.456386		
Street Address	Wilshire Blvd. & Sawtelle Blvd., Los Angeles, CA 90025		
County	Los Angeles		
Distance to roadways (meters)	206		
Traffic count (AADT, year)	45,245 / 2022		
Groundcover (e.g. asphalt, dirt, sand)	Concrete/Gravel		
Representative statistical area name (i.e. MSA, CBSA, other)	31080-Los Angeles-Long Beach-Anaheim, MSA		
Pollutant, POC	Nitrogen Dioxide, 1	Ozone, 1	
Primary / QA Collocated / Other	N/A	N/A	
Parameter code	42602	44201	
Network affiliation	N/A	N/A	
Basic monitoring objective(s)	NAAQS	NAAQS	
Site type(s)	Highest Concentration	Population Exposure	
Monitor (type)	SLAMS	SLAMS	
Network affiliation	Area Wide	N/A	
Instrument manufacturer and model	Teledyne T200	Teledyne T400	
Method code	099	087	
FRM/FEM/ARM/ other	FRM	FEM	
Collecting Agency	South Coast AQMD	South Coast AQMD	
Analytical Lab (i.e., weigh lab, toxics lab, other)	N/A	N/A	
Reporting Agency	South Coast AQMD	South Coast AQMD	
Spatial scale (e.g. micro, neighborhood)	Middle	Neighborhood	
Monitoring start date (MM/DD/YYYY)	05/1984	05/1984	
Current sampling frequency (e.g.1:3, continuous)	Continuous	Continuous	
Calculated sampling frequency (e.g. 1:3/1:1)	N/A	N/A	
Sampling season (MM/DD-MM/DD)	01/01-12/31	01/01-12/31	
Probe height (meters)	4.3	4.3	
Distance from supporting structure (meters)	N/A	N/A	

Distance from obstructions on roof (meters)	N/A	N/A		
Distance from obstructions not on roof (meters)	2.7m Wall - Southwest Height 7.4 m Construction project.	2.7m Wall - Southwest Height 7.4 m Construction project.		
Distance from trees (meters)	12.2 m Northeast Height 14.5 m	12.2 m Northeast Height 14.5 m		
Distance to furnace or incinerator flue (meters)	N/A	N/A		
Distance between collocated monitors (meters)	N/A	N/A		
Unrestricted airflow (degrees)	360°	360°		
Probe material for reactive gases (e.g. Pyrex, stainless steel, Teflon)	Teflon	Teflon		
Residence time for reactive gases (seconds)	12.9	12.5		
Will there be changes within the next 18 months? (Y/N)	No	No		
Is it suitable for comparison against the annual PM2.5? (Y/N)	N/A	N/A		
Frequency of flow rate verification for manual PM samplers	N/A	N/A		
Frequency of flow rate verification for automated PM analyzers	N/A	N/A		
Frequency of one-point QC check for gaseous instruments	Nightly	Nightly		
Last Annual Performance Evaluation for gaseous parameters (MM/DD/YYYY)	08/14/2025	08/14/2025		
Last two semi-annual flow rate audits for PM monitors (MM/DD/YYYY, MM/DD/YYYY)	N/A	N/A		

Pollutant, POC	WS & D, 1/1	RH/T, 1/1	BP, 1	
Primary / QA Collocated / Other	N/A	N/A	N/A	
Parameter code	61101/61102	62201/62101	64101	
Basic monitoring objective(s)	Research	Research	Research	
Site type(s)	Meteorological	Meteorological	Meteorological	
Monitor (type)	SLAMS	SLAMS	SLAMS	
Network affiliation	N/A	N/A	N/A	
Instrument manufacturer and model	RM Young 05305VP	RM Young 41382 VF	MetOne 091	
Method code	065/065	063/063	015	
FRM/FEM/ARM/ other	N/A	N/A	N/A	
Collecting Agency	South Coast AQMD	South Coast AQMD	South Coast AQMD	
Analytical Lab (i.e., weigh lab, toxics lab, other)	N/A	N/A	N/A	
Reporting Agency	South Coast AQMD	South Coast AQMD	South Coast AQMD	
Spatial scale (e.g. micro, neighborhood)	Neighborhood/Middle	Neighborhood/Middle	Neighborhood/Middle	
Monitoring start date (MM/DD/YYYY)	05/1984	05/1984	11/2017	
Current sampling frequency (e.g.1:3, continuous)	Continuous	Continuous	Continuous	
Calculated sampling frequency (e.g. 1:3/1:1)	N/A	N/A	N/A	
Sampling season (MM/DD-MM/DD)	01/01-12/31	01/01-12/31	01/01-12/31	
Probe height (meters)	10	4.4	3.1	
Distance from supporting structure (meters)	1.5 m	N/A	N/A	
Distance from obstructions on roof (meters)	N/A	N/A	N/A	
Distance from obstructions not on roof (meters)	6.8 m Wall – West Height 7.4 m Construction project.	5.3 m Wall - West Height 7.4 m Construction project.	2.2 m Wall - West Height 7.4 m Construction project.	
Distance from trees (meters)	7.7 m Northeast Height 14.5 m	9.2 m Northeast Height 14.5 m	12.8 m Northeast Height 14.5 m	
Distance to furnace or incinerator flue (meters)	N/A	N/A	N/A	
Distance between collocated monitors (meters)	N/A	N/A	N/A	
Unrestricted airflow (degrees)	360°	360°	360°	

Probe material for reactive gases (e.g. Pyrex, stainless steel, Teflon)	N/A	N/A	N/A	
Residence time for reactive gases (seconds)	N/A	N/A	N/A	
Will there be changes within the next 18 months? (Y/N)	No	No	No	
Is it suitable for comparison against the annual PM2.5? (Y/N)	N/A	N/A	N/A	
Frequency of flow rate verification for manual PM samplers	N/A	N/A	N/A	
Frequency of flow rate verification for automated PM analyzers	N/A	N/A	N/A	
Frequency of one-point QC check for gaseous instruments	N/A	N/A	N/A	
Last Annual Performance Evaluation for gaseous parameters (MM/DD/YYYY)	N/A	N/A	N/A	
Last two semi-annual flow rate audits for PM monitors (MM/DD/YYYY, MM/DD/YYYY)	N/A	N/A	N/A	


**West Los Angeles  
Site Photos**




**Looking North from the probe.**



**Looking East from the probe.**



**Looking South from the probe.**



**Looking West from the probe.**

**West Los Angeles  
Site Photos (Cont.)**



**Looking at the probe from the North.**



**Looking at the probe from the East.**



**Looking at the probe from the South.**



**Looking at the probe from the West.**