South Coast
Air Quality Management District
21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

SENT VIA E-MAIL:
cristaln@cityofbrea.gov
Cristal Nava, Assistant Planner
City of Brea
1 Civic Center Circle
Brea, CA 92821

November 05, 2026

Notice of Preparation of a Draft Environmental Impact Report (EIR) for the Costco Wholesale Facility and Fueling Station Project (Proposed Project) (SCH#: 2026100301)

South Coast Air Quality Management District (South Coast AQMD) staff appreciate the opportunity to comment on the above-mentioned document. The following comments provide observations and may include recommendations on the analysis of potential air quality impacts from the Proposed Project that should be included in the Draft EIR. Please transmit copy of the Draft EIR upon its completion and public release directly to South Coast AQMD. **In the transmittal, please also provide electronic versions of all appendices and technical documents related to the air quality, health risk, and greenhouse gas analyses in their original format (e.g., not in .pdf), including but not limited to emission calculation spreadsheets, air quality modeling files, and health risk assessment input and output files.**

Responsible Agency and South Coast AQMD Permits

CEQA Guidelines Section 15096 sets forth specific procedures for a Responsible Agency, including making a decision on the adequacy of the CEQA document for use as part of the process for conducting a review of the Proposed Project and issuing discretionary approvals. Moreover, it is important to note that if a Responsible Agency determines that a CEQA document is not adequate to rely upon for its discretionary approvals, the Responsible Agency must take further actions listed in CEQA Guideline Section 15096(e), which could have the effect of delaying the implementation of the Proposed Project. In its role as CEQA Responsible Agency, the South Coast AQMD is obligated to ensure that the CEQA document prepared for this Proposed Project contains a sufficient project description and analysis to be relied upon in order to issue any discretionary approvals that may be needed for air permits.

For these reasons, the Draft EIR should be revised to include a discussion about any and all new stationary and portable equipment requiring South Coast AQMD air permits, provide the evaluation of their air quality and greenhouse gas impacts, and identify South Coast AQMD as a Responsible Agency for the Proposed Project as this information will be relied upon as the basis for the permit conditions and emission limits for the air permit(s). Please contact South Coast AQMD's Engineering and Permitting staff at (909) 396-3385 for questions regarding what types of equipment would require air permits. For more general information on permits, please visit South Coast AQMD's webpage at https://www.aqmd.gov/home/permits.

CEQA Air Quality Analysis

The Lead Agency is recommended to rely on the guidance provided in the South Coast AQMD's CEQA Air Quality Handbook and website[1] when preparing the air quality and greenhouse gas analyses. It is also recommended that the Lead Agency use the California Air Pollution Control Officers Association's California Emissions Estimator Model (CalEEMod)[2] software, to quantify emissions of air pollutants from typical land use development project.

In addition, the South Coast AQMD has adopted regional air quality significance thresholds[3] as well as localized significance thresholds (LST).[4] If the Lead Agency has not adopted its own significance thresholds, the Lead Agency is recommended to rely on South Coast AQMD's adopted thresholds for determining whether the Proposed Project's air quality and greenhouse gas impacts are significant. It is important to note that the localized analysis can be conducted by either using the LST screening tables or performing air dispersion modeling.

The Lead Agency should identify any potential adverse air quality and greenhouse gas impacts that could occur from all phases of the Proposed Project and all air pollutant sources related to the Proposed Project. Air quality and greenhouse gas impacts from both construction (including demolition, if any) and operations should be calculated. Construction-related air quality impacts typically include, but are not limited to, emissions from the use of heavy-duty equipment from grading, earth-loading/unloading, paving, architectural coatings, off-road mobile sources (e.g., heavy-duty construction equipment) and on-road mobile sources (e.g., construction worker vehicle trips, material transport trips, and hauling trips). Operation-related air quality and greenhouse gas impacts may include, but are not limited to, emissions from stationary sources (e.g., boilers and air pollution control devices), area sources (e.g., solvents and coatings), and vehicular trips (e.g., on- and off-road tailpipe emissions and entrained dust). Air quality and greenhouse gas impacts from indirect sources, such as sources that generate or attract vehicular trips, should be included in the analysis. Furthermore, if the Lead Agency elects to rely on South Coast AQMD's air quality significance thresholds, the emissions from the overlapping construction and operational activities should be combined and compared to South Coast AQMD's air quality significance thresholds for *operation* to determine the level of significance.

The Proposed Project appears to include a gasoline service station with 40 fueling pumps which means that a South Coast AQMD air permit is required. Since gasoline contains benzene, which is a toxic air contaminant that is emitted from the operation of this equipment, the Lead Agency is recommended to evaluate, quantify, and perform a health risk assessment for the Proposed Project and include this information in the Draft EIR[5] so as to ensure that sensitive receptors are not going to be adversely affected by the exposure to benzene.

---

1 South Coast AQMD's CEQA Air Quality Handbook and other resources for preparing air quality analyses can be found at: http://www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook.

2 CalEEMod is available free of charge at: www.caleemod.com.

3 South Coast AQMD's air quality significance thresholds can be found at: https://www.aqmd.gov/docs/default-source/ceqa/handbook/south-coast-aqmd-air-quality-significance-thresholds.pdf

4 South Coast AQMD's guidance for performing a localized air quality analysis can be found at: http://www.aqmd.gov/home/regulations/ceqa/air-quality-analysis-handbook/localized-significance-thresholds.

5 South Coast AQMD. Guidance for performing a gasoline dispensing station health risk assessment can be found here: https://www.aqmd.gov/home/rules-compliance/compliance/toxic-hot-spots-ab-2588/iws-facilities/iws-gas-station.

Mitigation Measures

In the event that the Proposed Project results in significant adverse air quality impacts, CEQA requires that all feasible mitigation measures that go beyond what is required by law be utilized to minimize these impacts. Any impacts resulting from mitigation measures must also be analyzed. Several resources to assist the Lead Agency with identifying potential mitigation measures for the Proposed Project include South Coast AQMD's CEQA Air Quality Handbook,[6] South Coast AQMD's Mitigation Monitoring and Reporting Plan for the 2022 Air Quality Management Plan,[7] and Southern California Association of Government's Mitigation Monitoring and Reporting Plan for the 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy.[8]

Mitigation measures for operational air quality impacts from mobile sources that the Lead Agency should consider in the Draft EIR may include the following:

- Require zero-emissions (ZE) or near-zero emission (NZE) on-road haul trucks such as heavy-duty trucks with natural gas engines that meet the CARB's adopted optional NOx emissions standard at 0.02 grams per brake horsepower-hour (g/bhp-hr), if and when feasible. Given the state's clean truck rules and regulations aiming to accelerate the utilization and market penetration of ZE and NZE trucks such as the Advanced Clean Trucks Rule[9] and the Heavy-Duty Low NOx Omnibus Regulation[10], ZE and NZE trucks will become increasingly more available to use. The Lead Agency should require a phase-in schedule to incentivize the use of these cleaner operating trucks to reduce any significant adverse air quality impacts. South Coast AQMD staff is available to discuss the availability of current and upcoming truck technologies and incentive programs with the Lead Agency. Require the use of 2017 model year or newer, cleaner trucks, if ZE or NZE trucks are not feasible. All heavy-duty haul trucks should also meet CARB's lowest optional low-NOx standard.[11] Include environmental analyses to evaluate and identify sufficient electricity and supportive infrastructure in the Energy and Utilities and Service Systems Sections in the CEQA document, where appropriate. Include the requirement in applicable bid documents, purchase orders, and contracts. Operators shall maintain records of all trucks associated with project construction to document that each truck used meets these emission standards, and make the records available for inspection. The Lead Agency should conduct regular inspections to the maximum extent feasible to ensure compliance.

---

[6] South Coast AQMD's CEQA Air Quality Handbook, Available at:https://www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook

[7] South Coast AQMD's 2022 Air Quality Management Plan can be found at: http://www.aqmd.gov/home/air-quality/clean-air-plans/air-quality-mgt-plan (Chapter 4 - Control Strategy and Implementation).

[8] Southern California Association of Governments' 2020-2045 RTP/SCS can be found at: https://scag.ca.gov/connect-socal.

[9] CARB. June 25, 2020. *Advanced Clean Trucks Rule*. Accessed at: https://ww2.arb.ca.gov/our-work/programs/advanced-clean-trucks.

[10] CARB has recently passed a variety of new regulations that require new, cleaner heavy-duty truck technology to be sold and used in state. For example, on August 27, 2020, CARB approved the Heavy-Duty Low NOx Omnibus Regulation, which will require all trucks to meet the adopted emission standard of 0.05 g/hp-hr starting with engine model year 2024. Accessed at: https://ww2.arb.ca.gov/rulemaking/2020/hdomnibuslownox.

[11] In 2013, CARB adopted optional low-NOx emission standards for on-road heavy-duty engines. CARB encourages engine manufacturers to introduce new technologies to reduce NOx emissions below the current mandatory on-road heavy-duty diesel engine emission standards for model-year 2010 and later. CARB's optional low-NOx emission standard is available at: https://ww2.arb.ca.gov/our-work/programs/optionalreduced-nox-standards

- Limit the daily number of trucks allowed at the Proposed Project to levels analyzed in the Final CEQA document. If higher daily truck volumes are anticipated to visit the site, the Lead Agency should commit to re-evaluating the Proposed Project through CEQA prior to allowing this higher activity level.
- Provide electric vehicle (EV) charging stations or, at a minimum, provide electrical infrastructure and electrical panels should be appropriately sized. Electrical hookups should be provided for truckers to plug in any onboard auxiliary equipment.

Mitigation measures for operational air quality impacts from other area sources that the Lead Agency should consider in the Draft EIR may include the following:

- Maximize use of solar energy by installing solar energy arrays.
- Use light colored paving and roofing materials.
- Utilize only Energy Star heating, cooling, and lighting devices, and appliances.
- Use of water-based or low VOC cleaning products that go beyond the requirements of South Coast AQMD Rule 1113.

Design considerations for the Proposed Project that the Lead Agency should consider to further reduce air quality and health risk impacts include the following:

- Clearly mark truck routes with trailblazer signs, so that trucks will not travel next to or near sensitive land uses (e.g., residences, schools, day care centers, etc.).
- Design the Proposed Project such that truck entrances and exits are not facing sensitive receptors and trucks will not travel past sensitive land uses to enter or leave the Proposed Project site.
- Design the Proposed Project such that any check-in point for trucks is inside the Proposed Project site to ensure that there are no trucks queuing outside.
- Design the Proposed Project to ensure that truck traffic inside the Proposed Project site is as far away as feasible from sensitive receptors.
- Restrict overnight truck parking in sensitive land uses by providing overnight truck parking inside the Proposed Project site.

South Coast AQMD staff are available to work with the Lead Agency to ensure that impacts to air quality, GHG emissions, and health risk from the Proposed Project are accurately evaluated and mitigated to the greatest extent possible. Please contact Sahar Ghadimi, Ph.D., Air Quality Specialist, at sghadimi@aqmd.gov or me at SWang1@aqmd.gov should you have any questions.

Sincerely,

Sam Wang

Sam Wang
Program Supervisor, CEQA IGR

Planning, Rule Development & Implementation

SW:SG
ORC261006-03
Control Number