



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

SENT VIA E-MAIL:

September 16, 2026

EMoraRodriguez@rivco.org

Elizabeth Mora-Rodriguez, Senior Planner
Riverside County Planning Department
4080 Lemon Street, 12th Floor
Riverside, CA 92501

Draft Environmental Impact Report (EIR) for the Savira Solar Project (Proposed Project) (SCH No: 2025030499)

South Coast Air Quality Management District (South Coast AQMD) staff appreciates the opportunity to review the above-mentioned document. The Riverside County Planning Department is the California Environmental Quality Act (CEQA) Lead Agency for the Proposed Project. To provide context, South Coast AQMD staff has provided a brief summary of the project information and prepared the following comments, which are organized by topic of concern.

Summary of Proposed Project Information in the Draft EIR

Based on the Draft EIR, the Proposed Project consists of arrays of solar photovoltaic (PV) panels to generate up to approximately 150 megawatts (MW) of renewable energy and stores up to approximately 250 MW of energy via a battery energy storage system (BESS) on approximately 535 acres. The Proposed Project would include additional facilities, such as an operations and maintenance (O&M) building, a 230-kilovolt (kV) substation, an approximately 1.8-mile-long generation-interconnection (gen-tie) line, and access driveways. The Proposed Project would also include linear facility routes. The commercial operation date is anticipated to be in 2028 with the potential of operating for a minimum of 40 years.¹

South Coast AQMD Comments

South Coast AQMD Air Permits and Role as a Responsible Agency

If implementation of the Proposed Project would require the use of new stationary and portable sources, including but not limited to emergency generators, fire water pumps, boilers, etc., air permits from South Coast AQMD will be required. The Final EIR should include a discussion about the potentially applicable rules that the Proposed Project needs to comply with. Those rules may include, for example, Rule 201 – Permit to Construct,² Rule 203 – Permit to Operate,³ Rule 401 – Visible Emissions,⁴ Rule 402 – Nuisance,⁵ Rule 403 – Fugitive Dust,⁶ Rule 1110.2 –

¹ Draft EIR. p. 2-1 to 2-2.

² South Coast AQMD. Rule 201 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-ii/rule-201.pdf>

³ South Coast AQMD. Rule 203 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-ii/rule-203.pdf>

⁴ South Coast AQMD. Rule 401 available at: <https://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-401.pdf>

⁵ South Coast AQMD. Rule 402 available at: <https://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-402.pdf>

⁶ South Coast AQMD. Rule 403 available at: <https://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-403>

Emissions from Gaseous and Liquid Fueled Engines,⁷ Rule 1113 – Architectural Coating, Regulation XIII – New Source Review,⁸ Rule 1401 – New Source Review of Toxic Air Contaminants,⁹ Rule 1470 – Requirements for Stationary Diesel-Fueled Internal Combustion and Other Compression Ignition Engines,¹⁰ etc. It is important to note that when air permits from the South Coast AQMD are required, the role of the South Coast AQMD would change from a Commenting Agency to a Responsible Agency under CEQA. In addition, if South Coast AQMD is identified as a Responsible Agency, per CEQA Guidelines Section 15086, the Lead Agency is required to consult with South Coast AQMD.

CEQA Guidelines Section 15096 sets forth specific procedures for a Responsible Agency, including making a decision on the adequacy of the CEQA document for use as part of the process for conducting a review of the Proposed Project and issuing discretionary approvals. Moreover, it is important to note that if a Responsible Agency determines that a CEQA document is not adequate to rely upon for its discretionary approvals, the Responsible Agency must take further actions listed in CEQA Guideline Section 15096(e), which could have the effect of delaying the implementation of the Proposed Project. In its role as CEQA Responsible Agency, the South Coast AQMD is obligated to ensure that the CEQA document prepared for this Proposed Project contains a sufficient project description and analysis to be relied upon in order to issue any discretionary approvals that may be needed for air permits. South Coast AQMD is concerned that the project description and analysis in its current form in the EIR is inadequate to be relied upon for this purpose.

For these reasons, the final CEQA document should be revised to include a discussion about any and all new stationary and portable equipment requiring South Coast AQMD air permits, provide the evaluation of their air quality and greenhouse gas impacts, and identify South Coast AQMD as a Responsible Agency for the Proposed Project as this information will be relied upon as the basis for the permit conditions and emission limits for the air permit(s). Please contact South Coast AQMD's Engineering and Permitting staff at (909) 396-3385 for questions regarding what types of equipment would require air permits. For more general information on permits, please visit South Coast AQMD's webpage at <https://www.aqmd.gov/home/permits>.

Conclusion

As set forth in Public Resources Code Section 21092.5(a) and CEQA Guidelines Section 15088(a) and (b), the Lead Agency shall evaluate comments from public agencies on environmental issues and prepare a written response at least 10 days prior to certifying the Final EIR. As such, please provide South Coast AQMD written responses to all comments contained herein at least 10 days prior to the certification of the Final EIR. In addition, as provided by CEQA Guidelines Section 15088(c), if the Lead Agency's position is at variance with recommendations provided in this comment letter, detailed reasons supported by substantial evidence in the record to explain why specific comments and suggestions are not accepted must be provided.

⁷ South Coast AQMD. Rule 1110.2 available at: https://www.aqmd.gov/docs/default-source/rule-book/reg-xi/r1110_2.pdf

⁸ South Coast AQMD. Regulation XIII available at: <https://www.aqmd.gov/home/rules-compliance/rules/scaqmd-rule-book/regulation-xiii>

⁹ South Coast AQMD. Rule 1401 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-xiv/rule-1401.pdf>

¹⁰ South Coast AQMD. Rule 1470 available at: <https://www.aqmd.gov/docs/default-source/rule-book/reg-xiv/rule-1470.pdf>

Thank you for the opportunity to provide comments. South Coast AQMD staff are available to work with the Lead Agency to address any air quality questions that may arise from this comment letter. Please contact Danica Nguyen, Air Quality Specialist, at dnguyen1@aqmd.gov or me at swang1@aqmd.gov should you have any questions.

Sincerely,

Sam Wang

Sam Wang

Program Supervisor, CEQA IGR

Planning, Rule Development & Implementation

SW:DN

RVC260729-04

Control Number