



SOUTH COAST AQMD  
CLERK OF THE BOARDS

March 27, 2015

CN: 15279

15 MAR 27 P4:00

Mr. Edwin L. Pupka  
Senior Enforcement Manager  
Office of Engineering and Compliance  
South Coast Air Quality Management District  
21865 Copley Drive  
Diamond Bar, CA 91765

**PROJECT: EXIDE TECHNOLOGIES FACILITY ID NO. 124868,  
ORDER OF ABATEMENT CASE NO. 3151-32**  
**RE: WEEKLY STATUS REPORT # 28 (3/19/15 – 3/25/15)**

Dear Mr. Pupka,

Tetra Tech Inc. is pleased to present the following Weekly Status Report for the above referenced project. This report covers the period of March 19, 2015 through March 25, 2015.

CURRENT ACTIVITIES WHERE PREVIOUSLY APPROVED MITIGATION MEASURES WERE FULLY IMPLEMENTED

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where mitigation measures were observed to be implemented in full compliance with the previously approved mitigation measures under the Mitigation Plan for Construction of Risk Reduction Measures, RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD, at the site during this period include:

TASK ID	Major Work Item	Mitigation Measure(s)
2a	Dust Removal	Total Enclosure Building Under Negative Pressure
EX 43	West Yard Sump Piping	None Required
3c	Replacement of Blast Furnace Partial Enclosure	Total Enclosure Building Under Negative Pressure
5b	Blast Furnace Activities	Total Enclosure Building Under Negative Pressure
3a	Blast Furnace Tray Type Wet Scrubbing System Installation	Total Enclosure Building Under Negative Pressure
3g	Reverb Furnace Feed Modification	Total Enclosure Building Under Negative Pressure
3i	Installation of Rotary Dryer Regenerative Thermal Oxidizer	Total Enclosure Building Under Negative Pressure
EX 73	Stormwater Repair – 3 Manholes	Temporary Enclosure Under Negative Pressure

Tetra Tech BAS, Inc.

1360 Valley Vista Drive, Diamond Bar, CA 91765  
Tel 909.860.7777 Fax 909.860.8017 www.tetrattech.com

TASK ID	Major Work Item	Mitigation Measure(s)
EX 84	Repurposing of North Reverb Baghouse	Total Enclosure Building Under Negative Pressure
EX 86 / 3k	Installation of Blast RTO	Total Enclosure Building Under Negative Pressure
EX 88	Reverb Feed Room/ Corridor Floors	Total Enclosure Building Under Negative Pressure
EX 33	Building Negative Pressure Monitoring Upgrade	Use of Self Tapping Screws, Pre-Cleaning of Area
3b	Hard Lead System Ventilation Modification	Total Enclosure Building Under Negative Pressure
3f	Blast Furnace Slag Tap Ventilation Hood Modification	Total Enclosure Building Under Negative Pressure
EX83 / 4	RCRA RFI Soil Sampling	Temporary Enclosure Under Negative Pressure*
EX 92	Removal and Shipment of Reverb Feed	Total Enclosure Building Under Negative Pressure*
EX 93	2 <sup>nd</sup> Round Feed Room Soil Sampling	Total Enclosure Building Under Negative Pressure*
EX 89	Stormwater Repairs at Manhole B	Temporary Enclosure Under Negative Pressure*

\* Dust Trak monitoring performed for this work item.

### Dust Removal

National Response Corporation (NRC) personnel were onsite on March 23, 2015, to empty the vacuum truck. Lead dust collected in the vacuum truck was removed by adding water to create a slurry in the same manor used when the vacuum truck has been emptied previously. NRC resumed dust removal activities on March 24, 2015, in the blast furnace feed room area. NRC personnel used vacuum hoses connected to the vacuum truck to remove dust located between the blast furnace and the blast furnace feed room.

NRC used a vacuum truck (Vehicle License No. 7M95594) which has a valid SCAQMD Various Locations Permit for lead abatement (Permit No. G33129 A/N 568775).

Tetra Tech personnel were onsite to monitor dust removal activities, verify permits for the vacuum truck, and dust disposal. Verification activities included:

- Visual observation of the dust removal process for fugitive dust within the total enclosure building.
- Verification that the total enclosure building was maintained under negative pressure and vented to operational air pollution control equipment.
- Verification that the SCAQMD Various Locations Permit was present for the vacuum truck HEPA vacuum and that filters were certified with a minimum efficiency of 99.97% for capture of 0.3 micron particles.
- Observation of the emptying of the vacuum truck to confirm that no fugitive dust was generated during the process.

### West Yard Sump Piping

No work occurred on the West Yard Sump Piping during this reporting period. Exide is awaiting Department of Toxic Substances Control (DTSC) review and comment on proposed piping modification prior to completion of this task. This activity does not require a temporary negative pressure enclosure because no work is being performed that has the potential to generate dust.

### Blast Furnace Activities and Replacement of Blast Furnace Partial Enclosure

Advanced Construction and Castlerock removed the temporary enclosure and associated scaffolding from the blast furnace partial enclosure area during this reporting period.

Tetra Tech personnel were onsite to monitor scaffolding removal activities. Verification activities included:

- Verification that the total enclosure building was maintained under negative pressure and vented to operational air pollution control equipment.

### Blast Furnace Tray Type Wet Scrubbing System

No work occurred on the blast furnace tray type wet scrubbing system during this reporting period.

### Reverb Furnace Feed Modification

No work occurred on the reverb furnace feed modification during this reporting period.

### Installation of the Rotary Dryer Regenerative Thermal Oxidizer (RTO)

No work occurred on the rotary dryer RTO during this reporting period.

### Stormwater Repair – 3 Manholes

Innovative Construction Solutions (ICS) has temporarily suspended repair activities and is currently evaluating repair alternatives for the manhole CL-14 location. Repair activities will resume once the repair alternative is determined.

### Repurposing of North Reverb Furnace Bag House

Work on the North Reverb Furnace bag house continued on Thursday, March 10, 2015 by Castlerock and Advanced Construction. Castlerock and Advanced Construction continued removal of the temporary enclosure installed around the North Reverb Furnace bag house within the Total Enclosure Building. Removal of the temporary enclosure is complete and NRC will return to complete additional dust removal in the North Reverb Furnace bag house area during the next reporting period.

Tetra Tech personnel were onsite to observe operations. Verification activities included:

- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment during all observed activities.

### Installation of Blast Furnace RTO

Equipment installation has been suspended temporarily by Exide.

### Reverb Feed Room/Corridor Floors

Advanced Construction continued maintenance of the reverb feed stockpiles.

Tetra Tech personnel were onsite to observe operations. Verification activities included:

- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment during all observed activities.

### Building Negative Pressure Monitoring Upgrade

Southwest Industrial Electric continued installation activities on March 19, 2015. Activities included only debugging programming and wireless communication, no mounting of monitoring sensors was performed during this period. The negative pressure monitoring upgrades will continue into the next reporting period.

### Hard Lead System Ventilation Modification

No work was performed on the Hard Lead System Ventilation Modification during this reporting period.

### Blast Furnace Slag Tap Ventilation Hood Modification

No work was performed on the Blast Furnace Slag Tap Ventilation Hood Modification during this reporting period.

### RCRA RFI Soil Sampling

Advanced Geo and their subcontractors Cascade Drilling and Avocet continued the RCRA RFI Soil Sampling on Thursday, March 19, 2015. Castlerock constructed additional temporary enclosures around the work areas that were maintained under negative pressure and vented to permitted HEPA filtration systems. Activities included coring through the asphalt, advancing a hand auger to a depth of 5 feet to verify utility clearance, advancing the boreholes to depths greater than 5 feet using a direct push rig and collection of soil samples. Soil and asphalt cuttings were placed into 55-gallon drums within a temporary enclosure. RCRA RFI Soil Sampling will continue into the next reporting period.

Verification activities included:

- Upwind and Downwind Dust Trak monitoring on the temporary enclosures when sampling activities were conducted within the enclosure, to monitor for fugitive dust emissions. Review of Dust Trak data did not indicate that work associated with the RCRA RFI Soil Sampling was generating fugitive dust emissions.
- Confirmation that negative pressure was maintained by checking the gauge on the temporary enclosures.
- Periodic visual inspection of the temporary enclosures to confirm that no visible leaks or tears were present, that the structural integrity of the enclosures were

maintained and that they were under negative pressure and vented to a SCAQMD permitted HEPA filtration system. Any noted areas where seams needed to be re-taped were repaired by Castlerock prior to resuming work within the enclosures. Seams that needed re-taping were identified during the periodic inspection by Tetra Tech personnel or when a drop in negative pressure was noted. Any observed conditions requiring repair were addressed immediately.

#### Removal and Shipping of Reverb Feed

Exide continued the removal and shipment of Reverb Feed on Thursday, March 19, 2015. Exide inspected each "end dump" trailer as they arrived at the site to verify that they were in good working condition and met Exide's Pre-Loading Checklist requirements. Trailers that passed inspection were lined with a 6-mil polypropylene liners, ensuring that the liners were dimensioned adequately (length and width) to fashion a "burrito" type wrapping of the material after loading. Once lined, each trailer was driven into the Total Enclosure Building and loaded; the feed material burrito wrapped and then secured with duct tape; the trailer covered with a tarp; and the truck and trailer decontaminated prior to exiting the Total Enclosure Building. A total of 24 "end dump" trailers passed inspection, were loaded with reverb feed, and shipped to Exide's Munsee, Indiana facility during this reporting period. Removal and shipment of feed will continue into the next reporting period.

Verification activities included:

- Upwind and Downwind Dust Trak monitoring at the entrance/exit to the Total Enclosure Building. Review of Dust Trak data did not indicate that work associated with the removal and shipment of Reverb Feed was generating fugitive dust emissions when exiting the Total Enclosure Building.
- Confirmation that negative pressure was maintained by checking the gauge on the Total Enclosure Building.
- Visual observation of each phase of the removal and shipment of reverb feed including: the pre-loading inspection, installation of 6-mil poly lining, loading of reverb feed, sealing of the burrito wrap, placement of the tarp on the trailer, truck and trailer decontamination, and wheel wash.
- Visual observation witnessed 2 shipment on March 19, 2015, 5 shipments on March 20, 2015, 11 shipments on March 23, 2015, 4 shipments on March 24, 2015, and 2 shipments on March 25, 2015.

#### Soil Sampling – 2<sup>nd</sup> Round Feed Room Enclosure

Advanced Geoscience continued coring the concrete floor in the reverb feed room so that DTSC required subsurface soil sampling could be performed. This work will continue in the next reporting period.

Tetra Tech personnel were onsite to periodically observe the activities. Verification activities included:

- Verification that the Total Enclosure Building was maintained under negative pressure and vented to operational air pollution control equipment, which have been issued permits by SCAQMD.
- Periodic confirmation that drilling activities were stopped when ingress and egress through the roll up door were required.
- Periodic observation of the decontamination of the drilling equipment prior to exiting the Total Enclosure Building.

**Stormwater Repairs at Manhole B**

Castlerock and Innovative Construction Solutions (ICS) completed repair activities at Manhole B on Friday, March 20, 2015. No repair activities requiring Dust Trak monitoring were completed during this reporting period. Once the concrete repairs made during the previous reporting period had cured the temporary enclosure was removed. All work was done within a temporary enclosure under negative pressure and vented to an SCAQMD permitted HEPA filtration system.

Verification activities included:

- Confirmation that negative pressure was maintained by checking the gauge on the temporary enclosure.
- Periodic Visual inspection of the enclosure to confirm that no visible leaks or tears were present, that the structural integrity of the enclosure was maintained and that the enclosure was under negative pressure and vented to a SCAQMD permitted HEPA filtration system. Any noted areas where seams needed to be re-taped were repaired by Castlerock prior to resuming work within the enclosure. Seams that needed re-taping were identified during the inspection by Tetra Tech personnel or when a drop in negative pressure was noted. Any necessary repairs were made immediately.
- Visual verification that the repair area within the temporary enclosure area was free of dust prior to the removal of the temporary enclosure.

**CURRENT ACTIVITIES WHERE A DEVIATION FROM PREVIOUSLY APPROVED MITIGATION MEASURES WERE OBSERVED AND THE CORRECTIVE ACTIONS TAKEN**

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where for each of the activities described below, mitigation measures were implemented which to some extent deviated from the previously approved mitigation measures under the Mitigation Plan for Construction of Risk Reducing Measures, RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD:

TASK ID	Major Work Item	Deviation(s)	CORRECTIVE ACTION
None			

In general accordance with the Order for Abatement Case No. 3151-32 Findings and Decision, air monitoring, if required, was conducted during a portion of all repair work performed within the temporary enclosures on a daily basis. If the results of continuous Dust Trak air monitoring detected excessive dust, additional suppression activities are required to be implemented. For this reporting period, Dust Trak monitoring did not detect excessive dust being generated from repair activities.

Activity Which Resulted in Excessive Dust	Additional Suppression Activity
None	None

**WORKER SAFETY CONCERNS:**

The following Health and Safety issues, as they apply to Tetra Tech employees, were observed during this reporting period:

- o None.

**ACTUAL vs. FORECAST PROGRESS:**

Exide Technologies submitted a schedule which outlines the tasks needed to be completed in response to this abatement order. The attached Gant Chart shows scheduled progress for all activities planned for the upcoming two week period. The following table shows the status of these activities.

TASK	STATUS
Dust Removal	Ongoing
West Yard Sump Piping	Ongoing - on hold
Replacement of Blast Furnace Partial Enclosure	Ongoing
Blast Furnace Activities	Ongoing – on hold
Blast Furnace Tray Type Wet Scrubbing System Installation	Ongoing – on hold
Reverb Furnace Feed Modification	Ongoing – on hold
Installation of Rotary Dryer Regenerative Thermal Oxidizer	Ongoing – on hold
Storm Water Repair – 3 Manholes	Ongoing – on hold
Repurposing of North Reverb Baghouse	Ongoing
Installation of Blast RTO	Ongoing – on hold
Reverb Feed Room/Corridor Floors	Ongoing
Building Negative Pressure Monitoring Upgrade	Ongoing
Hard Lead System Ventilation Hood Modification	Ongoing – on hold
Blast Furnace Slag Tap Ventilation Hood Modification	Ongoing – on hold
RCRA RFI Soil Sampling	Ongoing
Removal and Shipment of Reverb Feed	Ongoing
2 <sup>nd</sup> Round Feed Room Soil Sampling	Ongoing
Stormwater Repairs at Manhole B	Completed

**WORK SCHEDULED DURING THE UPCOMING PERIOD:**

The following activities are anticipated for the upcoming weeks:

Week	Anticipated Activities
Mar. 26 – Apr. 1	<ul style="list-style-type: none"> <li>• Dust Removal Continues</li> <li>• West Yard Sump Piping On Hold</li> <li>• Replacement of Blast Furnace Partial Enclosure On Hold</li> <li>• Blast Furnace Activities On Hold</li> <li>• Blast Furnace Tray Type Wet Scrubbing System Installation On Hold</li> <li>• Reverb Furnace Feed Modification On Hold</li> <li>• Installation of Rotary Dryer Regenerative Thermal Oxidizer On Hold</li> <li>• Storm Water Repair 3 Manholes On Hold</li> <li>• Repurposing of North Reverb Baghouse On Hold</li> <li>• Installation of Blast RTO On Hold</li> <li>• Reverb Feedroom/Corridor Floors Continues</li> <li>• Building Negative Pressure Upgrade Continues</li> <li>• Hard Lead System Ventilation Modification On Hold</li> <li>• Blast Furnace Slag Tap Ventilation Hood Modification On Hold</li> <li>• RCRA RFI Soil Sampling Continues</li> <li>• Removal and Shipment of Reverb Feed Continues</li> <li>• 2<sup>nd</sup> Round of Feed Room Floor Sampling Continues</li> </ul>

Week	Anticipated Activities
Apr. 2 - Apr. 8	<ul style="list-style-type: none"> <li>• Dust Removal Continues</li> <li>• West Yard Sump Piping On Hold</li> <li>• Replacement of Blast Furnace Partial Enclosure On-Hold</li> <li>• Blast Furnace Activities On-Hold</li> <li>• Blast Furnace Tray Type Wet Scrubbing System Installation On Hold</li> <li>• Reverb Furnace Feed Modification On-Hold</li> <li>• Installation of Rotary Dryer Regenerative Thermal Oxidizer On-Hold</li> <li>• Storm Water Repair 3 Manholes On Hold</li> <li>• Repurposing of North Reverb Baghouse On-Hold</li> <li>• Installation of Blast RTO On-Hold</li> <li>• Reverb Feedroom/Corridor Floors continues</li> <li>• Building Negative Pressure Upgrade Continues</li> <li>• Hard Lead System Ventilation Modification On-Hold</li> <li>• Blast Furnace Slag Tap Ventilation Hood Modification On-Hold</li> <li>• RCRA RFI Soil Sampling Continues</li> <li>• Removal and Shipment of Reverb Feed Continues</li> <li>• 2<sup>nd</sup> Round of Feed Room Floor Sampling Continues</li> </ul>

**KEY MILESTONES:**

The following key milestones were achieved during this reporting period:

- o Stormwater Repairs at Manhole B - COMPLETED

**POTENTIAL CHANGES AND ACTION ITEMS REQUIRING RESOLUTION:**

The following items require resolution:

- o None at this time.

**SUMMARY:**

The summary provided herein covers the activities for the period of March 19, 2015 through March 25, 2015. Please find attached a copy of Exide's upcoming two weeks schedule and site map identifying the location of the activities on the upcoming two weeks schedule.

Should you have questions regarding this report, or require additional information, please contact me at your earliest convenience.

Sincerely,



Nick Somogyi  
Project Engineer

**ATTACHMENTS:**

Gant Chart Schedule  
Site Map  
Field Monitoring Data

## **Gant Chart Schedule**




## **Site Map**



**Mitigation Project Map Layout**  
**Week 3/19/15 – 4/9/15**

**Rev: 3/26/2015**

- Ex43. West Yard Sump Piping*
  - 2a. Dust Removal*
  - Ex73. Stormwater Repair – 3 Manholes*
  - Ex33. Building Negative Pressure Monitoring Upgrade*
  - 4. RCRA RFI Soil Sampling*
  - Ex83. RFI Soil Sampling Supplemental*
  - Ex72. Cleaning of Assorted Materials in Total Enclosure*
  - Ex76. Various Work Methods in Total Enclosure*
  - 5b. Blast Furnace Activities*
  - 3a. Blast Furnace Tray Type Wet Scrubbing System Installation*
  - Ex84. Repurposing of North Reverb Baghouse*
  - 3c. Replacement of Blast Furnace Partial Enclosure*
  - 3i. Installation of Rotary Dryer Regenerative Thermal Oxidizer*
  - Ex86 / 3k. Installation of Blast RTO*
  - 3b. Hard Lead System Ventilation Modification*
  - 3g. Reverb Furnace Feed Modification*
  - 3f. Blast Furnace Slag Tap Ventilation Hood Modification*
  - Ex92. Removal & Shipment of Reverb Feed*
  - Ex89. Stormwater Repairs at Manhole B*
  - Ex94. 2<sup>nd</sup> Round Feed Room Soil Sampling*
- Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.*
- Mitigation Schedule and Map\_032615.pptx*



*Occurring at multiple locations throughout the site.*

*Occurring at multiple locations on the exterior wall of the enclosure.*

**Monitoring Results / Reports**  
**(Thursday, March 19, 2015)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
EX83 RCRA RFI Soil Sampling (TB 46R)	8530113011	Upwind
EX83 RCRA RFI Soil Sampling (TB 50R)	8530113011	Upwind
EX83 RCRA RFI Soil Sampling (TB 50R)	8530132205	Downwind
EX-92 Removal and Shipment of Reverb Feed	8530142303	ROLL-UP DOOR (West)
EX-92 Removal and Shipment of Reverb Feed	8530092511	ROLL-UP DOOR (East)



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

3/19/2015 Work Area EX-92 & EX-83

# Test 080

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/19/2015
Instrument S/N	8530113011	Start Time	09:02:55
		Stop Date	03/19/2015
		Stop Time	10:47:55
		Total Time	0:01:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/19/2015	09:17:55	0.034
2	03/19/2015	09:32:55	0.035
3	03/19/2015	09:47:55	0.039
4	03/19/2015	10:02:55	0.039
5	03/19/2015	10:17:55	0.041
6	03/19/2015	10:32:55	0.044
7	03/19/2015	10:47:55	0.045

# Test 081

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/19/2015
Instrument S/N	8530113011	Start Time	13:08:28
		Stop Date	03/19/2015
		Stop Time	15:08:28
		Total Time	0:02:00:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/19/2015	13:23:28	0.044
2	03/19/2015	13:38:28	0.050
3	03/19/2015	13:53:28	0.048
4	03/19/2015	14:08:28	0.046
5	03/19/2015	14:23:28	0.043
6	03/19/2015	14:38:28	0.042
7	03/19/2015	14:53:28	0.039
8	03/19/2015	15:08:28	0.040

# Test 040

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/19/2015
Instrument S/N	8530132205	Start Time	11:57:00
		Stop Date	03/19/2015
		Stop Time	13:57:00
		Total Time	0:02:00:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/19/2015	12:12:00	0.039
2	03/19/2015	12:27:00	0.045
3	03/19/2015	12:42:00	0.046
4	03/19/2015	12:57:00	0.044
5	03/19/2015	13:12:00	0.043
6	03/19/2015	13:27:00	0.041
7	03/19/2015	13:42:00	0.038
8	03/19/2015	13:57:00	0.038

# Test 072

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/19/2015
Instrument S/N	8530142303	Start Time	05:03:07
		Stop Date	03/19/2015
		Stop Time	11:23:07
		Total Time	0:06:20:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/19/2015	05:18:07	0.040
2	03/19/2015	05:33:07	0.042
3	03/19/2015	05:48:07	0.043
4	03/19/2015	06:03:07	0.040
5	03/19/2015	06:18:07	0.042
6	03/19/2015	06:33:07	0.043
7	03/19/2015	06:48:07	0.042
8	03/19/2015	07:03:07	0.044
9	03/19/2015	07:18:07	0.050
10	03/19/2015	07:33:07	0.043
11	03/19/2015	07:48:07	0.049
12	03/19/2015	08:03:07	0.045
13	03/19/2015	08:18:07	0.049
14	03/19/2015	08:33:07	0.044
15	03/19/2015	08:48:07	0.044
16	03/19/2015	09:03:07	0.046
17	03/19/2015	09:18:07	0.050
18	03/19/2015	09:33:07	0.054
19	03/19/2015	09:48:07	0.057
20	03/19/2015	10:03:07	0.058
21	03/19/2015	10:18:07	0.061
22	03/19/2015	10:33:07	0.064
23	03/19/2015	10:48:07	0.067
24	03/19/2015	11:03:07	0.064
25	03/19/2015	11:23:22	0.000

# Test 003

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/19/2015
Instrument S/N	8530092511	Start Time	04:55:53
		Stop Date	03/19/2015
		Stop Time	10:55:53
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/19/2015	05:10:53	0.013
2	03/19/2015	05:25:53	0.014
3	03/19/2015	05:40:53	0.014
4	03/19/2015	05:55:53	0.014
5	03/19/2015	06:10:53	0.013
6	03/19/2015	06:25:53	0.014
7	03/19/2015	06:40:53	0.014
8	03/19/2015	06:55:53	0.015
9	03/19/2015	07:10:53	0.015
10	03/19/2015	07:25:53	0.015
11	03/19/2015	07:40:53	0.016
12	03/19/2015	07:55:53	0.015
13	03/19/2015	08:10:53	0.015
14	03/19/2015	08:25:53	0.014
15	03/19/2015	08:40:53	0.014
16	03/19/2015	08:55:53	0.014
17	03/19/2015	09:10:53	0.014
18	03/19/2015	09:25:53	0.017
19	03/19/2015	09:40:53	0.016
20	03/19/2015	09:55:53	0.016
21	03/19/2015	10:10:53	0.017
22	03/19/2015	10:25:53	0.018
23	03/19/2015	10:40:53	0.019
24	03/19/2015	10:55:53	0.017

**Monitoring Results / Reports**  
**(Friday, March 20, 2015)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
EX-83 RCRA RFI Soil Sampling (08)	8530110315	Upwind
EX-83 RCRA RFI Soil Sampling (08)	8533132902	Downwind
EX-83 RCRA RFI Soil Sampling (TB-57R)	8533103106	Upwind
EX-83 RCRA RFI Soil Sampling (TB-57R)	8530113211	Downwind
EX-92 Removal and Shipment of Reverb Feed	8530132205	WEST ROLL-UP DOOR
EX-92 Removal and Shipment of Reverb Feed	8530113011	EAST ROLL-UP DOOR



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

3/20/2015 Work Area EX-92 & EX-83

# Test 063

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/20/2015
Instrument S/N	8530110315	Start Time	08:57:45
		Stop Date	03/20/2015
		Stop Time	15:57:45
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/20/2015	09:12:45	0.126
2	03/20/2015	09:27:45	0.130
3	03/20/2015	09:42:45	0.137
4	03/20/2015	09:57:45	0.141
5	03/20/2015	10:12:45	0.143
6	03/20/2015	10:27:45	0.136
7	03/20/2015	10:42:45	0.144
8	03/20/2015	10:57:45	0.146
9	03/20/2015	11:12:45	0.134
10	03/20/2015	11:27:45	0.125
11	03/20/2015	11:42:45	0.134
12	03/20/2015	11:57:45	0.127
13	03/20/2015	12:12:45	0.136
14	03/20/2015	12:27:45	0.134
15	03/20/2015	12:42:45	0.136
16	03/20/2015	12:57:45	0.130
17	03/20/2015	13:12:45	0.117
18	03/20/2015	13:27:45	0.110
19	03/20/2015	13:42:45	0.103
20	03/20/2015	13:57:45	0.094
21	03/20/2015	14:12:45	0.105
22	03/20/2015	14:27:45	0.105
23	03/20/2015	14:42:45	0.104
24	03/20/2015	14:57:45	0.101
25	03/20/2015	15:12:45	0.101
26	03/20/2015	15:27:45	0.095
27	03/20/2015	15:42:45	0.094
28	03/20/2015	15:57:45	0.098

# Test 082

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/20/2015
Instrument S/N	8530113011	Start Time	05:04:56
		Stop Date	03/20/2015
		Stop Time	15:49:56
		Total Time	0:10:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/20/2015	05:19:56	0.074
2	03/20/2015	05:34:56	0.077
3	03/20/2015	05:49:56	0.072
4	03/20/2015	06:04:56	0.073
5	03/20/2015	06:19:56	0.080
6	03/20/2015	06:34:56	0.087
7	03/20/2015	06:49:56	0.089
8	03/20/2015	07:04:56	0.093
9	03/20/2015	07:19:56	0.096
10	03/20/2015	07:34:56	0.116
11	03/20/2015	07:49:56	0.093
12	03/20/2015	08:04:56	0.090
13	03/20/2015	08:19:56	0.088
14	03/20/2015	08:34:56	0.092
15	03/20/2015	08:49:56	0.106
16	03/20/2015	09:04:56	0.100
17	03/20/2015	09:19:56	0.099
18	03/20/2015	09:34:56	0.108
19	03/20/2015	09:49:56	0.107
20	03/20/2015	10:04:56	0.109
21	03/20/2015	10:19:56	0.107
22	03/20/2015	10:34:56	0.106
23	03/20/2015	10:49:56	0.119
24	03/20/2015	11:04:56	0.116
25	03/20/2015	11:19:56	0.105
26	03/20/2015	11:34:56	0.111
27	03/20/2015	11:49:56	0.117
28	03/20/2015	12:04:56	0.107
29	03/20/2015	12:19:56	0.120
30	03/20/2015	12:34:56	0.115
31	03/20/2015	12:49:56	0.117
32	03/20/2015	13:04:56	0.111
33	03/20/2015	13:19:56	0.100
34	03/20/2015	13:34:56	0.093
35	03/20/2015	13:49:56	0.087

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
36	03/20/2015	14:04:56	0.085
37	03/20/2015	14:19:56	0.094
38	03/20/2015	14:34:56	0.093
39	03/20/2015	14:49:56	0.089
40	03/20/2015	15:04:56	0.087
41	03/20/2015	15:19:56	0.081
42	03/20/2015	15:34:56	0.079
43	03/20/2015	15:49:56	0.080

# Test 041

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/20/2015
Instrument S/N	8530132205	Start Time	05:07:41
		Stop Date	03/20/2015
		Stop Time	15:52:41
		Total Time	0:10:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/20/2015	05:22:41	0.083
2	03/20/2015	05:37:41	0.089
3	03/20/2015	05:52:41	0.082
4	03/20/2015	06:07:41	0.086
5	03/20/2015	06:22:41	0.091
6	03/20/2015	06:37:41	0.098
7	03/20/2015	06:52:41	0.100
8	03/20/2015	07:07:41	0.103
9	03/20/2015	07:22:41	0.107
10	03/20/2015	07:37:41	0.120
11	03/20/2015	07:52:41	0.102
12	03/20/2015	08:07:41	0.100
13	03/20/2015	08:22:41	0.099
14	03/20/2015	08:37:41	0.105
15	03/20/2015	08:52:41	0.112
16	03/20/2015	09:07:41	0.113
17	03/20/2015	09:22:41	0.112
18	03/20/2015	09:37:41	0.116
19	03/20/2015	09:52:41	0.120
20	03/20/2015	10:07:41	0.121
21	03/20/2015	10:22:41	0.118
22	03/20/2015	10:37:41	0.122
23	03/20/2015	10:52:41	0.134
24	03/20/2015	11:07:41	0.123
25	03/20/2015	11:22:41	0.106
26	03/20/2015	11:37:41	0.118
27	03/20/2015	11:52:41	0.116
28	03/20/2015	12:07:41	0.115
29	03/20/2015	12:22:41	0.122
30	03/20/2015	12:37:41	0.122
31	03/20/2015	12:52:41	0.120
32	03/20/2015	13:07:41	0.111
33	03/20/2015	13:22:41	0.100
34	03/20/2015	13:37:41	0.092
35	03/20/2015	13:52:41	0.084

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
36	03/20/2015	14:07:41	0.086
37	03/20/2015	14:22:41	0.093
38	03/20/2015	14:37:41	0.091
39	03/20/2015	14:52:41	0.087
40	03/20/2015	15:07:41	0.086
41	03/20/2015	15:22:41	0.080
42	03/20/2015	15:37:41	0.081
43	03/20/2015	15:52:41	0.083

# Test 074

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	03/20/2015
Instrument S/N	8533132902	Start Time	08:48:41
		Stop Date	03/20/2015
		Stop Time	15:48:41
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	03/20/2015	09:03:41	0.084	0.090	0.091	0.092	0.092
2	03/20/2015	09:18:41	0.086	0.092	0.093	0.094	0.095
3	03/20/2015	09:33:41	0.088	0.095	0.096	0.097	0.097
4	03/20/2015	09:48:41	0.092	0.098	0.100	0.101	0.101
5	03/20/2015	10:03:41	0.093	0.100	0.102	0.104	0.104
6	03/20/2015	10:18:41	0.093	0.100	0.101	0.103	0.103
7	03/20/2015	10:33:41	0.090	0.097	0.098	0.099	0.099
8	03/20/2015	10:48:41	0.111	0.119	0.121	0.125	0.125
9	03/20/2015	11:03:41	0.104	0.110	0.112	0.115	0.116
10	03/20/2015	11:18:41	0.086	0.092	0.094	0.096	0.096
11	03/20/2015	11:33:41	0.085	0.091	0.092	0.094	0.094
12	03/20/2015	11:48:41	0.085	0.090	0.091	0.094	0.094
13	03/20/2015	12:03:41	0.081	0.086	0.087	0.089	0.089
14	03/20/2015	12:18:41	0.091	0.097	0.098	0.100	0.100
15	03/20/2015	12:33:41	0.087	0.092	0.093	0.095	0.095
16	03/20/2015	12:48:41	0.086	0.091	0.092	0.094	0.094
17	03/20/2015	13:03:41	0.083	0.088	0.089	0.090	0.091
18	03/20/2015	13:18:41	0.072	0.077	0.078	0.080	0.080
19	03/20/2015	13:33:41	0.066	0.070	0.071	0.072	0.072
20	03/20/2015	13:48:41	0.059	0.063	0.064	0.066	0.066
21	03/20/2015	14:03:41	0.058	0.063	0.064	0.065	0.065
22	03/20/2015	14:18:41	0.063	0.068	0.069	0.071	0.071
23	03/20/2015	14:33:41	0.063	0.067	0.068	0.070	0.070
24	03/20/2015	14:48:41	0.060	0.064	0.065	0.067	0.067
25	03/20/2015	15:03:41	0.059	0.063	0.064	0.065	0.065
26	03/20/2015	15:18:41	0.057	0.061	0.062	0.063	0.063
27	03/20/2015	15:33:41	0.055	0.059	0.060	0.061	0.061
28	03/20/2015	15:48:41	0.056	0.060	0.061	0.062	0.062

# Test 006

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	03/20/2015
Instrument S/N	8533103106	Start Time	07:24:44
		Stop Date	03/20/2015
		Stop Time	16:39:44
		Total Time	0:09:15:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	03/20/2015	07:39:44	0.079	0.088	0.089	0.090	0.090
2	03/20/2015	07:54:44	0.062	0.069	0.070	0.071	0.071
3	03/20/2015	08:09:44	0.063	0.069	0.070	0.071	0.071
4	03/20/2015	08:24:44	0.063	0.070	0.071	0.072	0.072
5	03/20/2015	08:39:44	0.068	0.074	0.075	0.076	0.076
6	03/20/2015	08:54:44	0.070	0.077	0.078	0.079	0.079
7	03/20/2015	09:09:44	0.074	0.080	0.081	0.082	0.082
8	03/20/2015	09:24:44	0.075	0.081	0.082	0.084	0.084
9	03/20/2015	09:39:44	0.079	0.086	0.087	0.089	0.089
10	03/20/2015	09:54:44	0.084	0.092	0.093	0.094	0.094
11	03/20/2015	10:09:44	0.098	0.105	0.106	0.108	0.108
12	03/20/2015	10:24:44	0.077	0.084	0.085	0.086	0.086
13	03/20/2015	10:39:44	0.081	0.087	0.088	0.090	0.090
14	03/20/2015	10:54:44	0.094	0.101	0.102	0.104	0.104
15	03/20/2015	11:09:44	0.083	0.089	0.090	0.092	0.092
16	03/20/2015	11:24:44	0.079	0.086	0.087	0.089	0.089
17	03/20/2015	11:39:44	0.080	0.086	0.087	0.089	0.089
18	03/20/2015	11:54:44	0.084	0.090	0.091	0.093	0.093
19	03/20/2015	12:09:44	0.084	0.090	0.092	0.094	0.094
20	03/20/2015	12:24:44	0.088	0.094	0.095	0.097	0.097
21	03/20/2015	12:39:44	0.085	0.091	0.092	0.095	0.095
22	03/20/2015	12:54:44	0.080	0.086	0.087	0.089	0.089
23	03/20/2015	13:09:44	0.072	0.078	0.079	0.080	0.080
24	03/20/2015	13:24:44	0.065	0.070	0.070	0.072	0.072
25	03/20/2015	13:39:44	0.060	0.065	0.066	0.067	0.067
26	03/20/2015	13:54:44	0.053	0.058	0.059	0.060	0.060
27	03/20/2015	14:09:44	0.057	0.062	0.063	0.065	0.065
28	03/20/2015	14:24:44	0.063	0.069	0.070	0.072	0.072
29	03/20/2015	14:39:44	0.059	0.065	0.066	0.068	0.068
30	03/20/2015	14:54:44	0.061	0.066	0.068	0.069	0.069
31	03/20/2015	15:09:44	0.056	0.061	0.062	0.064	0.064
32	03/20/2015	15:24:44	0.053	0.058	0.058	0.060	0.060
33	03/20/2015	15:39:44	0.055	0.059	0.060	0.062	0.062
34	03/20/2015	15:54:44	0.058	0.063	0.065	0.066	0.066
35	03/20/2015	16:09:44	0.067	0.072	0.073	0.074	0.074

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
36	03/20/2015	16:24:44	0.062	0.067	0.067	0.068	0.068
37	03/20/2015	16:39:44	0.064	0.068	0.069	0.070	0.070

# Test 003

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/20/2015
Instrument S/N	8530113211	Start Time	07:20:59
		Stop Date	03/20/2015
		Stop Time	16:35:59
		Total Time	0:09:15:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/20/2015	07:35:59	0.162
2	03/20/2015	07:50:59	0.090
3	03/20/2015	08:05:59	0.085
4	03/20/2015	08:20:59	0.084
5	03/20/2015	08:35:59	0.089
6	03/20/2015	08:50:59	0.096
7	03/20/2015	09:05:59	0.098
8	03/20/2015	09:20:59	0.100
9	03/20/2015	09:35:59	0.111
10	03/20/2015	09:50:59	0.115
11	03/20/2015	10:05:59	0.122
12	03/20/2015	10:20:59	0.110
13	03/20/2015	10:35:59	0.111
14	03/20/2015	10:50:59	0.127
15	03/20/2015	11:05:59	0.124
16	03/20/2015	11:20:59	0.112
17	03/20/2015	11:35:59	0.120
18	03/20/2015	11:50:59	0.124
19	03/20/2015	12:05:59	0.119
20	03/20/2015	12:20:59	0.130
21	03/20/2015	12:35:59	0.123
22	03/20/2015	12:50:59	0.120
23	03/20/2015	13:05:59	0.109
24	03/20/2015	13:20:59	0.097
25	03/20/2015	13:35:59	0.090
26	03/20/2015	13:50:59	0.086
27	03/20/2015	14:05:59	0.086
28	03/20/2015	14:20:59	0.094
29	03/20/2015	14:35:59	0.094
30	03/20/2015	14:50:59	0.096
31	03/20/2015	15:05:59	0.095
32	03/20/2015	15:20:59	0.083
33	03/20/2015	15:35:59	0.084
34	03/20/2015	15:50:59	0.090
35	03/20/2015	16:05:59	0.091
36	03/20/2015	16:20:59	0.084
37	03/20/2015	16:35:59	0.081

**Monitoring Results / Reports**  
**(Monday, March 23, 2015)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
EX-83 RCRA RFI Soil Sampling (03)	8530110315	Upwind
EX-83 RCRA RFI Soil Sampling (03)	8533132902	Downwind
EX-83 RCRA RFI Soil Sampling (TB-50R)	8530110315	Upwind
EX-83 RCRA RFI Soil Sampling (TB-50R)	8533132902	Downwind
EX-92 Removal and Shipment of Reverb Feed	8530132205	WEST ROLL-UP DOOR
EX-92 Removal and Shipment of Reverb Feed	8530113011	EAST ROLL-UP DOOR



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

3/23/2015 Work Area EX-92 & EX-83

# Test 064

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/23/2015
Instrument S/N	8530110315	Start Time	08:10:57
		Stop Date	03/23/2015
		Stop Time	14:55:57
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/23/2015	08:25:57	0.038
2	03/23/2015	08:40:57	0.042
3	03/23/2015	08:55:57	0.034
4	03/23/2015	09:10:57	0.035
5	03/23/2015	09:25:57	0.032
6	03/23/2015	09:40:57	0.035
7	03/23/2015	09:55:57	0.034
8	03/23/2015	10:10:57	0.035
9	03/23/2015	10:25:57	0.033
10	03/23/2015	10:40:57	0.033
11	03/23/2015	10:55:57	0.033
12	03/23/2015	11:10:57	0.030
13	03/23/2015	11:25:57	0.030
14	03/23/2015	11:40:57	0.030
15	03/23/2015	11:55:57	0.032
16	03/23/2015	12:10:57	0.031
17	03/23/2015	12:25:57	0.030
18	03/23/2015	12:40:57	0.030
19	03/23/2015	12:55:57	0.028
20	03/23/2015	13:10:57	0.023
21	03/23/2015	13:25:57	0.022
22	03/23/2015	13:40:57	0.022
23	03/23/2015	13:55:57	0.022
24	03/23/2015	14:10:57	0.023
25	03/23/2015	14:25:57	0.022
26	03/23/2015	14:40:57	0.022
27	03/23/2015	14:55:57	0.023

# Test 083

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/23/2015
Instrument S/N	8530113011	Start Time	05:23:06
		Stop Date	03/23/2015
		Stop Time	18:53:06
		Total Time	0:13:30:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/23/2015	05:38:06	0.018
2	03/23/2015	05:53:06	0.018
3	03/23/2015	06:08:06	0.019
4	03/23/2015	06:23:06	0.020
5	03/23/2015	06:38:06	0.020
6	03/23/2015	06:53:06	0.019
7	03/23/2015	07:08:06	0.020
8	03/23/2015	07:23:06	0.021
9	03/23/2015	07:38:06	0.022
10	03/23/2015	07:53:06	0.023
11	03/23/2015	08:08:06	0.026
12	03/23/2015	08:23:06	0.028
13	03/23/2015	08:38:06	0.030
14	03/23/2015	08:53:06	0.025
15	03/23/2015	09:08:06	0.020
16	03/23/2015	09:23:06	0.019
17	03/23/2015	09:38:06	0.022
18	03/23/2015	09:53:06	0.024
19	03/23/2015	10:08:06	0.024
20	03/23/2015	10:23:06	0.023
21	03/23/2015	10:38:06	0.025
22	03/23/2015	10:53:06	0.024
23	03/23/2015	11:08:06	0.024
24	03/23/2015	11:23:06	0.024
25	03/23/2015	11:38:06	0.024
26	03/23/2015	11:53:06	0.026
27	03/23/2015	12:08:06	0.026
28	03/23/2015	12:23:06	0.025
29	03/23/2015	12:38:06	0.025
30	03/23/2015	12:53:06	0.025
31	03/23/2015	13:08:06	0.021
32	03/23/2015	13:23:06	0.019
33	03/23/2015	13:38:06	0.019
34	03/23/2015	13:53:06	0.020
35	03/23/2015	14:08:06	0.020

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
36	03/23/2015	14:23:06	0.018
37	03/23/2015	14:38:06	0.018
38	03/23/2015	14:53:06	0.018
39	03/23/2015	15:08:06	0.020
40	03/23/2015	15:23:06	0.019
41	03/23/2015	15:38:06	0.015
42	03/23/2015	15:53:06	0.014
43	03/23/2015	16:08:06	0.015
44	03/23/2015	16:23:06	0.011
45	03/23/2015	16:38:06	0.011
46	03/23/2015	16:53:06	0.009
47	03/23/2015	17:08:06	0.011
48	03/23/2015	17:23:06	0.010
49	03/23/2015	17:38:06	0.009
50	03/23/2015	17:53:06	0.009
51	03/23/2015	18:08:06	0.013
52	03/23/2015	18:23:06	0.012
53	03/23/2015	18:38:06	0.011
54	03/23/2015	18:53:06	0.016

# Test 042

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/23/2015
Instrument S/N	8530132205	Start Time	05:19:38
		Stop Date	03/23/2015
		Stop Time	18:49:38
		Total Time	0:13:30:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/23/2015	05:34:38	0.025
2	03/23/2015	05:49:38	0.026
3	03/23/2015	06:04:38	0.026
4	03/23/2015	06:19:38	0.028
5	03/23/2015	06:34:38	0.028
6	03/23/2015	06:49:38	0.029
7	03/23/2015	07:04:38	0.028
8	03/23/2015	07:19:38	0.031
9	03/23/2015	07:34:38	0.031
10	03/23/2015	07:49:38	0.033
11	03/23/2015	08:04:38	0.034
12	03/23/2015	08:19:38	0.038
13	03/23/2015	08:34:38	0.040
14	03/23/2015	08:49:38	0.037
15	03/23/2015	09:04:38	0.028
16	03/23/2015	09:19:38	0.027
17	03/23/2015	09:34:38	0.029
18	03/23/2015	09:49:38	0.031
19	03/23/2015	10:04:38	0.030
20	03/23/2015	10:19:38	0.031
21	03/23/2015	10:34:38	0.030
22	03/23/2015	10:49:38	0.030
23	03/23/2015	11:04:38	0.027
24	03/23/2015	11:19:38	0.027
25	03/23/2015	11:34:38	0.027
26	03/23/2015	11:49:38	0.028
27	03/23/2015	12:04:38	0.029
28	03/23/2015	12:19:38	0.027
29	03/23/2015	12:34:38	0.026
30	03/23/2015	12:49:38	0.025
31	03/23/2015	13:04:38	0.022
32	03/23/2015	13:19:38	0.019
33	03/23/2015	13:34:38	0.019
34	03/23/2015	13:49:38	0.019
35	03/23/2015	14:04:38	0.020

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
36	03/23/2015	14:19:38	0.019
37	03/23/2015	14:34:38	0.018
38	03/23/2015	14:49:38	0.019
39	03/23/2015	15:04:38	0.021
40	03/23/2015	15:19:38	0.021
41	03/23/2015	15:34:38	0.016
42	03/23/2015	15:49:38	0.016
43	03/23/2015	16:04:38	0.016
44	03/23/2015	16:19:38	0.012
45	03/23/2015	16:34:38	0.012
46	03/23/2015	16:49:38	0.010
47	03/23/2015	17:04:38	0.012
48	03/23/2015	17:19:38	0.011
49	03/23/2015	17:34:38	0.010
50	03/23/2015	17:49:38	0.009
51	03/23/2015	18:04:38	0.013
52	03/23/2015	18:19:38	0.014
53	03/23/2015	18:34:38	0.014
54	03/23/2015	18:49:38	0.018

# Test 075

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	03/23/2015
Instrument S/N	8533132902	Start Time	08:11:24
		Stop Date	03/23/2015
		Stop Time	14:41:24
		Total Time	0:06:30:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	03/23/2015	08:26:24	0.024	0.027	0.028	0.029	0.029
2	03/23/2015	08:41:24	0.026	0.029	0.030	0.032	0.032
3	03/23/2015	08:56:24	0.020	0.023	0.023	0.024	0.024
4	03/23/2015	09:11:24	0.022	0.024	0.025	0.027	0.027
5	03/23/2015	09:26:24	0.020	0.022	0.023	0.024	0.024
6	03/23/2015	09:41:24	0.023	0.026	0.027	0.028	0.028
7	03/23/2015	09:56:24	0.024	0.026	0.027	0.028	0.028
8	03/23/2015	10:11:24	0.023	0.025	0.026	0.027	0.027
9	03/23/2015	10:26:24	0.021	0.023	0.024	0.024	0.024
10	03/23/2015	10:41:24	0.022	0.023	0.024	0.025	0.025
11	03/23/2015	10:56:24	0.023	0.025	0.026	0.029	0.029
12	03/23/2015	11:11:24	0.019	0.021	0.022	0.023	0.023
13	03/23/2015	11:26:24	0.019	0.021	0.021	0.022	0.022
14	03/23/2015	11:41:24	0.019	0.020	0.021	0.022	0.022
15	03/23/2015	11:56:24	0.019	0.021	0.021	0.022	0.022
16	03/23/2015	12:11:24	0.018	0.020	0.020	0.021	0.021
17	03/23/2015	12:26:24	0.018	0.020	0.020	0.021	0.021
18	03/23/2015	12:41:24	0.018	0.020	0.020	0.022	0.022
19	03/23/2015	12:56:24	0.017	0.019	0.019	0.020	0.020
20	03/23/2015	13:11:24	0.014	0.015	0.016	0.018	0.018
21	03/23/2015	13:26:24	0.013	0.015	0.015	0.017	0.017
22	03/23/2015	13:41:24	0.013	0.015	0.015	0.016	0.017
23	03/23/2015	13:56:24	0.014	0.015	0.016	0.017	0.017
24	03/23/2015	14:11:24	0.015	0.016	0.017	0.018	0.018
25	03/23/2015	14:26:24	0.013	0.015	0.015	0.016	0.016
26	03/23/2015	14:41:24	0.014	0.015	0.015	0.017	0.017

**Monitoring Results / Reports**  
**(Tuesday, March 24, 2015)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
EX-83 RCRA RFI Soil Sampling (TB-52S)	8533132902	Upwind
EX-83 RCRA RFI Soil Sampling (TB-52S)	8530132205	Downwind
EX-83 RCRA RFI Soil Sampling (02)	8530142303	Upwind
EX-83 RCRA RFI Soil Sampling (02)	8530113211	Downwind
EX-83 RCRA RFI Soil Sampling (TB-30R)	8530142303	Upwind
EX-83 RCRA RFI Soil Sampling (TB-30R)	8530113211	Downwind
EX-83 RCRA RFI Soil Sampling (TB-54R)	8533132902	Upwind
EX-83 RCRA RFI Soil Sampling (TB-54R)	8530132205	Downwind-1
EX-83 RCRA RFI Soil Sampling (TB-54R)	8530113011	Downwind-2
EX-92 Removal and Shipment of Reverb Feed	8530132205	WEST ROLL-UP DOOR
EX-92 Removal and Shipment of Reverb Feed	8530113011	EAST ROLL-UP DOOR



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

3/24/2015 Work Area EX-92 & EX-83

# Test 084

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/24/2015
Instrument S/N	8530113011	Start Time	05:29:02
		Stop Date	03/24/2015
		Stop Time	16:44:02
		Total Time	0:11:15:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/24/2015	05:44:02	0.019
2	03/24/2015	05:59:02	0.020
3	03/24/2015	06:14:02	0.019
4	03/24/2015	06:29:02	0.019
5	03/24/2015	06:44:02	0.019
6	03/24/2015	06:59:02	0.021
7	03/24/2015	07:14:02	0.021
8	03/24/2015	07:29:02	0.022
9	03/24/2015	07:44:02	0.034
10	03/24/2015	07:59:02	0.023
11	03/24/2015	08:14:02	0.031
12	03/24/2015	08:29:02	0.024
13	03/24/2015	08:44:02	0.027
14	03/24/2015	08:59:02	0.018
15	03/24/2015	09:14:02	0.022
16	03/24/2015	09:29:02	0.020
17	03/24/2015	09:44:02	0.019
18	03/24/2015	09:59:02	0.020
19	03/24/2015	10:14:02	0.017
20	03/24/2015	10:29:02	0.018
21	03/24/2015	10:44:02	0.017
22	03/24/2015	10:59:02	0.016
23	03/24/2015	11:14:02	0.017
24	03/24/2015	11:29:02	0.025
25	03/24/2015	11:44:02	0.018
26	03/24/2015	11:59:02	0.019
27	03/24/2015	12:14:02	0.020
28	03/24/2015	12:29:02	0.022
29	03/24/2015	12:44:02	0.023
30	03/24/2015	12:59:02	0.024
31	03/24/2015	13:14:02	0.024
32	03/24/2015	13:29:02	0.020
33	03/24/2015	13:44:02	0.019
34	03/24/2015	13:59:02	0.018
35	03/24/2015	14:14:02	0.017

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
36	03/24/2015	14:29:02	0.015
37	03/24/2015	14:44:02	0.015
38	03/24/2015	14:59:02	0.014
39	03/24/2015	15:14:02	0.013
40	03/24/2015	15:29:02	0.011
41	03/24/2015	15:44:02	0.012
42	03/24/2015	15:59:02	0.010
43	03/24/2015	16:14:02	0.010
44	03/24/2015	16:29:02	0.009
45	03/24/2015	16:44:02	0.009

# Test 043

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/24/2015
Instrument S/N	8530132205	Start Time	05:26:59
		Stop Date	03/24/2015
		Stop Time	16:41:59
		Total Time	0:11:15:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/24/2015	05:41:59	0.026
2	03/24/2015	05:56:59	0.027
3	03/24/2015	06:11:59	0.028
4	03/24/2015	06:26:59	0.026
5	03/24/2015	06:41:59	0.030
6	03/24/2015	06:56:59	0.030
7	03/24/2015	07:11:59	0.032
8	03/24/2015	07:26:59	0.031
9	03/24/2015	07:41:59	0.046
10	03/24/2015	07:56:59	0.035
11	03/24/2015	08:11:59	0.039
12	03/24/2015	08:26:59	0.035
13	03/24/2015	08:41:59	0.037
14	03/24/2015	08:56:59	0.029
15	03/24/2015	09:11:59	0.032
16	03/24/2015	09:26:59	0.030
17	03/24/2015	09:41:59	0.028
18	03/24/2015	09:56:59	0.027
19	03/24/2015	10:11:59	0.025
20	03/24/2015	10:26:59	0.026
21	03/24/2015	10:41:59	0.023
22	03/24/2015	10:56:59	0.021
23	03/24/2015	11:11:59	0.021
24	03/24/2015	11:26:59	0.028
25	03/24/2015	11:41:59	0.021
26	03/24/2015	11:56:59	0.020
27	03/24/2015	12:11:59	0.021
28	03/24/2015	12:26:59	0.023
29	03/24/2015	12:41:59	0.024
30	03/24/2015	12:56:59	0.024
31	03/24/2015	13:11:59	0.025
32	03/24/2015	13:26:59	0.020
33	03/24/2015	13:41:59	0.020
34	03/24/2015	13:56:59	0.019
35	03/24/2015	14:11:59	0.018

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
36	03/24/2015	14:26:59	0.016
37	03/24/2015	14:41:59	0.017
38	03/24/2015	14:56:59	0.022
39	03/24/2015	15:11:59	0.015
40	03/24/2015	15:26:59	0.013
41	03/24/2015	15:41:59	0.012
42	03/24/2015	15:56:59	0.011
43	03/24/2015	16:11:59	0.011
44	03/24/2015	16:26:59	0.010
45	03/24/2015	16:41:59	0.010

# Test 076

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	03/24/2015
Instrument S/N	8533132902	Start Time	08:03:11
		Stop Date	03/24/2015
		Stop Time	15:03:11
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	03/24/2015	08:18:11	0.023	0.025	0.026	0.028	0.028
2	03/24/2015	08:33:11	0.022	0.024	0.025	0.026	0.027
3	03/24/2015	08:48:11	0.022	0.025	0.026	0.027	0.027
4	03/24/2015	09:03:11	0.019	0.022	0.023	0.024	0.024
5	03/24/2015	09:18:11	0.022	0.024	0.025	0.027	0.027
6	03/24/2015	09:33:11	0.020	0.023	0.024	0.025	0.025
7	03/24/2015	09:48:11	0.018	0.021	0.022	0.023	0.023
8	03/24/2015	10:03:11	0.017	0.019	0.020	0.021	0.021
9	03/24/2015	10:18:11	0.015	0.017	0.018	0.019	0.019
10	03/24/2015	10:33:11	0.016	0.018	0.019	0.021	0.021
11	03/24/2015	10:48:11	0.014	0.016	0.017	0.018	0.018
12	03/24/2015	11:03:11	0.014	0.015	0.016	0.017	0.017
13	03/24/2015	11:18:11	0.014	0.016	0.017	0.019	0.019
14	03/24/2015	11:33:11	0.015	0.017	0.018	0.019	0.019
15	03/24/2015	11:48:11	0.014	0.016	0.016	0.018	0.018
16	03/24/2015	12:03:11	0.015	0.017	0.017	0.019	0.019
17	03/24/2015	12:18:11	0.015	0.017	0.018	0.019	0.019
18	03/24/2015	12:33:11	0.016	0.018	0.019	0.020	0.020
19	03/24/2015	12:48:11	0.017	0.019	0.020	0.022	0.022
20	03/24/2015	13:03:11	0.017	0.019	0.020	0.022	0.022
21	03/24/2015	13:18:11	0.015	0.017	0.018	0.020	0.020
22	03/24/2015	13:33:11	0.013	0.015	0.016	0.017	0.017
23	03/24/2015	13:48:11	0.012	0.014	0.015	0.017	0.017
24	03/24/2015	14:03:11	0.013	0.015	0.015	0.017	0.017
25	03/24/2015	14:18:11	0.012	0.013	0.014	0.016	0.016
26	03/24/2015	14:33:11	0.014	0.015	0.016	0.018	0.019
27	03/24/2015	14:48:11	0.010	0.012	0.012	0.013	0.014
28	03/24/2015	15:03:11	0.010	0.011	0.012	0.013	0.013

# Test 073

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/24/2015
Instrument S/N	8530142303	Start Time	08:26:02
		Stop Date	03/24/2015
		Stop Time	14:56:02
		Total Time	0:06:30:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/24/2015	08:41:02	0.058
2	03/24/2015	08:56:02	0.048
3	03/24/2015	09:11:02	0.043
4	03/24/2015	09:26:02	0.042
5	03/24/2015	09:41:02	0.037
6	03/24/2015	09:56:02	0.037
7	03/24/2015	10:11:02	0.036
8	03/24/2015	10:26:02	0.030
9	03/24/2015	10:41:02	0.032
10	03/24/2015	10:56:02	0.025
11	03/24/2015	11:11:02	0.026
12	03/24/2015	11:26:02	0.024
13	03/24/2015	11:41:02	0.026
14	03/24/2015	11:56:02	0.024
15	03/24/2015	12:11:02	0.024
16	03/24/2015	12:26:02	0.025
17	03/24/2015	12:41:02	0.026
18	03/24/2015	12:56:02	0.026
19	03/24/2015	13:11:02	0.027
20	03/24/2015	13:26:02	0.020
21	03/24/2015	13:41:02	0.019
22	03/24/2015	13:56:02	0.019
23	03/24/2015	14:11:02	0.019
24	03/24/2015	14:26:02	0.016
25	03/24/2015	14:41:02	0.016
26	03/24/2015	14:56:02	0.013

# Test 004

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/24/2015
Instrument S/N	8530113211	Start Time	08:25:42
		Stop Date	03/24/2015
		Stop Time	14:55:42
		Total Time	0:06:30:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/24/2015	08:40:42	0.045
2	03/24/2015	08:55:42	0.072
3	03/24/2015	09:10:42	0.057
4	03/24/2015	09:25:42	0.035
5	03/24/2015	09:40:42	0.021
6	03/24/2015	09:55:42	0.026
7	03/24/2015	10:10:42	0.027
8	03/24/2015	10:25:42	0.025
9	03/24/2015	10:40:42	0.025
10	03/24/2015	10:55:42	0.018
11	03/24/2015	11:10:42	0.034
12	03/24/2015	11:25:42	0.020
13	03/24/2015	11:40:42	0.024
14	03/24/2015	11:55:42	0.024
15	03/24/2015	12:10:42	0.022
16	03/24/2015	12:25:42	0.022
17	03/24/2015	12:40:42	0.023
18	03/24/2015	12:55:42	0.025
19	03/24/2015	13:10:42	0.028
20	03/24/2015	13:25:42	0.024
21	03/24/2015	13:40:42	0.024
22	03/24/2015	13:55:42	0.024
23	03/24/2015	14:10:42	0.024
24	03/24/2015	14:25:42	0.023
25	03/24/2015	14:40:42	0.023
26	03/24/2015	14:55:42	0.025

**Monitoring Results / Reports**  
**(Wednesday, March 25, 2015)**

<b>ACTIVITY</b>	<b>SERIAL NUMBER</b>	<b>LOCATION</b>
EX-83 RCRA RFI Soil Sampling (05)	8530110315	Upwind
EX-83 RCRA RFI Soil Sampling (TB-12S)	8530110315	Upwind
EX-83 RCRA RFI Soil Sampling (TB-12S)	8530142303	Downwind
EX-83 RCRA RFI Soil Sampling (TB34S)	8530110315	Upwind
EX-83 RCRA RFI Soil Sampling (TB-34S)	8530142303	Downwind-1
EX-83 RCRA RFI Soil Sampling (TB-34S)	8533132902	Downwind-2
EX-83 RCRA RFI Soil Sampling (TB-29S)	8530110315	Upwind
EX-83 RCRA RFI Soil Sampling (TB-29S)	8530142303	Downwind-1
EX-83 RCRA RFI Soil Sampling (TB-29S)	8533132902	Downwind-2
EX-92 Removal and Shipment of Reverb Feed	8530132205	West of Roll Up Door
EX-92 Removal and Shipment of Reverb Feed	8530113011	East of Roll Up Door



Exide Technologies  
2700 Indiana Street  
Vernon, CA 90058

3/25/2015 Work Area EX-92 & EX-83

# Test 085

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/25/2015
Instrument S/N	8530113011	Start Time	05:11:45
		Stop Date	03/25/2015
		Stop Time	16:56:45
		Total Time	0:11:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/25/2015	05:26:45	0.025
2	03/25/2015	05:41:45	0.025
3	03/25/2015	05:56:45	0.027
4	03/25/2015	06:11:45	0.028
5	03/25/2015	06:26:45	0.028
6	03/25/2015	06:41:45	0.029
7	03/25/2015	06:56:45	0.027
8	03/25/2015	07:11:45	0.026
9	03/25/2015	07:26:45	0.024
10	03/25/2015	07:41:45	0.025
11	03/25/2015	07:56:45	0.026
12	03/25/2015	08:11:45	0.025
13	03/25/2015	08:26:45	0.028
14	03/25/2015	08:41:45	0.031
15	03/25/2015	08:56:45	0.031
16	03/25/2015	09:11:45	0.025
17	03/25/2015	09:26:45	0.022
18	03/25/2015	09:41:45	0.017
19	03/25/2015	09:56:45	0.018
20	03/25/2015	10:11:45	0.021
21	03/25/2015	10:26:45	0.027
22	03/25/2015	10:41:45	0.027
23	03/25/2015	10:56:45	0.026
24	03/25/2015	11:11:45	0.021
25	03/25/2015	11:26:45	0.026
26	03/25/2015	11:41:45	0.028
27	03/25/2015	11:56:45	0.028
28	03/25/2015	12:11:45	0.026
29	03/25/2015	12:26:45	0.027
30	03/25/2015	12:41:45	0.027
31	03/25/2015	12:56:45	0.029
32	03/25/2015	13:11:45	0.027
33	03/25/2015	13:26:45	0.026
34	03/25/2015	13:41:45	0.033
35	03/25/2015	13:56:45	0.025

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
36	03/25/2015	14:11:45	0.022
37	03/25/2015	14:26:45	0.025
38	03/25/2015	14:41:45	0.025
39	03/25/2015	14:56:45	0.025
40	03/25/2015	15:11:45	0.024
41	03/25/2015	15:26:45	0.025
42	03/25/2015	15:41:45	0.023
43	03/25/2015	15:56:45	0.022
44	03/25/2015	16:11:45	0.022
45	03/25/2015	16:26:45	0.024
46	03/25/2015	16:41:45	0.022
47	03/25/2015	16:56:45	0.019

# Test 044

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/25/2015
Instrument S/N	8530132205	Start Time	05:08:25
		Stop Date	03/25/2015
		Stop Time	16:53:25
		Total Time	0:11:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/25/2015	05:23:25	0.033
2	03/25/2015	05:38:25	0.032
3	03/25/2015	05:53:25	0.034
4	03/25/2015	06:08:25	0.036
5	03/25/2015	06:23:25	0.036
6	03/25/2015	06:38:25	0.037
7	03/25/2015	06:53:25	0.036
8	03/25/2015	07:08:25	0.034
9	03/25/2015	07:23:25	0.032
10	03/25/2015	07:38:25	0.032
11	03/25/2015	07:53:25	0.035
12	03/25/2015	08:08:25	0.034
13	03/25/2015	08:23:25	0.036
14	03/25/2015	08:38:25	0.041
15	03/25/2015	08:53:25	0.040
16	03/25/2015	09:08:25	0.035
17	03/25/2015	09:23:25	0.029
18	03/25/2015	09:38:25	0.023
19	03/25/2015	09:53:25	0.023
20	03/25/2015	10:08:25	0.023
21	03/25/2015	10:23:25	0.030
22	03/25/2015	10:38:25	0.030
23	03/25/2015	10:53:25	0.029
24	03/25/2015	11:08:25	0.021
25	03/25/2015	11:23:25	0.025
26	03/25/2015	11:38:25	0.027
27	03/25/2015	11:53:25	0.026
28	03/25/2015	12:08:25	0.024
29	03/25/2015	12:23:25	0.024
30	03/25/2015	12:38:25	0.024
31	03/25/2015	12:53:25	0.025
32	03/25/2015	13:08:25	0.024
33	03/25/2015	13:23:25	0.021
34	03/25/2015	13:38:25	0.023
35	03/25/2015	13:53:25	0.022

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
36	03/25/2015	14:08:25	0.017
37	03/25/2015	14:23:25	0.021
38	03/25/2015	14:38:25	0.022
39	03/25/2015	14:53:25	0.022
40	03/25/2015	15:08:25	0.022
41	03/25/2015	15:23:25	0.022
42	03/25/2015	15:38:25	0.023
43	03/25/2015	15:53:25	0.021
44	03/25/2015	16:08:25	0.021
45	03/25/2015	16:23:25	0.023
46	03/25/2015	16:38:25	0.021
47	03/25/2015	16:53:25	0.019

# Test 077

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	03/25/2015
Instrument S/N	8533132902	Start Time	14:18:53
		Stop Date	03/25/2015
		Stop Time	16:18:53
		Total Time	0:02:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m <sup>3</sup>	PM2.5 mg/m <sup>3</sup>	RESP mg/m <sup>3</sup>	PM10 mg/m <sup>3</sup>	TOTAL mg/m <sup>3</sup>
1	03/25/2015	14:33:53	0.017	0.019	0.020	0.022	0.023
2	03/25/2015	14:48:53	0.016	0.018	0.019	0.020	0.020
3	03/25/2015	15:03:53	0.017	0.019	0.020	0.022	0.022
4	03/25/2015	15:18:53	0.017	0.019	0.020	0.021	0.021
5	03/25/2015	15:33:53	0.016	0.017	0.018	0.021	0.021
6	03/25/2015	15:48:53	0.015	0.017	0.018	0.020	0.020
7	03/25/2015	16:03:53	0.014	0.016	0.016	0.018	0.018
8	03/25/2015	16:18:53	0.017	0.019	0.020	0.023	0.023

# Test 074

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/25/2015
Instrument S/N	8530142303	Start Time	12:54:52
		Stop Date	03/25/2015
		Stop Time	16:09:52
		Total Time	0:03:15:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/25/2015	13:09:52	0.033
2	03/25/2015	13:24:52	0.031
3	03/25/2015	13:39:52	0.025
4	03/25/2015	13:54:52	0.020
5	03/25/2015	14:09:52	0.015
6	03/25/2015	14:24:52	0.021
7	03/25/2015	14:39:52	0.021
8	03/25/2015	14:54:52	0.021
9	03/25/2015	15:09:52	0.021
10	03/25/2015	15:24:52	0.022
11	03/25/2015	15:39:52	0.026
12	03/25/2015	15:54:52	0.020
13	03/25/2015	16:09:52	0.020

# Test 065

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/25/2015
Instrument S/N	8530110315	Start Time	08:35:11
		Stop Date	03/25/2015
		Stop Time	12:20:11
		Total Time	0:03:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/25/2015	08:50:11	0.042
2	03/25/2015	09:05:11	0.043
3	03/25/2015	09:20:11	0.041
4	03/25/2015	09:35:11	0.028
5	03/25/2015	09:50:11	0.025
6	03/25/2015	10:05:11	0.026
7	03/25/2015	10:20:11	0.030
8	03/25/2015	10:35:11	0.032
9	03/25/2015	10:50:11	0.034
10	03/25/2015	11:05:11	0.025
11	03/25/2015	11:20:11	0.029
12	03/25/2015	11:35:11	0.031
13	03/25/2015	11:50:11	0.033
14	03/25/2015	12:05:11	0.039
15	03/25/2015	12:20:11	0.030

# Test 066

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/25/2015
Instrument S/N	8530110315	Start Time	12:55:51
		Stop Date	03/25/2015
		Stop Time	16:10:51
		Total Time	0:03:15:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/25/2015	13:10:51	0.029
2	03/25/2015	13:25:51	0.028
3	03/25/2015	13:40:51	0.023
4	03/25/2015	13:55:51	0.024
5	03/25/2015	14:10:51	0.021
6	03/25/2015	14:25:51	0.032
7	03/25/2015	14:40:51	0.033
8	03/25/2015	14:55:51	0.038
9	03/25/2015	15:10:51	0.040
10	03/25/2015	15:25:51	0.027
11	03/25/2015	15:40:51	0.027
12	03/25/2015	15:55:51	0.031
13	03/25/2015	16:10:51	0.027