



SOUTH COAST AQMD
CLERK OF THE BOARDS

March 11, 2016

CN: 15279

'16 MAR 11 P3:18

Ms. Cher Snyder
Assistant Deputy Executive Officer
Office of Engineering and Compliance
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765

**PROJECT: EXIDE TECHNOLOGIES FACILITY ID NO. 124838,
ORDER OF ABATEMENT CASE NO. 3151-32**
RE: WEEKLY STATUS REPORT # 75 (2/11/16 – 2/17/16)

Dear Ms. Snyder,

Tetra Tech Inc. is pleased to present the following Weekly Status Report for the above referenced project. This report covers the period of February 11, 2016 through February 17, 2016.

CURRENT ACTIVITIES WHERE PREVIOUSLY APPROVED MITIGATION MEASURES WERE FULLY IMPLEMENTED

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) during this reporting period where mitigation measures were observed to be implemented in full compliance with the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD, at the site during this period include:

TASK ID	Major Work Item	Mitigation Measure(s)
EX83/4	RCRA RFI Soil Sampling	Temporary Enclosure Under Negative Pressure
DTSC Ordered	Parking Lot Planter Soil Removal	Temporary Enclosure Under Negative Pressure
DTSC Ordered	LA County Flood Control Open Channel Clean up	Temporary Enclosure Under Negative Pressure*

* Dust Trak monitoring performed for this work item.

RCRA RFI Soil Sampling

No work occurred related to the RCRA RFI Soil Sampling. RCRA RFI Soil Sampling activities on the Exide property will continue once a revised scope of work to address changed field conditions is developed and approved by the regulatory agencies.

Parking Lot Planter Soil Removal

On Thursday, February 11, 2016, Castlerock removed the temporary enclosure. Tetra Tech personnel were onsite to monitor the removal of the enclosure.

Verification activities included:

- Visual observation that the area inside the enclosure was free of debris and the interior had been vacuumed with SCAQMD permitted HEPA vacuums prior to removal of the temporary enclosure.

LA Flood Control Open Channel Clean Up

On Thursday, February 11, 2016, Exide and its contractors continued DTSC ordered work on LA County Flood Control Open Channel Between 26th Street and Bandini Avenue. While an independent mitigation plan was not prepared for this task, fugitive dust mitigation methods were incorporated into the work plan which were observed and verified. The sediment removal activities were conducted within temporary enclosures maintained under negative pressure. NRC will completed the open channel clean up activities on Friday, February 12, 2016. Tetra Tech personnel were onsite to monitor work related to the removal of sediment from the channel including downwind Dust Trak monitoring.

Verification activities included:

- Visual observation of the installation activities to verify compliance with the DTSC and SCAQMD approved work plan.
- Downwind Dust Trak monitoring of the areas when activities were conducted, to monitor for fugitive dust emissions. Review of Dust Trak data did not indicate that work associated with securing the removal of soil from the parking lot planter was generating fugitive dust emissions.

Storm Water Pipe Repair

On Monday, February 15, 2016, Exide and began repair activities on a 6-inch schedule 80 PVC pipe that carries water from Storm Water Storage Tank 4 to the lined stormwater pond. While an independent mitigation plan was not prepared for this task, fugitive dust mitigation methods were incorporated into an email to the SCAQMD that was reviewed and approved. Prior to removal of the damaged section of pipe, the section of pipe to be removed was cleaned with d-lead wipes. Plastic sheeting was placed under the working area, the pipe was cut and the damaged section of pipe was placed on the plastic sheeting. The damaged section of pipe was wrapped and disposed of as hazardous waste. A new section of pipe will be fabricated off site, and will be installed during the next reporting period. Tetra Tech personnel were onsite to monitor work related to the pipe repair including downwind Dust Trak monitoring.

Verification activities included:

- Visual observation of the installation activities to verify compliance with the SCAQMD approved work plan.
- Downwind Dust Trak monitoring of the areas when activities were conducted, to monitor for fugitive dust emissions. Review of Dust Trak data did not indicate that work associated with removal of the damaged pipe was generating fugitive dust emissions.

CURRENT ACTIVITIES WHERE A DEVIATION FROM PREVIOUSLY APPROVED MITIGATION MEASURES WERE OBSERVED AND THE CORRECTIVE ACTIONS TAKEN

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where for each of the activities described below, mitigation measures were implemented which to some extent deviated from the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD:

TASK ID	Major Work Item	Deviation(s)	CORRECTIVE ACTION
None			

In general accordance with the Order for Abatement Case No. 3151-32 Findings and Decision, air monitoring, if required, was conducted during a portion of all repair work performed within the temporary enclosures on a daily basis. If the results of continuous Dust Trak air monitoring detected excessive dust, additional suppression activities are required to be implemented. For this reporting period, Dust Trak monitoring did not detect excessive dust being generated from repair activities.

Activity Which Resulted in Excessive Dust	Additional Suppression Activity
None	None

ACTUAL vs. FORECAST PROGRESS:

Exide Technologies submitted a schedule which outlines the tasks needed to be completed in response to this abatement order. The attached Gant Chart shows scheduled progress for all activities planned for the upcoming two week period. The following table shows the status of these activities.

TASK	STATUS
None	None

WORK SCHEDULED DURING THE UPCOMING PERIOD:

The following activities are anticipated for the upcoming weeks:

Week	Anticipated Activities
Feb. 18 – Feb. 24	<ul style="list-style-type: none"> • No Mitigation Work Scheduled

Week	Anticipated Activities
Feb. 25 - Mar. 2	<ul style="list-style-type: none"> • No Mitigation Work Scheduled

KEY MILESTONES:

The following key milestones were achieved during this reporting period:

- o DTSC Ordered Open Channel Clean Up: COMPLETED
- o DTSC Ordered Parking Lot Planter Soil Removal: COMPLETED
- o Storm Water Pipe Repair: STARTED

WORKER SAFETY CONCERNS:

The following Health and Safety issues, as they apply to Tetra Tech employees, were observed during this reporting period:

- o None.

POTENTIAL CHANGES AND ACTION ITEMS REQUIRING RESOLUTION:

The following items require resolution:

- o None at this time.

SUMMARY:

The summary provided herein covers the activities for the period of February 11, 2016 through February 17, 2016. Please note that while no Mitigation Plan related activities were scheduled, Tetra Tech was on-site to oversee DTSC ordered work that had the potential to generate fugitive dust on Thursday, February 11, 2016, Friday, February 12, 2016, and Monday, February 15, 2016. Please find attached a copy of Exide's upcoming two weeks schedule and site map identifying the location of the activities on the upcoming two weeks schedule.

Should you have questions regarding this report, or require additional information, please contact me at your earliest convenience.

Sincerely,



Nick Somogyi
Project Engineer

ATTACHMENTS:

Gant Chart Schedule
Site Map
Field Monitoring Data

Gant Chart Schedule

Project Schedule

Week of 02/11/16 – 03/02/16

Rev: 02/18/2016



Recycling Division, Vernon, CA

							1/13/16		02/20/16					02/27/16					03/06/16								
Mitigation Plan Risks	Task Name	Plant Location	Duration	Start Date	Finish Date	%	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	01	02
Ex 72	Cleaning of Assorted Materials in Total Enclosure	Total Enclosure	497 days	11/20/14	3/31/16	80%																					
Ex 76	Various Work Methods in Total Enclosure	Total Enclosure	496 days	11/21/14	3/31/16	80%																					
4	RCRA RFI Soil Sampling	General	407 days	2/18/15	3/31/16	97%																					
Ex 83	RFI Soil Sampling Supplemental	General	407 days	02/18/15	3/31/16	97%																					

*Numbering system correlates with Mitigation plan document.
Ex refers to additional work part of Sec. 6b in the Mitigation plan document.*

Site Map



Mitigation Project Map Layout

Week 02/11/16 – 03/02/16


Rev: 02/18/16

4. RCRA RFI Soil Sampling

Ex 83. RFI Soil Sampling Supplemental

Ex 72. Cleaning of Assorted Materials in Total Encl.

Ex 76. Various Work Methods in Total Enclosure



Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.

Mitigation Schedule and Map_02/18/16.pptx

Monitoring Results / Reports
(Thursday, February 11, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
Pipe Repair	8533141005	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/12/2016 DTSC Ordered Channel
Cleaning

Test 039


Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/11/2016
Instrument S/N	8533141005	Start Time	08:52:07
		Stop Date	02/11/2016
		Stop Time	12:17:07
		Total Time	0:03:25:00
		Logging Interval	300 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/11/2016	08:57:07	0.019	0.020	0.020	0.023	0.023
2	02/11/2016	09:02:07	0.018	0.019	0.019	0.022	0.022
3	02/11/2016	09:07:07	0.019	0.020	0.020	0.023	0.023
4	02/11/2016	09:12:07	0.018	0.018	0.019	0.021	0.021
5	02/11/2016	09:17:07	0.018	0.018	0.019	0.021	0.022
6	02/11/2016	09:22:07	0.021	0.022	0.023	0.025	0.026
7	02/11/2016	09:27:07	0.017	0.018	0.019	0.021	0.021
8	02/11/2016	09:32:07	0.017	0.017	0.018	0.020	0.021
9	02/11/2016	09:37:07	0.016	0.017	0.017	0.019	0.020
10	02/11/2016	09:42:07	0.015	0.015	0.016	0.018	0.018
11	02/11/2016	09:47:07	0.014	0.014	0.015	0.017	0.017
12	02/11/2016	09:52:07	0.014	0.014	0.015	0.017	0.017
13	02/11/2016	09:57:07	0.013	0.014	0.014	0.016	0.016
14	02/11/2016	10:02:07	0.013	0.013	0.014	0.016	0.016
15	02/11/2016	10:07:07	0.012	0.013	0.014	0.015	0.016
16	02/11/2016	10:12:07	0.012	0.013	0.013	0.015	0.016
17	02/11/2016	10:17:07	0.011	0.011	0.012	0.014	0.014
18	02/11/2016	10:22:07	0.011	0.011	0.012	0.013	0.014
19	02/11/2016	10:27:07	0.011	0.011	0.012	0.014	0.014
20	02/11/2016	10:32:07	0.009	0.010	0.010	0.012	0.012
21	02/11/2016	10:37:07	0.009	0.010	0.010	0.012	0.012
22	02/11/2016	10:42:07	0.009	0.009	0.010	0.011	0.012
23	02/11/2016	10:47:07	0.009	0.009	0.010	0.011	0.012
24	02/11/2016	10:52:07	0.010	0.011	0.011	0.013	0.014
25	02/11/2016	10:57:07	0.009	0.009	0.010	0.012	0.012
26	02/11/2016	11:02:07	0.009	0.009	0.010	0.011	0.012
27	02/11/2016	11:07:07	0.009	0.010	0.010	0.012	0.013
28	02/11/2016	11:12:07	0.010	0.010	0.011	0.013	0.013
29	02/11/2016	11:17:07	0.010	0.011	0.011	0.014	0.014
30	02/11/2016	11:22:07	0.009	0.010	0.010	0.012	0.013
31	02/11/2016	11:27:07	0.010	0.010	0.011	0.013	0.013
32	02/11/2016	11:32:07	0.010	0.011	0.012	0.014	0.014
33	02/11/2016	11:37:07	0.010	0.010	0.011	0.013	0.014
34	02/11/2016	11:42:07	0.009	0.010	0.010	0.012	0.012
35	02/11/2016	11:47:07	0.010	0.011	0.012	0.014	0.015

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
36	02/11/2016	11:52:07	0.012	0.012	0.013	0.016	0.016
37	02/11/2016	11:57:07	0.010	0.010	0.011	0.013	0.013
38	02/11/2016	12:02:07	0.009	0.010	0.011	0.013	0.013
39	02/11/2016	12:07:07	0.011	0.012	0.012	0.015	0.015
40	02/11/2016	12:12:07	0.010	0.011	0.011	0.014	0.014
41	02/11/2016	12:17:07	0.010	0.011	0.011	0.013	0.014

Monitoring Results / Reports
(Friday, February 12, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
Channel Cleaning	8533141005	Upwind
Channel Cleaning	8533152408	Downwind
Channel Cleaning	8533143905	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/11/2016 Pipe Repair

Test 002

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/12/2016
Instrument S/N	8533143905	Start Time	08:00:53
		Stop Date	02/12/2016
		Stop Time	14:00:53
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/12/2016	08:15:53	0.037	0.038	0.040	0.045	0.047
2	02/12/2016	08:30:53	0.031	0.032	0.033	0.036	0.036
3	02/12/2016	08:45:53	0.032	0.033	0.034	0.036	0.036
4	02/12/2016	09:00:53	0.031	0.032	0.033	0.035	0.035
5	02/12/2016	09:15:53	0.024	0.025	0.026	0.028	0.028
6	02/12/2016	09:30:53	0.024	0.025	0.026	0.028	0.028
7	02/12/2016	09:45:53	0.026	0.027	0.028	0.030	0.030
8	02/12/2016	10:00:53	0.024	0.025	0.026	0.027	0.028
9	02/12/2016	10:15:53	0.027	0.028	0.029	0.030	0.030
10	02/12/2016	10:30:53	0.028	0.028	0.029	0.030	0.030
11	02/12/2016	10:45:53	0.029	0.029	0.030	0.031	0.032
12	02/12/2016	11:00:53	0.024	0.025	0.026	0.027	0.027
13	02/12/2016	11:15:53	0.023	0.024	0.024	0.026	0.026
14	02/12/2016	11:30:53	0.023	0.023	0.024	0.025	0.025
15	02/12/2016	11:45:53	0.028	0.028	0.029	0.031	0.031
16	02/12/2016	12:00:53	0.028	0.029	0.030	0.032	0.032
17	02/12/2016	12:15:53	0.029	0.030	0.031	0.033	0.033
18	02/12/2016	12:30:53	0.028	0.029	0.030	0.031	0.031
19	02/12/2016	12:45:53	0.033	0.033	0.034	0.036	0.036
20	02/12/2016	13:00:53	0.032	0.033	0.034	0.035	0.036
21	02/12/2016	13:15:53	0.034	0.035	0.035	0.037	0.037
22	02/12/2016	13:30:53	0.035	0.036	0.037	0.038	0.038
23	02/12/2016	13:45:53	0.035	0.036	0.037	0.038	0.038
24	02/12/2016	14:00:53	0.039	0.039	0.040	0.042	0.042

Test 040

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/12/2016
Instrument S/N	8533141005	Start Time	08:27:59
		Stop Date	02/12/2016
		Stop Time	13:37:59
		Total Time	0:05:10:00
		Logging Interval	300 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/12/2016	08:32:59	0.032	0.033	0.034	0.036	0.037
2	02/12/2016	08:37:59	0.033	0.033	0.034	0.037	0.038
3	02/12/2016	08:42:59	0.036	0.037	0.038	0.041	0.041
4	02/12/2016	08:47:59	0.036	0.037	0.038	0.040	0.041
5	02/12/2016	08:52:59	0.035	0.036	0.037	0.039	0.039
6	02/12/2016	08:57:59	0.031	0.031	0.032	0.034	0.035
7	02/12/2016	09:02:59	0.028	0.029	0.030	0.032	0.033
8	02/12/2016	09:07:59	0.026	0.027	0.028	0.030	0.030
9	02/12/2016	09:12:59	0.025	0.026	0.027	0.029	0.030
10	02/12/2016	09:17:59	0.026	0.026	0.027	0.029	0.030
11	02/12/2016	09:22:59	0.027	0.027	0.028	0.030	0.030
12	02/12/2016	09:27:59	0.027	0.027	0.028	0.030	0.030
13	02/12/2016	09:32:59	0.028	0.028	0.029	0.031	0.031
14	02/12/2016	09:37:59	0.029	0.030	0.030	0.032	0.033
15	02/12/2016	09:42:59	0.029	0.030	0.031	0.033	0.033
16	02/12/2016	09:47:59	0.027	0.028	0.029	0.030	0.031
17	02/12/2016	09:52:59	0.026	0.026	0.027	0.029	0.029
18	02/12/2016	09:57:59	0.026	0.026	0.027	0.028	0.028
19	02/12/2016	10:02:59	0.027	0.027	0.028	0.029	0.029
20	02/12/2016	10:07:59	0.029	0.029	0.030	0.031	0.031
21	02/12/2016	10:12:59	0.029	0.029	0.030	0.031	0.031
22	02/12/2016	10:17:59	0.029	0.030	0.030	0.032	0.032
23	02/12/2016	10:22:59	0.029	0.029	0.030	0.032	0.032
24	02/12/2016	10:27:59	0.027	0.028	0.028	0.030	0.030
25	02/12/2016	10:32:59	0.029	0.029	0.030	0.031	0.032
26	02/12/2016	10:37:59	0.029	0.030	0.030	0.032	0.032
27	02/12/2016	10:42:59	0.027	0.027	0.028	0.029	0.030
28	02/12/2016	10:47:59	0.024	0.025	0.025	0.027	0.027
29	02/12/2016	10:52:59	0.024	0.024	0.025	0.026	0.027
30	02/12/2016	10:57:59	0.023	0.024	0.024	0.026	0.026
31	02/12/2016	11:02:59	0.023	0.024	0.024	0.026	0.026
32	02/12/2016	11:07:59	0.022	0.023	0.023	0.025	0.025
33	02/12/2016	11:12:59	0.021	0.021	0.022	0.023	0.023
34	02/12/2016	11:17:59	0.019	0.020	0.020	0.022	0.022
35	02/12/2016	11:22:59	0.023	0.024	0.024	0.026	0.026

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
36	02/12/2016	11:27:59	0.021	0.022	0.022	0.024	0.024
37	02/12/2016	11:32:59	0.023	0.023	0.024	0.025	0.025
38	02/12/2016	11:37:59	0.027	0.028	0.029	0.031	0.031
39	02/12/2016	11:42:59	0.025	0.026	0.026	0.028	0.029
40	02/12/2016	11:47:59	0.026	0.027	0.028	0.030	0.030
41	02/12/2016	11:52:59	0.027	0.027	0.028	0.030	0.030
42	02/12/2016	11:57:59	0.027	0.028	0.029	0.031	0.031
43	02/12/2016	12:02:59	0.027	0.028	0.028	0.031	0.031
44	02/12/2016	12:07:59	0.028	0.029	0.030	0.032	0.032
45	02/12/2016	12:12:59	0.027	0.027	0.028	0.029	0.030
46	02/12/2016	12:17:59	0.028	0.029	0.029	0.031	0.031
47	02/12/2016	12:22:59	0.026	0.027	0.027	0.029	0.030
48	02/12/2016	12:27:59	0.026	0.026	0.027	0.029	0.029
49	02/12/2016	12:32:59	0.028	0.029	0.030	0.031	0.031
50	02/12/2016	12:37:59	0.031	0.032	0.032	0.034	0.035
51	02/12/2016	12:42:59	0.031	0.031	0.032	0.034	0.035
52	02/12/2016	12:47:59	0.030	0.030	0.031	0.033	0.033
53	02/12/2016	12:52:59	0.030	0.030	0.031	0.033	0.033
54	02/12/2016	12:57:59	0.030	0.030	0.031	0.033	0.033
55	02/12/2016	13:02:59	0.030	0.031	0.031	0.033	0.033
56	02/12/2016	13:07:59	0.030	0.030	0.031	0.033	0.033
57	02/12/2016	13:12:59	0.031	0.031	0.032	0.034	0.034
58	02/12/2016	13:17:59	0.033	0.034	0.035	0.037	0.037
59	02/12/2016	13:22:59	0.030	0.031	0.031	0.033	0.033
60	02/12/2016	13:27:59	0.032	0.032	0.033	0.035	0.035
61	02/12/2016	13:32:59	0.031	0.032	0.033	0.035	0.035
62	02/12/2016	13:37:59	0.031	0.032	0.032	0.034	0.034


Test 001

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/12/2016
Instrument S/N	8533152408	Start Time	08:19:11
		Stop Date	02/12/2016
		Stop Time	14:19:11
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/12/2016	08:34:11	0.022	0.023	0.024	0.027	0.029
2	02/12/2016	08:49:11	0.024	0.024	0.025	0.027	0.028
3	02/12/2016	09:04:11	0.021	0.022	0.023	0.025	0.025
4	02/12/2016	09:19:11	0.015	0.016	0.017	0.019	0.019
5	02/12/2016	09:34:11	0.016	0.017	0.017	0.019	0.019
6	02/12/2016	09:49:11	0.018	0.019	0.019	0.021	0.021
7	02/12/2016	10:04:11	0.017	0.017	0.018	0.019	0.019
8	02/12/2016	10:19:11	0.020	0.021	0.021	0.022	0.023
9	02/12/2016	10:34:11	0.020	0.021	0.021	0.023	0.023
10	02/12/2016	10:49:11	0.019	0.019	0.020	0.021	0.022
11	02/12/2016	11:04:11	0.018	0.018	0.019	0.020	0.020
12	02/12/2016	11:19:11	0.016	0.016	0.017	0.018	0.019
13	02/12/2016	11:34:11	0.016	0.017	0.017	0.019	0.019
14	02/12/2016	11:49:11	0.021	0.022	0.023	0.025	0.025
15	02/12/2016	12:04:11	0.022	0.023	0.024	0.025	0.026
16	02/12/2016	12:19:11	0.024	0.024	0.025	0.027	0.028
17	02/12/2016	12:34:11	0.022	0.023	0.024	0.025	0.026
18	02/12/2016	12:49:11	0.027	0.028	0.028	0.030	0.031
19	02/12/2016	13:04:11	0.026	0.027	0.028	0.030	0.030
20	02/12/2016	13:19:11	0.029	0.029	0.030	0.032	0.033
21	02/12/2016	13:34:11	0.029	0.030	0.031	0.033	0.033
22	02/12/2016	13:49:11	0.030	0.030	0.031	0.033	0.034
23	02/12/2016	14:04:11	0.037	0.038	0.039	0.040	0.040
24	02/12/2016	14:19:11	0.070	0.071	0.072	0.074	0.075

Monitoring Results / Reports
(Monday, February 15, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
Pipe Repair	8533152408	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

2/15/2016 Pipe Repair

Test 002

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	02/15/2016
Instrument S/N	8533152408	Start Time	11:20:05
		Stop Date	02/15/2016
		Stop Time	13:20:05
		Total Time	0:02:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	02/15/2016	11:35:05	0.007	0.007	0.008	0.010	0.010
2	02/15/2016	11:50:05	0.005	0.006	0.006	0.008	0.008
3	02/15/2016	12:05:05	0.006	0.007	0.008	0.009	0.009
4	02/15/2016	12:20:05	0.006	0.007	0.007	0.009	0.009
5	02/15/2016	12:35:05	0.005	0.005	0.006	0.008	0.008
6	02/15/2016	12:50:05	0.004	0.005	0.006	0.007	0.008
7	02/15/2016	13:05:05	0.005	0.006	0.007	0.008	0.009
8	02/15/2016	13:20:05	0.003	0.004	0.004	0.006	0.006