



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

BOARD MEETING DATE: March 7, 2025

AGENDA NO. 21

PROPOSAL: Approve Annual RECLAIM Audit Report for 2023 Compliance Year


SYNOPSIS: The Annual RECLAIM Audit Report for 2023 Compliance Year for the NO_x and SO_x RECLAIM program is prepared in accordance with Rule 2015 - Backstop Provisions. This report assesses emission reductions, availability and average annual prices of RECLAIM Trading Credits (RTCs), job impacts, compliance issues, and other measures of performance for the 30th year of this program. Recent trends in trading future year RTCs are analyzed and presented in this report. A list of facilities that did not reconcile their emissions for the 2023 Compliance Year is also included in the report.


COMMITTEE: Stationary Source, February 21, 2025, Reviewed

RECOMMENDED ACTIONS:

Adopt the attached Resolution to:

1. Approve the Annual RECLAIM Audit Report for 2023 Compliance Year;
2. Approve staff's recommendation to determine that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change, as reported in the August 5, 2022, evaluation and review of the compliance and enforcement aspects of the RECLAIM program; with staff's confirmation that circumstances have not changed, and continuing analysis is not required; and
3. Direct the Executive Officer to submit to CARB and U.S. EPA, the Annual RECLAIM Audit Report for 2023 Compliance Year and the August 5, 2022, evaluation and review of the compliance and enforcement aspects of the RECLAIM program, including the determination that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change.




Wayne Natri
Executive Officer

Background

The RECLAIM program was adopted on October 15, 1993, to provide a more flexible compliance program than command-and-control for specific facilities which represent South Coast AQMD's largest emitters of NOx and SOx. RECLAIM was developed as an alternative to command-and-control and was designed to meet the state and federal Clean Air Act and other air quality regulations and program requirements, as well as a variety of performance criteria in order to ensure public health protection, air quality improvement, effective enforcement, and the same or lower implementation costs and job impacts. RECLAIM is what is commonly referred to as a "cap and trade" program. Facilities subject to the program were initially allocated declining annual balances of RECLAIM Trading Credits (RTCs, denominated in pounds of emissions in a specified year) based upon their historical production levels and emission factors established in the RECLAIM regulation. RECLAIM facilities are required to reconcile their emissions with their RTC holdings on a quarterly and annual basis (*i.e.*, hold RTCs equal to or greater than their emissions). These facilities have the flexibility to manage how they meet their emission goals by installing emission controls, making process changes, or trading RTCs amongst themselves. RECLAIM achieves its overall emission reduction goals provided aggregate RECLAIM emissions are no more than aggregate allocations.

RECLAIM Rule 2015 - Backstop Provisions, requires that staff conduct annual program audits to assess various aspects of the program and to verify that program objectives are met. Staff has completed audits of facility records and completed the annual audit of the RECLAIM program for the 2023 Compliance Year (which encompasses the time period for Cycle 1 from January 1, 2023, to December 31, 2023, and for Cycle 2 from July 1, 2023, to June 30, 2024). Based on audited emissions in this report and previous annual reports, staff has determined that RECLAIM met its emissions goals for Compliance Year 2023, as well as for all previous compliance years with the only exception of NOx emissions in Compliance Year 2000. For that year, NOx emissions exceeded programmatic allocations (by 11 percent) primarily due to emissions from electric generating facilities during the California energy crisis. For Compliance Year 2023, audited NOx emissions were 16 percent less than programmatic NOx allocations and audited SOx emissions were 37 percent less than programmatic SOx allocations.

Audit Findings

The audit of the RECLAIM program's Compliance Year 2023 and trades of RTCs that occurred during calendar year 2024 show:

- **Overall Compliance** – Audited NOx and SOx emissions from RECLAIM facilities were below programmatic allocations.
- **Universe** – The RECLAIM universe consisted of 229 facilities as of June 30, 2023. No new facilities were included, no facilities were excluded, and one facility in the

RECLAIM universe shut down during Compliance Year 2023. This one facility cited the cost of meeting air pollution regulations and manufacturing, production, and raw material costs and as the reasons for the shutdown. The shutdown facility was in the NOx RECLAIM universe only. Thus, 228 active facilities were in the RECLAIM universe on June 30, 2024, the end of Compliance Year 2023.

- **Facility Compliance** – 94 percent of NOx facilities and 100 percent of SOx facilities in RECLAIM complied with their allocations during the 2023 Compliance Year. Thirteen facilities (six percent of total facilities) exceeded their allocations; all 13 facilities exceeded their NOx allocations, and no facilities exceeded their SOx allocations during Compliance Year 2023. The 13 facilities that exceeded their NOx allocations had total NOx emissions of 340.0 tons and did not have adequate allocations to offset 208.5 of those tons. The NOx exceedances represent 3.9 percent of total RECLAIM NOx universe allocations and 61.3 percent of total NOx emissions from the 13 facilities. No RECLAIM facility had SOx emissions that exceeded its SOx allocations. Pursuant to Rule 2010(b)(1)(A), all affected facilities had their respective exceedances deducted from their annual allocations for the compliance year subsequent to South Coast AQMD staff's determinations that the facilities exceeded their Compliance Year 2023 allocations.
- **Job Impacts** – Based on a survey of RECLAIM facilities, the RECLAIM program had minimal impact on employment during the 2023 Compliance Year, which is consistent with previous years. RECLAIM facilities reported 7,969 job gains and 8,871 job losses for an overall net loss of 902 jobs, representing about 0.99 percent of their total employment. No facility cited RECLAIM as a factor contributing to the addition of any jobs during Compliance Year 2023. Two RECLAIM facilities reported 71 job losses due to RECLAIM during Compliance Year 2023. The job loss and job gain data are compiled strictly from reports submitted by RECLAIM facilities and staff is not able to verify the accuracy of the reported job impacts data.
- **Trading Activity** – The RTC trading market activity during calendar year 2024 was lower in terms of number of overall trades (6.0 percent), lower in overall value (20.5 percent), and higher in volume for discrete-year RTCs excluding swaps (0.02 percent), when compared to calendar year 2023. Additionally, market activity in calendar year 2024 was higher with respect to the volume of Infinite-Year Block (IYB) RTCs excluding swaps (116.3 percent) compared to calendar year 2023. A total of \$1.60 billion in RTCs has been traded since the adoption of RECLAIM, of which \$9.6 million occurred in calendar year 2024 (compared to \$12.1 million in calendar year 2023), excluding swaps.

The annual average prices of traded discrete-year SOx RTCs for Compliance Years 2023 through 2025, and IYB SOx RTCs for Compliance Year 2024, traded in

calendar year 2024 were below the applicable review thresholds for average RTC prices.

The annual average prices of discrete-year NO_x RTCs for Compliance Years 2024 and 2025 traded in calendar year 2024 exceeded the Rule 2015 backstop threshold of \$15,000 per ton¹. The annual average price of IYB NO_x RTCs for Compliance Year 2024 traded in calendar year 2024 was below the applicable average NO_x RTC price review threshold.

The annual average prices of RTCs traded during calendar years 2023 and 2024 are summarized and compared to the applicable thresholds in Tables 1 and 2.

Table 1 – Average Prices for Discrete-Year RTCs Traded During Calendar Years 2023 and 2024

Year Traded	Average Price (\$/ton)				Review Thresholds (\$/ton)	
	2022 NO _x RTC	2023 NO _x RTC	2024 NO _x RTC	2025 NO _x RTC	Rule 2015 (b)(6)	Health and Safety Code §39616(f)
2023	\$13,245	\$17,686 ¹	\$25,126 ¹	None traded	\$15,000	\$56,919
2024		\$11,174	\$17,098 ¹	\$30,103 ¹		
Year Traded	2022 SO _x RTC	2023 SO _x RTC	2024 SO _x RTC	2025 SO _x RTC	Rule 2015 (b)(6)	Health and Safety Code §39616(f)
2023	\$2,631	\$2,500	None traded	None traded	\$15,000	\$40,982
2024		\$1,350	None traded	None traded		

¹ Average Price exceeds Rule 2015 (b)(6) annual average price threshold. See RTC Price Assessment section for further information.

**Table 2 – Average Prices for IYB RTCs Traded
During Calendar Years 2023 and 2024**

RTCs	Average Price (\$/ton)		Review Threshold (\$/ton) [Health and Safety Code §39616(f)]
	Traded in 2023	Traded in 2024	
NOx	\$58,058	\$39,054	\$853,786
SOx	\$24,359	None traded	\$614,726

- **Role of Investors** – Compared to calendar year 2023, investor holdings of total IYB NOx RTCs decreased from 1.8 percent to 1.6 percent and remained the same at 4.1 percent for IYB SOx RTCs at the end of calendar year 2024. Investors purchase RTCs, and they are not RECLAIM facilities or brokers (brokers typically do not purchase RTCs but facilitate trades).
- **Other Findings** – RECLAIM also met other applicable requirements including meeting the applicable federal offset ratio under New Source Review and having no significant seasonal fluctuation in emissions. Additionally, there is no evidence that RECLAIM resulted in any increase in health impacts due to emissions of air toxics. RECLAIM facilities and non-RECLAIM facilities are subject to the same requirements for controlling air toxic emissions.

RTC Price Assessment

- **Rule 2015** –Rule 2015(b)(6) requires that if the average RTC price exceeds \$15,000 per ton, within six months of determination, the Executive Officer shall submit to CARB and U.S. EPA the results of an evaluation and review of the compliance and enforcements aspects of the RECLAIM program, including the deterrent effect of Rule 2004 (d)(1) through (d)(4). The purpose of the requirement was to evaluate the RECLAIM program and make potential modifications to improve compliance.

Staff completed the Rule 2015 evaluation and review in August 2022, following completion of the Compliance Year 2020 RECLAIM Audit Report and determination that the average discrete RTC price for NOx exceeded \$15,000 per ton.² The evaluation that was submitted to CARB and U.S. EPA concluded that the requirements of Rule 2004(d)(1) through (d)(4), in conjunction with the statutory penalty structure and other RECLAIM provisions, was adequate to ensure compliance and no modifications to the RECLAIM program were needed.

Subsequently, at the Governing Board meetings for the Annual RECLAIM Audit Reports for Compliance Years 2021 and 2022 on March 3, 2023 and March 1, 2024, respectively, since the circumstances have not changed from the August 2022 Rule 2015 evaluation, the Board determined that no additional analysis or action was required to address the continued Rule 2015 price threshold exceedance, and

² <http://www.aqmd.gov/docs/default-source/Agendas/Governing-Board/2022/2022-aug5-024.pdf>

directed staff to submit the Annual RECLAIM Audit Reports to CARB and U.S. EPA.

The Compliance Year 2023 RECLAIM Audit Report shows that annual average prices for Compliance Year 2024 and 2025 discrete-year NOx RTCs traded in calendar year 2024 continue to exceed the \$15,000 per ton review threshold. The annual average prices for Compliance Year 2024 and 2025 discrete-year SOx RTCs traded in calendar year 2024 remain below the threshold. Staff continues to recommend that additional assessment is not required, and no further action is warranted, since circumstances continue to remain unchanged from the August 2022 Rule 2015 evaluation.

- ***Health and Safety Code Section 39616(f)*** states that the Board shall reassess a market-based incentive program if the market price of emission trading units exceeds a predetermined level set by the Board and that the Board may take action to revise the program.

This predetermined level was originally set by the Board at the beginning of the RECLAIM program at \$25,000 per ton for discrete-year NOx RTCs and \$18,000 per ton for discrete SOx RTCs, adjusted annually for CPI. With the advent of reporting IYB RTCs, the same CPI adjustment was made for IYB RTCs.

The overall program review thresholds in 2024 dollars for RTC trades that occurred in calendar year 2024 were \$56,919 per ton of discrete-year NOx RTCs, \$40,982 per ton of discrete-year SOx RTCs, \$853,786 per ton of IYB NOx RTCs, and \$614,726 per ton of IYB SOx RTCs. As discussed in the Annual RECLAIM Audit Report for 2023 Compliance Year, annual average prices for all discrete-year NOx and SOx RTCs traded in calendar year 2024 were below \$56,919 per ton of discrete-year NOx, and \$40,982 per ton of discrete-year SOx program review thresholds. Additionally, annual average prices for IYB NOx and SOx RTCs traded in calendar year 2024 were also below their overall program review thresholds of \$853,786 and \$614,726 per ton at \$39,054 and “none traded” per ton of IYB NOx and SOx RTCs, respectively.

Attachments

- A. Annual RECLAIM Audit Report for 2023 Compliance Year
- B. Resolution
- C. Board Presentation

ATTACHMENT A

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Annual RECLAIM Audit Report for 2023 Compliance Year

March 7, 2025

Executive Officer
Wayne Nastri

**Deputy Executive Officer
Engineering & Permitting**
Jason Aspell

**Assistant Deputy Executive Officer
Engineering & Permitting**
Jillian Wong, Ph.D.

**Senior Air Quality Engineering Manager
RECLAIM Administration and Automation**
David Ono

Authors: Ryan Maxwell, Senior Air Quality Engineer
Benny Char, Air Quality Engineer II
Timothy Ebner, Air Quality Engineer I
Isabella Carr, Air Quality Engineer I
Joseph Savella, Air Quality Engineer I

Contributors: Scott Epstein, Planning and Rules Manager
Louis Fan, Senior Air Quality Engineer
Ranil Dhammapala, Senior Meteorologist

Reviewed by: Susan Tsai, Supervising Air Quality Engineer
Barbara Baird, Chief Deputy Counsel
Karin Manwaring, Senior Deputy District Counsel

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
GOVERNING BOARD**

Chair: VANESSA DELGADO
Senator (Ret.)
Senate Rules Committee Appointee

Vice Chair: MICHAEL A. CACCIOTTI
Councilmember, South Pasadena
Cities of Los Angeles County/Eastern Region

MEMBERS:

CURT HAGMAN
Supervisor, Fourth District
County of San Bernardino

GIDEON KRACOV
Governor's Appointee

PATRICIA LOCK DAWSON
Mayor, Riverside
Cities of Riverside County Representative

LARRY MCCALLON
Mayor Pro Tem, Highland
Cities of San Bernardino County

HOLLY J. MITCHELL
Supervisor, Second District
County of Los Angeles

JANET NGUYEN
Supervisor, First District
County of Orange

BRENDA OLMOS
Councilmember, City of Paramount
Cities of Los Angeles County/Western Region

VERONICA PADILLA-CAMPOS
Speaker of the Assembly Appointee

V. MANUEL PEREZ
Supervisor, Fourth District
County of Riverside

NITHYA RAMAN
Councilmember, Fourth District
City of Los Angeles Representative

CARLOS RODRIGUEZ
Mayor Pro Tem, Yorba Linda
Cities of Orange County

EXECUTIVE OFFICER:

WAYNE NASTRI

TABLE OF CONTENTS

List of Abbreviations	i
Executive Summary	ES-1
INTRODUCTION	I-1
Chapter 1: RECLAIM Universe	1-1
Chapter 2: RTC Allocations and Trading	2-1
Chapter 3: Emission Reductions Achieved	3-1
Chapter 4: New Source Review Activity	4-1
Chapter 5: Compliance	5-1
Chapter 6: Reported Job Impacts	6-1
Chapter 7: Air Quality and Public Health Impacts	7-1
Figures	
Figure 1-1: Universe Changes in Compliance Year 2023	1-5
Figure 2-1: NOx RTC Supply	2-7
Figure 2-2: SOx RTC Supply	2-7
Figure 2-3: Annual Trading Values for NOx and SOx (Excluding Swaps)	2-10
Figure 2-4: Calendar Year 2024 Overall Trading Activity (Excluding Swaps)	2-12
Figure 2-5: Calendar Year 2024 Trading Activity for Discrete-Year RTCs (Excluding Swaps)	2-14
Figure 2-6: Calendar Year 2024 Trading Activity for IYB RTCs (Excluding Swaps)	2-16
Figure 2-7: Discrete-Year NOx RTC Trades (Excluding Swaps)	2-17
Figure 2-8: Discrete-Year SOx RTC Trades (Excluding Swaps)	2-18
Figure 2-9: IYB NOx RTC Trades (Excluding Swaps)	2-19
Figure 2-10: IYB SOx RTC Trades (Excluding Swaps)	2-20
Figure 3-1: NOx Emissions and Available RTCs	3-4
Figure 3-2: SOx Emissions and Available RTCs	3-6
Figure 7-1: NOx Emission Trend for RECLAIM Sources	7-3
Figure 7-2: SOx Emission Trend for RECLAIM Sources	7-3
Figure 7-3: Calendar Year 2023 NOx Quarterly Emissions	7-6
Figure 7-4: Quarterly NOx Emissions from Calendar Years 2012 through 2023	7-7
Figure 7-5: Calendar Year 2023 SOx Quarterly Emissions	7-8
Figure 7-6: Quarterly SOx Emissions from Calendar Years 2012 through 2023	7-9
Tables	
Table 1-1: RECLAIM Universe Changes	1-4
Table 2-1: Changes in NOx and SOx RTC Supplies during Compliance Year 2023 (tons per year)	2-5
Table 2-2: Trade Registrations in Calendar Years 2024 and 2023, Including Swaps	2-10
Table 2-3: Value Traded in Calendar Years 2024 and 2023, Excluding Swaps (millions of dollars)	2-10
Table 2-4: Volume of Discrete-Year RTCs Traded in Calendar Years 2024 and 2023, Excluding Swaps (tons)	2-11
Table 2-5: Volume of IYB RTCs Traded in Calendar Years 2024 and 2023, Excluding Swaps (tons)	2-11

TABLE OF CONTENTS

Table 2-6:	Discrete-Year Trade Registrations in Calendar Years 2024 and 2023 by Price, Excluding Swaps _____	2-13
Table 2-7:	Discrete-Year RTC Value Traded in 2024 and 2023, Excluding Swaps (millions of dollars) _____	2-13
Table 2-8:	Discrete-Year RTC Volume Traded in Calendar Years 2024 and 2023 by Price, Excluding Swaps (tons) _____	2-13
Table 2-9:	IYB Trade Registrations in Calendar Years 2024 and 2023 by Price _____	2-14
Table 2-10:	IYB RTC Value Traded in 2024 and 2023, Excluding Swaps (millions of dollars) _____	2-15
Table 2-11:	IYB RTC Volume Traded in Calendar Years 2024 and 2023 by Price, Excluding Swaps (tons) _____	2-15
Table 2-12:	NOx Trade Registrations Involving Swaps _____	2-22
Table 2-13:	SOx Trade Registrations Involving Swaps _____	2-23
Table 2-14:	Annual Average Prices for Discrete-Year NOx RTCs during Calendar Years 2021 through 2024 (price per ton) _____	2-24
Table 2-15:	Annual Average Prices for Discrete-Year SOx RTCs during Calendar Years 2021 through 2024 (price per ton) _____	2-24
Table 2-16:	IYB NOx Pricing (Excluding Swaps) _____	2-26
Table 2-17:	IYB SOx Pricing (Excluding Swaps) _____	2-27
Table 3-1:	Annual NOx Emissions for Compliance Years 1994 through 2023 _____	3-3
Table 3-2:	Annual SOx Emissions for Compliance Years 1994 through 2023 _____	3-5
Table 3-3:	Summary of Landing Rules _____	3-11
Table 3-4:	Breakdown Emission Comparison for Compliance Year 2023 _____	3-28
Table 3-5:	NOx Emissions Impact from the Changes in Universe (Tons) _____	3-29
Table 3-6:	SOx Emissions Impact from the Changes in Universe (Tons) _____	3-29
Table 5-1:	MDP Impact on Annual Emissions _____	5-5
Table 5-2:	Monitoring Requirements for RECLAIM Sources _____	5-7
Table 5-3:	Passing Rates Based on RATAs of Certified CEMS in 2023 _____	5-8
Table 5-4:	Passing Rates Based on RATAs of Certified CEMS in 2024 _____	5-8
Table 6-1:	Job Impacts at RECLAIM Facilities for Compliance Year 2023 _____	6-2
Table 7-1:	Summary of Ozone Data _____	7-11
Table 7-2:	Per Capita Exposure to Ozone above the State One-Hour Standard of 0.09 ppm (hours) _____	7-13

Appendices

Appendix A:	RECLAIM Universe of Sources _____	A-1
Appendix B:	Facility Inclusions _____	B-1
Appendix C:	RECLAIM Facilities Ceasing Operation or Excluded _____	C-1
Appendix D:	Facilities that Exceeded their Annual Allocation for Compliance Year 2023 _____	D-1
Appendix E:	Reported Job Impacts Attributed to RECLAIM _____	E-1

LIST OF ABBREVIATIONS

AAQS	Ambient Air Quality Standards
ACEMS	Alternative Continuous Emissions Monitoring System(s)
AER	Annual Emission Report
APEP	Annual Permit Emissions Program
AQMD	Air Quality Management District
AQMP	Air Quality Management Plan
BACT	Best Available Control Technology
BARCT	Best Available Retrofit Control Technology
CAA	Clean Air Act
CARB	California Air Resources Board
CCAA	California Clean Air Act
CEMS	Continuous Emissions Monitoring System(s)
CEQA	California Environmental Quality Act
CERP	Community Emission Reductions Plan
CGA	Cylinder Gas Audit
CPMS	Continuous Process Monitoring System(s)
DOE	United States Department of Energy
EDR	Electronic Data Reporting
ERC	Emission Reduction Credit
HUD	United States Department of Housing and Urban Development
GHG	Greenhouse Gas
IYB RTC	Infinite-Year Block RECLAIM Trading Credit
LAER	Lowest Achievable Emission Rate
LAP	Laboratory Approval Program
MDP	Missing Data Procedures
MRR	Monitoring, Reporting and Recordkeeping
MSERC	Mobile Source Emission Reduction Credit
NAAQS	National Ambient Air Quality Standards
NNI	No Net Increase
NOx	Oxides of Nitrogen
NSR	New Source Review
ODC	Ozone Depleting Compound
OEHHA	Office of Environmental Health Hazard Assessment
QCER	Quarterly Certification of Emissions Report
RACT	Reasonably Available Control Technology
RATA	Relative Accuracy Test Audit
RECLAIM	REgional CLean Air Incentives Market
RTC	RECLAIM Trading Credit
RTU	Remote Terminal Unit
SCEMS	Semi-Continuous Emission Monitoring System
SIP	State Implementation Plan
SOx	Oxides of Sulfur
TAC	Toxic Air Contaminant
U.S. EPA	United States Environmental Protection Agency
VOC	Volatile Organic Compound
WATERS	Web Access To Electronic Reporting System

EXECUTIVE SUMMARY

Introduction

The South Coast Air Quality Management District (South Coast AQMD) Board adopted the REgional CLean Air Incentives Market (RECLAIM) program on October 15, 1993. The RECLAIM program represented a significant departure from traditional command-and-control regulations. RECLAIM's objective is to provide facilities with added flexibility in meeting emissions reduction requirements while lowering the cost of compliance. This is accomplished by establishing facility-specific emissions reduction targets without being prescriptive regarding the method of attaining compliance with the targets. Each facility may determine for itself the most cost-effective approach to reducing emissions, including reducing emissions at their facility, and/or purchasing RECLAIM Trading Credits (RTCs) from other RECLAIM facilities, or from other RTC holders.

Rule 2015 - Backstop Provisions includes provisions for annual program audits focusing on specific topics, as well as a one-time comprehensive audit of the program's first three years, to ensure that RECLAIM is meeting all state and federal requirements and other performance criteria. Rule 2015 also provides backstop measures if the specific criteria are not met. This report constitutes the Rule 2015 annual program audit report for Compliance Year 2023 (January 1 through December 31, 2023, for Cycle 1 and July 1, 2023, through June 30, 2024, for Cycle 2 facilities). This annual audit report covers activities for the thirtieth year of the program.

Chapter 1: RECLAIM Universe

When RECLAIM was adopted in October 1993, a total of 394 facilities were identified as the initial "universe" of sources subject to the requirements of RECLAIM. From program adoption through June 30, 2023, the overall changes in RECLAIM participants were 134 facilities included into the program, 73 facilities excluded from the program, and 226 facilities that ceased operation. Thus, the RECLAIM universe consisted of 229 active facilities at the end of Compliance Year 2022 (December 31, 2022, for Cycle 1 facilities and June 30, 2023, for Cycle 2 facilities). During Compliance Year 2023, (January 1, 2023, through December 31, 2023, for Cycle 1 facilities and July 1, 2023, through June 30, 2024, for Cycle 2 facilities), no facilities were included into the RECLAIM universe, no facilities were excluded, and one facility in the NOx universe shut down and is no longer in the active RECLAIM universe. This change resulted in a net decrease of one facility in the universe, bringing the total number of active RECLAIM facilities to 228 as of the end of Compliance Year 2023.

Chapter 2: RTC Allocations and Trading

On November 5, 2010, the Board adopted amendments to SOx RECLAIM to phase in SOx reductions beginning in Compliance Year 2013 and full implementation in Compliance Year 2019 and beyond. The amendments resulted in an overall reduction of 48.4 percent (or 5.7 tons per day) in SOx allocations. On December 4, 2015, the Board adopted amendments to NOx RECLAIM to

phase in additional NOx reductions beginning in Compliance Year 2016 with full implementation achieved in Compliance Year 2022 and beyond. The amendments resulted in an overall reduction of 45.2 percent (or 12 tons per day) in NOx allocations. The only remaining changes in RTC supply during Compliance Year 2023 were due to allocation adjustments for clean fuel production pursuant to Rule 2002(c)(12). The clean fuels production adjustment increased the Compliance Year 2023 NOx RTC supply by 15.4 tons and decreased SOx RTC supply by 4.0 tons.

Since the inception of the RECLAIM program in 1994, a total value of \$1.60 billion dollars has been traded in the RTC trading market, excluding swap trades (trades exchanging different types of RTCs, that may be of equal value or different values). During calendar year 2024, there were 235 RTC trade registrations, including swap trades. There were 219 RTC trade registrations with a total value of \$9.6 million traded, excluding swap trades. RTC trades are reported to South Coast AQMD as either discrete-year RTC trades or infinite-year block (IYB) trades (trades that involve blocks of RTCs with a specified start year and continuing into perpetuity).

Excluding swap trades, in calendar year 2024 a total of 975 tons of discrete-year NOx RTCs, 344 tons of discrete-year SOx RTCs, 82 tons of IYB NOx RTCs, and 23 tons of IYB SOx RTCs were traded. The RTC trading market activity decreased during calendar year 2024 compared to calendar year 2023 in number of trades (by 6.0%) and in total value (by 20.5%). However, the total volumes of RTC traded increased during calendar year 2024 compared to calendar year 2023, for discrete-year RTCs (by 0.2%) and for IYB RTCs (by 116.3%).

Discrete-year RTC trades with price (i.e., price >\$0.00) registered during calendar year 2024 include trades for Compliance Years 2023, 2024, and 2025 NOx RTCs, and Compliance Year 2023 SOx RTCs, excluding swap trades. The annual average prices of discrete-year NOx RTCs traded during calendar year 2024 were \$11,174; \$17,098; and \$30,103 per ton for Compliance Years 2023, 2024, and 2025 RTCs, respectively. The annual average price for discrete-year SOx RTCs traded during the same period for Compliance Year 2023 was \$1,350 per ton.

The annual average price of Compliance Year 2024 and 2025 NOx RTCs exceeded the Rule 2015 backstop threshold of \$15,000 per ton while SOx RTC prices remained below the threshold. None of the prices for discrete-year NOx RTCs exceeded the \$56,919 per ton of NOx and none of the SOx RTC vintages traded exceeded the \$40,982 per ton of SOx discrete-year RTCs pre-determined overall program review thresholds established by the Board pursuant to Health and Safety Code Section 39616(f).¹

During calendar year 2024, the annual average price for IYB NOx RTCs was \$39,054 per ton and no IYB SOx RTCs were traded with price. Therefore, annual average IYB RTC prices did not exceed the \$853,786 per ton of IYB NOx RTCs or the \$614,726 per ton of IYB SOx RTCs pre-determined overall program review thresholds established by the Board pursuant to Health and Safety Code Section 39616(f).

¹ September 7, 2007, Board Agenda item No. 43 regarding Health and Safety Code §39616(f) can be found at: <http://www3.aqmd.gov/hb/2007/September/070943a.htm>

At the end of calendar year 2024, investors' holdings of IYB NO_x RTCs decreased to 1.6 percent when compared to investor's holdings at 1.8 percent in calendar year 2023. Investors' holdings of IYB SO_x RTCs in calendar year 2024 did not change from 4.1 percent of the total SO_x RECLAIM RTCs in calendar year 2023.

Chapter 3: Emission Reductions Achieved

For Compliance Year 2023, aggregate NO_x emissions were below total allocations by 16 percent and aggregate SO_x emissions were below total allocations by 37 percent. No emissions associated with breakdowns were excluded from reconciliation with facility allocations in Compliance Year 2023. Accordingly, no mitigation is necessary to offset excluded emissions due to approved Breakdown Emission Reports. Therefore, based on audited emissions, RECLAIM achieved its targeted emission reductions for Compliance Year 2023. With respect to the Rule 2015 backstop provisions, Compliance Year 2023 aggregate NO_x and SO_x emissions were both below aggregate allocations and, as such, did not trigger the requirement to review the RECLAIM program.

Chapter 4: New Source Review Activity

The annual program audit assesses NSR activity from RECLAIM facilities to ensure that RECLAIM is complying with federal NSR requirements and state no net increase (NNI) in emissions requirements while providing flexibility to facilities in managing their operations and allowing new sources into the program. In Compliance Year 2023, a total of six NO_x RECLAIM facilities had NSR NO_x emission increases, and no SO_x RECLAIM facilities had an NSR SO_x emission increase due to expansion or modification. Consistent with all prior compliance years, there were sufficient NO_x and SO_x RTCs available to allow for expansion, modification, and modernization by RECLAIM facilities.

RECLAIM is required to comply with federal NSR emissions offset requirements at a 1.2-to-1 offset ratio programmatic for NO_x emission increases and a 1-to-1 offset ratio for SO_x emission increases on a programmatic basis. In Compliance Year 2023, RECLAIM demonstrated federal equivalency with a programmatic NO_x offset ratio of 145-to-1 based on the compliance year's total unused allocations and total NSR emission increases for NO_x. There were no SO_x NSR emission increases that resulted from starting operations of new or modified permitted sources during the compliance year. RECLAIM inherently complies with the federally-required 1-to-1 SO_x offset ratio for any compliance year, provided aggregate SO_x emissions under RECLAIM are lower than or equal to aggregate SO_x allocations for that compliance year. As shown in Chapter 3 (Table 3-2 and Figure 3-2), there was a surplus of SO_x RTCs during Compliance Year 2023. Therefore, RECLAIM more than complied with the federally-required SO_x offset ratio and further quantification of the SO_x offset ratio is unnecessary. Also, the NNI requirement is satisfied by the program's 1-to-1 offset ratio. In addition, RECLAIM requires application of, at a minimum, California Best Available Control Technology (BACT), which is at least as stringent as federal Lowest Achievable Emission Rate (LAER) for major sources. The same BACT guidelines are used to determine BACT applicable to RECLAIM and non-RECLAIM facilities.

Chapter 5: Compliance

Based on the South Coast AQMD Compliance Year 2023 annual audit, 216 of the 229 NO_x RECLAIM facilities (94%) complied with their NO_x allocations, and 27 of the 27 SO_x facilities (100%) complied with their SO_x allocations. Therefore, 13 facilities exceeded their allocations (all these facilities exceeded their NO_x allocations only). The 13 facilities that exceeded their NO_x allocations had aggregate NO_x emissions of 340.0 tons and did not have adequate allocations to offset 208.5 tons (or 61.3%) of their combined emissions. The NO_x exceedance amounts are relatively small compared to the overall allocations for Compliance Year 2023 (3.9% of total NO_x allocations). The exceedances from these facilities did not impact the overall RECLAIM emission reduction goals. The overall RECLAIM NO_x and SO_x emission reduction targets and goals were met for Compliance Year 2023 (*i.e.*, aggregate emissions for all RECLAIM facilities were below aggregate allocations). Pursuant to Rule 2010(b)(1)(A), all affected facilities had their respective exceedances deducted from their annual allocations for the compliance year subsequent to the date of South Coast AQMD determination that the facilities exceeded their Compliance Year 2023 allocations.

Chapter 6: Reported Job Impacts

This chapter compiles data as reported by RECLAIM facilities in their APEP reports. The analysis focuses exclusively on job impacts at RECLAIM facilities and determining if those job impacts were directly attributable to RECLAIM as reported by those facilities. Additional benefits to the local economy (*e.g.*, generating jobs for consulting firms, source testing firms and CEMS vendors) attributable to the RECLAIM program, as well as factors outside of RECLAIM (*e.g.*, the prevailing economic climate), impact the job market. However, these factors are not evaluated in this report. Also, job losses and job gains are strictly based on RECLAIM facilities' reported information. South Coast AQMD staff is not able to independently verify the accuracy of the facility reported job impact information.

According to the Compliance Year 2023 employment survey data gathered from APEP reports, RECLAIM facilities reported 7,969 job gains and 8,871 job losses for an overall net loss of 902 jobs, representing 0.99 percent of their total employment. No RECLAIM facility cited RECLAIM as a factor contributing to the addition of any jobs during Compliance Year 2023. Two facilities reported a total of 71 jobs lost due to RECLAIM during Compliance Year 2023.

Chapter 7: Air Quality and Public Health Impacts

Annually audited RECLAIM emissions have been in an overall downward trend since the program's inception. Compliance Year 2023 NO_x and SO_x emissions decreased 6 percent and 14 percent, respectively, relative to Compliance Year 2022. Quarterly calendar year 2023 NO_x emissions fluctuated within six percent of the mean NO_x emissions for the year. Quarterly calendar year 2023 SO_x emissions fluctuated within eight percent of the year's mean SO_x emissions. There was no significant shift in seasonal emissions from the winter season to the summer season for either pollutant.

The California Clean Air Act (CCAA) required a 50 percent reduction in population exposure to ozone, relative to a baseline averaged over three years (1986 through 1988), by December 31, 2000. The South Coast Air Basin achieved the December 2000 target for ozone well before the deadline. In calendar year 2024, the per capita exposure to ozone (the average length of time each person is exposed) continued to be well below the target set for December 2000.

Air toxic health risk is primarily caused by emissions of certain volatile organic compounds (VOCs) and fine particulates, such as metals. RECLAIM facilities are subject to the same air toxic, VOC, and particulate matter regulations as other sources in the Basin. All sources are subject, where applicable, to the NSR rule for toxics (Rule 1401 – New Source Review of Toxic Air Contaminants). In addition, new or modified sources with NO_x or SO_x emission increases are required to be equipped with BACT, which minimizes to the extent feasible the increase of NO_x and SO_x emissions. RECLAIM and non-RECLAIM facilities that emit air toxics are required to report those emissions to South Coast AQMD. Those emissions reports are used to identify candidates for the Air Toxics Hot Spots program (AB 2588). This program requires emission inventories and, depending on the type and amount of emissions, facilities may be required to do public notice and/or prepare and implement a plan to reduce emissions. There is no evidence that RECLAIM has caused or allowed higher health risks from air toxics in areas adjacent to RECLAIM facilities than would occur under command-and-control, because RECLAIM facilities must comply with the same air toxics rules as non-RECLAIM facilities.

INTRODUCTION

The South Coast Air Quality Management District (South Coast AQMD) REgional CLean Air Incentives Market (RECLAIM) program was adopted in October 1993 and replaced certain command-and-control rules regarding oxides of nitrogen (NOx) and oxides of sulfur (SOx) with a new market incentives program for facilities that meet the inclusion criteria. The goals of RECLAIM are to provide facilities with added flexibility in meeting emissions reduction requirements while lowering the cost of compliance. The RECLAIM program was designed to meet all state and federal Clean Air Act (CAA) and other air quality regulations and program requirements, as well as various other performance criteria, such as equivalent or better air quality improvement, enforcement, implementation costs, job impacts, and no adverse public health impacts.

Since RECLAIM represents a significant change from traditional command-and-control regulations, RECLAIM rules include provisions for program audits in order to verify that the RECLAIM objectives are being met. The rules provide for a comprehensive audit of the first three years of program implementation and for annual program audits. The audit results are used to help determine whether any program modifications are appropriate. South Coast AQMD staff has completed the initial tri-annual program audit and each individual annual program audit report through the 2023 Compliance Year Audit.

This report presents the annual program audit and progress report of RECLAIM's thirtieth compliance year (January 1 through December 31, 2023, for Cycle 1 and July 1, 2023, through June 30, 2024, for Cycle 2 RECLAIM facilities), also known as Compliance Year 2023¹. As required by Rule 2015(b)(1) – Annual Audits, this audit assesses:

- Emission reductions;
- Per capita exposure to air pollution;
- Facilities permanently ceasing operation of all sources;
- Job impacts;
- Annual average price of each type of RECLAIM Trading Credit (RTC);
- Availability of RTCs;
- Toxic risk reductions;
- New Source Review permitting activity;
- Compliance issues, including a list of facilities that were unable to reconcile emissions for that compliance year;
- Emission trends/seasonal fluctuations;

¹ Information regarding emissions, allocations, RTC supply and RTC trading activity, annual average prices, and available RTCs for prior years, alluded to, but not specifically detailed in this report, can be found here at: <https://www.aqmd.gov/home/programs/business/about-reclaim/reclaim-annual-reports>.

- Emission control requirement impacts on stationary sources in the program compared to other stationary sources identified in the Air Quality Management Plan (AQMP); and
- Emissions associated with equipment breakdowns.

CHAPTER 1

RECLAIM UNIVERSE

Summary

When RECLAIM was adopted in October 1993, a total of 394 facilities were identified as the initial “universe” of sources subject to the requirements of RECLAIM. From program adoption through June 30, 2023, the overall changes in RECLAIM participants were 134 facilities included into the program, 73 facilities excluded from the program, and 226 facilities that ceased operation. Thus, the RECLAIM universe consisted of 229 active facilities at the end of Compliance Year 2022 (December 31, 2022, for Cycle 1 facilities and June 30, 2023, for Cycle 2 facilities). During Compliance Year 2023, (January 1, 2023, through December 31, 2023, for Cycle 1 facilities and July 1, 2023, through June 30, 2024, for Cycle 2 facilities), no facilities were included into the RECLAIM universe, no facilities were excluded, and one facility in the NOx universe shut down and is no longer in the active RECLAIM universe. This change resulted in a net decrease of one facility in the universe, bringing the total number of active RECLAIM facilities to 228 as of the end of Compliance Year 2023.

Background

The RECLAIM program replaced the traditional “command-and-control” rules for a defined list of facilities participating in the program (the RECLAIM “universe”). The criteria for inclusion in the RECLAIM program are specified in Rule 2001 – Applicability. Facilities were generally subject to RECLAIM if they have NOx or SOx reported emissions greater than or equal to four tons per year in 1990 or any subsequent year. However, certain facilities are categorically excluded from RECLAIM. The categorically excluded facilities include dry cleaners; restaurants; police and fire fighting facilities; construction and operation of landfill gas control, landfill gas processing or landfill gas energy facilities; public transit facilities, potable water delivery operations; facilities that converted all sources to operate on electric power prior to October 1993; and facilities, other than electric generating facilities established on or after January 1, 2001, located in the Riverside County portion of the Salton Sea Air Basin or Non-Palo Verde, Riverside County portion of the Mojave Desert Air Basin.

Other categories of facilities were not automatically included but did have the option to enter the program. These categories include electric utilities (exemption only for the SOx program); equipment rental facilities; facilities possessing solely “various locations” permits; schools or universities; portions of facilities conducting research operations; ski resorts; prisons; hospitals; publicly-owned municipal waste-to-energy facilities; publicly-owned sewage treatment facilities operating consistent with an approved regional growth plan; electrical power generating systems owned and operated by the Cities of Burbank, Glendale, or Pasadena or their successors; facilities on San Clemente Island; agricultural facilities; and electric generating facilities that are new on or after January 1, 2001, and located in the Riverside County portion of the Salton Sea Air Basin or Non-Palo Verde, Riverside County portion of the Mojave Desert Air Basin. An initial universe of 394 RECLAIM facilities was developed using the inclusion

criteria initially adopted in the RECLAIM program based on 1990, 1991, and 1992 facility reported emissions data.

A facility that was not in a category specifically excluded from the program could voluntarily join RECLAIM regardless of its emission level. Additionally, a facility could be required to enter the RECLAIM universe if:

- It increased its NO_x and/or SO_x emissions from permitted sources above the four ton per year threshold; or
- It ceased to be categorically excluded and its reported NO_x and/or SO_x emissions were greater than or equal to four tons per year; or
- It was determined by staff to meet the applicability requirements of RECLAIM but was initially misclassified as not subject to RECLAIM.

At the time of joining RECLAIM, each RECLAIM facility was issued an annually declining allocation of emission credits ("RECLAIM Trading Credits" or "RTCs") based on its historic production level (if the facility existed prior to January 1, 1993), external offsets it previously provided, and any Emission Reduction Credits (ERCs) generated at and held by the facility. Each RECLAIM facility's RTC holdings constitute an annual emissions budget. RTCs may be bought or sold as the facility deems appropriate (see Chapter 2 – RTC Allocations and Trading).

2016 AQMP Control Measure CMB-05

Up until March 2017, staff conducted a process of identifying facilities to be included in RECLAIM pursuant to Rule 2001(b) – Criteria for Inclusion in RECLAIM. As part of the adoption Resolution of the Final 2016 AQMP in March 2017, staff was directed by the Board to modify Control Measure CMB-05 – Further NO_x Reductions from RECLAIM Assessment to achieve an additional five tons per day NO_x emission reductions as soon as feasible but no later than 2025, and to transition the RECLAIM program to a command-and-control regulatory structure requiring Best Available Retrofit Control Technology (BARCT) level controls as soon as practicable. Additionally, California State Assembly Bill (AB) 617, approved in July 2017, required an expedited schedule for implementing BARCT at cap-and-trade facilities, under which many RECLAIM facilities are also subject, and required that the implementation of BARCT be no later than December 31, 2023.

2018 Rule Amendments

On January 5, 2018, the Board amended two rules, Rule 2001 – Applicability, and Rule 2002 – Allocations for Oxides of Nitrogen (NO_x) and Oxides of Sulfur (SO_x), to initiate the transition of the NO_x and SO_x RECLAIM program to a command-and-control regulatory structure as soon as practicable. The amendments also precluded new or existing facilities from entering the NO_x and SO_x RECLAIM programs. On October 5, 2018, the Board further amended Rule 2001, opening a pathway for a facility to opt out of the RECLAIM program should their equipment qualify. Shortly thereafter, the United States Environmental Protection Agency (U.S. EPA) recommended that facilities be kept in RECLAIM until all the rules associated with the transition to a command-and-control regulatory structure are adopted, so that the full transition of the RECLAIM

Program can be evaluated for incorporation into the State Implementation Plan (SIP) as a package with all the accompanying rules in place. In order to address U.S. EPA's concerns, the Board amended Rule 2001 on July 12, 2019, to remove the opt-out provision so that facilities cannot exit RECLAIM (see further discussion in Chapter 3).

Following approval of these Rule 2001 amendments, the only allowable changes to the RECLAIM Universe result from facilities that cease operations, as indicated by removing all equipment requiring a South Coast AQMD permit to operate or by rendering such equipment permanently inoperable (*i.e.*, from facility shutdowns).

Universe Changes

In the early years of the RECLAIM program, some facilities initially identified for inclusion were excluded upon determination that they did not meet the criteria for inclusion (*e.g.*, some facilities that had reported emissions from permitted sources above four tons in a year were determined to have over-reported their emissions and subsequently submitted corrected emissions reports reflecting emissions from permitted sources below four tons per year). Additionally, some facilities that were not part of the original universe were subsequently added to the program based on the original inclusion criteria mentioned above. On the other hand, RECLAIM facilities that permanently go out of business are removed from the active emitting RECLAIM universe.

The overall changes to the RECLAIM universe from the date of adoption (October 15, 1993) through June 30, 2023, (the last day of Compliance Year 2022 for Cycle 2 facilities) were: the inclusion of 134 facilities (including 34 facilities created by partial change of operator of existing RECLAIM facilities), the exclusion of 73 facilities, and the shutdown of 226 facilities. Thus, the net change in the RECLAIM universe from October 15, 1993, through June 30, 2023, was a decrease of 165 facilities from 394 to 229 facilities. In Compliance Year 2023 (January 1, 2023, through December 31, 2023, for Cycle 1 facilities and July 1, 2023, through June 30, 2024, for Cycle 2 facilities), no facilities were included, no facilities were excluded, and one facility shut down. This change brought the total number of facilities in the RECLAIM universe to 228 facilities. The Compliance Year 2023 RECLAIM universe includes 201 NOx only, no SOx-only, and 27 both NOx and SOx RECLAIM facilities. The list of active facilities in the RECLAIM universe as of the end of Compliance Year 2023 is provided in Appendix A.

Facility Inclusions and Exclusions

No RECLAIM facilities were included in or excluded from the RECLAIM universe during Compliance Year 2023 (Appendix B).

Facilities Permanently Ceasing Operations

One NOx-only RECLAIM facility permanently ceased operations in Compliance Year 2023. This facility cited manufacturing, production, or raw material cost and the cost of meeting air pollution regulations as reasons for the shutdown. Appendix C lists this facility and provides a brief description of the reported reasons for its closure.


The above-mentioned change to the RECLAIM universe resulted in a net decrease of one facility in the RECLAIM universe during Compliance Year 2023. Table 1-1 summarizes overall changes in the RECLAIM universe between the start of the program and end of Compliance Year 2023 (December 31, 2023, for Cycle 1 facilities and June 30, 2024, for Cycle 2 facilities). Changes to the RECLAIM universe that occurred in Compliance Year 2023 are illustrated in Figure 1-1.

Table 1-1
RECLAIM Universe Changes

	NOx Facilities	SOx Facilities	Total* Facilities
Universe – October 15, 1993 (Start of Program)	392	41	394
Inclusions – October 15, 1993, through Compliance Year 2022	134	13	134
Exclusions – October 15, 1993, through Compliance Year 2022	-72	-4	-73
Shutdowns – October 15, 1993, through Compliance Year 2022	-225	-23	-226
Universe – June 30, 2023	229	27	229
Inclusions – Compliance Year 2023	0	0	0
Exclusions – Compliance Year 2023	0	0	0
Shutdowns – Compliance Year 2023	1	0	1
Universe – End of Compliance Year 2023	228	27	228

* "Total Facilities" is not the sum of NOx and SOx facilities due to the overlap of some facilities being in both the NOx and SOx universes.

Figure 1-1
Universe Changes in Compliance Year 2023



CHAPTER 2

RTC ALLOCATIONS AND TRADING

Summary

On November 5, 2010, the Board adopted amendments to SOx RECLAIM to phase in SOx reductions beginning in Compliance Year 2013 and full implementation in Compliance Year 2019 and beyond. The amendments resulted in an overall reduction of 48.4 percent (or 5.7 tons per day) in SOx allocations. On December 4, 2015, the Board adopted amendments to NOx RECLAIM to phase in additional NOx reductions beginning in Compliance Year 2016 with full implementation achieved in Compliance Year 2022 and beyond. The amendments resulted in an overall reduction of 45.2 percent (or 12 tons per day) in NOx allocations. The only remaining changes in RTC supply during Compliance Year 2023 were due to allocation adjustments for clean fuel production pursuant to Rule 2002(c)(12). The clean fuels production adjustment increased the Compliance Year 2023 NOx RTC supply by 15.4 tons and decreased SOx RTC supply by 4.0 tons.

Since the inception of the RECLAIM program in 1994, a total value of \$1.60 billion dollars has been traded in the RTC trading market, excluding swap trades (trades exchanging different types of RTCs, that may be of equal value or different values). During calendar year 2024, there were 235 RTC trade registrations, including swap trades. There were 219 RTC trade registrations with a total value of \$9.6 million traded, excluding swap trades. RTC trades are reported to South Coast AQMD as either discrete-year RTC trades or infinite-year block (IYB) trades (trades that involve blocks of RTCs with a specified start year and continuing into perpetuity).

Excluding swap trades, in calendar year 2024 a total of 975 tons of discrete-year NOx RTCs, 344 tons of discrete-year SOx RTCs, 82 tons of IYB NOx RTCs, and 23 tons of IYB SOx RTCs were traded. The RTC trading market activity decreased during calendar year 2024 compared to calendar year 2023 in number of trades (by 6.0%) and in total value (by 20.5%). However, the total volumes of RTC traded increased during calendar year 2024 compared to calendar year 2023, for discrete-year RTCs (by 0.2%) and for IYB RTCs (by 116.3%).

Discrete-year RTC trades with price (i.e., price >\$0.00) registered during calendar year 2024 include trades for Compliance Years 2023, 2024, and 2025 NOx RTCs, and Compliance Year 2023 SOx RTCs, excluding swap trades. The annual average prices of discrete-year NOx RTCs traded during calendar year 2024 were \$11,174; \$17,098; and \$30,103 per ton for Compliance Years 2023, 2024, and 2025 RTCs, respectively. The annual average price for discrete-year SOx RTCs traded during the same period for Compliance Year 2023 was \$1,350 per ton.

The annual average price of Compliance Year 2024 and 2025 NOx RTCs exceeded the Rule 2015 backstop threshold of \$15,000 per ton while SOx RTC prices remained below the threshold. None of the prices for discrete-year NOx RTCs exceeded the \$56,919 per ton of NOx and none of the SOx RTC vintages traded exceeded the \$40,982 per ton of SOx discrete-year RTCs pre-determined

overall program review thresholds established by the Board pursuant to Health and Safety Code Section 39616(f).¹

During calendar year 2024, the annual average price for IYB NOx RTCs was \$39,054 per ton and no IYB SOx RTCs were traded with price. Therefore, annual average IYB RTC prices did not exceed the \$853,786 per ton of IYB NOx RTCs or the \$614,726 per ton of IYB SOx RTCs pre-determined overall program review thresholds established by the Board pursuant to Health and Safety Code Section 39616(f).

At the end of calendar year 2024, investors' holdings of IYB NOx RTCs decreased to 1.6 percent when compared to investor's holdings at 1.8 percent in calendar year 2023. Investors' holdings of IYB SOx RTCs in calendar year 2024 did not change from 4.1 percent of the total SOx RECLAIM RTCs in calendar year 2023.

Background

At the time of inclusion into RECLAIM, each RECLAIM facility was issued emissions allocations for each compliance year, according to the methodology specified in Rule 2002 – Allocations for Oxides of Nitrogen (NOx) and Oxides of Sulfur (SOx). For facilities that existed prior to January 1, 1993, the allocation was calculated based on each facility's historical production levels as reported to South Coast AQMD in its annual emission reports (AERs), NOx emission factors listed in Tables 1, 3, and 6 of Rule 2002, or SOx emission factors in Tables 2 and 4 of Rule 2002 for the appropriate equipment category, any qualified² external offsets previously provided by the facility, and any unused ERCs generated at and held by the facility. Facilities entering RECLAIM after 1994 were issued allocations, if eligible, for the compliance year of entry and all years after, and Compliance Year 1994 allocations (also known as the facility's "Starting Allocation") for the sole purpose of establishing the New Source Review (NSR) trigger level.

These allocations are issued as RTCs, denominated in pounds of NOx or SOx with a specified 12-month term. Each RTC may only be used for emissions occurring within the term of that RTC. The RECLAIM program has two staggered compliance cycles—Cycle 1 with a compliance period of January 1 through December 31 of each year, and Cycle 2 with a compliance period of July 1 of each year through June 30 of the following year. Each RECLAIM facility is assigned to either Cycle 1 or Cycle 2 and the RTCs it is issued (if any) have corresponding periods of validity.

The issuance of allocations for future years provides RECLAIM facilities guidance regarding their future emission reduction requirements. Facilities can plan their compliance strategies by reducing actual emissions or securing needed RTCs through trade registrations (or a combination of the two), based on their operational needs.

¹ September 7, 2007, Board Agenda item No. 43 regarding Health and Safety Code §39616(f) can be found at: <http://www3.aqmd.gov/hb/2007/September/070943a.html>

² Only external offsets provided at a one-to-one offset ratio after the base year were used as the basis for allocation quantification purposes.

RECLAIM facilities may acquire RTCs issued for either cycle through trading and apply them to emissions, provided that the RTCs are used for emissions occurring within the RTCs' period of validity and the trades are made during the appropriate time period. RECLAIM facilities have until 30 days after the end of each of the first three quarters of each compliance year to reconcile their quarterly and year-to-date emissions, and until 60 days after the end of each compliance year to reconcile their last quarter and total annual emissions by securing adequate RTCs. Please note that, although other chapters in this report present and discuss Compliance Year 2023 data, new RTC trade data discussed in this chapter is for RTC trades that occurred during calendar year 2024.

RTC Allocations and Supply

The methodology for determining RTC allocations is established by Rule 2002. According to this rule, allocations may change when the universe of RECLAIM facilities changes, emissions associated with the production of re-formulated gasoline increase or decrease, reported historical activity levels are updated, or emission factors used to determine allocations are changed. In addition to these RTCs allocated by South Coast AQMD, RTCs may have been generated by conversion of emissions reduction credits from mobile and area sources pursuant to approved protocols. The total RTC supply in RECLAIM is made up of all RECLAIM facilities' allocations, conversions of ERCs owned by RECLAIM and non-RECLAIM facilities,³ emissions associated with the production of re-formulated gasoline, and conversion of emission reduction credits from mobile sources and area sources pursuant to approved protocols. The South Coast AQMD Board may adopt additional rules that affect RTC supply. Changes in the RTC supply during Compliance Year 2023 are discussed below.

Allocations Adjustments Due to Inclusion and Exclusion of Facilities

On January 5, 2018, the South Coast AQMD Board amended Rule 2001 to discontinue facility inclusions into RECLAIM. The Executive Officer could only include a facility into RECLAIM up until January 5, 2018, and no facility can elect to enter RECLAIM after January 5, 2018. Previous to this amendment, facilities existing prior to October 1993 and entering RECLAIM after 1994 may have received allocations just like facilities that were included at the beginning of the program. In addition, these facilities were issued allocations and Non-tradable/Non-usable Credits for Compliance Year 1994 for the sole purpose of establishing their starting allocation to ensure compliance with offset requirements under Rule 2005 – New Source Review for RECLAIM and the trading zone restriction to ensure net ambient air quality improvement within the sensitive zone established by Health and Safety Code Section 40410.5. These Compliance Year 1994 credits are not allowed to be used to offset current emissions because they have expired. Similarly, if an existing facility that was previously included in RECLAIM is subsequently excluded because it is determined to be categorically excluded or exempt pursuant to Rule 2001(i) or to not have emitted four tons or more of NO_x or SO_x in a year, any RTCs it was issued upon entering RECLAIM are removed from the market upon its exclusion.

³ Per Rule 2002(c)(4), the window of opportunity for non-RECLAIM facilities to convert ERCs to RTCs, other than during the process of a non-RECLAIM facility entering the program, closed June 30, 1994.

As discussed in Chapter 1, the South Coast AQMD Board amended Rule 2001 on October 5, 2018, to allow qualifying facilities to opt-out of the RECLAIM program. Based on continuing conversations with U.S. EPA, the Board subsequently amended Rule 2001 on July 12, 2019, to remove the opt-out provision so that facilities can no longer exit RECLAIM. Facilities that were excluded by means of this opt-out provision, as opposed to the normal exclusion criteria described in the preceding paragraph, retained their initially-allocated RTCs.⁴ No facilities were excluded during Compliance Year 2023. Therefore, there were no changes to the NO_x or SO_x supplies in Compliance Year 2023 due to facility exclusions from RECLAIM.

No facilities were included in the RECLAIM program in Compliance Year 2023. Therefore, there are no changes to the NO_x or SO_x RTC supplies in Compliance Year 2023 due to facility inclusions into RECLAIM.

Allocations Adjustments Due to Facility Shutdowns

Prior to the October 7, 2016, amendment of Rule 2002, shutdown facilities were allowed to retain all of their RTC holdings and participate in the trading market. For NO_x RECLAIM facilities listed in Tables 7 and 8 of Rule 2002 that shut down on or after October 7, 2016, the Rule 2002 amendment established a BARCT-based RTC discounting methodology that is more closely aligned to the ERC discounting methodology under command-and-control rules. A shutdown facility may trade future year RTCs that remain after the RTC adjustment is completed, if any. If the calculated reduction amount exceeds a facility's holdings for any future compliance year, the facility must purchase and surrender sufficient RTCs to fulfill the entire reduction requirement. This situation may result if the facility previously sold its future year allocations.

One RECLAIM facility shut down during Compliance Year 2023. It was not listed in Table 8 of Rule 2002, was not issued initial allocations pursuant to Rule 2002 (b), and therefore was not subject to the facility shutdown provisions. .

Allocations Adjustments Due to Clean Fuel Production

Rule 2002(c)(12) – Clean Fuel Adjustment to Starting Allocation, provides refineries with RTCs to compensate for their actual emissions increases caused by the production of California Air Resources Board (CARB) Phase II reformulated gasoline. The amount of these RTCs is based on actual emissions for the subject compliance year and historical production data. These refineries are required to submit, at the end of each compliance year in their Annual Permit Emissions Program (APEP) report, records to substantiate actual emission increases due solely to the production of reformulated gasoline. If actual emission increases for a subject year are different than the projected amount, the RTCs issued are adjusted accordingly (*i.e.*, excess RTCs issued are deducted if emissions were less than projected; conversely, additional RTCs are issued if emissions were higher than projected). For Compliance Year 2023, 15.4 tons of NO_x RTCs (0.3% of total NO_x allocation for Compliance Year 2023) were credited and 4.0 tons of SO_x RTCs (0.2% of total SO_x allocation for Compliance

⁴ Except for shutdown facilities that are subject to Rule 2002(i); see discussion in the next section.

Year 2023) were deducted from refineries' Compliance Year 2023 RTC holdings at the end of the compliance year.

Changes in RTC Allocations Due to Activity Corrections

RECLAIM facilities' allocations are determined by their reported historical activity levels (e.g., fuel usage, material usage, or production) in their AERs. In the case where a facility's AER reported activity levels are updated within five years of the AER due date, its allocation is adjusted accordingly.⁵ There were no changes in RTC allocations due to activity corrections in Compliance Year 2023.

Conversions of Other Types of Emission Reduction Credits

Conversions of Mobile Source Emission Reduction Credits (MSERCs) and other types of emission reduction credits, other than regular stationary source ERCs issued under Regulation XIII – New Source Review, to RTCs are allowed under Rule 2008 – Mobile Source Credits, and several programs under Regulation XVI – Mobile Source Offset Programs and Regulation XXV – Intercredit Trading. Conversion of these credits to RTCs is allowed based on the respective approved protocol specified in each rule. No new RTCs were issued by conversion of other types of emission reduction credits in Compliance Year 2023.

Net Changes in RTC Supplies

The changes to RTC supplies described in the above sections resulted in a net increase of 15.4 tons of NOx RTCs (0.3% of the total) and a decrease of 4.0 tons of SOx RTCs (0.2% of the total) for Compliance Year 2023. Table 2-1 summarizes the changes in NOx and SOx RTC supplies that occurred in Compliance Year 2023 pursuant to Rule 2002.

Table 2-1
Changes in NOx and SOx RTC Supplies during Compliance Year 2023 (tons per year)

Source	NOx	SOx
Universe changes	0	0
Clean Fuel/Reformulated Gasoline	15.4	-4.0
Activity corrections	0	0
MSERCs	0	0
Net change	15.4	-4.0

Note: The data in this table represents the changes that occurred over the course of Compliance Year 2023 to the Compliance Year 2023 aggregate NOx and SOx RTC supplies originally issued pursuant to Rule 2002, not the difference between 2023 aggregate RTC supply and that for any other compliance year.

Allocation Reduction Resulting from BARCT Review

Pursuant to California Health and Safety Code Section 40440, South Coast AQMD is required to monitor the advancement in BARCT and periodically re-

⁵ Pursuant to Rule 2002(b)(5) as amended on December 4, 2015, any AERs (including corrections) submitted more than five years after the original due date are not considered in the RTC quantification process.

assess the RECLAIM program to ensure that RECLAIM achieves equivalent emission reductions to the command-and-control BARCT rules it subsumes. This assessment is done periodically as part of AQMP development. This process first resulted in 2003 AQMP Control Measure CMB-10 – Additional NO_x Reductions for RECLAIM (NO_x) calling for additional NO_x reductions from RECLAIM sources. On January 7, 2005, the Board implemented CMB-10 by adopting changes to the RECLAIM program that resulted in a 22.5 percent reduction of NO_x allocations from all RECLAIM facilities. The reductions were phased in commencing in Compliance Year 2007 and have been fully implemented since Compliance Year 2011.

On November 5, 2010, the Board adopted changes to the RECLAIM program implementing the 2007 AQMP Control Measure CMB-02 – Further SO_x Reductions for RECLAIM (SO_x). These amendments resulted in a BARCT-based overall reduction of 5.7 tons SO_x per day when fully implemented in Compliance Year 2019. This reduction in SO_x was an essential part of the South Coast Air Basin's effort in attaining the federal 24-hour average PM_{2.5} standard by the year 2020.

Similarly, the 2012 AQMP included Control Measure CMB-01 - Further NO_x Reductions for RECLAIM that identified a new group of RECLAIM NO_x emitting equipment that should be reviewed for new BARCT. On December 4, 2015, the Board adopted amendments to the RECLAIM rules that resulted in an additional reduction of 12 tons of NO_x per day (45.2% reduction) when fully implemented in Compliance Year 2022.

Figures 2-1 and 2-2 illustrate the total NO_x and SO_x RTC supplies, respectively, through the end of Compliance Year 2026, incorporating all the changes discussed above.

Figure 2-1
NOx RTC Supply





Figure 2-2
SOx RTC Supply



RTC Trades

RTC Price Reporting Methodology

RTC trades are reported to South Coast AQMD as one of two types: discrete-year RTC transactions or IYB transactions (trades that involve blocks of discrete-year RTCs with a specified start year and continuing into perpetuity). Prices for discrete-year trades are reported in terms of dollars per pound and prices for IYB trades are reported as total dollar value for total amount of IYB RTCs traded. In addition, the trading partners are required to identify any swap trades. Swap trades occur when trading partners exchange different types of RTCs. These trades may be of equal value or different values, in which case some amount of money or credits are also included in swap trades (additional details on swap trades are discussed later in this chapter). Prices reported for swap trades are based on the agreed upon value of the trade by the participants, and do not involve exchange of funds for the total value agreed upon. As such, the reported prices for swap trades can be somewhat arbitrary and are therefore excluded from the calculation of annual average prices. Annual average prices for discrete-year RTCs are determined by averaging prices of RTCs for each compliance year, while the annual average prices for IYB RTCs are determined based on the amount of IYB RTCs (*i.e.*, the amount of RTCs in the infinite stream) regardless of the start year.

RTC Price Thresholds for Program Review

Rule 2015(b)(6) specifies that, if the annual average price of discrete-year NO_x or SO_x RTCs exceeds \$15,000 per ton, within six months of the determination thereof the Executive Officer shall, in addition to the annual report, submit to CARB and U.S. EPA results of an evaluation and review of the compliance and enforcement aspects of the RECLAIM program.

As reported in the Annual RECLAIM Audit Report for the 2020 Compliance Year, NO_x RTC prices had exceeded \$15,000 per ton for Compliance Years 2021, 2022, and 2023. At the August 5, 2022, Board Meeting⁶, the Board approved the Executive Officer's recommendation to determine that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change and directed the Executive Officer to submit to CARB and U.S. EPA the evaluation and review of the compliance and enforcement aspects of the RECLAIM program, including the determination that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change.⁷ The Board found that compliance with RECLAIM's emissions (allocations) and monitoring, recordkeeping, and reporting requirements continue to be high despite the increased pricing of RTCs; maximum statutorily available penalties have not limited the civil penalty assessments sought and obtained by South Coast AQMD; and high rate of collecting penalties for noncompliance cases without having to resort to resolution through the court system indicates that RECLAIM continues to provide adequate and appropriate incentives for facilities to conform to their compliance obligations. While NO_x RTC prices have

⁶ Agenda Item No. 24 - Minutes (<https://www.aqmd.gov/docs/default-source/Agendas/Governing-Board/2022/2022-Sept2-002.pdf>)

⁷ The Executive Officer notified CARB and U.S. EPA August 17, 2022, within six months of the Board's determination at the March 4, 2022, hearing of the Annual RECLAIM Audit Report for 2020 Compliance Year.

continued to exceed the \$15,000 per ton threshold, the Governing Board determined at the March 3, 2023 and March 1, 2024 meetings that no additional analysis or action was required in response to the continued Rule 2015 price threshold exceedance.

For this Annual RECLAIM Audit Report, as noted in the summary above and Table 2-14, the annual average price of Compliance Year 2023, 2024, and 2025 NOx RTCs were \$11,174, \$17,098, and \$30,103 per ton, respectively. NOx RTCs from 2024 and 2025 exceed the Rule 2015 backstop threshold of \$15,000 per ton, while SOx RTC prices remained below the threshold. As with the prior reporting year price exceedances described above, Rule 2015(b)(6) requires that, within six months of this determination, the Executive Officer submit to CARB and U.S. EPA results of an evaluation and review of the compliance and enforcement aspects of the RECLAIM program including at a minimum the above-described assessments.

Rule 2002(f)(1)(H) specifies that in the event NOx RTC prices exceed \$22,500 per ton (current compliance year credits) based on the 12-month rolling average, or exceed \$35,000 per ton (current compliance year credits) based on the 3-month rolling average calculated pursuant to Rule 2002(f)(1)(E), the Executive Officer will report the determination to the Board. Upon Board concurrence, the Non-tradable/Non-usable NOx RTCs, as specified in subparagraphs (f)(1)(B) and (f)(1)(C) valid for the period in which the RTC price is found to have exceeded the applicable threshold, shall be converted to Tradable/Usable NOx RTCs.

For Compliance Year 2023 and later, there are no Non-tradable/Non-usable NOx RTCs available due to the full implementation of the December 4, 2015 amendments to NOx RECLAIM. Therefore, the twelve-month rolling average price reports and the three-month rolling average price reports are not needed to determine the conversion of Non-tradable/Non-usable NOx RTCs, and no further action pursuant to Rule 2002(f)(1)(H) is required.

The Board has also established average RTC price overall program review thresholds pursuant to Health and Safety Code Section 39616(f). Unlike the \$15,000 per ton threshold for review of the compliance and enforcement aspects of RECLAIM, these overall program review thresholds are adjusted by the consumer price index (CPI) each year.

For RTC trades occurring in calendar year 2024, the overall program review thresholds⁸ in 2024 dollars, pursuant to Health and Safety Code Section 39616(f), are \$56,919 per ton of discrete-year NOx RTCs, \$40,982 per ton of discrete-year SOx RTCs, \$853,786 per ton of IYB NOx RTCs, and \$614,726 per ton of IYB SOx RTCs.

RTC Trading Activity Excluding Swaps

Overall Trading Activity

RTC trades include discrete-year and IYB RTCs traded with prices, discrete-year and IYB RTC trades with zero price, and discrete-year and IYB RTC swap trades. The RTC market activity in calendar year 2024 was lower than the market

⁸ These program review thresholds were adjusted using the August 2024 CPI, due to the unavailability of the December 2024 CPI by the end of January 2024 when this report was compiled.

activity in calendar year 2023 in terms of the number of trades. Table 2-2 compares NOx and SOx trade registrations for calendar years 2024 and 2023.

Table 2-2
Trade Registrations in Calendar Years 2024 and 2023, Including Swaps


RTC	2024	2023
NOx	225	234
SOx	10	16
Total	235	250

The total value of RTCs traded in calendar year 2024 was lower than in calendar year 2023, excluding swap trades. Table 2-3 compares the value of NOx and SOx RTCs traded in calendar years 2024 and 2023. Figure 2-3 illustrates the annual value of RTCs traded in RECLAIM since the inception of the program.

Table 2-3
Value Traded in Calendar Years 2024 and 2023, Excluding Swaps (millions of dollars)

RTC	2024	2023
NOx	\$9.58	\$11.99
SOx	\$0.05	\$0.12
Total	\$9.63	\$12.11

Figure 2-3
Annual Trading Values for NOx and SOx (Excluding Swaps)



With respect to total volume traded (excluding swap trades), trades of discrete-year RTCs were lower for NO_x and higher for SO_x in calendar year 2024 than in calendar year 2023. Trades of IYB RTCs of NO_x and SO_x in calendar year 2024 were higher than the trading volume in 2023. Tables 2-4 and 2-5 compare 2024 and 2023 for NO_x and SO_x trade volume for discrete-year and IYB trades, respectively. Figure 2-4 summarizes overall trading activity (excluding swaps) in calendar year 2024 by pollutant. Additional information on the discrete-year and IYB trading activities, value, and volume are discussed later in this chapter.

Table 2-4
Volume of Discrete-Year RTCs Traded in Calendar Years 2024 and 2023, Excluding Swaps (tons)


RTC	2024	2023
NO _x	975	1,017
SO _x	344	300
Total	1,319	1,317

Table 2-5
Volume of IYB RTCs Traded in Calendar Years 2024 and 2023, Excluding Swaps (tons)

RTC	2024	2023
NO _x	82	45
SO _x	23	4
Total	106*	49

* Due to rounding, some totals may not correspond with the sum of the separate figures.

Figure 2-4
Calendar Year 2024 Overall Trading Activity (Excluding Swaps)



There were 51 trades with zero price in calendar year 2024. RTC transfers with zero price generally occur when a seller transfers or escrows RTCs to a broker pending transfer to the purchaser with price, when there is a transfer between facilities under common operator, when a facility is retiring RTCs for a settlement agreement or pursuant to variance conditions, or when there is a transfer between facilities that have gone through a change of operator. Trades with zero price also occur when the trading parties have mutual agreements where one party provides a specific service (e.g., providing steam or other process components) for the second party. In return, the second party will transfer the RTCs necessary to offset emissions generated from the service. In calendar year 2024, the majority of the trades with zero price were transfers between facilities under common ownership and facilities that underwent a change of operator.

Discrete-Year RTC Trading Activity

In calendar year 2024, there were a total of 199 discrete-year NOx RTC trades and 9 discrete-year SOx RTC trades, excluding swap trades. The trading of discrete-year NOx RTCs included RTCs for Compliance Years 2023 through 2025 (see Table 2-14). The trading of discrete-year SOx RTCs included RTCs for Compliance Years 2023 through 2024 (see Table 2-15). Table 2-6 compares the number of trade registrations in 2024 and 2023, both with price and with zero price.

Table 2-6
Discrete-Year Trade Registrations in Calendar Years 2024 and 2023 by Price, Excluding Swaps

Year	RTC	With Price	With \$0 Price	Total
2024	NOx	158	41	199
	SOx	3	6	9
	Total	161	47	208
2023	NOx	166	44	210
	SOx	4	8	12
	Total	170	52	222

Total discrete-year RTC trading values decreased for NOx and increased for SOx on a relative basis in calendar year 2024 when compared to calendar year 2023. Table 2-7 compares the total value of the discrete-year RTC trades in 2024 and 2023.

Table 2-7
Discrete-Year RTC Value Traded in 2024 and 2023, Excluding Swaps (millions of dollars)

RTC	2024	2023
NOx	\$8.12	\$10.81
SOx	\$0.05	\$0.03
Total	\$8.18*	\$10.84

* Due to rounding, some totals may not correspond with the sum of the separate figures.


In calendar year 2024, the overall quantities of discrete-year NOx and SOx RTCs traded slightly increased compared to calendar year 2023. Table 2-8 compares the volume of NOx and SOx RTCs traded in calendar years 2024 and 2023, excluding swap trades. Figure 2-5 illustrates the trading activity of discrete-year RTCs (excluding swaps) for calendar year 2024.

Table 2-8
Discrete-Year RTC Volume Traded in Calendar Years 2024 and 2023 by Price, Excluding Swaps (tons)

Year	RTC	With Price	With \$0 Price	Total
2024	NOx	621	354	975
	SOx	40	304	344
	Total	661	658	1,319
2023	NOx	731	287	1,017*
	SOx	13	286	300*
	Total	744	573	1,317

* Due to rounding, some totals may not correspond with the sum of the separate figures.

Figure 2-5
Calendar Year 2024 Trading Activity for Discrete-Year RTCs (Excluding Swaps)



IYB RTC Trading Activity

In calendar year 2024, there were 10 IYB NOx trades and one IYB SOx trade, excluding swaps. The IYB NOx trades included RTCs with Compliance Years 2023 through 2025 as start years, while the IYB SOx trade was for RTCs with a Compliance Year 2024 start year. Table 2-9 compares the number of IYB RTC trade registrations from 2024 and 2023.

Table 2-9
IYB Trade Registrations in Calendar Years 2024 and 2023 by Price

Year	RTC	With Price	With \$0 Price	Total
2024	NOx	7	3	10
	SOx	0	1	1
	Total	7	4	11
2023	NOx	6	5	11
	SOx	4	0	4
	Total	10	5	15

Total IYB RTC trade values increased in calendar year 2024 compared to calendar year 2023. Table 2-10 compares the NOx and SOx IYB RTC trade values in calendar years 2024 and 2023.

Table 2-10
IYB RTC Value Traded in 2024 and 2023, Excluding Swaps (millions of dollars)

RTC	2024	2023
NOx	\$1.45	\$1.18
SOx	\$0	\$0.09
Total	\$1.45	\$1.27


In calendar year 2024, the total volume of IYB RTCs traded (excluding swap trades) was higher compared to calendar year 2023. Table 2-11 compares the NOx and SOx IYB RTCs trade volumes in calendar years 2024 and 2023. As described earlier, the majority of trades with zero price were between facilities under common ownership and facilities that had a change of operator. Figure 2-6 illustrates the calendar year 2024 IYB RTC trading activity excluding swap trades.

Table 2-11
IYB RTC Volume Traded in Calendar Years 2024 and 2023 by Price, Excluding Swaps (tons)

Year	RTC	With Price	With \$0 Price	Total
2024	NOx	37	45	82
	SOx	0	23	23
	Total	37	68	106*
2023	NOx	20	25	45
	SOx	4	0	4
	Total	24	25	49

* Due to rounding, some totals may not correspond with the sum of the separate figures.

Figure 2-6
Calendar Year 2024 Trading Activity for IYB RTCs (Excluding Swaps)



Trading activity for the previous ten calendar years of the RECLAIM program is illustrated in Figures 2-7 through 2-10 (discrete-year NOx trades, discrete-year SOx trades, IYB NOx trades, and IYB SOx trades, respectively) based on the trade reporting methodology described earlier in this chapter. Historical trading activity since the inception of the RECLAIM program can be found in Figures 2-7 through 2-10 of the Compliance Year 2022 Annual RECLAIM Audit Report and in prior reports.

Figure 2-7
Discrete-Year NOx RTC Trades (Excluding Swaps)




Figure 2-8
Discrete-Year SOx RTC Trades (Excluding Swaps)




Figure 2-9
IYB NOx RTC Trades (Excluding Swaps)





Figure 2-10
IYB SOx RTC Trades (Excluding Swaps)



Swap Trades

In addition to traditional trades of RTCs for a price, RTC swaps also occur between trading partners. Most swap trades are exchanges of RTCs with different zones, cycles, expiration years, and/or pollutants. Some swaps involve a combination of RTCs and cash payment as a premium. There are also swaps of RTCs for ERCs. Trading parties swapping RTCs are required to report the agreed upon price of RTCs for each trade even though, with the exception of the above-described premiums, no money was actually exchanged.

Since RTC swap trades occur when two trading partners exchange RTCs, values reported on these trades involved in the exchange are included in the calculation of the total value reported. However, in cases where commodities other than RTCs are involved in the swap, these commodity values are not included in the above reported total value (e.g., in the case of a swap of NOx RTCs valued at \$10,000 for another set of RTCs valued at \$8,000 together with a premium of \$2,000, the value of such a swap would have been reported at \$18,000 in Table 2-2).

For calendar years that have swap trades with large values (e.g., 2009), the inclusion of swap trades in the average trade price calculations would have resulted in calculated annual average prices dominated by swap trades, and therefore, potentially not representative of market prices actually paid for RTCs. Prices of swap trades are excluded from analysis of average trade prices because the values of the swap trades are solely based upon prices agreed upon between trading partners and do not reflect actual funds transferred or a true market-based price. In addition, trades between facilities or RTC holders under common ownership or intimate business affiliation are categorized as swap trades because the trades were not at arm's-length. The reported prices for these trades are not necessarily representative of market prices. Tables 2-12 and 2-13 present the calendar years' 2001 through 2024 RTC swaps for NOx and SOx, respectively.

Table 2-12
NOx Registrations Involving Swaps*

Year	Total Value (\$ millions)	IYB RTC Swapped with Price (tons)	Discrete-Year RTC Swapped with Price (tons)	Number of Swap Registrations with Price	Total Number of Swap Registrations
2001	\$24.29	6.0	612.2	71	78
2002	\$14.31	64.3	1,701.7	94	94
2003	\$7.70	69.9	1,198.1	64	64
2004	\$3.74	0	1,730.5	90	90
2005	\$3.89	18.7	885.3	53	53
2006	\$7.29	14.8	1,105.9	49	49
2007	\$4.14	0	820.0	43	49
2008	\$8.41	4.5	1,945.8	48	50
2009	\$55.76	394.2	1,188.4	37	42
2010	\$3.73	18.2	928.5	25	31
2011	\$2.00	0	775.5	25	32
2012	\$1.29	0	928.1	36	36
2013	\$2.41	11.6	1,273.5	44	44
2014	\$3.24	28.5	489.6	25	25
2015	\$6.77	31.0	317.0	15	15
2016	\$2.18	1.8	622.8	22	22
2017	\$0.87	3.6	31.0	9	9
2018	\$0.51	0	178.5	4	4
2019	\$0.37	0	128.8	7	7
2020	\$1.79	0	324.6	18	18
2021	\$3.40	35.4	200.0	31	32
2022	\$3.76	0	134.4	27	27
2023	\$0.70	0	70.7	13	13
2024	\$0.97	0	93.1	16	16

* Swaps without price are strictly transfers of RTCs between trading partners and their respective brokers. Information regarding swap trades was not required prior to May 9, 2001.

Table 2-13
SOx Registrations Involving Swaps*

Year	Total Value (\$ millions)	IYB RTC Swapped with Price (tons)	Discrete-Year RTC Swapped with Price (tons)	Number of Swap Registrations with Price	Total Number of Swap Registrations
2001	\$1.53	18.0	240.0	3	4
2002	\$6.11	26.6	408.4	30	30
2003	\$5.88	20.9	656.0	32	32
2004	\$0.39	0	161.8	13	13
2005	\$2.16	43.5	227.8	13	14
2006	\$0.02	0	24.4	2	2
2007	\$0.00	0	0	0	0
2008	\$0.40	0	197.0	5	8
2009	\$3.63	55.3	401.3	9	10
2010	\$6.89	79.4	417.0	16	18
2011	\$0.25	0	228.5	3	4
2012	\$27.01	100.0	7.5	4	4
2013	\$0.33	3.1	5.5	2	2
2014	\$0.01	0.0	14.8	1	1
2015	\$0	0.0	0	0	0
2016	\$3.68	39.6	44.2	3	3
2017	\$0.73	5.0	5.9	4	4
2018	\$0	0	0	0	0
2019	\$0.02	0	1.4	1	1
2020	\$0.51	0	80.2	5	5
2021	\$0.04	0	40.0	1	1
2022	\$0	16.4	0	2	2
2023	\$0	0	0	0	0
2024	\$0	0	0	0	0

* Swaps without price are strictly transfers of RTCs between trading partners and their respective brokers. Information regarding swap trades was not required prior to May 9, 2001.

RTC Trade Prices (Excluding Swaps)

Discrete-Year RTC Prices

Tables 2-14 and 2-15 list the annual average prices for discrete-year NOx and SOx RTCs traded from calendar years 2019 through 2024. The table shows that the annual average price of 2024 and 2025 discrete NOx RTCs traded in Calendar Year 2024 exceeded the Rule 2015 backstop threshold of \$15,000 per ton, while SOx RTC prices remained below the threshold. Annual average prices for discrete-year NOx RTC vintages stayed below \$56,919 per ton of NOx and all SOx RTC vintages traded remain below the \$40,982 per ton of SOx discrete-year RTCs pre-determined overall program review thresholds established by the Board pursuant to Health and Safety Code Section 39616(f).

Table 2-14

Annual Average Prices for Discrete-Year NO_x RTCs during Calendar Years 2021 through 2024 (price per ton)

RTC Compliance Year	Calendar Year during which RTCs Traded			
	2021	2022	2023	2024
2017				
2018				
2019				
2020	5,603.36			
2021	18,846.39	17,074.44		
2022	33,085.16	36,870.53	13,245.39	
2023	37,808.27	47,864.07	17,686.34	11,173.88
2024		59,190.61	25,125.85	17,098.43
2025		60,000.00		30,102.68
2026				

Table 2-15

Annual Average Prices for Discrete-Year SO_x RTCs during Calendar Years 2021 through 2024 (price per ton)

RTC Compliance Year	Calendar Year during which RTCs Traded			
	2021	2022	2023	2024
2017				
2018				
2019				
2020				
2021	3,000.00	5,900.00		
2022		2,000.00	2,631.31	
2023			2,500.00	1,350.00
2024				
2025				
2026				

Rolling Average NO_x and SO_x RTCs Price Report

On December 4, 2015, the Board amended Rule 2002 to change the 12-month rolling average price of NO_x RTCs for all trades for the current compliance year, excluding RTC trades reported at no price and swap transactions, to a \$22,500 per ton threshold. It also established a new \$35,000 per ton threshold for the three-month rolling average price of current compliance year NO_x RTCs and a \$200,000 per ton "price-floor" threshold for the twelve-month rolling average price of IYB NO_x RTCs that would have become effective in 2019. The price floor in Rule 2002(f)(1)(I) was subsequently removed by the Board on October 5, 2018. The reporting of the three-month rolling average prices for current compliance year's NO_x RTCs and the twelve-month rolling average prices of IYB NO_x RTCs started on May 1, 2016. The October 5, 2018, amendment to Rule 2002 eliminated the requirement to calculate IYB NO_x RTC prices. The October 2018 report to the South Coast AQMD Stationary Source Committee was the last time the twelve-month rolling average prices of IYB NO_x RTCs report was generated.

The December 2015 amendments directed the Executive Officer to report to the Board if (a) the cost of current compliance year NOx RTCs exceeds \$22,500 per ton based on the twelve-month rolling average price, or (b) \$35,000 per ton based on the three-month rolling average price. If either (a) or (b) above occurs, the Board may convert the Non-tradable/Non-usable NOx RTCs valid for the period in which the RTC price(s) exceeded an applicable threshold to Tradable/Usable NOx RTCs pursuant to Rule 2002(f)(1)(H). For Compliance Year 2023 and later, there are no Non-tradable/Non-usable NOx RTCs available due to the full implementation of the December 4, 2015 amendments to NOx RECLAIM. Therefore, the twelve-month rolling average price reports and the three-month rolling average price reports are not needed to determine the conversion of Non-tradable/Non-usable NOx RTCs.

IYB RTC Prices

The annual average price for IYB NOx RTCs traded in calendar year 2024 was \$39,054 per ton, which is significantly lower than the annual average price of \$58,058 per ton traded in calendar year 2023. There were no IYB SOx RTCs traded with price in calendar year 2024. Data regarding IYB RTCs traded with price (excluding swap trades) for NOx and SOx RTCs and their annual average prices since 1994 are summarized in Tables 2-16 and 2-17, respectively. In calendar year 2024, the annual average IYB RTC prices did not exceed the \$853,786 per ton of NOx RTCs or the \$614,726 per ton of SOx RTCs program review thresholds established by the Board for IYB RTCs pursuant to California Health and Safety Code Section 39616(f).

Table 2-16
IYB NOx Pricing (Excluding Swaps)

Calendar Year	Total Reported Value (\$ millions)	IYB RTC Traded with Price (tons)	Number of IYB Registrations with Price	Average Price (\$/ton)
1994*	\$1.3	85.7	1	\$15,623
1995*	\$0.0	0	0	N/A
1996*	\$0.0	0	0	N/A
1997*	\$7.9	404.6	9	\$19,602
1998*	\$34.1	1,447.6	23	\$23,534
1999*	\$18.6	438.3	19	\$42,437
2000*	\$9.1	184.2	15	\$49,340
2001*	\$34.2	416.9	25	\$82,013
2002	\$5.5	109.5	31	\$50,686
2003	\$14.3	388.3	28	\$36,797
2004	\$12.5	557.0	52	\$22,481
2005	\$43.1	565.3	71	\$76,197
2006	\$65.2	432.9	50	\$150,665
2007	\$45.4	233.5	25	\$194,369
2008	\$49.7	245.6	27	\$202,402
2009	\$16.7	134.2	14	\$124,576
2010	\$14.3	149.0	13	\$95,761
2011	\$9.1	160.7	29	\$56,708
2012	\$2.2	46.6	13	\$48,146
2013	\$12.0	260.9	17	\$45,914
2014	\$99.7	902.2	49	\$110,509
2015	\$187.4	938.5	47	\$199,685
2016	\$114.7	301.9	20	\$380,057
2017	\$1.26	31.8	6	\$39,673
2018	\$0.52	39.6	5	\$13,223
2019	\$28.1	298.4	33	\$94,183
2020	\$10.1	86.4	18	\$116,405
2021	\$5.23	55.3	14	\$94,576
2022	\$4.46	29.7	7	\$150,250
2023	\$1.18	20.4	6	\$58,058
2024	\$1.46	37.3	7	\$39,054

* No information regarding swap trades was reported until May 9, 2001.

Table 2-17
IYB SOx Pricing (Excluding Swaps)

Calendar Year	Total Reported Value (\$ millions)	IYB RTC Traded with Price (tons)	Number of IYB Registrations with Price	Average Price (\$/ton)
1994*	\$0.0	0	0	N/A
1995*	\$0.0	0	0	N/A
1996*	\$0.0	0	0	N/A
1997*	\$11.9	429.2	7	\$27,738
1998*	\$1.0	50.0	1	\$19,360
1999*	\$0.8	55.0	3	\$14,946
2000*	\$1.4	50.6	5	\$27,028
2001*	\$10.2	306.8	8	\$33,288
2002	\$6.7	147.5	5	\$45,343
2003	\$0.6	110.9	1	\$5,680
2004	\$0.0	0.0	0	N/A
2005	\$1.0	141.5	3	\$7,409
2006	\$3.5	241.7	12	\$14,585
2007	\$3.7	155.2	5	\$23,848
2008	\$3.3	146.8	5	\$22,479
2009	\$3.7	100.0	4	\$36,550
2010	\$30.2	277.0	10	\$109,219
2011	\$1.03	10.0	2	\$102,366
2012	\$14.6	116.2	4	\$125,860
2013	\$14.4	79.2	4	\$181,653
2014	\$1.8	22.5	4	\$80,444
2015	\$4.0	74.8	4	\$53,665
2016	\$0.13	2.5	1	\$50,000
2017	\$0.77	33.92	4	\$22,820
2018	\$0.09	3.16	2	\$30,000
2019	\$0.73	54.9	6	\$13,213
2020	\$0.45	13.89	2	\$32,251
2021	\$0.0	0.0	0	N/A
2022	\$0.10	16.39	1	\$6,000
2023	\$0.09	3.51	4	\$24,359
2024	\$0.0	0.0	0	N/A

* No information regarding swap trades was reported until May 9, 2001.

Other Types of RTC Transactions and Uses

Another type of RTC trade, besides traditional trading and swapping activities, is a trade involving the contingent right (option) to purchase RTCs. In those trades, one party pays a premium for the contingent right (option) to purchase RTCs owned by the other party at a pre-determined price within a certain time period. Until RTCs are transferred from seller to buyer, prices for options are not reported, because the seller has not paid for the actual RTCs, but only for the right to purchase the RTCs at a future date. These rights may or may not actually be exercised. RTC traders are obligated to report options to South Coast AQMD

within five business days of reaching an agreement. These options are posted on South Coast AQMD's website. One option was submitted and executed in calendar year 2024. Two forward trades submitted in calendar year 2023 were also executed in calendar year 2024.

In addition to reconciling emissions at RECLAIM facilities, RTCs are also used by RTC holders to satisfy variance conditions and offset emissions for other projects. No RTC trades of this type occurred during calendar year 2024.

Market Participants

RECLAIM market participants have traditionally included RECLAIM Facility Permit holders and non-Facility Permit holders, such as brokers, commodity traders, and private investors. For purposes of discussion in this report, "investors" include all parties who hold RTCs other than RECLAIM Facility Permit holders and brokers.

RECLAIM Facilities and Brokers

RECLAIM facilities are the primary users of RTCs and they hold the majority of RTCs as allocations. They usually sell their surplus RTCs by the end of the compliance year or when they have a long-term decrease in emissions. Brokers match buyers and sellers. They usually do not purchase or own RTCs, but only facilitate trades.

Investors

Commodity traders and private investors invest in and own RTCs in order to seek profits by trading them. They do not need RTCs to offset or reconcile any emissions. Starting in calendar year 2004, mutual funds joined the traditional participants in RTC trades. Market participation expanded further in 2006, when foreign investors started participating in RTC trades. However, foreign investors have not participated in any RTC trades since calendar year 2008 and foreign investors do not hold any current or future RTCs at this time. Similarly, mutual fund investors no longer hold RTCs.

As of the end of calendar year 2024, investors' holding of IYB NO_x RTCs went down to 1.6% when compared to the end of calendar year 2023 at 1.8%. Investors' holding of IYB SO_x RTCs stayed the same at 4.1 percent when compared to the end of calendar year 2023.

RTC Availability

The available supply of IYB RTCs is generally from facilities that have permanently reduced emissions through the installation of control equipment, the modification or replacement of old equipment, or equipment and/or facility shutdowns. One NO_x-only RECLAIM facility shut down during Compliance Year 2023. This facility did not hold on to any NO_x RTC allocations.

Generally, RECLAIM facilities hold back additional RTCs for each year as a compliance margin to ensure they do not inadvertently exceed their allocations (failing to reconcile by securing sufficient RTCs to cover their emissions) if their reported emissions increase as the result of any problems or errors discovered by South Coast AQMD staff during annual facility audits. Facilities have

historically indicated to staff that this compliance margin is approximately 10 percent of emissions.

For Compliance Year 2023, the total RECLAIM NOx emissions were 4,432 tons, while the total NOx RTC allocation was 5,301 tons. This NOx RTC surplus of 869 tons (16% of allocation and 20% of emissions) is above the 10 percent compliance margin reportedly held by RECLAIM facilities. As seen in Figure 2-1, the total RECLAIM NOx allocation for Compliance Year 2024 is 5,286 tons. To maintain a 10% NOx RTC allocation surplus, facilities need to maintain their NOx emissions at the Compliance Year 2023 level.

CHAPTER 3

EMISSION REDUCTIONS ACHIEVED

Summary

For Compliance Year 2023, aggregate NOx emissions were below total allocations by 16 percent and aggregate SOx emissions were below total allocations by 37 percent. No emissions associated with breakdowns were excluded from reconciliation with facility allocations in Compliance Year 2023. Accordingly, no mitigation is necessary to offset excluded emissions due to approved Breakdown Emission Reports. Therefore, based on audited emissions, RECLAIM achieved its targeted emission reductions for Compliance Year 2023. With respect to the Rule 2015 backstop provisions, Compliance Year 2023 aggregate NOx and SOx emissions were both below aggregate allocations and, as such, did not trigger the requirement to review the RECLAIM program.

Background

One of the primary objectives of the annual RECLAIM program audits is to assess whether RECLAIM is achieving its targeted emission reductions. Those targeted emission reductions are embodied in the annual allocations issued to RECLAIM facilities. In particular, the annual allocations reflect required emission reductions initially from the subsumed command-and-control rules and control measures, as well as from subsequent reductions in allocations as a result of BARCT implementation.

In January 2005 and December 2015, the Board adopted amendments to Rule 2002 to further reduce aggregate RECLAIM NOx allocations through implementation of the latest BARCT. The 2005 amendments resulted in cumulative NOx allocation reductions of 22.5 percent (2,811 tons per year, or 7.7 tons per day) from all RECLAIM facilities in Compliance Year 2011. The 2015 amendments reduced cumulative NOx allocations by 45.2 percent (4,380 tons per year, or 12.0 tons per day) in Compliance Year 2022. The 2015 amendment reductions were phased-in from Compliance Year 2016 through Compliance Year 2022.

The Board also amended Rule 2002 in November 2010 to implement BARCT for SOx. Specifically, the November 2010 amendments called for certain facilities' RECLAIM SOx allocations to be adjusted to achieve a 48.4 percent (2,081 tons per year or 5.7 tons per day) overall reduction, with the reductions phased-in from Compliance Year 2013 through Compliance Year 2019.

Emissions Audit Process

Since the inception of the RECLAIM program, South Coast AQMD staff has conducted annual program audits of the emissions data submitted by RECLAIM facilities to ensure the integrity and reliability of RECLAIM emission data. The process includes reviews of emissions reports and records submitted by RECLAIM facilities. The audit process is described in further detail in Chapter 5 – Compliance. Whenever South Coast AQMD staff finds discrepancies, they discuss the findings with the facility operators and provide the operators an

opportunity to review changes resulting from facility audits. The operators may present additional data or information in support of the data stated in their APEP reports.

This audit process reinforces RECLAIM's emissions monitoring and reporting requirements and enhances the validity and reliability of the final emissions data. The emissions data resulting from completion of the audit process are used to determine if a facility complied with its allocations. The most recent five compliance years' audited NO_x emissions for each facility are posted on South Coast AQMD's web page after the audit process is completed. All emissions data presented in this annual RECLAIM audit report are compiled from facility emissions following completion of the audit process.

Emission Trends and Analysis

RECLAIM achieves its emission reduction goals on an aggregate basis by ensuring that annual emissions are below total RTCs. It is important to understand that the RECLAIM program is successful at achieving these emission reduction goals even when individual RECLAIM facilities exceed their RTC account balances, provided aggregate RECLAIM emissions do not exceed aggregate RTCs issued. Therefore, aggregate audited NO_x or SO_x emissions from all RECLAIM sources are the basis for determining whether the programmatic emission reduction goals for that pollutant are met each year.

Table 3-1 and Figure 3-1 show aggregate audited NO_x emissions and the aggregate annual NO_x RTC supply for Compliance Years 1994 through 2023. No facility audits for Compliance Years 1994 through 2022 were reopened during the past year, so the aggregate audited NO_x and SO_x emissions for these years are unchanged from the previous annual report. Programmatically, there were excess NO_x RTCs remaining after accounting for audited NO_x emissions for every compliance year since 1994, except for Compliance Year 2000 when NO_x emissions exceeded the total allocations due to the California energy crisis.


Table 3-1
Annual NOx Emissions for Compliance Years 1994 through 2023

Compliance Year	Audited Annual NOx Emissions ¹ (tons)	Audited Annual NOx Emissions Change from 1994 (%)	Total NOx RTCs ² (tons)	Unused NOx RTCs (tons)	Unused NOx RTCs (%)
1994	25,420	0%	40,187	14,767	37%
1995	26,632	4.8%	36,484	9,852	27%
1996	24,414	-4.0%	32,742	8,328	25%
1997	21,258	-16%	28,657	7,399	26%
1998	21,158	-17%	24,651	3,493	14%
1999	20,889	-18%	20,968	79	0.38%
2000	19,148	-25%	17,208	-1,940	-11%
2001	14,779	-42%	15,617	838	5.4%
2002	11,201	-56%	14,111	2,910	21%
2003	10,342	-59%	12,485	2,143	17%
2004	10,134	-60%	12,477	2,343	19%
2005	9,642	-62%	12,484	2,842	23%
2006	9,152	-64%	12,486	3,334	27%
2007	8,796	-65%	11,046	2,250	20%
2008	8,349	-67%	10,705	2,356	22%
2009	7,306	-71%	10,377	3,071	30%
2010	7,121	-72%	10,053	2,932	29%
2011	7,302	-71%	9,690	2,388	25%
2012	7,691	-70%	9,689	1,998	21%
2013	7,326	-71%	9,699	2,373	24%
2014	7,447	-71%	9,699	2,252	23%
2015	7,246	-71%	9,700	2,454	25%
2016	7,328	-71%	8,992	1,664	19%
2017	7,246	-71%	8,978	1,732	19%
2018	6,740	-73%	8,612	1,872	22%
2019	6,458	-75%	8,243	1,785	22%
2020	5,506	-78%	7,499	1,993	27%
2021	5,299	-79%	6,773	1,474	22%
2022	4,716	-81%	5,323	607	11%
2023	4,432	-83%	5,301	869	16%

¹ The RECLAIM universe is divided into two cycles with compliance schedules staggered by six months. Compliance years for Cycle 1 facilities run from January 1 through December 31 and Cycle 2 compliance years are from July 1 through June 30.

² Total RTCs = Allocated RTCs + RTCs from ERC conversion.

Figure 3-1
NOx Emissions and Available RTCs



Similar to Table 3-1 and Figure 3-1 for NOx, Table 3-2 presents aggregate annual SOx emissions data for each compliance year based on audited emissions, and Figure 3-2 compares these audited aggregate annual SOx emissions with the aggregate annual SOx RTC supply. As shown in Table 3-2 and Figure 3-2, RECLAIM facilities have not exceeded their SOx allocations on an aggregate basis in any compliance year since program inception. In Compliance Year 2023, SOx emissions have decreased to 1,398 tons (see Chapter 7). The amount of unused RTCs increased in Compliance Year 2023 to 37%. The data indicates that RECLAIM met its programmatic SOx emission reduction goals and demonstrated equivalency in SOx emission reductions compared to the subsumed command-and-control rules and control measures.


Table 3-2
Annual SOx Emissions for Compliance Years 1994 through 2023

Compliance Year	Audited Annual SOx Emissions ¹ (tons)	Audited Annual SOx Emissions Change from 1994 (%)	Total SOx RTCs ² (tons)	Unused SOx RTCs (tons)	Unused SOx RTCs (%)
1994	7,230	0%	10,559	3,329	32%
1995	8,508	18%	9,685	1,177	12%
1996	6,731	-6.9%	8,976	2,245	25%
1997	7,048	-2.5%	8,317	1,269	15%
1998	6,829	-5.5%	7,592	763	10%
1999	6,420	-11%	6,911	491	7.1%
2000	5,966	-17%	6,194	228	3.7%
2001	5,056	-30%	5,567	511	9.2%
2002	4,223	-42%	4,932	709	14%
2003	3,968	-45%	4,299	331	7.7%
2004	3,597	-50%	4,299	702	16%
2005	3,663	-49%	4,300	637	15%
2006	3,610	-50%	4,282	672	16%
2007	3,759	-48%	4,286	527	12%
2008	3,319	-54%	4,280	961	22%
2009	2,946	-59%	4,280	1,334	31%
2010	2,775	-62%	4,282	1,507	35%
2011	2,727	-62%	4,283	1,556	36%
2012	2,552	-65%	4,283	1,731	40%
2013	2,066	-71%	3,198	1,132	35%
2014	2,176	-70%	2,839	663	23%
2015	2,096	-71%	2,836	740	26%
2016	2,024	-72%	2,836	812	29%
2017	2,043	-72%	2,474	431	17%
2018	2,134	-70%	2,474	340	14%
2019	1,701	-76%	2,221	520	23%
2020	1,436	-80%	2,214	778	35%
2021	1,846	-75%	2,213	367	17%
2022	1,621	-78%	2,221	600	27%
2023	1,398	-81%	2,215	817	37%

¹ The RECLAIM universe is divided into two cycles with compliance schedules staggered by six months. Compliance years for Cycle 1 facilities run from January 1 through December 31 and Cycle 2 compliance years are from July 1 through June 30.

² Total RTCs = Allocated RTCs + RTCs from ERC conversion.

Figure 3-2
SOx Emissions and Available RTCs



Comparison to Command-and-Control Rules

RECLAIM subsumed a number of command-and-control rules¹ and sought to achieve reductions equivalent to these subsumed rules that continue to apply to non-RECLAIM facilities. RECLAIM facilities were exempt from the subsumed rules' requirements that apply to SOx or NOx emissions once the facilities comply with the applicable monitoring requirements of Rules 2011 – Requirements for Monitoring, Reporting, and Recordkeeping for Oxides of Sulfur (SOx) Emissions or 2012 – Requirements for Monitoring, Reporting, and Recordkeeping for Oxides of Nitrogen (NOx) Emissions, respectively. However, as part of the effort to transition² the RECLAIM program from a market incentive-based program to a command-and-control regulatory structure requiring BARCT level controls as soon as practicable, the Board, on October 5, 2018, amended Rule 2001 specifying that RECLAIM facilities are required to comply with the rules contained in Table 1 of Rule 2001 that are adopted or amended on or after October 5, 2018. As subsumed NOx rules in Table 1 of Rule 2001 are amended after this date the requirements of these, and prospective amended or adopted rules, apply equally to both RECLAIM and non-RECLAIM facilities (see "Landing Rules" paragraph under "Program Amendments"). Subsumed rules, adopted or amended under RECLAIM for Compliance Year 2023, have been previously addressed in Table 3-3 of last year's "Annual RECLAIM Audit Report for 2022 Compliance Year".

¹ See Tables 1 and 2 of Rule 2001.

² Pursuant to both the March 3, 2017, Board adopted resolution during the adoption of the 2016 AQMP, and California State Assembly Bill (AB) 617 approved in July 2017.

During Compliance Year 2023, the Governing Board amended two rules not subsumed by RECLAIM: amended Rule 1111 – Reduction of NO_x Emissions from Natural-Gas-Fired, Fan-Type Central Furnaces, and amended Rule 1118 – Control of Emissions from Refinery Flares.

Rule 1111 – Reduction of NO_x Emissions from Natural-Gas-Fired, Fan-Type Central Furnaces, was originally adopted by the Board on December 1, 1978, and first amended on November 6, 2009 to implement the 2007 AQMP Control Measure CMB03 by lowering the NO_x emission limit from 40 to 14 nanograms per Joule (ng/J) for three major categories of residential furnaces – condensing (high efficiency), non-condensing (standard), and weatherized furnaces. These categories of furnaces were to meet this new limit by limit by October 1, 2014, October 1, 2015, and October 1, 2016, respectively. Furthermore, new mobile home heating units, which were unregulated prior to the 2009 amendment, were required to meet a NO_x limit of 40 ng/J by October 1, 2012, and 14 ng/J by October 1, 2018. The rule was later amended in 2014, and amended several times between 2018 and 2021, to provide and extend an alternate compliance option to allow manufacturers to pay a per-unit mitigation fee, in lieu of meeting the lower NO_x emission limit, for up to five years past the applicable compliance date. Finally, the latest amendment by the Board on September 1, 2023 to Rule 1111 extended the mitigation fee alternate compliance option end date from September 30, 2023, to September 30, 2025, for mobile home furnaces since all other types of furnaces subject to Rule 1111 had fully implemented the 14 ng/J NO_x limit.

On April 5, 2024, the Board amended Rule 1118 – Control of Emissions from Refinery Flares, which was the second phase of a two-phased rule amendment that began on July 7, 2017, to reduce flaring and flare-related emissions at refineries, hydrogen production plants, and sulfur recovery plants. This second phase was designed not only to align Rule 1118 with requirements of U.S. EPA's Refinery Sector Rule for flares, but also to realize further emission reductions from refinery flares by achieving four out of the seven Assembly Bill 617 air quality objectives for the Wilmington, Carson, West Long Beach communities. This was accomplished by establishing a more stringent sulfur dioxide (SO₂) performance target, a new performance target for NO_x emissions from flares at hydrogen production plants, and a throughput threshold for liquified petroleum gas flares at refineries.

Since amended Rule 1111 and amended Rule 1118 were not subsumed under RECLAIM and contained no exemptions from their applicability to RECLAIM NO_x or SO_x sources, the requirements of these rules apply equally to both RECLAIM and non-RECLAIM facilities. As such, there are no differential impacts in emissions when comparing the applicability of adopted/amended rule requirements to NO_x and SO_x sources under RECLAIM with NO_x and SO_x sources of non-RECLAIM facilities.

Consequently, during Compliance Year 2023, both rules subsumed by RECLAIM and rules not subsumed by RECLAIM, did not result in any disparate impacts between NO_x and SO_x sources at RECLAIM and NO_x and SO_x sources at non-RECLAIM facilities.

Program Amendments

On March 3, 2017, the Board adopted a resolution during the adoption of the 2016 AQMP that directed staff to modify Control Measure CMB-05 – Further NOx Reductions from RECLAIM Assessment to achieve an additional five tons per day NOx emission reductions as soon as feasible but no later than 2025, and to transition the RECLAIM program to a command-and-control regulatory structure requiring BARCT level controls as soon as practicable. Additionally, California State Assembly Bill (AB) 617 was approved in July 2017, requiring an expedited schedule for implementing BARCT at RECLAIM facilities that are covered by the Greenhouse Gas (GHG) cap-and-trade program no later than December 31, 2023.

Transition Process

To further this effort, staff organized and held monthly working group meetings (with the first meeting held on June 8, 2017) to discuss the transition of facilities in the RECLAIM program to a command-and-control regulatory structure and to discuss key policy issues. The objective was to provide an open forum for all stake holders to discuss and guide the transition process. The goal was to develop “Landing Rules” establishing the BARCT emission levels for equipment transitioning out of the NOx RECLAIM program. Rule 2001 specifically exempts RECLAIM facilities from a number of existing command-and-control NOx rules (see Table 1 of Rule 2001). As part of the transition process, these command-and-control rules were amended and additional new NOx BARCT command-and-control rules were adopted (collectively referred to as “Landing Rules”) to ensure that when a facility transitions out of RECLAIM, its NOx equipment has explicit BARCT emission limits and an appropriate time frame to achieve compliance.

To initiate the transition of NOx sources out of RECLAIM, Rule 2001, and Rule 2002, were amended by the Board on January 5, 2018. Amended Rule 2001 precluded new or existing facilities from entering the NOx and SOx RECLAIM programs as of January 5, 2018. Amended Rule 2002 contained notification procedures for facilities that will be transitioned out of RECLAIM.

Rules 2001 and 2002 were again amended by the Board on October 5, 2018. Amended Rule 2001 added a provision to allow facilities to opt out of RECLAIM if certain criteria were met. Additionally, Tables 1 and 2 had previously contained only rules that were not applicable to RECLAIM facilities pertaining to NOx or SOx emissions, respectively. However, in order to facilitate the transition process, the amendments to Rule 2001 specify that RECLAIM facilities are required to comply with the rules contained in Table 1 that are adopted or amended on or after October 5, 2018. Two facilities that requested to opt out of the NOx RECLAIM Program pursuant to Rule 2001 were issued Final Determination Notifications and were exited from the NOx RECLAIM program.

Rule 2001 was then subsequently amended by the Board on July 12, 2019, to remove the opt-out provision provided for in the October 5, 2018, amendments to the rule. This amendment was in response to U.S. EPA’s recommendation that facilities remain in RECLAIM until all rules associated with the transition to a command-and-control regulatory structure have been adopted and approved into the SIP.

On November 3, 2023, the Board amended Rule 2011 – Requirements for Monitoring, Reporting, and Recordkeeping for Oxides of Sulfur (SOx) Emissions and Rule 2012 – Requirements for Monitoring, Reporting, and Recordkeeping for Oxides of Nitrogen (NOx) to provide SOx and NOx RECLAIM facilities with an additional compliance pathway for operating Continuous Emission Monitoring Systems (CEMS) during extended shutdowns (minimum of 168 consecutive hours) of a combustion unit. The amendments to Rules 2011 and 2012 incorporated existing provisions of Rule 218.2 – Continuous Emission Monitoring Performance Specifications for CEMS during extended basic equipment shutdowns and the three-point linearity error test in Rule 218.3 – Enhanced Requirements for Continuous Emission Monitoring System Performance Specifications and were necessary to provide monitoring relief for RECLAIM facilities as they replace and/or modify equipment to comply with Landing Rules and provided consistency across South Coast AQMD CEMS rules.

Landing Rules

As explained earlier, Landing Rules are needed to establish BARCT emission limits, the timing for the implementation of BARCT, and monitoring, reporting, and recordkeeping (MRR) requirements. These Landing Rules also serve to facilitate the transition process for RECLAIM facilities from the requirements of RECLAIM to a command-and-control regulatory structure. Determination of BARCT limits is made through an analytical process that is comprised of assessing South Coast AQMD and other agency regulatory requirements and emission limits, researching control options and effectiveness of the controls, and analyzing the cost-effectiveness of the control options. Emission levels are established based on their achievability, source test results, and vendor guarantees.

Throughout the BARCT determination process, rule-specific working group meetings are held to present staff's findings regarding the feasibility and cost-effectiveness of implementing BARCT. Working group meetings are open to the public and provide an opportunity for stakeholders to participate in the rule development process. During the public process, cost assumptions are discussed through the working group to solicit comments. Cost-effectiveness and incremental cost-effectiveness, if applicable, are discussed and presented during the rule working group meetings, presented at the Public Workshop, included in the Draft Staff Report, and included in the Board Letter for the adoption hearing. The socioeconomic analysis uses the cost data to estimate regional and industry-specific socioeconomic impacts from the proposed rule and its proposed controls, while the CEQA analysis provides the environmental impacts that result from implementing a rule.

Staff have identified a number of rules that need amendments and new rules that need to be adopted to support the transitioning of NOx sources out of RECLAIM. The following 29 Landing Rules were amended, adopted, or rescinded by the Board to facilitate the transition:

- Rule 218 – Continuous Emission Monitoring,
- Rule 218.2 – Continuous Emission Monitoring System: General Provisions,
- Rule 218.3 – Continuous Emission Monitoring System: Performance Specifications,

- Rule 429 – Start-Up and Shutdown Exemption Provisions for Oxides of Nitrogen,
- Rule 429.1 – Start-Up and Shutdown Provisions at Petroleum Refineries and Related Operations,
- Rule 429.2 – Startup and Shutdown Exemption Provisions for Oxides of Nitrogen from Electricity Generating Facilities,
- Rule 1100 – Implementation Schedule for NO_x Facilities,
- Rule 1109 – Emissions of Oxides of Nitrogen from Boilers and Process Heaters in Petroleum Refineries (rescinded),
- Rule 1109.1 – Emissions of Oxides of Nitrogen from Petroleum Refineries and Related Operations,
- Rule 1110.2 – Emissions from Gaseous - and Liquid-Fueled Engines,
- Rule 1110.3 – Emissions from Linear Generators,
- Rule 1117 – Emissions from Container Glass Melting and Sodium Silicate Furnaces,
- Rule 1118.1 – Control of Emissions from Non-Refinery Flares,
- Rule 1134 – Emissions of Oxides of Nitrogen from Stationary Gas Turbines,
- Rule 1135 – Emissions of Oxides of Nitrogen from Electricity Generating Facilities,
- Rule 1146 – Emissions of Oxides of Nitrogen from Industrial, Institutional and Commercial Boilers, Steam Generators, and Process Heaters,
- Rule 1146.1 – Emissions of Oxides of Nitrogen from Small Industrial, Institutional, and Commercial Boilers, Steam Generators, and Process Heaters,
- Rule 1146.2 – Emissions of Oxides of Nitrogen from Large Water Heaters and Small Boilers and Process Heaters,
- Rule 1147 – NO_x Reductions from Miscellaneous Sources,
- Rule 1147.1 – NO_x Reductions from Aggregate Dryers,
- Rule 1147.2 – NO_x Reductions from Metal Melting and Heating Furnaces,
- Rule 1153.1 – Emissions of Oxides of Nitrogen from Commercial Food Ovens,
- Rule 1159.1 – Control of NO_x Emissions from Nitric Acid Tanks
- Rule 2000 – General,
- Rule 2001 – Applicability,
- Rule 2002 – Allocations for Oxides of Nitrogen (NO_x) and Oxides of Sulfur (SO_x),
- Rule 2005 – New Source Review for RECLAIM,
- Rule 2011 – Requirements for Monitoring, Reporting, and Recordkeeping for Oxides of Sulfur (SO_x) Emissions, and
- Rule 2012 – Requirements for Monitoring, Reporting, and Recordkeeping for Oxides of Nitrogen (NO_x) Emissions.

A summary of each Landing Rule is provided in Table 3-3. The status of the remaining Landing Rules to be amended or adopted are listed in Table 3-3 as “In Progress”. Further information regarding the specifics of each rule can be found at <http://www.aqmd.gov/home/rules-compliance/rules/scaqmd-rule-book/proposed-rules>. Details on past amended or adopted rules can be found by entering the amendment or adoption date of a given rule at <http://www.aqmd.gov/>

[home/news-events/meeting-agendas-minutes](#) and downloading the relevant rule board agenda item.

Table 3-3
Summary of Landing Rules

Rule(s)	Focus Area	Description
218, 218.2 and 218.3	<p>Continuous Emission Monitoring</p> <p>Rule 218 – CEM</p> <p><i>Applicability:</i> Equipment that require CEMS at non-RECLAIM facilities</p> <p>Rule 218.2 – CEMS: General Provisions</p> <p><i>Applicability:</i> Administrative requirements for CEMS, ACEMS, and SCEMS for owners or operators of a CEMS, ACEMS, or SCEMS at former RECLAIM and non-RECLAIM facilities</p> <p>Rule 218.3 – CEMS: Performance Specifications</p> <p><i>Applicability:</i> Performance specifications on certification and quality assurance and quality control programs for owners or operators of a CEMS, ACEMS, or SCEMS at RECLAIM and non-RECLAIM facilities</p>	<p>Revises provisions for continuous emission monitoring systems for non-RECLAIM facilities and facilities exiting RECLAIM.</p> <ol style="list-style-type: none"> For Rule 218 facilities: <ul style="list-style-type: none"> Provides a phase-out provision to transition facilities subject to Rules 218, 218.1, and 2012 into the revised provisions for CEMS which are specified in Rules 218.2 and 218.3. (Amended March 5, 2021) For Rule 218.2 facilities: <ul style="list-style-type: none"> Provides implementation schedule for transition. Provides CEMS administrative requirements and revises the provisions retained from Rule 218 with key modifications on the certification process for CEMS modification and the requirements for reporting. Incorporates a new provision that would require CEMS to be in continuous operation, except during the defined CEMS maintenance and repair period, and allow CEMS to be shut down when the unit (emission source) goes offline for at least one week. (Adopted March 5, 2021) For Rule 218.3 facilities: <ul style="list-style-type: none"> Provides implementation schedule for transition. Provides CEMS performance specifications and revises the provisions retained from Rule 218.1 with key modifications on: <ul style="list-style-type: none"> span range, data acquisition and handling system, relative accuracy test audit, and calibration gas requirements. Incorporates a new provision to provide specifications on: <ul style="list-style-type: none"> the data handling method for data measured below 10 percent or above 95 percent of the upper span value, emission data averaging method, CEMS data availability requirements, and, CEMS out-of-control period and alternative data acquisition.

Rule(s)	Focus Area	Description
		<p><i>(Adopted March 5, 2021)</i></p> <p><i>[Estimated emission reductions: 0 tons of NOx per day.]</i></p> <ol style="list-style-type: none"> For Rule 218.2 facilities: <ul style="list-style-type: none"> Clarifies that the Executive Officer discretion on recertification requirement will only apply if modification would not impact data accuracy. Extends recordkeeping from a minimum period of two years to three years. Clarifies exemption that the Executive Officer discretion does not apply if the rule or permit specified CEMS requirements are less stringent. For Rule 218.3 facilities: <ul style="list-style-type: none"> Provides detailed instruction on the test sequence and the number of data points required when conducting the linearity error check procedure. Extends a low-level data validation option from being applicable to lowest vendor guaranteed span range to any span range. Includes: <ul style="list-style-type: none"> ➤ mass emission calculation methodology, ➤ data substitution procedure when a facility is complying with a mass emission limitation, ➤ method to calculate mass emissions for a startup or shutdown period, and ➤ data substitution procedures for startup or shutdown missing minute data when a facility is complying with a mass emission limitation for startup or shutdown. Allows the owner or operator to report valid zero emissions data while the unit is not operating, and no emissions are generated. Clarifies exemption that the Executive Officer discretion does not apply if the rule or permit specified CEMS requirements are less stringent. <p><i>(Amended September 2, 2022)</i></p> <p><i>[Estimated emission reductions: 0 tons of NOx per day.]</i></p>
429, 429.1 and 429.2	<p>Start-up and Shutdown Provisions of Oxides of Nitrogen from:</p> <p>Rule 429 - Start-Up and Shutdown Exemption</p>	<p>Revises NOx emission provisions for start-up and shutdown events.</p> <ol style="list-style-type: none"> For applicable Rule 429 equipment: <ul style="list-style-type: none"> Establishes exemption from Rules 1134, 1146, 1147, 1147.1, and 1147.2 NOx and CO

Rule(s)	Focus Area	Description
	<p>Provisions for Oxides of Nitrogen</p> <p><i>Applicability:</i> Equipment using CEMS, ACEMS, or SCEMS that are subject to Rule 1134, Rule 1146, Rule 1147, Rule 1147.1, and Rule 1147.2</p>	<p>concentration limits during startup and shutdown.</p> <ul style="list-style-type: none"> • Provides limits for: <ul style="list-style-type: none"> ➤ duration of time that an operator is exempt from NOx and CO concentration limits for startup and shutdowns, and ➤ frequency of scheduled startups. • Requires NOx post-combustion control equipment to: <ul style="list-style-type: none"> ➤ operate when exhaust gas temperature reaches the minimum operating temperature of the NOx post-combustion control equipment, and temperature is stable, and ➤ install and maintain an annually calibrated temperature measuring device. • Requires notification for scheduled startups. • Requires recordkeeping of: <ul style="list-style-type: none"> ➤ operating log, ➤ list of scheduled startups, and ➤ the minimum operating temperature of NOx post-combustion control equipment. • Provides exemptions for: <ul style="list-style-type: none"> ➤ refractory dryout, and ➤ when fuel is only used for the pilot light. <p style="text-align: right;"><i>(Amended September 2, 2022)</i></p> <p><i>[Estimated emission reductions: 0 tons of NOx per day.]</i></p>
	<p>Rule 429.1 - Petroleum Refineries and Related Operations</p> <p><i>Applicability:</i> Owner or operator of units at petroleum refineries and facilities with related operations to petroleum refineries</p>	<p>1. For Rule 429.1 facilities:</p> <ul style="list-style-type: none"> • Establishes exemption from Rule 1109.1 NOx and CO concentration limits during startup, shutdown, commissioning, and certain maintenance events. • Provides limits for: <ul style="list-style-type: none"> ➤ duration of time that an operator is exempt from NOx and CO concentration limits for startup and shutdowns, and ➤ frequency of scheduled startups. • Establishes requirements for: <ul style="list-style-type: none"> ➤ units with NOx post-combustion control equipment, ➤ catalyst maintenance, and ➤ notification and recordkeeping. • Establishes exemptions for: <ul style="list-style-type: none"> ➤ refractory dryout, ➤ catalyst regeneration activities, ➤ commissioning, ➤ water freeing,

Rule(s)	Focus Area	Description
	<p>Rule 429.2 – Electricity Generating Facilities</p> <p><i>Applicability:</i> Owner or operator of electrical generating units at electricity generating facilities subject to Rule 1135</p>	<ul style="list-style-type: none"> ➤ when fuel is only used for the pilot light, and ➤ units with existing permit conditions that allow the use of a bypass to conduct maintenance. <p style="text-align: right;"><i>(Adopted November 5, 2021)</i></p> <p><i>[Estimated emission reductions: 0 tons of NOx per day.]</i></p> <p>1. For Rule 429.2 units for startup and shutdown events:</p> <ul style="list-style-type: none"> • Establishes exemption for electric generating units from Rule 1135 NOx concentration limits for specific time durations. • Establishes two sets of startup and shutdown time duration limits for each equipment type based on the date of equipment installation. • Requires startup period to end when: <ul style="list-style-type: none"> ➤ the electric generating unit reaches stable conditions, ➤ the NOx post-combustion control equipment reaches minimum operating temperature, and ➤ all NOx post-combustion controls are fully deployed. • Limits number of scheduled events to: <ul style="list-style-type: none"> ➤ 12 per year for electric generating units not permitted to perform distillate fuel oil readiness testing, and ➤ 64 per year for electric generating units permitted to perform distillate fuel oil readiness testing. • Includes best management practices to minimize emissions during events. • Establishes reporting and recordkeeping procedures. • Establishes exemptions for electric generating units subject to the State Water Resources Control Board's Once-Through-Cooling Policy (OTC Policy) from: <ul style="list-style-type: none"> ➤ startup and shutdown duration limits, ➤ limits to number of scheduled startups, and ➤ installation of a temperature measuring device until December 31, 2029. <p style="text-align: right;"><i>(Adopted January 7, 2022)</i></p> <p><i>[Estimated emission reductions: 0 tons of NOx per day.]</i></p>

Rule(s)	Focus Area	Description
1100	<p>Implementation Schedule for NOx Facilities</p> <p><i>Applicability:</i> Equipment specified in Rules 1146, 1146.1, and 1110.2</p>	<p>Establishes implementation schedule for RECLAIM and prior RECLAIM sources to meet applicable provisions of Landing Rules.</p> <ul style="list-style-type: none"> Implementation schedule for equipment meeting applicability under Rules 1146 and 1146.1. <i>(Adopted December 7, 2018)</i> Implementation schedule for equipment meeting applicability under Rule 1110.2. <i>(Amended November 1, 2019)</i> Revises definition of “industry-specific category” to reflect the intent to exempt equipment at refineries from the NOx emission limits or permit submission deadlines specified in Rules 1100, 1110.2, 1146, and 1146, that will be regulated in an industry-specific rule for refineries and related industries under Proposed Rule 1109.1. <i>(Amended January 10, 2020)</i> <p>This rule will be amended as necessary as a companion rule to a Landing Rule, as the Landing Rule is amended or adopted.</p>
1109 <i>(rescinded)</i> and 1109.1	<p>Emissions of Oxides of Nitrogen from:</p> <p>Rule 1109 - Boilers and Process Heaters</p> <p><i>Applicability:</i> Boilers and process heaters emitting NOx at refineries.</p> <p>Rule 1109.1 - Petroleum Refineries and Related Operations</p> <p><i>Applicability:</i> Equipment emitting NOx at refineries and related operations (<i>i.e.</i>, asphalt plants, biofuel plants, hydrogen production plants, facilities that operate petroleum coke calciners, sulfuric acid plants, and sulfur recovery plants at petroleum refineries)</p>	<p>Establishes NOx emission limits to reflect BARCT for equipment located at a refinery.</p> <ol style="list-style-type: none"> For Rule 1109 facilities: <ul style="list-style-type: none"> Rule 1109 rescinded upon adoption of Rule 1109.1. <i>(Rule rescinded November 5, 2021)</i> For Rule 1109.1 facilities: <ul style="list-style-type: none"> Includes two alternative compliance plans to achieve the BARCT NOx concentration limits in Table 1 and Table 2 (B-Plan and B-Cap) of Rule 1109.1, and an alternative implementation schedule plan (I-Plan). The B-Plan, B-Cap, and I-Plan provide compliance flexibility while achieving the same NOx reductions that would occur if an operator were to directly meet the NOx limits in Table 1 and Table 2 of Rule 1109.1. Includes provisions for using alternative compliance plans, the approval process, and when an approved plan must be modified. Includes interim NOx limits for units that would apply after the facility transitions out of RECLAIM and until the unit is in full compliance with Rule 1109.1 to ensure no

Rule(s)	Focus Area	Description
		<p>backsliding of emissions per the federal Clean Air Act Section 110(l).</p> <ul style="list-style-type: none"> Includes monitoring, reporting, and recordkeeping requirements, and exemptions for low-use units and other units that are exempt from the rule. <p>(Adopted November 5, 2021) [Estimated emission reductions: 7.7 to 7.9 tons of NOx per day.]</p>
1110.2 and 1110.3	<p>Emissions from:</p> <p>Rule 1110.2 – Gaseous and Liquid-Fueled Engines</p> <p><i>Applicability:</i> All stationary and portable engines over 50 rated brake horsepower</p>	<ol style="list-style-type: none"> Maintains existing BARCT levels for NOx, VOC, and CO emission limits, and allows: <ul style="list-style-type: none"> interim alternate emission limits for compressor gas lean-burn engines, concentration based limits for linear generator technology, and interim VOC based emission limits for certain electricity generating engines. Specifies emission averaging time. Includes additional monitoring requirements for engines at former RECLAIM facilities. Revises exemptions for: <ul style="list-style-type: none"> diesel engines operated at remote radio transmission sites, tuning of an engine and/or associated emission control equipment, replacement of catalytic equipment as a major repair, and diesel engines powering cranes located on offshore platforms, provided specific criteria are met. <p>(Amended November 1, 2019) [Estimated emission reductions, 0.29 tons of NOx per day.]</p>
	<p>Rule 1110.2 – Gaseous and Liquid-Fueled Engines</p> <p><i>Applicability:</i> All stationary and portable engines over 50 rated brake horsepower, excluding linear generators</p>	<ol style="list-style-type: none"> Maintains existing BARCT levels for NOx, VOC, and CO emission limits, and excludes linear generators under Rule 1110.2 due to adoption of Rule 1110.3 - Emissions from Linear Generators. <p>(Amended November 3, 2023) [Estimated emission reductions: 0 tons of NOx per day.]</p>
	<p>Rule 1110.3 – Linear Generators</p> <p><i>Applicability:</i> Linear generators</p>	<ol style="list-style-type: none"> Allows for specific considerations of the technology and capabilities of linear generators. Establishes NOx, CO, and VOC emission limits for linear generators. Establishes provisions for source testing, monitoring, reporting and recordkeeping by requiring: <ul style="list-style-type: none"> a net output meter and parametric monitoring system,

Rule(s)	Focus Area	Description
		<ul style="list-style-type: none"> inspection and maintenance of parametric monitoring system per manufacturer's recommendations, records to be kept for a period of five years and made available to staff, source tests every five years with options for pooled source testing every three years for facilities with six or more units, diagnostic emissions checks required every two years, and source test results to be submitted to Executive Officer. <p>4. Provides exemptions for:</p> <ul style="list-style-type: none"> laboratory units, emergency units, and units used for fire-fighting and flood control. <p>(Amended November 3, 2023) [Estimated emission reductions: 0 tons of NOx per day.]</p>
1117	<p>Emissions from Container Glass Melting and Sodium Silicate Furnaces</p> <p><i>Applicability:</i> Container glass melting and sodium silicate furnaces</p>	<p>1. Updates NOx and SOx emission limits to reflect current BARCT for container glass melting and sodium silicate furnaces:</p> <ul style="list-style-type: none"> 0.75 lb. of NOx per ton of glass pulled on a rolling 30-day average for container glass melting furnaces, 0.50 lb. of NOx per ton of product pulled on a rolling 30-day average for sodium silicate furnaces, as well as 1.1 lbs. of SOx per ton of material pulled on a rolling 30-day average for both container glass melting and sodium silicate furnaces. <p>2. Revises monitoring, reporting, and recordkeeping requirements.</p> <p>3. Includes provisions to reduce emissions for idling, startup, and shutdown of furnaces.</p> <p>4. Includes NOx emission limits for auxiliary combustion equipment associated with container glass melting operations:</p> <ul style="list-style-type: none"> 30 ppmvd NOx at 3% O2 or 0.036 lb. per MMBTU of heat input. <p>(Amended June 5, 2020) [Estimated emission reductions, 0.57 tons of NOx per day, and 0 tons of SOx per day (since the rule does not impose a more stringent SOx limit than is already required to be achieved).]</p>
1118.1	<p>Control of Emissions from Non-Refinery Flares</p> <p><i>Applicability:</i></p>	<p>1. Establishes NOx, VOC, and CO emission limits to reflect current BARCT for new, replaced, or relocated flares.</p>

Rule(s)	Focus Area	Description
	Flares located at landfills, wastewater treatment plants, oil and gas production facilities, organic liquid loading stations, tank farms, and other locations that are not a refinery	<ol style="list-style-type: none"> Establishes industry-specific capacity thresholds for existing flares. Flares that exceed the applicable capacity threshold in two consecutive calendar years shall either be: <ul style="list-style-type: none"> modified to comply with the established limit, or implement plan to reduce the amount of gas flaring. Establishes monitoring, reporting, recordkeeping and source testing requirements. Provides exemptions for low-use and low-emitting flares. <p style="text-align: right;"><i>(Adopted January 4, 2019)</i></p> <p><i>[Estimated emission reductions: 0.18 tons of NOx per day, and 0.014 tons of VOC per day.]</i></p>
1134	<p>Emissions of Oxides of Nitrogen from Stationary Gas Turbines</p> <p><i>Applicability:</i> Stationary gas turbines, 0.3 MW and larger, except turbines located at electricity generating facilities, refineries or public owned treatment works, or fueled by landfill gas</p>	<ol style="list-style-type: none"> Updates NOx and ammonia emission limits to reflect current BARCT, effective beginning January 1, 2024. Provides implementation timeframes to facilitate transition. <ul style="list-style-type: none"> Alternative compliance date for compressor gas turbines, provided the facility demonstrates 25% or more NOx emission reductions beginning December 31, 2023. Extension of up to 36 months to comply with ammonia emission limits, provided: <ul style="list-style-type: none"> an ammonia continuous emissions monitoring system is installed, and the turbine operates less than one thousand hours per year. Revises monitoring, reporting, and recordkeeping requirements. Provides exemptions for units that are shown to be not cost effective for retrofit or replacement such as: <ul style="list-style-type: none"> low-use turbines, and turbines achieving emissions close to the established limit. <p style="text-align: right;"><i>(Amended April 5, 2019)</i></p> <p><i>[Estimated emission reductions: 2.8 tons of NOx per day.]</i></p> <ol style="list-style-type: none"> Removes ammonia emission limits (addressed during permitting). Removes startup and shutdown provisions and clarifies startup and shutdown periods are pursuant to Rule 429. Establishes an interim NOx concentration limit of 68 ppmv at 15 % oxygen on a dry basis for compressor gas turbines that will apply to former RECLAIM facilities until the unit meets the final NOx limit under Rule 1134.

Rule(s)	Focus Area	Description
		<ol style="list-style-type: none"> Clarifies that recuperative gas turbines are under "Other" turbines category. Removes references to Rule 2012 for former RECLAIM facilities. Includes Rules 218.2 and 218.3 requirements for former RECLAIM and non-RECLAIM facilities. Incorporates a narrow liquid fuel usage exemption for turbines located at health facilities during emergencies. <p style="text-align: right;">(Amended February 4, 2022)</p> <p>[Estimated emission reductions: 0 tons of NOx per day.]</p>
1135	<p>Emissions of Oxides of Nitrogen from Electricity Generating Facilities</p> <p><i>Applicability:</i> Electric generating units at electricity generating facilities</p>	<ol style="list-style-type: none"> Updates emission limits to reflect current BARCT: <ul style="list-style-type: none"> NOx and ammonia emission limits for boilers and gas turbines, and NOx, ammonia, carbon monoxide, volatile organic compounds, and particulate matter for internal combustion engines. Revises monitoring, reporting, and recordkeeping requirements. Provides exemptions for units that are shown to be not cost effective for retrofit: <ul style="list-style-type: none"> low-use units, units achieving emissions close to the established limits, and units required to be shut down in the near term. <p style="text-align: right;">(Amended November 2, 2018)</p> <p>[Estimated emission reductions: 1.7 tons of NOx per day.]</p> <ol style="list-style-type: none"> Removes ammonia emission limits. Removes startup and shutdown provisions addressed in Rule 429.2. For engines at Santa Catalina Island: <ul style="list-style-type: none"> removes option allowing replacement of existing diesel engines on Santa Catalina Island with new diesel engines and establishes a two-step process to reduce NOx emissions from all electric generating units on the island by meeting: <ul style="list-style-type: none"> ➤ an initial NOx emission cap of 50 tons per year in 2024, then lower the cap to 45 tons per year in 2025 (Represents replacing two or three diesel engines with Tier 4 Final engines); and ➤ a final NOx emission cap of 13 tons per year beginning in 2026. requires new diesel engines to meet the BARCT emissions limits in Table 2,

Rule(s)	Focus Area	Description
		<ul style="list-style-type: none"> revises the NOx concentration averaging period for new diesel engines from one hour to three hours, and prohibits installation of any new diesel engines on Santa Catalina Island on and after January 1, 2024. <ol style="list-style-type: none"> Includes Rule 218.2 monitoring, recordkeeping and reporting provisions. Allows backup units until July 1, 2026, to source test in lieu of complying with Rules 218.2 and 218.3. Allows a sunset date of December 31, 2029, for electric generating units subject to the State Water Resources Control Board's Once-Through-Cooling Policy to be exempt from Rule 1135 emission limits. <p style="text-align: right;"><i>(Amended January 7, 2022)</i></p> <p><i>[Estimated emission reductions: 0 tons of NOx per day.]</i></p>
1146, 1146.1, and 1146.2	<p>Emissions of Oxides of Nitrogen from:</p> <p>Rule 1146 - Industrial, Institutional and Commercial Boilers, Steam Generators, and Process Heaters</p> <p><i>Applicability:</i> Boilers, steam generators, and process heaters that are greater than or equal to 5 MMBtu/hr</p> <p>Rule 1146.1 - Small Industrial, Institutional, and Commercial Boilers, Steam Generators, and Process Heaters</p> <p><i>Applicability:</i> Boilers, process heaters, and steam generators that are greater than 2 MMBtu/hr or and less than 5 MMBtu/hr</p>	<p>Updates NOx emission limits to reflect BARCT for Boilers, steam generators, and process heaters.</p> <ol style="list-style-type: none"> For Rule 1146 and 1146.1 facilities: <ul style="list-style-type: none"> establishes NOx and ammonia emission limits for boilers, steam generators, and heaters, and specifies compliance schedule in Rule 1100. For Rule 1146.2 units: <ul style="list-style-type: none"> comply with the 30 ppm limit by December 31, 2023, if a technology assessment (to be completed by January 1, 2022) determines that the NOx emission limits specified in Rule 1146.2 still represent BARCT. <p style="text-align: right;"><i>(Amended December 7, 2018)</i></p> <p><i>[Estimated emission reductions: 0.31 tons of NOx per day.]</i></p> <ol style="list-style-type: none"> For Rule 1146 facilities: <ul style="list-style-type: none"> removes ammonia slip limit which is currently addressed under Regulation XIII. <p style="text-align: right;"><i>(Amended December 4, 2020)</i></p> <p><i>[Estimated emission reductions: 0 tons of NOx per day.]</i></p> <ol style="list-style-type: none"> For Rule 1146.2 facilities: <ul style="list-style-type: none"> requires a zero-emission (0 ppmv) NOx limit for new installations of applicable large water heaters, small boilers, and process heaters.

Rule(s)	Focus Area	Description
	<p>Rule 1146.2 - Large Water Heaters and Small Boilers and Process Heaters</p> <p><i>Applicability:</i> Boilers, process heaters, and steam generators that are greater than 400,000 Btu/hr and less than or equal to 2 MMBtu/hr</p>	<ul style="list-style-type: none"> establishes future zero-emission limit compliance dates for units installed in new or existing buildings. allows for alternative compliance option and a low-use exemption for units used for residential structures and small businesses. clarifies and updates rule language, restructures the rule, and removes obsolete language. <p>(Amended June 7, 2024)</p> <p>[Estimated emission reductions: 5.6 tons of NOx per day by 2058.]</p>
1147, 1147.1, and 1147.2	<p>NOx reductions from:</p> <p>Rule 1147 - Miscellaneous Sources</p> <p><i>Applicability:</i> Manufacturers, distributors, retailers, installers, owners, and operators of gaseous and/or liquid fuel fired combustion equipment \geq 325,000 Btu/hr with NOx emissions that require a South Coast AQMD permit and when other South Coast AQMD Regulation XI rules are not applicable to the unit.</p>	<p>Moves NOx emissions associated with aggregate dryers to Rule 1147.1, and NOx emissions associated with metal melting and heating furnaces to Rule 1147.2. Updates and establishes NOx and CO emission limits to reflect current BARCT.</p> <ol style="list-style-type: none"> Establishes NOx emission limits of: <ul style="list-style-type: none"> 9 ppmv for micro-turbines, and between 20 to 60 ppmv for all remaining equipment categories. Establishes interim NOx emission limits of: <ul style="list-style-type: none"> existing Rule 1147 limits for non-RECLAIM facilities, or 102 ppmv or existing NOx permit limit, whichever is lower, for former RECLAIM facilities. Establishes a CO concentration limit of 1,000 ppmv for all applicable equipment categories. Establishes monitoring, reporting, recordkeeping, and source testing requirements. Includes two implementation schedules: <ul style="list-style-type: none"> one for units that do not have a permit limit at the current Rule 1147 limits (primarily RECLAIM facilities); and one for units meeting the current Rule 1147 limits (primarily non- RECLAIM facilities). Provides exemptions for: <ul style="list-style-type: none"> solid fuel-fired combustion equipment, heating equipment associated with fuel cells, unit(s) with burner(s) permitted to be fired by a gaseous fuel other than natural gas and/or liquid fuel during normal operations, and unit(s) used in equipment that endothermically decompose solid waste in an environment with little to no oxygen. <p>(Amended May 6, 2022)</p>

Rule(s)	Focus Area	Description
	<p>Rule 1147.1 - Aggregate Dryers</p> <p><i>Applicability:</i> Owners or operators of gaseous fuel-fired aggregate dryers with NOx emissions > 1 lb. per day with rated heat input greater than 2MMBtu/hr at non-RECLAIM, RECLAIM, and former RECLAIM facilities</p>	<p><i>[Estimated emission reductions: 0.54 tons of NOx per day by January 1, 2026, and 1.59 tons of NOx per day by January 1, 2059.]</i></p> <ol style="list-style-type: none"> 1. Establishes NOx emission limit of 30 ppm and CO emission limit of 1,000 ppm for gaseous fuel fired aggregate dryers and specifies implementation timeframes. 2. Establishes interim NOx emission limits of: <ul style="list-style-type: none"> • 40 ppm for non-RECLAIM facilities, and • 102 ppm for former RECLAIM facilities. 3. Provides periodic source testing based on equipment size: <ul style="list-style-type: none"> • < 10 MMBtu/hr – every 5 calendar years, • < 40 and ≥ 10 MMBtu/hr – every 3 calendar years, and • ≥ 40 MMBtu/hr – every calendar year. 4. Allows for aggregate dryers rated ≥ 40 MMBtu/hr that have not operated for at least 6 consecutive months to conduct a source test no later than 90 days after date of resumed operation. 5. Requires aggregate dryers at a non-RECLAIM or former RECLAIM facilities with an existing CEMS or equivalent to retain the system and comply with the requirements of Rules 218.2 and 218.3. 6. Provides exemption for tunnel dryers subject to Rule 1147. <p><i>(Adopted August 6, 2021)</i></p> <p><i>[Estimated emission reductions: 0.01 tons of NOx per day by July 1, 2025, and 0.04 tons of NOx per day by July 1, 2056.]</i></p>
	<p>Rule 1147.2 - Metal Melting and Heating Furnaces</p> <p><i>Applicability:</i> Owners or operators of metal melting, metal heat treating, metal heating, or metal forging furnaces that require a South Coast AQMD permit at non-RECLAIM, RECLAIM, and former RECLAIM facilities</p>	<ol style="list-style-type: none"> 1. Establishes NOx and CO emission limits to reflect current BARCT for metal melting, metal heat treating, and metal heating and forging furnaces. 2. Establishes transitional NOx concentration limits for units at non-RECLAIM and former RECLAIM facilities. 3. Provides implementation schedules based on units': <ul style="list-style-type: none"> • burner age, • rated heat input capacity, and • current NOx concentration limits. 4. Provides an alternative staggered implementation schedule for facilities operating multiple impacted units subject to the rule. 5. Requires periodic source testing for all units not equipped with a Continuous Emissions Monitoring System (CEMS).

Rule(s)	Focus Area	Description
		<p>6. Requires CEMS for units with a rated heat input capacity greater than or equal to 40 MMBtu/hr.</p> <p>7. Requires maintaining records of compliance demonstrations, burner age, and furnace alterations.</p> <p>8. Provides exemptions from the concentration limits and source testing for units that:</p> <ul style="list-style-type: none"> • demonstrate NOx emissions of less than one pound per day, averaged over a calendar month, and • are equipped with a CEMS during periods of refractory dry-out, startup, and shutdown. <p>(Adopted April 1, 2022)</p> <p>[Estimated emission reductions: 0.495 tons of NOx per day.]</p>
1153.1	<p>Emissions of Oxides of Nitrogen from Commercial Food Ovens</p> <p><i>Applicability:</i> Commercial food ovens</p>	<p>Updates NOx emission limits to reflect current BARCT and establishes future effective dates for zero-emission limits for certain categories of commercial food ovens.</p> <p>1. Establishes NOx emission limits that represent BARCT for each class and category of equipment in two phases:</p> <ul style="list-style-type: none"> • Phase I - 15 ppmv for tortilla ovens heated solely by infrared burners and 30 ppmv for all other commercial food oven categories; and • Phase II - zero-emission for bakery ovens and cooking ovens rated less than or equal to three million Btu per hour, indirect-fired bakery ovens, and smokehouses. <p>2. Establishes a 102 ppm interim NOx emission limit if a facility transitions out of RECLAIM before they are required to meet the proposed limits in Rule 1153.1.</p> <p>3. Establishes requirements and a compliance schedule for Phase I emission limits which includes:</p> <ul style="list-style-type: none"> • submitting permit application by July 1st of the calendar year when the burner is 7 years of age; and • not operating a commercial food oven that exceeds Phase I limits: <ul style="list-style-type: none"> ➤ 12 months after the Permit to Construct is issued or, if a request for a permit extension is approved, the date included in that permit extension; or ➤ when the burner in commercial food oven is 10 years old. <p>4. Sets a compliance schedule for Phase II emission limits effective on and after January 1, 2027.</p>

Rule(s)	Focus Area	Description
		<p>5. Decommissions the commercial food oven:</p> <ul style="list-style-type: none"> • once the oven is 25 year or older and the burner is 10 years; or • as of January 1, 2036, when the unit reaches 25 years of age. <p>6. Provides alternate compliance schedule by allowing additional 24 months for facilities with one or more units subject to Phase II Emission Limit if additional time is needed for a utility to provide the necessary energy to the facility to power the electric zero-emission oven(s).</p> <p>7. Establishes monitoring, reporting, recordkeeping requirements.</p> <p>8. Establishes source testing requirements:</p> <ul style="list-style-type: none"> • units subject to Phase I emission limits must conduct simultaneous source tests for NO_x and CO to demonstrate compliance with applicable limits, and • source testing shall be conducted every five calendar years, but no earlier than 48 months after the previous source test. <p>9. Clarifies and provides exemptions for:</p> <ul style="list-style-type: none"> • commercial food oven with a rated heat input capacity less than 325,000 Btu/hour are exempt from the rule requirements, • previous exemption for commercial food ovens that emit less than one pound of NO_x per day was moved to the requirements subdivision as an alternative NO_x limit, and • owners or operators of a unit electing to comply with the one pound or less of NO_x per day emission limit are exempt from source testing requirements. <p style="text-align: right;">(Amended August 4, 2023)</p> <p><i>[Estimated emission reductions: 0.11 tons of NO_x per day.]</i></p>
1159.1	<p>Control of NO_x Emissions from Nitric Acid Processing Tanks</p> <p><i>Applicability:</i> Nitric acid processing tanks</p>	<p>Establishes NO_x emission limits to reflect current BARCT for nitric acid tanks at RECLAIM, former RECLAIM, and non-RECLAIM facilities.</p> <p>1. Requires facilities to control NO_x emissions from nitric acid units by either meeting:</p> <ul style="list-style-type: none"> • the BARCT emission limit of 0.30 pound per hour (lb/hr), or • a control efficiency of 99% per air pollution control device. <p>2. Allows for compliance by either:</p> <ul style="list-style-type: none"> • a one-time source test, or • recordkeeping of nitric acid usage to demonstrate emissions or usage are less than thresholds established by rule.

Rule(s)	Focus Area	Description
		<p>3. Establishes implementation schedules, as well as requirements for parametric monitoring, source testing, and recordkeeping: <i>(Adopted December 6, 2024)</i> <i>[Estimated emission reductions: 0.11 tons of NOx per day.]</i></p>
2000	<p>Definitions governing the RECLAIM program</p> <p><i>Applicability:</i> Definition of terms found in Regulation XX - RECLAIM</p>	<p>1. For all RECLAIM sources:</p> <ul style="list-style-type: none"> reclassifies the definition of a Major Modification for VOC or NOx emissions in the Coachella Valley by changing the threshold for NOx or VOC emissions from 25 tons per year to one pound per day to ensure consistency with Reg. XIII's Rule 1302 and the requirements of the Clean Air Act. <i>(Amended December 4, 2020)</i>
2001	<p>Applicability of RECLAIM criteria to new and existing facilities</p> <p><i>Applicability:</i> Establishes criteria for inclusion into RECLAIM and identifies provisions in current rules that do not apply to facilities operating under the RECLAIM program</p>	<p>1. Prevents new NOx RECLAIM facility inclusions as of January 5, 2018. <i>(Amended January 5, 2018)</i></p> <p>2. Allows facilities to opt-out of RECLAIM, if certain conditions are met. <i>(Amended October 5, 2018)</i></p> <p>3. Removes the opt-out provision for RECLAIM facilities until all rules associated with the transition to a command-and-control regulatory structure have been adopted and approved into the SIP. <i>(Amended July 12, 2019)</i></p>
2002	<p>Allocations for Oxides of Nitrogen (NOx) and Oxides of Sulfur (SOx)</p> <p><i>Applicability:</i> Facilities operating under the RECLAIM program</p>	<p>1. Establishes NOx RECLAIM facility exit notification requirements.</p> <p>2. Requires exited facilities to provide emission reduction credits to offset any NOx emissions increases, until NSR provisions governing NOx emission calculations and offsets are amended.</p> <p>3. Prohibits exited facilities from selling or transferring future compliance year RECLAIM Trading Credits. <i>(Amended January 5, 2018)</i></p> <p>1. Provides option for facilities that received an initial determination notification to stay in RECLAIM for a limited time.</p> <p>2. Establishes requirement for facilities issued a final determination to be transitioned out of the NOx RECLAIM program to provide emission reduction credits to offset any NOx emissions increases, calculated pursuant to Rule 1306, notwithstanding the exemptions contained in Rule 1304 and requirements in Rule 1309.1 until NSR provisions governing NOx emission calculations and offsets are amended to address former RECLAIM sources.</p>

Rule(s)	Focus Area	Description
		(Amended October 5, 2018)
2005	<p>New Source Review for RECLAIM</p> <p><i>Applicability:</i> Facilities operating under the RECLAIM program</p>	<p>Allows for NSR provisions to address facilities that are transitioning from RECLAIM to command-and-control. Amendments to Regulation XIII may be needed to address NSR provisions for facilities that transition out of RECLAIM.</p> <ol style="list-style-type: none"> 1. Allows a RECLAIM facility replacing existing basic equipment that is combined with the installation or modification of air pollution control equipment to: <ul style="list-style-type: none"> • comply with a command-and-control NOx emission limit for a Regulation XI rule (Rule 1109.1), • apply the BACT requirement for a SOx emission increase under Rule 1303 – Requirements, instead of BACT under Rule 2005, and • use the limited BACT exemption in Rule 1304 subdivision (f). <p>(Amended November 5, 2021)</p>
2011 and 2012	<p>Requirements for Monitoring, Reporting, and Recordkeeping for Oxides of Sulfur (SOx) Emissions</p> <p>and</p> <p>Requirements for Monitoring, Reporting, and Recordkeeping for Oxides of Nitrogen (NOx) Emissions</p> <p><i>Applicability:</i> Facilities with major sources monitored by CEMS operating under the RECLAIM program</p>	<p>For both RECLAIM NOx and SOx major sources monitored by CEMS:</p> <ol style="list-style-type: none"> 1. Allows a compliance pathway for CEMS during extended basic equipment shutdowns provided that: <ul style="list-style-type: none"> • NOx and/or SOx source must be non-operational for an extended period (at least 168 consecutive hours), • CEMS must operate for a minimum of four hours after basic equipment shutdown and show zero emissions before being brought offline, • submit a report of the CEMS shutdown to South Coast AQMD, • CEMS must pass a calibration error test and run for a minimum of four hours before any emissions are generated and operations resume, and • all required electronic reports are submitted within 48 hours of passing the calibration error test for Missing data procedures not to apply. 2. Expands alternative performance test options by including new provisions for a three-point linearity error test to measure concentrations that fall below ten percent of the higher full scale span value of any range, with the exception of the lowest vendor guaranteed span range. <p>(Amended November 3, 2023)</p>

Monthly working group meetings continue to be held, as necessary, to further discuss steps for transitioning the remaining RECLAIM facilities to a command-and-control structure, and to update necessary rule amendments to implement BARCT for the exiting RECLAIM facilities. Since the RECLAIM universe includes many different industries, separate working groups have been formed to address and develop these different BARCT Landing Rules. With the adoption of Rule 1159.1 – Control of NO_x Emissions from Nitric Acid Tanks, the development efforts for the Landing Rules has been completed.

Breakdowns

Pursuant to Rule 2004(i) – Breakdown Provisions, a facility may request that emission increases due to a breakdown not be counted towards the facility's allocations. In order to qualify for such exclusion, the facility must demonstrate that the excess emissions were the result of a fire, or a mechanical or electrical failure caused by circumstances beyond the facility's reasonable control. The facility must also take steps to minimize emissions resulting from the breakdown, and mitigate the excess emissions to the maximum extent feasible. Applications for exclusion of unmitigated breakdown emissions from a facility's total reported annual RECLAIM emissions must be approved or denied in writing by South Coast AQMD. In addition, facilities are required to quantify unmitigated breakdown emissions for which an exclusion request has been approved in their APEP report.

As part of the annual program audit report, Rule 2015(d)(3) requires South Coast AQMD to determine whether excess emissions approved to be excluded from RTC reconciliation have been programmatically offset by unused RTCs within the RECLAIM program. If the breakdown emissions exceed the total unused RTCs within the program, any excess breakdown emissions must be offset by either: (1) deducting the amount of emissions not programmatically offset from the RTC holdings for the subsequent compliance year from facilities that had unmitigated breakdown emissions, proportional to each facility's contribution to the total amount of unmitigated breakdown emissions; and/or (2) RTCs obtained by the Executive Officer for the compliance year following the completion of the annual program audit report in an amount sufficient to offset the unmitigated breakdown emissions.

As shown in Table 3-4, a review of APEP reports for Compliance Year 2023 found that no facilities requested to exclude breakdown emissions from being counted against their allocations. Thus, for Compliance Year 2023, no additional RTCs are required to offset breakdown emissions pursuant to Rule 2015(d)(3).

Table 3-4
Breakdown Emission Comparison for Compliance Year 2023

Pollutant	Compliance Year 2023 Unused RTCs (tons)	Unmitigated Breakdown Emissions¹ (tons)	Remaining Compliance Year 2023 RTCs (tons)
NOx	869	0	869
SOx	817	0	817

¹ Data for unmitigated breakdown emissions (not counted against Allocation) as reported under APEP reports.

Impact of Changing Universe

In general, changes to the universe of RECLAIM facilities have the potential to impact emissions and the supply and demand of RTCs, and, therefore, may impact RECLAIM emission reduction goals. Facilities exiting the RECLAIM program result in their emissions not being accounted and therefore diminish the demand of RTCs while the facility operator may retain their RTCs.³ On the other hand, facilities entering the program add to the accounting of emissions and increase the demand of RTCs while they may or may not be issued Allocations to account for their historical activities.⁴ However, the Board amended Rule 2001 on January 5, 2018, to preclude any facility from entering the RECLAIM program and amended Rule 2001 on July 12, 2019 to remove the opt-out provision so that facilities cannot exit RECLAIM.

As discussed in Chapter 1, during Compliance Year 2023, no facilities were included or excluded from the NOx or SOx universes, and one NOx only facility shut down. Compliance Year 2023 NOx and SOx audited emissions and initial Compliance Year 2023 allocations for facilities that were shut down during Compliance Year 2023 are summarized in Tables 3-5 and 3-6.

Table 3-5
NOx Emissions Impact from the Changes in Universe (Tons)

Category	Compliance Year 2023 NOx Emissions (tons)	Initial Compliance Year 2023 NOx Allocations (tons)
Shutdown Facilities	0.9	0
Excluded Facilities	Not applicable	Not applicable
RECLAIM Universe	4,432	5,301

³ Rule 2002(i) as amended in October 2016, requires the reduction of the RTC holdings of a shutdown facility that is listed in Tables 7 or 8 of Rule 2002 by an amount equivalent to the emissions above the most stringent BARCT level (see discussion in Chapter 2).

⁴ When an existing facility enters the program, it is issued RTC allocations based on its operational history pursuant to the methodology prescribed in Rule 2002.

Table 3-6**SOx Emissions Impact from the Changes in Universe (Tons)**

Category	Compliance Year 2023 SOx Emissions (tons)	Initial Compliance Year 2023 SOx Allocations (tons)
Shutdown Facilities	0	0
Excluded Facilities	Not applicable	Not applicable
RECLAIM Universe	1,398	2,215

Backstop Provisions

Rule 2015 requires that South Coast AQMD review the RECLAIM program and implement necessary measures to amend it whenever aggregate emissions exceed the aggregate allocations by five percent or more. Compliance Year 2023 aggregate NOx and SOx emissions were both below aggregate allocations as shown in Figures 3-1 and 3-2. Therefore, there is no need to initiate a program review due to emissions exceeding aggregate allocation in Compliance Year 2023.

CHAPTER 4

NEW SOURCE REVIEW ACTIVITY

Summary

The annual program audit assesses NSR activity from RECLAIM facilities to ensure that RECLAIM is complying with federal NSR requirements and state no net increase (NNI) in emissions requirements while providing flexibility to facilities in managing their operations and allowing new sources into the program. In Compliance Year 2023, a total of six NO_x RECLAIM facilities had NSR NO_x emission increases, and no SO_x RECLAIM facilities had an NSR SO_x emission increase due to expansion or modification. Consistent with all prior compliance years, there were sufficient NO_x and SO_x RTCs available to allow for expansion, modification, and modernization by RECLAIM facilities.

RECLAIM is required to comply with federal NSR emissions offset requirements at a 1.2-to-1 offset ratio programmatically for NO_x emission increases and a 1-to-1 offset ratio for SO_x emission increases on a programmatic basis. In Compliance Year 2023, RECLAIM demonstrated federal equivalency with a programmatic NO_x offset ratio of 145-to-1 based on the compliance year's total unused allocations and total NSR emission increases for NO_x. There were no SO_x NSR emission increases that resulted from starting operations of new or modified permitted sources during the compliance year. RECLAIM inherently complies with the federally-required 1-to-1 SO_x offset ratio for any compliance year, provided aggregate SO_x emissions under RECLAIM are lower than or equal to aggregate SO_x allocations for that compliance year. As shown in Chapter 3 (Table 3-2 and Figure 3-2), there was a surplus of SO_x RTCs during Compliance Year 2023. Therefore, RECLAIM more than complied with the federally-required SO_x offset ratio and further quantification of the SO_x offset ratio is unnecessary. Also, the NNI requirement is satisfied by the program's 1-to-1 offset ratio. In addition, RECLAIM requires application of, at a minimum, California Best Available Control Technology (BACT), which is at least as stringent as federal Lowest Achievable Emission Rate (LAER) for major sources. The same BACT guidelines are used to determine BACT applicable to RECLAIM and non-RECLAIM facilities.

Background

Emissions increases from the construction of new or modified stationary sources in non-attainment areas are regulated by both federal NSR and state NNI requirements to ensure that progress toward attainment of ambient air quality standards is not hampered. RECLAIM is designed to comply with federal NSR

and state NNI requirements without hindering facilities' ability to expand or modify their operations.¹

Title 42, United States Code Section 7511a, paragraph (e), requires major sources in extreme non-attainment areas to offset emission increases of extreme non-attainment pollutants and their precursors at a 1.5-to-1 ratio based on potential to emit. However, if all major sources in the extreme non-attainment area are required to implement federal BACT, a 1.2-to-1 offset ratio may be used. Federal BACT is comparable to California's BARCT. South Coast AQMD requires all major sources to employ federal BACT/California BARCT at a minimum and, therefore, is eligible for a 1.2-to-1 offset ratio for ozone precursors (*i.e.*, NO_x and VOC).

The federal offset requirement for major SO₂ sources is at least a 1-to-1 ratio, which is lower than the aforementioned 1.2-to-1 ratio. Even though the South Coast Air Basin is in attainment with SO₂ standards, SO_x is a precursor to PM_{2.5}. This Basin is in Serious Non-attainment with the 2006 Federal 24-hour average standard and 2012 Federal annual standard for PM_{2.5}. The applicable offset ratio for PM_{2.5} is at least 1-to-1, thus, the applicable offset ratio for SO_x is 1-to-1. Health and Safety Code Section 40920.5 requires "no net increase in emissions from new or modified stationary sources of nonattainment pollutants or their precursors" (*i.e.*, a 1-to-1 offset ratio on an actual emissions basis). All actual RECLAIM emissions are offset at a 1-to-1 ratio provided there is not a programmatic exceedance of aggregate allocations, thus satisfying the federal offset ratio for SO_x and state NNI requirements for both SO_x and NO_x. Annual RTC allocations follow a programmatic reduction to reflect changes in federal BACT/California BARCT and thereby comply with federal and state offset requirements.

RECLAIM requires, at a minimum, California BACT for all new or modified sources with increases in hourly potential to emit of RECLAIM pollutants. South Coast AQMD uses the same BACT guidelines in applying BACT to both RECLAIM and non-RECLAIM facilities. Furthermore, BACT for major sources is at least as stringent as LAER (LAER is not applicable to minor facilities as defined in Rule 1302(t)). Thus, RECLAIM complies with both state and federal requirements regarding control technologies for new or modified sources. In addition to offset and BACT requirements, RECLAIM subjects RTC trades that are conducted to mitigate emissions increases over the sum of the facility's starting allocation and non-tradable/non-usable credits to trading zone restrictions to ensure net ambient air quality improvement within the sensitive zone established by Health and Safety Code Section 40410.5. Furthermore, facilities with actual RECLAIM emissions that exceed their initial allocation by 40 tons per year or more are required to analyze the potential impact of their emissions increases through air quality modeling.

¹ Federal NSR applies to federal major sources [sources with the potential to emit at least 10 tons of NO_x or 70 tons of SO_x per year for the South Coast Air Basin and the Riverside County portion of the Salton Sea Air Basin (also known as the Coachella Valley)] and state NNI requirements apply to all NO_x sources and to SO_x sources with the potential to emit at least 15 tons per year in the South Coast Air Basin. RECLAIM's NSR provisions apply to all facilities in the program, including those not subject to federal NSR or state NNI. (Although the threshold for RECLAIM inclusions is four tons per year of NO_x or SO_x emissions, some RECLAIM facilities have actual emissions much less than four tons per year).

Rule 2005 requires RECLAIM facilities to provide (hold), prior to the start of operation, sufficient RTCs to offset the annual increase in potential emissions for the first year of operation at a 1-to-1 ratio. The same rule also requires all new RECLAIM facilities² and all other RECLAIM facilities that increase their annual allocations above the level of their starting allocations plus non-tradable allocation credits to provide sufficient RTCs to offset the annual potential emissions increase from new or modified source(s) at a 1-to-1 ratio at the commencement of each compliance year after the start of operation of the new or modified source(s). Although RECLAIM allows a 1-to-1 offset ratio for emissions increases, RECLAIM complies with the federal 1.2-to-1 offset requirement for NOx on an aggregate basis as explained earlier. This annual program audit report assesses NSR permitting activities for Compliance Year 2023 to verify that programmatic compliance of RECLAIM with federal and state NSR requirements has been maintained.

NSR Activity

Evaluation of NSR data for Compliance Year 2023 shows that RECLAIM facilities were able to expand and modify their operations while complying with NSR requirements. During Compliance Year 2023, a total of six NOx RECLAIM facilities (two facilities in Cycle 1 and four facilities in Cycle 2) were issued permits to operate, which resulted in a total of 6.022 tons per year of NOx emission increases from starting operations of new or modified sources. There were no SOx NSR emission increases that resulted from starting operations of new or modified permitted sources. These emission increases were calculated pursuant to Rule 2005(d) – Emission Increase. As in previous years, there were adequate unused RTCs (NOx: 869 tons, SOx: 817 tons; see Chapter 3) in the RECLAIM universe available for use to offset emission increases at the appropriate offset ratios.

NSR Compliance Demonstration

RECLAIM is designed to programmatically comply with the federal NSR offset requirements. Meeting the NSR requirement (offset ratio of 1.2-to-1 for NOx and at least 1-to-1 for SOx) also demonstrates compliance with the state NNI requirements. Section 173 (c) of the federal Clean Air Act (CAA) states that only emissions reductions beyond the requirements of the CAA, such as federal Reasonably Available Control Technology (RACT), shall be considered creditable as emissions reductions for offset purposes. Since the initial allocations (total RTC supply in Compliance Year 1994) already met federal RACT requirements when the program was initially implemented, any emissions reductions beyond the initial allocations are available for NSR offset purposes until RACT becomes more stringent. The programmatic offset ratio calculations presented in the Annual RECLAIM Audit Reports for Compliance Years 1994 through 2004 relied upon aggregate Compliance Year 1994 allocations as representing RACT. However, staff recognizes that RACT may have become more stringent in the intervening years, so that it may no longer be appropriate to calculate the programmatic offset ratio based upon aggregate 1994 allocations.

² New facilities are facilities that received all South Coast AQMD Permits to Construct on or after October 15, 1993.

Aggregate allocations for each compliance year represent federal BACT, which is equivalent to local BARCT. Federal BACT is more stringent than federal RACT (*i.e.*, the best available control technology is more stringent than what is reasonably available), so staff started using current allocations (federal BACT) as a surrogate for RACT as the basis for calculating programmatic NO_x and SO_x offset ratios in the annual program audit report since Compliance Year 2005. This is a more conservative (*i.e.*, more stringent) approach than using actual RACT and is much more conservative than using aggregate Compliance Year 1994 allocations. The advantage of this approach is that, as long as the calculated NO_x offset ratio is at least 1.2-to-1, it provides certainty that RECLAIM has complied with federal and state offset requirements without the need to know exactly what RACT is for RECLAIM facilities. However, if this very conservative approach should ever fail to demonstrate that the aggregate NO_x offset ratio for any year is at least 1.2-to-1, that will not necessarily mean RECLAIM has not actually complied with the federally-required 1.2-to-1 NO_x offset ratio. Rather it will indicate that further analysis is required to accurately identify RACT so that the actual offset ratio can be calculated, and a compliance determination made.

Provided aggregate RECLAIM emissions do not exceed aggregate allocations, all RECLAIM emissions are offset at a ratio of 1-to-1. This leaves all unused allocations available to provide offsets beyond the 1-to-1 ratio for NSR emission increases. Unused allocations are based on all Cycle 1 and Cycle 2 RTCs of a given compliance year and the aggregate RECLAIM emissions for the selected time period. The NSR emission increase is the sum of emission increases due to permit activities at all RECLAIM facilities during the same compliance year. The aggregate potential RECLAIM offset ratios are expressed by the following formula:

$$\text{Offset Ratio} = (1 + \frac{\text{compliance year's total unused allocations}}{\text{total NSR emission increases}}) \text{-to-1}$$

As stated in the paragraph under the title "NSR Activity", permits to operate issued to six RECLAIM facilities resulted in 6.022 tons of NO_x emission increase pursuant to Rule 2005(d). Additionally, as identified in Table 3-1 (Annual NO_x Emissions for Compliance Years 1994 through 2023), 869 tons of Compliance Year 2023 NO_x RTCs remained unused. Therefore, the Compliance Year 2023 NO_x programmatic offset ratio calculated from this methodology is 145-to-1 as shown below:

$$\begin{aligned} \text{NO}_x \text{ Offset Ratio} &= (1 + \frac{869 \text{ tons}}{6.022 \text{ tons}}) \text{-to-1} \\ &= 145\text{-to-1} \end{aligned}$$

RECLAIM continues to generate sufficient excess emission reductions to provide a NO_x offset ratio greater than the 1.2-to-1 required by federal law. Since RECLAIM does not dedicate all unused RTCs to NSR uses in any given year, it does not actually provide a 145-to-1 offset ratio; but this analysis does

demonstrate that RECLAIM provides more than enough unused RTCs to account for the 1.2-to-1 required offset ratio. This compliance with the federal offset requirements is built into the RECLAIM program through annual reductions of the allocations assigned to RECLAIM facilities and the subsequent allocation adjustments adopted by the Board to implement BARCT. The required offset ratio for SOx is 1-to-1. Since RECLAIM facilities are required to secure, at a minimum, adequate RTCs to cover their actual emissions, the SOx 1-to-1 offset ratio is met automatically provided there is no programmatic exceedance of aggregate SOx allocations for that compliance year. As identified in Table 3-2 (Annual SOx Emissions for Compliance Years 1994 through 2023), there were 817 tons of excess (unused) SOx RTCs for Compliance Year 2023. Since there were no SOx emission increases that resulted from starting operations of new or modified permitted sources during the compliance year, there is certainty that both the federally-required SOx offset ratio and the California NNI requirement for SOx were satisfied.

BACT and modeling are also required for any RECLAIM facility that installs new equipment or modifies sources if the installation or modification results in an increase in emissions of RECLAIM pollutants. Furthermore, the RTC trading zone restrictions in Rule 2005, limit trades conducted to offset emission increases over the sum of the facility's starting allocation and non-tradable/non-usable credits to ensure net ambient air quality improvement within the sensitive zone, as required by state law.

The result of the review of NSR activity in Compliance Year 2023 shows that RECLAIM complies with both state NNI and federal NSR requirements. South Coast AQMD staff will continue to monitor NSR activity under RECLAIM to assure continued progress toward attainment of ambient air quality standards without hampering economic growth in South Coast AQMD.

Modeling Requirements

Rule 2004, as amended in May 2001, requires RECLAIM facilities with actual NOx or SOx emissions exceeding their initial allocation in Compliance Year 1994 by 40 tons per year or more to conduct modeling to analyze the potential impact of the increased emissions. The modeling analysis is required to be submitted within 90 days of the end of the compliance year. For Compliance Year 2023, one RECLAIM facility was subject to the 40-ton modeling requirement for NOx emissions, and no facilities for SOx emissions.

This modeling is performed with an U.S. EPA approved air dispersion model to assess the impact of a facility's NOx or SOx emission increase on compliance with all applicable state and federal ambient air quality standards (AAQS). Air dispersion modeling submitted by each facility is reviewed by staff and revised as necessary to comply with South Coast AQMD's air dispersion modeling procedures including use of appropriate meteorological data for the facility location. Per Rule 2004(q)(3), the modeling submitted by a facility must include source parameters and emissions for every major source located at the facility. For comparison against applicable state and federal AAQS, the predicted modeling impacts due to a facility's NOx or SOx emission increases are added to the highest background NOx or SOx concentration measured at the nearest ambient air monitoring station during the previous three years. Modeling runs are

performed with worst-case emissions data for averaging periods that coincide with the averaging period of each applicable AAQS (e.g., 1-hr, 24-hr, annual).

The one facility had initial NO_x allocations in 1994 and exceeded their initial allocations by more than 40 tons in Compliance Year 2023. The facility submitted modeling that demonstrated that NO_x emissions from their major sources during 2023 will not cause an exceedance of any state or federal NO₂ AAQS.

CHAPTER 5

COMPLIANCE

Summary

Based on the South Coast AQMD Compliance Year 2023 annual audit, 216 of the 229 NOx RECLAIM facilities (94%) complied with their NOx allocations, and 27 of the 27 SOx facilities (100%) complied with their SOx allocations. Therefore, 13 facilities exceeded their allocations (all these facilities exceeded their NOx allocations only). The 13 facilities that exceeded their NOx allocations had aggregate NOx emissions of 340.0 tons and did not have adequate allocations to offset 208.5 tons (or 61.3%) of their combined emissions. The NOx exceedance amounts are relatively small compared to the overall allocations for Compliance Year 2023 (3.9% of total NOx allocations). The exceedances from these facilities did not impact the overall RECLAIM emission reduction goals. The overall RECLAIM NOx and SOx emission reduction targets and goals were met for Compliance Year 2023 (i.e., aggregate emissions for all RECLAIM facilities were below aggregate allocations). Pursuant to Rule 2010(b)(1)(A), all affected facilities had their respective exceedances deducted from their annual allocations for the compliance year subsequent to the date of South Coast AQMD determination that the facilities exceeded their Compliance Year 2023 allocations.

Background

RECLAIM facilities have the flexibility to choose their compliance options for meeting their annual allocations by reducing emissions, trading RTCs, or by a combination of both. However, this flexibility must be supported by standardized emission MRR requirements to ensure the reported emissions are real, quantifiable, and enforceable. As a result, detailed MRR protocols are specified in the RECLAIM regulation to provide accurate and verifiable emission reports.

The MRR requirements are designed to provide accurate and up-to-date emission reports. Once facilities install and complete certification of the required monitoring and reporting equipment, they are relieved from command-and-control rule limits and requirements subsumed under Rule 2001, except for rules adopted or amended after October 5, 2018. Mass emissions from RECLAIM facilities are then determined directly by monitoring and reporting equipment for some sources and from data generated by monitoring equipment for others. If monitoring equipment fails to produce quality-assured data or the facility fails to file timely emissions reports, RECLAIM rules require emissions be determined by a rule-prescribed methodology known as Missing Data Procedures or “MDP.” Depending on past performance of the monitoring equipment (i.e., availability of quality-assured data) and the duration of the missing data period, MDP defines a tiered approach to calculate emissions. As availability of quality-assured data increases, the MDP-calculated emissions become more representative of the actual emissions, but when the availability of quality-assured data is low, MDP calculations become more conservative and approach, to some extent, “worst case” assessments.

Allocation Compliance

Requirements

At the beginning of the RECLAIM program in 1994 or at the time a facility is subsequently included in the RECLAIM program, each RECLAIM facility is issued an annual allocation for each compliance year pursuant to the methodology prescribed in Rule 2002. A facility in existence prior to October 1993 is issued allocations by South Coast AQMD based on its historical production rate. A facility without an operating history prior to 1994 receives no allocation and must purchase enough RTCs to cover the emissions for their operations, except facilities that have ERCs to offset emission increases prior to entering RECLAIM are issued RTCs generated by converting the surrendered ERCs to RTCs. Additionally, all facilities entering RECLAIM holding any ERCs generated at and held by the individual facility itself have those ERCs converted to RTCs and added to their allocated RTCs. Knowing their emission goals, RECLAIM facilities have the flexibility to manage their operations in order to meet their allocations in the most cost-effective manner. Facilities may employ emission control technology or process changes to reduce emissions, buy RTCs, or sell unneeded RTCs.

Facilities may buy RTCs or sell excess RTCs at any time during the year in order to ensure that their emissions are covered. There is a thirty-day reconciliation period commencing at the end of each of the first three quarters of each compliance year. In addition, after the end of each compliance year, there is a 60-day reconciliation period (instead of 30 days as at the end of the first three quarters) during which facilities have a final opportunity to buy or sell RTCs for that compliance year. These reconciliation periods are provided for facilities to review and correct their emission reports as well as securing adequate allocations. Each RECLAIM facility must hold sufficient RTCs in its allocation account to cover (or reconcile with) its quarterly as well as year-to-date emissions for the compliance year at the end of each reconciliation period. By the end of each quarterly and annual reconciliation period, each facility is required to certify the emissions for the preceding quarter and/or compliance year by submitting its Quarterly Certification of Emissions Reports (QCERs) and/or APEP report, respectively.

Compliance Audit

Since the beginning of the program, South Coast AQMD staff has conducted annual audits of RECLAIM facilities emission reports to ensure their integrity and reliability. All facilities that operated during the compliance year are subject to compliance audits, even for those that are shutdown or have a change of operator. This may result in a number of additional facility compliance audits beyond the number of active facilities in the universe at the end of a given compliance year. For Compliance Year 2023, a total of 230 facility compliance audits were completed. The compliance audit process may also include conducting field inspections to check process equipment, monitoring devices, and operational records. Additionally, emissions calculations are subject to review during this process to verify emissions reported electronically to South Coast AQMD or submitted in QCERs and APEP reports. The compliance audit process and procedures are maintained and updated periodically for consistency. For Compliance Year 2023, the results of this process revealed that some

facilities did not obtain or record valid monitoring data, failed to submit emission reports when due, made errors in quantifying their emissions (e.g., arithmetic errors), failed to use the proper bias adjustment factor, used emission calculation methodologies not allowed under the rules, failed to properly apply MDP, or failed to report emissions required under the RECLAIM program.

Following a determination during the course of a facility audit that a facility's reported emissions are inaccurate, the facility is provided an opportunity to review the determination and present additional data to further refine audit results as needed. This process better ensures that results and any follow-up actions are appropriate and applicable.

Compliance Status

During this compliance year, a total of 13 RECLAIM facilities were unable to reconcile their emissions (all facilities exceeded their NO_x Allocations only). Eleven of these 13 facilities were unable to acquire adequate RTCs to offset their reported emissions, in addition to their audited emissions. The remaining two facilities exceeded allocations based on their audited emissions only. The list of facilities that were unable to reconcile their emissions during Compliance Year 2023 is provided in Appendix D.

Based on audit findings, four facilities were found to have under-reported their NO_x emissions and didn't hold sufficient NO_x RTCs to reconcile their audited emissions. Among the four facilities found to have under-reported their emissions, the reasons for the under-reporting include one or more of the following causes:

- did not report emissions reportable under RECLAIM,
- did not submit emission reports, and
- did not properly apply MDP.

Overall, the Compliance Year 2023 allocation compliance rates for facilities are 94 percent (216 out of 229 facilities) for NO_x RECLAIM and 100 percent (27 out of 27 facilities) for SO_x RECLAIM. For purposes of comparison, the allocation compliance rates for Compliance Year 2022 were 93 percent and 96 percent for NO_x and SO_x RECLAIM facilities, respectively. In Compliance Year 2023, the 13 facilities that had NO_x emissions in excess of their individual NO_x allocations had 340.0 tons of NO_x emissions and didn't have adequate RTCs to cover 208.5 tons of their combined emissions (or 61.3% of their total emissions). The NO_x exceedance amounts are relatively small compared to the overall allocations for Compliance Year 2023 (3.9% of aggregate NO_x allocations). Pursuant to Rule 2010(b)(1)(A), all affected facilities had their NO_x and SO_x Allocation exceedance deducted from their annual emissions allocations for the compliance year subsequent to South Coast AQMD's determination that the facilities exceeded their Compliance Year 2023 allocations.

Impact of Missing Data Procedures

MDP was designed to provide a method for determining emissions when an emission monitoring system does not yield valid emissions. For major sources, these occurrences may be caused by failure of the monitoring systems, the data acquisition and handling systems, or by lapses in the Continuous Emissions

Monitoring System (CEMS) certification period. Major sources are also required to use MDP for determining emissions whenever daily emissions reports are not submitted by the applicable deadline. When comparing actual emissions with a facility's use of substituted MDP emissions, the range of MDP emissions can vary from "more representative" to being overstated to reflect a "worst case"¹ scenario. For instance, an MDP "worst case" scenario may occur for major sources that fail to have their CEMS certified in a timely manner, and therefore, have no valid CEMS data that can be used for substitution. In other cases, where prior CEMS data is available, MDP is applied in tiers depending on the duration of missing data periods and the historical availability of monitoring systems. As the duration of missing data periods gets shorter and the historical availability of monitoring systems gets higher, the substitute data yielded by MDP becomes more representative of average emissions.²

In addition to MDP for major sources, RECLAIM rules also define MDP for large sources and process units. These procedures are applicable when a process monitoring device fails or when a facility operator fails to record fuel usage or other monitored data (e.g., hours of operation). The resulting MDP emissions reports are reasonably representative of the actual emissions because averaged or maximum emissions from previous operating periods may be used. However, for extended missing data periods (more than two months for large sources or four quarters or more for process units) or when emissions data for the preceding year are unavailable, large source and process unit MDP are also based on maximum operation or worst-case assumptions.

Based on APEP reports, 81 NO_x facilities and 14 SO_x facilities used MDP in reporting portions of their annual emissions during Compliance Year 2023. In terms of mass emissions, 5.3 percent of the total reported NO_x emissions and 9.5 percent of the total reported SO_x emissions in the APEP reports were calculated using MDP for Compliance Year 2023. Table 5-1 compares the impact of MDP on reported annual emissions for the last few compliance years to the second compliance year, 1995 (MDP was not fully implemented during Compliance Year 1994).

¹ Based on uncontrolled emission factor at maximum rated capacity of the source and 24 hours per day operation.

² Based on averaged emissions during periods before and after the period for which data is not available.

Table 5-1
MDP Impact on Annual Emissions

Year	Percent of Reported Emissions Using Substitute Data*	
	NOx	SOx
1995	23.0% (65 ; 6,070)	40.0% (12 ; 3,403)
2010	7.0% (93 ; 488)	6.1% (23 ; 168)
2011	6.2% (94 ; 435)	12.4% (19 ; 328)
2012	7.5% (95 ; 560)	4.5% (13 ; 114)
2013	3.9% (107 ; 287)	5.6% (15 ; 113)
2014	3.3% (97 ; 247)	3.0% (13 ; 66)
2015	6.9% (98 ; 502)	10.9% (14 ; 229)
2016	3.9% (91 ; 288)	6.2% (14 ; 125)
2017	3.8% (92 ; 273)	6.3% (15 ; 126)
2018	3.7% (90 ; 252)	7.0% (16 ; 150)
2019	5.4% (93 ; 343)	9.5% (16 ; 161)
2020	3.3% (89 ; 184)	6.6% (15 ; 93)
2021	4.0% (77 ; 207)	5.8% (15 ; 95)
2022	5.7% (80 ; 253)	8.4% (15 ; 136)
2023	5.3% (81 ; 225)	9.5% (14 ; 133)

* Numbers in parentheses that are separated by a semicolon represent the number of facilities that reported use of MDP in each compliance year and tons of emissions based on MDP.

Most of the issues associated with CEMS certifications were resolved prior to Compliance Year 1999. Since then, very few facilities have had to submit emissions reports based on the worst-case scenario under MDP, which may considerably overstate the actual emissions from major sources. For example, in Compliance Year 1995, 65 facilities reported 6,070 tons of NOx emissions using MDP (23% of total NOx emissions). However, in Compliance Year 2023, 81 facilities reported 225 tons of NOx emissions using MDP (5.3% of total NOx emissions). Since most CEMS were certified and had been reporting actual emissions by the beginning of Compliance Year 2000, facilities that had to calculate substitute data were able to apply less conservative methods of

calculating MDP for systems with high availability and shorter duration missing data periods. Therefore, the substitute data they calculated for their missing data periods were increasingly more representative of the average emissions.

It is important to note that portions of annual emissions attributed to MDP include actual emissions from the sources as well as the possibility of overestimated emissions. As shown in Table 5-1, approximately five percent of reported NO_x annual emissions were calculated using MDP in Compliance Year 2023. MDP may significantly overestimate emissions from some of the sources that operate intermittently and have low monitoring system availability, and/or lengthy missing data periods. Even though a portion of the five percent may be overestimated emissions due to conservative MDP, a significant portion (or possibly all) of it could have also been actual emissions from the sources. Unfortunately, the portion that represents the actual emissions cannot be readily estimated because the extent of this effect varies widely, depending on source categories and operating parameters, as well as the tier of MDP applied. For Compliance Year 2023, a significant portion of NO_x MDP emissions data (75%) and of SO_x MDP emissions data (94%) were reported by refineries, which tend to operate near maximum capacity for 24 hours per day and seven days per week, except for scheduled shutdowns for maintenance and barring major breakdowns or other unforeseeable circumstances. Missing data emissions calculated using the lower tiers of MDP (*i.e.*, 1N Procedure or 30-day maximum value) for facilities such as refineries that have relatively constant operation near their maximum operation are generally reflective of actual emissions because peak values are close to average values for these operations.

Emissions Monitoring

Overview

The reproducibility of reported RECLAIM facility emissions (and the underlying calculations)—and thereby the enforceability of the RECLAIM program—is assured through a tiered hierarchy of MRR requirements. A facility's equipment falls into an MRR category based on the kind of equipment it is and on the level of emissions produced or potentially produced by the equipment. RECLAIM divides all NO_x sources into major sources, large sources, process units, and equipment exempt from obtaining a written permit pursuant to Rule 219. All SO_x sources are divided into major sources, process units, and equipment exempt from obtaining a written permit pursuant to Rule 219. Table 5-2 shows the monitoring requirements applicable to each of these categories.

Table 5-2
Monitoring Requirements for RECLAIM Sources

Source Category	Major Sources (NOx and SOx)	Large Sources (NOx only)	Process Units and Rule 219 Equipment (NOx and SOx)
Monitoring Method	Continuous Emissions Monitoring System (CEMS) or Alternative CEMS (ACEMS)	Fuel Meter or Continuous Process Monitoring System (CPMS)	Fuel Meter, Timer, or CPMS
Reporting Frequency	Daily	Monthly	Quarterly

Continuous Emissions Monitoring System (CEMS)

Requirements

CEMS represent both the most accurate and the most reliable method of calculating emissions because they continuously monitor all of the parameters necessary to directly determine mass emissions of NOx and SOx. They are also the most costly method. These attributes make CEMS the most appropriate method for the largest emission-potential equipment in the RECLAIM universe, major sources.

Alternative Continuous Emissions Monitoring Systems (ACEMS) are alternatives to CEMS that are allowed under the RECLAIM regulation. These are devices that do not directly monitor NOx or SOx mass emissions; instead, they correlate multiple process parameters to arrive at mass emissions. To be approved for RECLAIM MRR purposes, ACEMS must be determined by South Coast AQMD to be equivalent to CEMS in relative accuracy, reliability, reproducibility, and timeliness.

For Compliance Year 2023, even though the number of major sources monitored by either CEMS or ACEMS represent 18 percent and 68 percent of all permitted RECLAIM NOx and SOx sources, respectively, reported emissions revealed that 78 percent of all RECLAIM NOx emissions and 98 percent of all RECLAIM SOx emissions were determined by CEMS or ACEMS.

Compliance Status

By the end of calendar year 1999, almost all facilities that were required to have CEMS had their CEMS certified or provisionally approved. The only remaining uncertified CEMS are for sources that recently became subject to major source reporting requirements and sources that modified their CEMS. Typically, there will be a few new major sources each year. Therefore, there will continue to be a small number of CEMS in the certification process at any time.

Semiannual and Annual Assessments of CEMS

RECLAIM facilities conduct their Relative Accuracy Test Audit (RATA) of certified CEMS using private sector testing laboratories approved under South Coast

AQMD's Laboratory Approval Program (LAP). These tests are conducted either semiannually or annually, depending on the most recent RATA results. The RATA report verifies the quality of the CEMS by comparing the CEMS data against data taken concurrently by a LAP-approved source testing contractor. In order to have a passing RATA, the relative accuracy performance criteria for pollutant concentration, stack flow rate, and pollutant mass emission rate must be met. In addition, the RATAs reveal whether CEMS data must be adjusted for low readings (bias adjustment factor), and by how much. The RATA presents two pieces of data: 1) the CEMS bias (how much it differs from the reference method on the average), and 2) the CEMS confidence coefficient (how variable that bias or average difference is).

Tables 5-3 and 5-4 summarize the 2023 and 2024 calendar years' passing rates, respectively, for submitted RATAs of certified CEMS for NO_x and SO_x concentration, total sulfur in fuel gas concentrations, stack flow rate (in-stack monitors and F-factor based calculations), and NO_x and SO_x mass emissions. However, the tables do not include SO_x mass emissions calculated from total sulfur analyzer systems because such systems serve numerous devices, and therefore are not suitable for mass emissions-based RATA testing. As noted in the footnotes for each table, the calendar year 2023 and 2024 passing rates are calculated from RATA data submitted before January 10, 2024, and December 31, 2024, respectively, and may exclude some RATA data from the fourth quarter of each year.

Table 5-3**Passing Rates Based on RATAs of Certified CEMS in Calendar Year 2023¹**

Concentration						Stack Flow Rate				Mass Emissions			
NO _x		SO ₂		Total ² Sulfur		In-Stack Monitor		F-Factor Based Calc.		NO _x		SO _x ³	
No.	% Pass	No.	% Pass	No.	% Pass	No.	% Pass	No.	% Pass	No.	% Pass	No.	% Pass
352	100	108	100	5	100	41	100	331	100	318	100	60	100

¹ The calculation of passing rates includes all RATAs submitted by January 10, 2024.

² Includes Cylinder Gas Audit (CGA) tests.

³ Does not include SO_x emissions calculated from total sulfur analyzers.

Table 5-4**Passing Rates Based on RATAs of Certified CEMS in Calendar Year 2024¹**

Concentration						Stack Flow Rate				Mass Emissions			
NO _x		SO ₂		Total ² Sulfur		In-Stack Monitor		F-Factor Based Calc.		NO _x		SO _x ³	
No.	% Pass	No.	% Pass	No.	% Pass	No.	% Pass	No.	% Pass	No.	% Pass	No.	% Pass
372	100	123	100	10	100	53	100	346	100	338	100	80	100

¹ The calculation of passing includes all RATAs submitted by December 31, 2024.

² Includes Cylinder Gas Audit (CGA) tests.

³ Does not include SO_x emissions calculated from total sulfur analyzers.

As indicated in Tables 5-3 and 5-4, the passing rates for NO_x/SO₂ concentration, stack flow rate, and mass emissions were at 100 percent. Since the inception of RECLAIM there have been significant improvements with respect to the availability of reliable calibration gas, the reliability of the reference method, and an understanding of the factors that influence valid total sulfur analyzer data.

Electronic Data Reporting of RATA Results

Facilities operating CEMS under RECLAIM are required to submit RATA results to South Coast AQMD. An electronic reporting system, known as Electronic Data Reporting (EDR), allows RATA results to be submitted electronically using a standardized format in lieu of the traditional formal source test reports in paper form. This system minimizes the amount of material the facility must submit to South Coast AQMD and also expedites reviews. In calendar year 2024, 99 percent of RATA results were submitted via EDR.

Non-Major Source Monitoring, Reporting, and Recordkeeping

Emissions quantified for large sources are primarily based on concentration limits or emission rates specified in the Facility Permit. Other variables used in the calculation of large source emissions are dependent on the specific process of the equipment, but generally include fuel usage, applicable dry F-factor, and the higher heating value of the fuel used, which are collectively used to calculate stack flow rate. RECLAIM requires large sources to be source tested within defined three-year windows in order to validate fuel meter accuracy and the equipment's concentration limit or emission rate. Since emissions quantification is fuel-based, the monitoring equipment required to quantify emissions is a non-resettable fuel meter that must be corrected to standard temperature and pressure. Large source emission data must be submitted electronically on a monthly basis.

Process unit emission calculations are similar to those of large sources in that emissions are quantified using the fuel-based calculations for either a concentration limit or an emission factor specified in the Facility Permit. Similar to large sources, variables used in emission calculations for process units are dependent on the equipment's specific process, but generally include fuel usage, applicable dry F-factor, and the higher heating value of the fuel used. Process units that are permitted with concentration limits are also required to be source-tested within specified five-year windows. Emissions for equipment exempt from obtaining a written permit pursuant to Rule 219 are quantified using emission factors and fuel usage. No source testing is required for such exempt equipment. Since emissions calculations are fuel-based for both process units and exempt equipment, the monitoring equipment required to quantify emissions is a non-resettable fuel meter, corrected to standard temperature and pressure. Alternately, a timer may be used to record operational time. In such cases, fuel usage is determined based on maximum rated capacity of the source. Process units and exempt equipment must submit emission reports electronically on a quarterly basis.

Emissions Reporting

Requirements

RECLAIM uses electronic reporting technology to streamline reporting requirements for both facilities and South Coast AQMD, and to help automate compliance tracking. Under RECLAIM, facilities report their emissions electronically on a per device basis to South Coast AQMD's Central Station computer as follows:

- Major sources must use a Remote Terminal Unit (RTU) to telecommunicate emission data to South Coast AQMD's Central Station. The RTU collects data, performs calculations, generates the appropriate data files, and transmits the data to the Central Station. This entire process is required to be performed by the RTU on a daily basis without human intervention.
- Emission data for all equipment other than major sources may be transmitted via RTU or compiled manually and transmitted to the Central Station via modem. Alternatively, operators of non-major sources may use South Coast AQMD's internet-based application, Web Access to Electronic Reporting System (WATERS) to transmit emission data for non-major sources via internet connection. The data may be transmitted directly by the facility or through a third party.

Compliance Status

The main concern for emission reporting is the timely submittal of accurate daily emissions reports from major sources. If daily reports are not submitted by the specified deadlines, RECLAIM rules may require that emissions from CEMS be ignored and the emissions be calculated using MDP. Daily emission reports are submitted by the RTU of the CEMS to South Coast AQMD's Central Station via telephone lines. Often communication errors between the two points are not readily detectable by facility operators. Undetected errors can cause facility operators to believe that daily reports were submitted when they were not received by the Central Station. In addition to providing operators a means to confirm the receipt of their reports, the WATERS application can also display electronic reports that were submitted to, and received by, the Central Station. This system helps reduce instances where MDP must be used for late or missing daily reports, because the operators can verify that the Central Station received their daily reports and can resubmit them if there were communication errors.

Protocol Review

Even though review of MRR protocols was only required by Rule 2015(b)(1) for the first three compliance years of the RECLAIM program, staff has continued to review the effectiveness of enforcement and MRR protocols. Based on such review, occasional revisions to the protocols may be needed to achieve improved measurement and enforcement of RECLAIM emission reductions, while minimizing administrative costs to RECLAIM facilities and South Coast AQMD.

Since the RECLAIM program was adopted, staff has produced rule interpretations and implementation guidance documents to clarify and resolve specific concerns about the protocols raised by RECLAIM participants or

observed by South Coast AQMD staff. In situations where staff could not interpret existing rule requirements to adequately address the issues at hand, the protocols and/or rules have been amended.

CHAPTER 6

REPORTED JOB IMPACTS

Summary

This chapter compiles data as reported by RECLAIM facilities in their APEP reports. The analysis focuses exclusively on job impacts at RECLAIM facilities and determining if those job impacts were directly attributable to RECLAIM as reported by those facilities. Additional benefits to the local economy (e.g., generating jobs for consulting firms, source testing firms and CEMS vendors) attributable to the RECLAIM program, as well as factors outside of RECLAIM (e.g., the prevailing economic climate), impact the job market. However, these factors are not evaluated in this report. Also, job losses and job gains are strictly based on RECLAIM facilities' reported information. South Coast AQMD staff is not able to independently verify the accuracy of the facility reported job impact information.

According to the Compliance Year 2023 employment survey data gathered from APEP reports, RECLAIM facilities reported 7,969 job gains and 8,871 job losses for an overall net loss of 902 jobs, representing 0.99 percent of their total employment. No RECLAIM facility cited RECLAIM as a factor contributing to the addition of any jobs during Compliance Year 2023. Two facilities reported a total of 71 jobs lost due to RECLAIM during Compliance Year 2023.

Background

The APEP reports submitted by RECLAIM facilities include survey forms that are used to evaluate the socioeconomic impacts of the program. Facilities were asked to indicate the number of jobs at the beginning of Compliance Year 2023 and any changes in the number of jobs that took place during the compliance year in each of three categories: manufacturing, sale of products, and non-manufacturing. The numbers of jobs gained and lost reported by facilities in each category during the compliance year were tabulated.

Additionally, APEP reports ask facilities that shut down during Compliance Year 2023 to provide the reasons for their closure. APEP reports also allow facilities to indicate whether the RECLAIM program led to the creation or elimination of jobs during Compliance Year 2023.

Since data regarding job impacts and facility shutdowns are derived from the APEP reports, the submittal of these reports is essential to assessing the influence that the RECLAIM program has on these issues. The following discussion represents data obtained from APEP reports submitted to South Coast AQMD for Compliance Year 2023 and clarifying information collected by South Coast AQMD staff. South Coast AQMD staff is not able to verify the accuracy of the reported job impact information.

Job Impacts

Table 6-1 summarizes job impact data gathered from Compliance Year 2023 APEP reports and follow-up contacts with facilities. A total of 120 facilities reported 7,969 job gains, and 117 facilities reported a total of 8,871 job losses. Net job gains were reported in one category: non-manufacturing (782). Net job losses were reported in the final two categories: manufacturing (1,669) and sales of products (15). Table 6-1 shows a total net loss of 902 jobs, which represents a net decrease of 0.99 percent at RECLAIM facilities during Compliance Year 2023.

Table 6-1
Job Impacts at RECLAIM Facilities for Compliance Year 2023

Description	Manufacturing	Sales of Products	Non-Manufacturing	Total*
Initial Jobs	35,234	441	55,001	90,676
Overall Job Gain	2,260	42	5,667	7,969
Overall Job Loss	3,929	57	4,885	8,871
Final Jobs	33,565	426	55,783	89,774
Net Job Change	-1,669	-15	782	-902
Percent (%) Job Change	-4.74%	-3.40%	1.42%	-0.99%
Facilities Reporting Job Gains	87	19	62	120
Facilities Reporting Job Losses	75	15	78	117

* The total number of facilities reporting job gains or losses does not equal the sum of the number of facilities reporting job changes in each category (*i.e.*, the manufacture, sales of products, and non-manufacture categories) due to the fact that some facilities may report changes under more than one of these categories.

The data for the RECLAIM facility that ceased operation in Compliance Year 2023, as listed in Appendix C, are included in Table 6-1. The facility cited the cost of meeting air pollution regulations and manufacturing, production, and raw materials costs as factors in their shutdown. According to the APEP report, the shutdown of this facility led to a total loss of 50 manufacturing jobs.

Two RECLAIM facilities attributed job losses or gains to RECLAIM as required in Part III, Section B, of their APEP for Compliance Year 2023. The two facilities reported a combined total of 71 jobs lost due to RECLAIM.

The analysis in this report only considers job gains and losses at RECLAIM facilities. It should be noted that this analysis of socioeconomic impacts based on APEP reports and follow-up interviews is focused exclusively on changes in employment that occurred at RECLAIM facilities. The effect of the program on the local economy outside of RECLAIM facilities, including consulting and source testing jobs, is not considered.

It is not possible to compare the impact of the RECLAIM program on the job market *vis-à-vis* a scenario without RECLAIM. This is because factors other than RECLAIM (*e.g.*, the prevailing economic climate) also impact the job market. Furthermore, there is no way to directly compare job impacts attributed to

RECLAIM to job impacts attributed to command-and-control rules that would have been adopted in RECLAIM's absence, because these command-and-control rules do not exist for these facilities. As mentioned previously, the effect of the RECLAIM program on the local economy outside of RECLAIM facilities (e.g., generating jobs for consulting firms, source testing firms and CEMS vendors) is also not considered in this report.

CHAPTER 7

AIR QUALITY AND PUBLIC HEALTH IMPACTS

Summary

Annually audited RECLAIM emissions have been in an overall downward trend since the program's inception. Compliance Year 2023 NO_x and SO_x emissions decreased 6 percent and 14 percent, respectively, relative to Compliance Year 2022. Quarterly calendar year 2023 NO_x emissions fluctuated within six percent of the mean NO_x emissions for the year. Quarterly calendar year 2023 SO_x emissions fluctuated within eight percent of the year's mean SO_x emissions. There was no significant shift in seasonal emissions from the winter season to the summer season for either pollutant.

The California Clean Air Act (CCAA) required a 50 percent reduction in population exposure to ozone, relative to a baseline averaged over three years (1986 through 1988), by December 31, 2000. The South Coast Air Basin achieved the December 2000 target for ozone well before the deadline. In calendar year 2024, the per capita exposure to ozone (the average length of time each person is exposed) continued to be well below the target set for December 2000.

Air toxic health risk is primarily caused by emissions of certain volatile organic compounds (VOCs) and fine particulates, such as metals. RECLAIM facilities are subject to the same air toxic, VOC, and particulate matter regulations as other sources in the Basin. All sources are subject, where applicable, to the NSR rule for toxics (Rule 1401 – New Source Review of Toxic Air Contaminants). In addition, new or modified sources with NO_x or SO_x emission increases are required to be equipped with BACT, which minimizes to the extent feasible the increase of NO_x and SO_x emissions. RECLAIM and non-RECLAIM facilities that emit air toxics are required to report those emissions to South Coast AQMD. Those emissions reports are used to identify candidates for the Air Toxics Hot Spots program (AB 2588). This program requires emission inventories and, depending on the type and amount of emissions, facilities may be required to do public notice and/or prepare and implement a plan to reduce emissions. There is no evidence that RECLAIM has caused or allowed higher health risks from air toxics in areas adjacent to RECLAIM facilities than would occur under command-and-control, because RECLAIM facilities must comply with the same air toxics rules as non-RECLAIM facilities.

Background

RECLAIM is designed to achieve the same, or higher level of, air quality and public health benefits as would have been achieved from implementation of the control measures and command-and-control rules that RECLAIM subsumed. Therefore, as a part of each annual program audit, South Coast AQMD staff evaluates per capita exposure to air pollution, air toxic risk reductions, emission trends, and seasonal fluctuations in emissions. South Coast AQMD staff also generates quarterly emissions maps depicting the geographic distribution of RECLAIM emissions. These maps are generated and posted quarterly on South

Coast AQMD's website,¹ and include all the quarterly emissions maps presented in previous annual program audit reports. This chapter addresses the following criteria in the South Coast Air Basin (SCAB)²:

- Emission trends for RECLAIM facilities;
- Seasonal fluctuations in emissions;
- Per capita exposure to air pollution; and
- Toxics impacts.


Emission Trends for RECLAIM Sources

Concerns were expressed during program development that RECLAIM might cause sources to increase their aggregate emissions during the early years of the program due to perceived over-allocation of emissions. As depicted in Figures 7-1 and 7-2, which show NO_x and SO_x emissions from RECLAIM sources since 1989, the analysis of emissions from RECLAIM sources indicates that overall, RECLAIM emissions have been in a downward trend since program inception, and the emission increases during early years of RECLAIM that were anticipated by some did not materialize.

¹ Quarterly emission maps from 1994 to present can be found at: <http://www.aqmd.gov/home/programs/business/about-reclaim/quarterly-emission-maps>.


² The RECLAIM universe of facilities consists of facilities primarily in the South Coast Air Basin, also referred to as the Basin in this report, and two additional RECLAIM facilities located in the Riverside County portion of the Salton Sea Air Basin, or Non-Palo Verde, Riverside County portion of the Mojave Desert Air Basin.

Figure 7-1
NOx Emission Trend for RECLAIM Sources



Note: 1989-1993 emissions presented in this figure are the emissions from the facilities in the 1994 NOx universe.

Figure 7-2
SOx Emission Trend for RECLAIM Sources



Note: 1989-1993 emissions presented in this figure are the emissions from the facilities in the 1994 SOx universe.

The increase in NO_x and SO_x emissions from Compliance Year 1994 to 1995 can be attributed to the application of MDP at the onset of RECLAIM implementation. RECLAIM provides for emissions from each major source's first year in the program to be quantified using an emission factor and fuel throughput (interim reporting) while they certify their CEMS. However, at the beginning of the program (Compliance Year 1994), many facilities had difficulties certifying their CEMS within this time frame, and consequently reported their Compliance Year 1995 emissions using MDP. As discussed in Chapter 5, since CEMS for these major sources had no prior data, MDP required the application of the most conservative procedure to calculate substitute data. As a result, the application of MDP during this time period yielded substitute data that may have been much higher than the actual emissions.

Annual NO_x and SO_x emissions have generally been trending downward since Compliance Year 1995, hitting a record low of 4,432 tons of NO_x and 1,398 tons of SO_x in Compliance Year 2023. Consistent with the overall trend of reduced NO_x and SO_x emissions during the program, Compliance Year 2023 NO_x and SO_x emissions decreased by 6 and 14 percent, respectively, when compared to Compliance Year 2022. RECLAIM facilities did not increase their actual aggregate emissions during the early years of the program, and as discussed in Chapter 3, NO_x and SO_x emissions are much lower than the programmatic goals (see Figures 3-1 and 3-2).

Seasonal Fluctuation in Emissions for RECLAIM Sources

Another concern during program development was that RECLAIM might cause facilities to shift emissions from the winter season into the summer ozone season and exacerbate poor summer air quality since RECLAIM emission goals are structured on an annual basis. To address this concern, "seasonal fluctuations" were added as part of the analysis required by Rule 2015. Accordingly, South Coast AQMD staff performed a two-part analysis of the quarterly variation in RECLAIM emissions:

1. In the first part, staff qualitatively compared the quarterly variation in Compliance Year 2023 RECLAIM emissions to the quarterly variation in emissions from the RECLAIM universe prior to the implementation of RECLAIM.
2. In the second part, staff analyzed quarterly audited emissions during calendar year 2023 and compared them with quarterly audited emissions for prior years to assess if there had been such a shift in emissions. This analysis is reflected in Figures 7-3 through 7-6.³

Quarterly emissions data from the facilities in RECLAIM before they were in the program is not available. Therefore, a quantitative comparison of the seasonal variation of emissions from these facilities while operating under RECLAIM with their seasonal emissions variation prior to RECLAIM is not feasible. However, a qualitative comparison has been conducted, as follows:

³ Data used to generate these figures were derived from audited data. Similar figures for calendar years 1994 through 2007 in previous annual reports were generated from a combination of audited and reported data available at the time the reports were written.

- NOx emissions from RECLAIM facilities are dominated by refineries and power plants.
- SOx emissions from RECLAIM facilities are dominated by refineries.
- Prior to RECLAIM, refinery production was generally highest in the summer months because more people travel during summer, thus increasing demand for gasoline and other transportation fuels.
- Electricity generation prior to RECLAIM was generally highest in the summer months because of increased demand for electricity to drive air conditioning units.

Historically, emissions from refineries (NOx and SOx) and from power plants (NOx) are typically higher in the summer months, which was the trend prior to implementation of RECLAIM for the reasons described above. Therefore, provided a year's summer quarter RECLAIM emissions do not exceed that year's quarterly average emissions by a substantial amount, it can be concluded that, for that year, RECLAIM has not resulted in a shift of emissions to the summer months relative to the pre-RECLAIM emission pattern.

Figure 7-3 shows the 2023 mean quarterly NOx emission level, which is the average of the aggregate audited emissions for each of the four quarters, and the 2023 audited quarterly emissions. Figure 7-4 compares the 2023 quarterly NOx emissions with the quarterly emissions from 2012 through 2022. During calendar year 2023, quarterly NOx emissions varied from six percent above the mean in the third quarter (July through September) to about four percent below the mean in the fourth quarter (October through December). Figure 7-4 shows that the calendar year 2023 quarterly emissions profile is roughly consistent with previous years under RECLAIM, albeit with reduced NOx emissions. Figures 7-3 and 7-4, along with the qualitative analysis performed above show that in calendar year 2023 there has not been a significant shift in NOx emissions from the winter months to the summer months.

Figure 7-3
Calendar Year 2023 NOx Quarterly Emissions





Figure 7-4
Quarterly NOx Emissions from Calendar Years 2012 through 2023



Similar to Figure 7-3 and 7-4 for NO_x quarterly emissions, Figure 7-5 presents the 2023 mean quarterly SO_x emissions and the 2023 audited quarterly emissions, while Figure 7-6 compares the 2023 quarterly SO_x emissions with the quarterly emissions from 2012 through 2022. Figure 7-5 shows that quarterly SO_x emissions during calendar year 2023 varied from 8 percent above the mean in the second quarter (April through June) to about 6 percent below the mean in the first quarter (January through March). Figure 7-6 shows that the calendar year 2023 quarterly emissions profile is roughly consistent with previous years under RECLAIM. Both Figures 7-5 and 7-6, along with the qualitative analysis performed above, show that in calendar year 2023 there was not a significant shift in SO_x emissions from the winter months to the summer months.

Figure 7-5
Calendar Year 2023 SO_x Quarterly Emissions





Figure 7-6
Quarterly SOx Emissions from Calendar Years 2012 through 2023



Per Capita Exposure to Pollution

The predicted effects of RECLAIM on air quality and public health were thoroughly analyzed through modeling during program development. One of the criteria examined in the analysis was per capita population exposure, which reflects the length of time each person is exposed to unhealthful air quality.

As part of the Children's Environmental Health Protection Act that was passed in 1999, and in consultation with the Office of Environmental Health Hazard Assessment (OEHHA), CARB is to "review all existing health-based ambient air quality standards to determine whether these standards protect public health, including infants and children, with an adequate margin of safety." As a result of that requirement, in addition to the 1-hour ozone standard (0.09 ppm) already in place, CARB adopted a new 8-hour ozone standard (0.070 ppm), which became effective May 17, 2006.

In July 1997, the U.S. EPA established an ozone National Ambient Air Quality Standard (NAAQS) of 0.085 ppm based on an 8-hour average measurement. As part of the Phase I implementation that was finalized in June 2004, the federal 1-hour ozone standard (0.12 ppm) was revoked effective June 2005. Then, effective May 27, 2008, the 8-hour NAAQS for ozone was reduced to 0.075 ppm. Finally, effective December 28, 2015, the 8-hour NAAQS for ozone was further reduced to 0.070 ppm, the level of the current California Ambient Air Quality Standard.

Table 7-1 summarizes ozone data for calendar years 2001 through 2024 in terms of the number of days that exceeded the state's 1-hour and 8-hour ozone standards, the 2008 and 2015 federal ambient 8-hour ozone standard, and both the Basin's maximum 1-hour and 8-hour ozone concentrations in each calendar year. Table 7-1 shows that the South Coast Air Basin exceeded both the newer 8-hour federal 0.07 ppm standard and the state 0.07 ppm standard by 138 days and 141 days, respectively, in 2024. A difference in the number of days per year the Basin exceeds each standard may periodically occur due to the differing language and methods for deriving exceedance days in the federal and state rules. This table shows that the number of days that exceeded each standard in 2024 increased when compared to 2023.

Table 7-1
Summary of Ozone Data⁴

Year	Days exceeding state 1-hour standard (0.09 ppm)	Days exceeding state 8-hour standard (0.07 ppm)	Days exceeding old federal 8-hour standard (0.075 ppm)	Days exceeding new federal 8-hour standard (0.07 ppm)	Basin Maximum 1-hour ozone concentration (ppm)	Basin Maximum 8-hour ozone concentration (ppm)
2001	121	154	128	N/A	0.19	0.144
2002	116	147	132	N/A	0.169	0.144
2003	125	153	133	N/A	0.194	0.153
2004	105	152	115	N/A	0.163	0.145
2005	99	138	116	N/A	0.182	0.145
2006	102	128	112	N/A	0.175	0.142
2007	96	127	108	N/A	0.171	0.137
2008	102	140	119	N/A	0.176	0.131
2009	102	131	113	N/A	0.176	0.128
2010	79	124	102	N/A	0.143	0.123
2011	90	125	106	N/A	0.160	0.136
2012	97	140	111	N/A	0.147	0.112
2013	70	119	88	N/A	0.151	0.122
2014	74	129	92	N/A	0.141	0.11
2015	71	115	81	113	0.144	0.127
2016	83	132	103	132	0.163	0.121
2017	109	148	122	145	0.158	0.136
2018	84	141	108	141	0.142	0.125
2019	82	129	101	126	0.137	0.117
2020	132	160	142	157	0.185	0.139
2021	91	135	113	130	0.148	0.12
2022	88	126	106	123	0.155	0.122
2023	76	115	94	115	0.155	0.118
2024	109	141	123	138	0.147	0.131

The CCAA, which was enacted in 1988, established targets for reducing overall population exposure to severe non-attainment pollutants in the Basin—a 25 percent reduction by December 31, 1994, a 40 percent reduction by December 31, 1997, and a 50 percent reduction by December 31, 2000, relative to a calendar years' 1986-88 baseline. These targets are based on the average number of hours a person is exposed ("per capita exposure"⁵) to ozone

⁴ The reported number of days exceeding each ozone standard and Basin maximum concentrations for 2001 to 2020 statistics have been revised in accordance with updated rounding methodologies, consistent with the methodology used for ongoing AQMP development. Calendar year 2024 exceedance statistics and maximum concentrations are based on preliminary data and are subject to change.

⁵ South Coast AQMD staff divides the air Basin into a grid of square cells and interpolates recorded ozone data from ambient air quality monitors to determine ozone levels experienced in each of these cells. The

concentrations above the state 1-hour standard of 0.09 ppm. Table 7-2 shows the 1986-88 baseline per capita exposure, the actual per capita exposures each year since 1994 (RECLAIM's initial year), and the 1997 and 2000 targets set by the CCAA for each of the four counties in the district and the Basin overall. As shown in Table 7-2, the per capita exposure continues to remain much lower than the CCAA targets. Relative to calendar year 2023, the 2024 per capita exposures were higher for the Basin at large, including Los Angeles, Orange, Riverside, and San Bernardino Counties. For calendar year 2024, the actual per capita exposure for the Basin was 4.57 hours, which represents a 94.3 percent reduction from the 1986-88 baseline level.

total person-hours in a county experiencing ozone higher than the state ozone standard is determined by summing over the whole county the products of the number of hours exceeding the state ozone standard per grid cell with the number of residents in the corresponding cell. The per capita ozone exposures are then calculated by dividing the sum of person-hours by the total population within a county. Similar calculations are used to determine the Basin-wide per capita exposure by summing and dividing over the whole Basin.

Table 7-2

Per Capita Exposure to Ozone above the State One-Hour Standard of 0.09 ppm (hours)

Calendar Year	Basin	Los Angeles	Orange	Riverside	San Bernardino
1986-88 baseline ¹	80.5	75.8	27.2	94.1	192.6
1994 actual	37.6	26.5	9	71.1	124.9
1995 actual	27.7	20	5.7	48.8	91.9
1996 actual	20.3	13.2	4	42.8	70
1997 actual	5.9	3	0.6	13.9	24.5
1998 actual	12.1	7.9	3.1	25.2	40.2
2000 actual	3.8	2.6	0.7	8.5	11.4
2001 actual	1.73	0.88	0.15	6	5.68
2002 actual	3.87	2.16	0.13	11.12	12.59
2003 actual	10.92	6.3	0.88	20.98	40.21
2004 actual	3.68	2.26	0.50	6.82	12.34
2005 actual	3.11	1.43	0.03	6.06	12.54
2006 actual	4.56	3.08	0.68	8.02	13.30
2007 actual	2.90	1.50	0.35	4.65	10.53
2008 actual	4.14	2.04	0.26	7.50	14.71
2009 actual	2.87	1.54	0.08	3.88	10.54
2010 actual	1.18	0.38	0.11	2.45	4.48
2011 actual	2.10	0.85	0.02	3.46	8.13
2012 actual	2.37	1.05	0.05	2.59	9.78
2013 actual	1.31	0.52	0.07	1.61	5.50
2014 actual	1.84	1.26	0.29	1.47	6.02
2015 actual	1.96	0.76	0.10	2.14	8.47
2016 actual	2.64	1.14	0.07	2.19	11.56
2017 actual	4.55	2.56	0.24	4.73	16.79
2018 actual	1.97	0.90	0.14	2.37	7.79
2019 actual	2.34	1.15	0.33	2.25	9.16
2020 actual	6.82	5.67	2.02	4.60	18.25
2021 actual	2.05	0.56	0.07	2.41	9.64
2022 actual	2.10	1.05	0.14	1.48	8.77
2023 actual	2.56	1.78	0.56	2.34	7.93
2024 actual	4.57	2.76	1.49	4.62	14.81
1997 target ²	48.3	45.5	16.3	56.5	115.6
2000 target ³	40.2	37.9	13.6	47	96.3

¹ Average over three years, 1986 through 1988.² 60% of the 1986-88 baseline exposures.³ 50% of the 1986-88 baseline exposures.

Table 7-2 shows that actual per capita exposures during all the years mentioned were well under the 1997 and 2000 target exposures limits. It should also be noted that air quality in the Basin is a complex function of meteorological conditions and an array of different emission sources, including mobile, area, RECLAIM stationary sources, and non-RECLAIM stationary sources. Therefore, the reduction of per capita exposure beyond the projected level is not necessarily wholly attributable to implementation of the RECLAIM program in lieu of the command-and-control regulations.

Toxic Impacts

Based on a comprehensive toxic impact analysis performed during program development, it was concluded that RECLAIM would not result in any significant impacts on air toxic emissions. Nevertheless, to ensure that the implementation of RECLAIM does not result in adverse toxic impacts, each annual program audit is required to assess any increase in the public health exposure to air toxics potentially caused by RECLAIM.

One of the safeguards to ensure that the implementation of RECLAIM does not result in adverse air toxic health impacts is that RECLAIM sources are subject to the same air toxic statutes and regulations (e.g., South Coast AQMD Regulation XIV, State AB 2588, State Air Toxics Control Measures, Federal National Emissions Standards for Hazardous Air Pollutants, etc.) as other sources in the Basin. Additionally, air toxic health risk is primarily caused by emissions of VOC and fine particulates such as certain metals. VOC sources at RECLAIM facilities are subject to source-specific command-and-control rules the same way as are non-RECLAIM facilities, in addition to the air toxic's requirements described above. Sources of fine particulates and toxic metal emissions are also subject to the above-identified regulations pertaining to air toxic emissions. Moreover, new or modified RECLAIM sources with NO_x or SO_x emission increases are also required to be equipped with BACT, which minimizes to the extent feasible NO_x and SO_x emissions, which are precursors to particulate matter.

There have been concerns raised that trading RTCs could allow for higher production at a RECLAIM facility, which may indirectly cause higher emissions of air toxics, and thereby make the health risk in the vicinity of the facility worse. Other South Coast AQMD rules and programs for air toxics apply to facilities regardless of them being in RECLAIM or under traditional command and control rules. Emission increases at permit units are subject to new source review. RECLAIM facilities must also comply with any applicable Regulation XIV rules for toxics. Permits generally include limiting throughput conditions for new source review or applicable source specific rules. AB 2588 and Rule 1402 – Control of Toxic Air Contaminants from Existing Sources could also be triggered based on risk, which would require the facility to take appropriate risk reduction measures.

Three categories of facilities are subject to South Coast AQMD's Annual Emissions Reporting (AER) Program: 1) those exceeding Rule 301 annual criteria pollutant thresholds (four tons or more of VOC, NO_x, SO_x, PM; 100 tons of CO), or by exceeding annual thresholds for toxic air pollutants shown in Table IV; 2) those facilities that are part of the AB 2588 Program; or 3) facilities described under CARB's Regulation for the Reporting of Criteria Air Pollutants and Toxic Air Contaminants (CTR)⁶. Facilities meeting the Rule 301 reporting threshold are subject to reporting any one of 66 toxic air contaminants and ozone depleting compounds. Facilities subject to the AB 2588 Program or CTR are subject to reporting from a list of over 400 toxic air contaminants. The data collected in the AER Program is used for various purposes, such as for the state and national emissions inventories, for AQMP and rule development, and for rule

⁶ Additional information on CTR can be found at: <https://ww2.arb.ca.gov/our-work/programs/criteria-and-toxics-reporting>

compliance determination, such as identifying additional facilities that may be subject to the AB 2588 or Title V Programs.

Facilities in the AB 2588 Program are required to submit a comprehensive toxics inventory, which is then prioritized using Board-approved procedures⁷ into one of three categories: low, intermediate, or high priority. Facilities ranked with low priority are potentially exempt from the AB 2588 Program and future reporting. Facilities ranked with intermediate priority are classified as South Coast AQMD tracking facilities, which are then required to continue reporting a complete toxics inventory through AER every four years. In addition to reporting their toxic emissions quadrennially, facilities designated as high priority are required to further investigation, which may include submitting a health risk assessment (HRA) to determine their impacts to the surrounding community.

According to South Coast AQMD's 2023 Annual Report on the AB 2588 Air Toxics "Hot Spots" Program⁸, staff has reviewed and approved 360 HRAs as of the end calendar of year 2023. About 95 percent of the facilities have cancer risks below 10 in a million and 95 percent of the facilities have acute and chronic non-cancer hazard indices less than 1. Facilities with cancer risks above 10 in a million or a non-cancer hazard index above 1 are required to issue public notices informing the community. A public meeting is held during which South Coast AQMD discusses the health risks from the facility. South Coast AQMD has conducted such public notification meetings for 65 facilities under the AB 2588 Program.

The Board has also established the following action risk levels in Rule 1402: a cancer burden of 0.5, a cancer risk of 25 in a million, and a hazard index of 3.0. Facilities above any of the action risk levels must reduce their risks below the action risk levels within three years. To date, 32 facilities have been required to reduce risks and all of these facilities have reduced risks below the action risk levels mandated by Rule 1402.

The impact of the above rules and measures are analyzed in Multiple Air Toxic Exposure Studies (MATES), which South Coast AQMD staff conducts periodically to assess cumulative air toxic impacts to the residents and workers of southern California. The fifth version of MATES (*i.e.*, MATES V) was conducted over a one-year period from May 2018 to April 2019, and the final MATES V report was released in August 2021.⁹ Monitoring conducted at that time indicated that the Basin-wide population-weighted air toxics exposure was reduced by 54 percent since MATES IV (conducted from July 2012 to June 2013). The results of these recent MATES continue to show that the region-wide cumulative air toxic impacts on residents and workers in southern California have been declining. Therefore, staff has not found any evidence that would suggest that the substitution of NO_x and SO_x RECLAIM for the command-and-control rules and the measures RECLAIM subsumes caused a significant increase in public

⁷ The toxics prioritization procedures can be found at: <https://www.aqmd.gov/home/rules-compliance/compliance/toxic-hot-spots-ab-2588/prioritization>.

⁸ The 2023 AB 2588 Annual Report can be found at: <https://www.aqmd.gov/docs/default-source/planning/risk-assessment/ab-2588-annual-report/ab-2588-2023-annual-report---final.pdf?sfvrsn=16>.

⁹ The Final MATES V Report can be found at: <http://www.aqmd.gov/docs/default-source/planning/mates-v/mates-v-final-report-9-24-21.pdf>.

exposure to air toxic emissions relative to what would have happened if the RECLAIM program was not implemented.

APPENDIX A

RECLAIM UNIVERSE OF SOURCES

The RECLAIM universe of active sources as of the end of Compliance Year 2023 is provided below.

Facility ID	Cycle	Facility Name	Program
800088	2	3M COMPANY	NOx
23752	2	AEROCRAFT HEAT TREATING CO INC	NOx
115394	1	AES ALAMITOS, LLC	NOx
115389	2	AES HUNTINGTON BEACH, LLC	NOx/SOx
115536	1	AES REDONDO BEACH, LLC	NOx
148236	2	AIR LIQUIDE LARGE INDUSTRIES U.S., LP	NOx/SOx
3417	1	AIR PROD & CHEM INC	NOx
101656	2	AIR PRODUCTS AND CHEMICALS, INC.	NOx
5998	1	ALL AMERICAN ASPHALT	NOx
114264	1	ALL AMERICAN ASPHALT	NOx
3704	2	ALL AMERICAN ASPHALT, UNIT NO.01	NOx
187165	1	ALTAIR PARAMOUNT, LLC	NOx/SOx
199260	2	AMAZON.COM SERVICES LLC – DJT4	NOx
800196	2	AMERICAN AIRLINES, INC,	NOx
16642	1	ANHEUSER-BUSCH LLC., (LA BREWERY)	NOx/SOx
117140	2	AOC, LLC	NOx
174406	1	ARLON GRAPHICS LLC	NOx
183832	2	AST TEXTILE GROUP, INC.	NOx
181510	1	AVCORP COMPOSITE FABRICATION, INC	NOx
117290	2	B BRAUN MEDICAL, INC	NOx
800016	2	BAKER COMMODITIES INC	NOx
40034	1	BENTLEY PRINCE STREET INC	NOx
166073	1	BETA OFFSHORE	NOx
132068	1	BIMBO BAKERIES USA INC	NOx
185574	1	BRIDGE ENERGY, LLC	NOx
185575	2	BRIDGE ENERGY, LLC	NOx
185600	2	BRIDGE ENERGY, LLC	NOx
185601	2	BRIDGE ENERGY, LLC	NOx
190051	2	BRIDGE POINT LONG BEACH LLC	NOx/SOx
25638	2	BURBANK CITY, BURBANK WATER & POWER	NOx

ANNUAL RECLAIM AUDIT

Facility ID	Cycle	Facility Name	Program
128243	1	BURBANK CITY, BURBANK WATER & POWER, SCPPA	NOx
800344	1	CALIFORNIA AIR NATIONAL GUARD, MARCH AFB	NOx
46268	1	CALIFORNIA STEEL INDUSTRIES INC	NOx
107653	2	CALMAT CO	NOx
107654	2	CALMAT CO	NOx
107655	2	CALMAT CO	NOx
107656	2	CALMAT CO	NOx
153992	1	CANYON POWER PLANT	NOx
94930	1	CARGILL INC	NOx
22911	2	CARLTON FORGE WORKS	NOx
141555	2	CASTAIC CLAY PRODUCTS, LLC	NOx
14944	1	CENTRAL WIRE, INC.	NOx/SOx
195649	2	CENTRIO ENERGY LOS ANGELES INC.	NOx
148925	1	CHERRY AEROSPACE	NOx
800030	2	CHEVRON PRODUCTS CO.	NOx/SOx
172077	1	CITY OF COLTON	NOx
129810	1	CITY OF RIVERSIDE PUBLIC UTILITIES DEPT	NOx
139796	1	CITY OF RIVERSIDE PUBLIC UTILITIES DEPT	NOx
164204	2	CITY OF RIVERSIDE, PUBLIC UTILITIES DEPT	NOx
182561	1	COLTON POWER, LP	NOx
182563	1	COLTON POWER, LP	NOx
38440	2	COOPER & BRAIN - BREA	NOx
83102	2	CUSTOM ALLOY SALES, INC.	NOx
63180	1	DARLING INGREDIENTS INC.	NOx
3721	2	DART CONTAINER CORP OF CALIFORNIA	NOx
7411	2	DAVIS WIRE CORP	NOx
143738	2	DCOR LLC	NOx
143739	2	DCOR LLC	NOx
143740	2	DCOR LLC	NOx
143741	1	DCOR LLC	NOx
800037	2	DEMENNO-KERDOON DBA WORLD OIL RECYCLING	NOx
125579	1	DIRECTV	NOx
800189	1	DISNEYLAND RESORT	NOx
142536	2	DRS SENSORS & TARGETING SYSTEMS, INC	NOx
117227	2	DTRS SANTA MONICA, LLC	NOx
180908	1	ECO SERVICES OPERATIONS CORP.	NOx/SOx

ANNUAL RECLAIM AUDIT

Facility ID	Cycle	Facility Name	Program
8547	1	ECOBAT RESOURCES CALIFORNIA, INC.	NOx/SOx
115663	1	EL SEGUNDO ENERGY CENTER LLC	NOx
195782	2	EMERALD SOCAL, LLC	NOx
186899	1	ENERGY HOLDINGS LLC/LGHTHP_6_ICEGEN	NOx
800372	2	EQUILON ENTER. LLC, SHELL OIL PROD. US	NOx/SOx
95212	1	FABRICA	NOx
11716	1	FONTANA PAPER MILLS INC	NOx
346	1	FRITO-LAY, INC.	NOx
2418	2	FRUIT GROWERS SUPPLY CO	NOx
142267	2	FS PRECISION TECH LLC	NOx
12428	2	GOLD BOND BUILDING PRODUCTS, LLC.	NOx
137471	2	GRIFOLS BIOLOGICALS INC	NOx
156741	2	HARBOR COGENERATION CO, LLC	NOx
157359	1	HENKEL ELECTRONIC MATERIALS, LLC	NOx
123774	1	HERAEUS PRECIOUS METALS NO. AMERICA, LLC	NOx
113160	2	HILTON COSTA MESA	NOx
2912	2	HOLLIDAY ROCK CO INC	NOx
800003	2	HONEYWELL INTERNATIONAL INC	NOx
196134	2	HONOR RANCHO WAYSIDE CANYON HOLDINGS LLC	NOx
196133	2	HONOR RANCHO WAYSIDE CANYON HOLDINGS, LLC	NOx
187348	2	HYDRO EXTRUSION USA, LLC	NOx
193561	1	IBY, LLC	NOx
124808	2	INEOS POLYPROPYLENE LLC	NOx/SOx
129816	2	INLAND EMPIRE ENERGY CENTER, LLC	NOx
157363	2	INTERNATIONAL PAPER CO	NOx
16338	1	KAISER ALUMINUM FABRICATED PRODUCTS, LLC	NOx
187823	2	KIRKILL INC	NOx
800335	2	LA CITY, DEPT OF AIRPORTS	NOx
800170	1	LA CITY, DWP HARBOR GENERATING STATION	NOx
800074	1	LA CITY, DWP HAYNES GENERATING STATION	NOx
800075	1	LA CITY, DWP SCATTERGOOD GENERATING STN	NOx
800193	2	LA CITY, DWP VALLEY GENERATING STATION	NOx
61962	1	LA CITY, HARBOR DEPT	NOx
550	1	LA CO., INTERNAL SERVICE DEPT	NOx
173904	2	LAPEYRE INDUSTRIAL SANDS, INC	NOx
192519	1	LEGACY BY-PRODUCTS LLC	NOx

ANNUAL RECLAIM AUDIT

Facility ID	Cycle	Facility Name	Program
144455	2	LIFOAM INDUSTRIES, LLC	NOx
7416	1	LINDE INC.	NOx
42630	1	LINDE INC.	NOx
115314	2	LONG BEACH GENERATION, LLC	NOx
17623	2	LOS ANGELES ATHLETIC CLUB	NOx
58622	2	LOS ANGELES COLD STORAGE CO	NOx
800080	2	LUNDAY-THAGARD CO DBA WORLD OIL REFINING	NOx/SOx
14049	2	MARUCHAN INC	NOx
3029	2	MATCHMASTER DYEING & FINISHING INC	NOx
182970	1	MATRIX OIL CORP	NOx
2825	1	MCP FOODS INC	NOx
176952	2	MERCEDES-BENZ WEST COAST CAMPUS	NOx
94872	2	METAL CONTAINER CORP	NOx
800207	1	METRO ST HOSP (EIS USE)	NOx
12372	1	MISSION CLAY PRODUCTS	NOx
195849	1	MITTERA CALIFORNIA LLC	NOx
11887	2	NASA JET PROPULSION LAB	NOx
115563	1	NCI GROUP INC., DBA, METAL COATERS OF CA	NOx
172005	2	NEW- INDY ONTARIO, LLC	NOx
131732	2	NEWPORT FAB, LLC	NOx
800408	1	NORTHROP GRUMMAN SYSTEMS	NOx
18294	1	NORTHROP GRUMMAN SYSTEMS CORP	NOx
800409	2	NORTHROP GRUMMAN SYSTEMS CORPORATION	NOx
130211	2	NOVIPAX, INC	NOx
89248	2	OLD COUNTRY MILLWORK INC	NOx
47781	1	OLS ENERGY-CHINO	NOx
183564	2	ONNI TIMES SQUARE LP	NOx
183415	2	ONTARIO INTERNATIONAL AIRPORT AUTHORITY	NOx
35302	2	OWENS CORNING ROOFING AND ASPHALT, LLC	NOx/SOx
7427	1	OWENS-BROCKWAY GLASS CONTAINER INC	NOx/SOx
45746	2	PABCO BLDG PRODUCTS LLC, PABCO PAPER, DBA	NOx/SOx
17953	1	PACIFIC CLAY PRODUCTS INC	NOx
2946	1	PACIFIC FORGE INC	NOx
800168	1	PASADENA CITY, DWP	NOx
171107	2	PHILLIPS 66 CO/LA REFINERY WILMINGTON PL	NOx/SOx
171109	1	PHILLIPS 66 COMPANY/LOS ANGELES REFINERY	NOx/SOx

ANNUAL RECLAIM AUDIT

Facility ID	Cycle	Facility Name	Program
11435	2	PQ LLC	NOx/SOx
136	2	PRESS FORGE CO	NOx
105903	1	PRIME WHEEL	NOx
19167	2	R J. NOBLE COMPANY	NOx
20604	2	RALPHS GROCERY CO	NOx
193132	1	RAYTHEON COMPANY	NOx
193134	2	RAYTHEON COMPANY	NOx
193153	2	RAYTHEON COMPANY	NOx
20203	2	RECONSERVE OF CALIFORNIA-LOS ANGELES INC	NOx
195532	1	REDU HOLDINGS, LLC	NOx
180410	2	REICHHOLD LLC 2	NOx
800113	2	ROHR, INC.	NOx
4242	2	SAN DIEGO GAS & ELECTRIC	NOx
15504	2	SCHLOSSER FORGE COMPANY	NOx
14926	1	SEMPRA ENERGY (THE GAS CO)	NOx
152707	1	SENTINEL ENERGY CENTER LLC	NOx
184288	2	SENTINEL PEAK RESOURCES CALIFORNIA, LLC	NOx
184301	1	SENTINEL PEAK RESOURCES CALIFORNIA, LLC	NOx
188635	1	SFII FLYTE, LLC	NOx
800129	1	SFPP, L.P.	NOx
37603	1	SGL TECHNIC LLC	NOx
196103	1	SHADOW WOLF ENERGY, LLC	NOx
131850	2	SHAW DIVERSIFIED SERVICES INC	NOx
16639	1	SHULTZ STEEL CO	NOx
191420	2	SIERRA ALUMINUM, DIV OF SAMUEL, SON & CO	NOx
191415	2	SIERRA ALUMINUM, DIV OF SAMUEL, SON & CO	NOx
101977	1	SIGNAL HILL PETROLEUM INC	NOx
187885	2	SMITHFIELD PACKAGED MEATS CORP	NOx
119596	2	SNAK KING CORPORATION	NOx
185352	2	SNOW SUMMIT, LLC.	NOx
4477	1	SO CAL EDISON CO	NOx
800127	1	SO CAL GAS CO	NOx
800128	1	SO CAL GAS CO	NOx
8582	1	SO CAL GAS CO/PLAYA DEL REY STORAGE FAC	NOx
169754	1	SO CAL HOLDING, LLC	NOx
5973	1	SOCAL GAS CO	NOx

ANNUAL RECLAIM AUDIT

Facility ID	Cycle	Facility Name	Program
14871	2	SONOCO PRODUCTS CO	NOx
160437	1	SOUTHERN CALIFORNIA EDISON	NOx
800338	2	SPECIALTY PAPER MILLS INC	NOx
1634	2	STEELCASE INC, WESTERN DIV	NOx
126498	2	STEELSCAPE, INC	NOx
105277	2	SULLY MILLER CONTRACTING CO	NOx
19390	1	SULLY-MILLER CONTRACTING CO.	NOx
3968	1	TABC, INC	NOx
174591	1	TESORO REF & MKTG CO LLC, CALCINER	NOx/SOx
174655	2	TESORO REFINING & MARKETING CO, LLC	NOx/SOx
151798	1	TESORO REFINING AND MARKETING CO, LLC	NOx/SOx
800436	1	TESORO REFINING AND MARKETING CO, LLC	NOx/SOx
199197	1	TEX-TECH ENGINEERED COMPOSITES INC.	NOx
96587	1	TEXOLLINI INC	NOx
16660	2	THE BOEING COMPANY	NOx
115241	1	THE BOEING COMPANY	NOx
800067	1	THE BOEING COMPANY	NOx
14736	2	THE BOEING CO-SEAL BEACH COMPLEX	NOx
11119	1	THE GAS CO./ SEMPRA ENERGY	NOx
153199	1	THE KROGER CO/RALPHS GROCERY CO	NOx
191386	2	THE NEWARK GROUP, INC. DBA GREIF, INC	NOx
97081	1	THE TERMO COMPANY	NOx
800330	1	THUMS LONG BEACH	NOx
129497	1	THUMS LONG BEACH CO	NOx
800325	2	TIDELANDS OIL PRODUCTION CO	NOx
68118	2	TIDELANDS OIL PRODUCTION COMPANY ETAL	NOx
171960	2	TIN, INC. DBA INTERNATIONAL PAPER	NOx
137508	2	TONOGA INC, TACONIC DBA	NOx
181667	1	TORRANCE REFINING COMPANY LLC	NOx/SOx
182049	2	TORRANCE VALLEY PIPELINE CO LLC	NOx
182050	1	TORRANCE VALLEY PIPELINE CO LLC	NOx
182051	1	TORRANCE VALLEY PIPELINE CO LLC	NOx
43436	1	TST, INC.	NOx
800026	1	ULTRAMAR INC	NOx/SOx
9755	2	UNITED AIRLINES INC	NOx
800149	2	US BORAX INC	NOx

ANNUAL RECLAIM AUDIT

Facility ID	Cycle	Facility Name	Program
800150	1	US GOVT, AF DEPT, MARCH AIR RESERVE BASE	NOx
800393	1	VALERO WILMINGTON ASPHALT PLANT	NOx
193552	1	VERNON ENVIRONMENTAL RESPONSE TRUST	NOx/SOx
14502	2	VERNON PUBLIC UTILITIES	NOx
195802	2	VERNON PUBLIC UTILITIES	NOx
14495	2	VISTA METALS CORPORATION	NOx
191677	1	VORTEQ PACIFIC	NOx
146536	1	WALNUT CREEK ENERGY, LLC	NOx/SOx
42775	1	WEST NEWPORT OIL CO	NOx/SOx
1073	1	WESTLAKE ROYAL ROOFING LLC	NOx
195338	2	WG HOLDINGS SPV, LLC	NOx
195344	2	WG HOLDINGS SPV, LLC	NOx
127299	2	WILDFLOWER ENERGY LP/INDIGO GEN., LLC	NOx
193314	2	ZENITH ENERGY WEST COAST TERMINALS LLC	NOx
193318	2	ZENITH ENERGY WEST COAST TERMINALS LLC	NOx
193323	1	ZENITH ENERGY WEST COAST TERMINALS LLC	NOx
193329	1	ZENITH ENERGY WEST COAST TERMINALS LLC	NOx
193330	2	ZENITH ENERGY WEST COAST TERMINALS LLC	NOx

APPENDIX B

FACILITY INCLUSIONS

As discussed in Chapter 1, no facilities were added to the RECLAIM universe in Compliance Year 2023. As of January 5, 2018, inclusion of new facilities is not allowed pursuant to amendments to Rule 2001.

APPENDIX C

RECLAIM FACILITIES CEASING OPERATION OR EXCLUDED

South Coast AQMD staff is aware of the following RECLAIM facility that permanently shut down all operations, inactivated all their RECLAIM permits, or were excluded from the RECLAIM universe during Compliance Year 2023. The reasons for shutdowns and exclusions cited below are based on the information provided by the facility and other information available to South Coast AQMD staff.

Facility ID	141295
Facility Name	LEKOS DYE AND FINISHING, INC
City and County	Compton, Los Angeles County
SIC	2269
Pollutant(s)	NOx
1994 Allocation	0 lbs.
Reason for Shutdown	The facility shut down in March 2024. The facility stated they could not afford to pay RECLAIM fees and air-related charges, and cited manufacturing, production, or raw material cost as the reasons for shutdown.

APPENDIX D

FACILITIES THAT EXCEEDED THEIR ANNUAL ALLOCATION FOR COMPLIANCE YEAR 2023

The following is a list of facilities that did not have enough RTCs to cover their NOx emissions in Compliance Year 2023 based on the results of audits conducted by South Coast AQMD staff.

Facility ID	Facility Name	Compliance Year	Pollutant
11435	PQ LLC	2023	NOx/SOx
20203	Reconserve of California – Los Angeles Inc	2023	NOx
20604	Ralphs Grocery Co	2023	NOx
107656	Calmat Co	2023	NOx
124808	INEOS Polypropylene LLC	2023	NOx/SOx
141295	Lekos Dye and Finishing, Inc	2023	NOx
166073	Beta Offshore	2023	NOx
183832	AST Textile Group, Inc	2023	NOx
190051	Bridge Point Long Beach LLC	2023	NOx/SOx
191677	Vorteq Pacific	2023	NOx
196134	Honor Rancho Wayside Canyon Holdings LLC	2023	NOx
800129	SFPP, L.P.	2023	NOx
800393	Valero Wilmington Asphalt Plant	2023	NOx

APPENDIX E

REPORTED JOB IMPACTS ATTRIBUTED TO RECLAIM

Each year RECLAIM facility operators are asked to provide employment data in their APEP reports. The report asks company representatives to quantify job increases and/or decreases, and to report the positive and/or negative impacts of the RECLAIM program on employment at their facilities. This appendix is included in each Annual RECLAIM Audit Report to provide detailed information for facilities reporting that RECLAIM contributed to job gains or losses.

Facilities with reported job gains or losses attributed to RECLAIM:

Two (2) RECLAIM facilities reported job losses due to RECLAIM for Compliance Year 2023 as reported in Part III – B. Socioeconomic Impacts.

Facility ID: 141295
Facility Name: LEKOS DYE AND FINISHING INC
City and County: Compton, Los Angeles County
SIC: 2257
Pollutant(s): NOx
Cycle: 2
Job Loss: 50
Comments: The facility claims that the cost of complying with RECLAIM rules and the manufacturing, production, and raw material costs were too expensive.

Facility ID: 174591
Facility Name: TESORO REF & MKTG CO LLC, CALCINER
City and County: Long Beach, Los Angeles County
SIC: 2999
Pollutant(s): NOx/SOx
Cycle: 1
Job Loss: 21
Comments: The facility claims that the proposed BARCT for NOx control under the 2015 NOx shave and Rule 1109.1 were not cost effective, and that there are no known proven NOx reduction technologies implemented on existing coke calciners.

RESOLUTION NO. 25-6

A Resolution of the Governing Board of the South Coast Air Quality Management District (South Coast AQMD) to approve staff's recommendation to determine that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change, as reported in the prior year's evaluation and review of the compliance and enforcement aspects of the RECLAIM program, with confirmation that circumstances have not changed, and additional analysis is not required.

A Resolution of the South Coast AQMD Governing Board directing the Executive Officer to submit to CARB and U.S. EPA the Annual RECLAIM Audit with Report and recommendation, including the determination that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change.

WHEREAS, Rule 2015 requires the Executive Officer to present an annual program audit of the RECLAIM program that includes the average annual price of each type of RECLAIM Trading Credit (RTC) price, including NOx RTC, to the South Coast AQMD Governing Board;

WHEREAS, the Executive Officer prepared the Annual RECLAIM Audit Report for 2023 Compliance Year and presented the annual program audit of the RECLAIM program on March 7, 2025;

WHEREAS, the Executive Officer determined that NOx RTC prices exceeded \$15,000 per ton as part of the Annual RECLAIM Audit Report for 2023 Compliance Year;

WHEREAS, Rule 2015 (b)(6) requires the Executive Officer to conduct an evaluation and review of the compliance and enforcement aspects of the NOx RECLAIM program, including the deterrent effect of Rule 2004 paragraphs (d)(1) through (d)(4), following the determination of a NOx RTC price exceedance of \$15,000 per ton;

WHEREAS, Rule 2015 provides that if the South Coast AQMD Governing Board determines that applicable RTC pricing thresholds in Rule 2015 are exceeded, then the South Coast AQMD Governing Board may elect to amend paragraphs (d)(1) through (d)(4) of Rule 2004 if revisions are determined to be appropriate in light of the results of the evaluation;

WHEREAS, the Executive Officer has previously determined that NOx RTC prices exceeded \$15,000 per ton as part of the Annual RECLAIM Audit Report for 2020 Compliance Year presented to the South Coast AQMD Governing Board on March 4, 2022;

WHEREAS, staff conducted the Rule 2015 evaluation and review which concluded and recommended that paragraphs (d)(1) through (d)(4) of Rule 2004 of the NOx RECLAIM program should continue without change on August 5, 2022;

WHEREAS, the South Coast AQMD Governing Board on August 5, 2022 approved the staff recommendation that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change, as reported in the evaluation and review of the compliance and enforcement aspects of the RECLAIM program;

WHEREAS, a staff review of the August 5, 2022, evaluation has confirmed that the circumstances associated with the compliance and enforcement aspects of the RECLAIM program have not changed and that continuing analysis is not required; and

NOW, THEREFORE BE IT RESOLVED that the South Coast AQMD Governing Board does hereby approve the Annual RECLAIM Audit Report for 2023 Compliance Year;

BE IT FURTHER RESOLVED, that the South Coast AQMD Governing Board does hereby approve staff's recommendation to determine that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change, as reported in the August 5, 2022, evaluation and review of the compliance and enforcement aspects of the RECLAIM program, with staff's confirmation that circumstances have not changed, and continuing analysis is not required;

BE IT FURTHER RESOLVED, that the South Coast AQMD Governing Board does hereby direct the Executive Officer to submit to CARB and U.S. EPA the Annual RECLAIM Audit Report for 2023 Compliance Year and the August 5, 2022, evaluation and review of the compliance and enforcement aspects of the RECLAIM program, including the determination that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change.

AYES: Cacciotti, Delgado, Hagman, Kracov,
McCallon, Mitchell, Nguyen, Olmos,
Padilla-Campos, and Rodriguez

NOES: None

ABSENT: Lock Dawson, Perez, and Raman

DATE: March 7, 2025

Faye Thomas
Faye Thomas, Clerk of the Boards

Annual RECLAIM Audit Report for 2023 Compliance Year


Board Meeting
March 7, 2025

Background

- Regional Clean Air Incentives Market (RECLAIM) – Adopted October 1993
 - Cap and trade program for largest NO_x and SO_x sources
 - Each facility was issued an allocation of RECLAIM Trading Credits (RTCs) that declines over time
 - At the end of each compliance year, operators must hold sufficient RTCs to cover annual emissions
 - Operators can make reductions or purchase RTCs
- Board directed staff to develop command-and-control rules requiring RECLAIM sources to implement Best Available Retrofit Control Technology (BARCT)
 - 29 landing rules have been amended and/or adopted by the Board
 - RTCs cannot be used to meet NO_x limits in these rules
- Rule 2015 requires an annual audit of the RECLAIM program
 - This is the Annual RECLAIM Audit Report for Compliance Year 2023

NOx and SOx Emissions and Allocations Trend

**NOx Emissions in Compliance Year 2023
Below Allocations by 869 Tons (16%)**



**SOx Emissions in Compliance Year 2023
Below Allocations by 817 Tons (37%)**



2023 Annual RECLAIM Audit Findings



Number of Facilities

228 facilities at the end of Compliance Year 2023

1 less facility than Compliance Year 2022



Overall Goals

Met overall NOx and SOx program goals
Implemented NOx/SOx allocation shaves



Compliance Rate

High rate of facility compliance for holding sufficient RTCs to reconcile emissions

94% of NOx facilities
100% of SOx facilities



RTC Price

Annual average discrete prices for future NOx RTCs below \$56,919/ton* threshold

Compliance Year 2024: \$17,098

Compliance Year 2025: \$30,103

* Health and Safety Code 39616 program review. Adjusted by August 2024 CPI.

NOx RTC Price Exceedances

Summary and Recommendation

Rule 2015 Threshold
\$15,000 per ton

RTC prices have exceeded Rule 2015 threshold since calendar year 2021

Required analysis of RECLAIM program performed and reported to Board in 2022

Board determined that the program continue without change and directed staff to send report to CARB and U.S. EPA

Circumstances have not changed since previous analysis and staff recommends no additional analysis and no further action

Health and Safety Code 39616 Threshold
\$56,919 per ton

Adjusted annually by CPI

Annual average discrete-year prices for future NOx RTCs are below threshold

No action required

5

Summary

- Programmatic compliance achieved (NOx and SOx emissions were 16% and 37% below allocations, respectively)
- Individual facility compliance rate remained high (94% and 100% for NOx and SOx, respectively)
- Annual average discrete-year NOx prices below H&SC threshold of \$56,919
- Annual average discrete-year NOx prices for Compliance Years 2024 and 2025 RTCs traded in Calendar Year 2024 continue to exceed the \$15,000 per ton Rule 2015 backstop threshold (SOx prices remained under threshold)
- For continuing RTC price exceedances, staff recommends no additional analysis because circumstances have not changed since the prior review

6
127

Staff Recommendations

- Approve the Annual RECLAIM Audit Report for 2023 Compliance Year
- Determine that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change, as reported in the August 2022, evaluation and review of the compliance and enforcement aspects of the RECLAIM program, with staff's confirmation that circumstances have not changed, and continuing analysis is not required
- Direct the Executive Officer to submit to CARB and U.S. EPA, the Annual RECLAIM Audit Report for 2023 Compliance Year and the August 2022, evaluation and review of the compliance and enforcement aspects of the RECLAIM program, including the determination that paragraphs (d)(1) through (d)(4) of Rule 2004 continue without change