

RULE 1133.2 EMISSION REDUCTIONS FROM CO-COMPOSTING OPERATIONS

(a) Purpose

The purpose of this rule is to reduce volatile organic compounds (VOC) and ammonia emissions from Co-Composting Operations.

(b) Applicability

This rule applies to owners and operators of Co-Composting Operations.

(c) Definitions

For the purposes of this rule, the following definitions shall apply:

- (1) ACTIVE PHASE is the portion of the composting process characterized by rapid decomposition and biological instability, generating temperatures of at least 122 degrees Fahrenheit (50 degrees Celsius). The Active Phase includes the Pathogen Reduction Process.
- (2) AERATION SYSTEM is a system where air is forced through Organic Waste Material being composted, through the use of fans or blowers.
- (3) AGRICULTURAL OPERATIONS are defined in Rule 102 – Definition of Terms.
- (4) BASELINE EMISSIONS FACTORS are the uncontrolled emission factors for Co-Composting Operations for VOC and ammonia, respectively.
- (5) BIOFILTRATION is a pollution control technology that removes and oxidizes VOC and ammonia through the action of bacteria and other microorganisms.
- (6) BIOSOLIDS are the residual solid wastes produced by the anaerobic digestion of sewage and other Organic Waste Material at publicly owned treatment works.
- (7) CO-COMPOSTING OPERATION is an operation that composts any amount of Biosolids or greater than 20 percent Manure by volume mixed with bulking agents, such as sawdust and other Organic Waste Material, to produce compost.
- (8) COMPOST OVERS are woody materials that do not decompose in a typical composting cycle and are screened out of Finished Compost at the end of composting. Compost Overs have completed the Pathogen Reduction Process.
- (9) CONTROL EFFICIENCY is the effectiveness, expressed in percent, of an emission control system or mitigation measure to eliminate, reduce, or control the issuance of a specific air contaminant.
- (10) CURING PHASE is the portion of the composting process that begins immediately after the end of the Active Phase of composting and characterized by slower decomposition until reaching biological stability.

- (c) (11) DIGESTATE is the residual material produced by the anaerobic digestion of Organic Waste Material excluding sewage or Biosolids.
- (12) ENCLOSURE is a completely walled, floored, and roofed structure or vessel.
- (13) EXISTING SMALL-CAPACITY CO-COMPOSTING OPERATION is a Co-Composting Operation that began operations on or before January 10, 2003 with a design capacity of less than 35,000 tons of Organic Waste Material per calendar year containing no more than 20 percent Biosolids, by volume.
- (14) FINISHED COMPOST is a humus-like material that results from the controlled biological decomposition of Organic Waste Material and is biologically stable. Both the Active Phase and Curing Phase of composting are required to achieve this product.
- (15) FOODWASTE is any food scraps collected from the food service industry, grocery stores, or residential food scrap collection. Foodwaste also includes food scraps that are chipped and ground. Food scraps co-collected with curbside Greenwaste collection are considered Greenwaste.
- (16) GREENWASTE is any waste of organic origin generated from gardening, agriculture, or landscaping activities including grass clippings, leaves, tree and shrub trimmings, and plant remains. Food scraps co-collected with curbside Greenwaste collection are considered Greenwaste. Small woody materials, such as prunings and trimmings up to four (4) inches in diameter, are Greenwaste.
- (17) MANURE is the solid waste and soiled bedding produced by livestock and zoological operations from the keeping of animals.
- (18) ORGANIC WASTE MATERIAL is any waste material of organic origin that may be used as feedstock to produce Finished Compost, Compost Overs, or intermediate material. Organic Waste Material includes Greenwaste, both curbside and non-curbside, Woodwaste, Foodwaste, Biosolids, Digestate, and Manure.
- (19) PATHOGEN REDUCTION PROCESS is the process outlined in Title 14, Section 17868.3 of the California Code of Regulations.
- (20) PILE is Organic Waste Material that is heaped together.
- (21) PUBLICLY-OWNED SMALL-CAPACITY CO-COMPOSTING OPERATION is a Co-Composting Operation owned or operated by a public entity which composts no more than 5,000 tons of Biosolids or Manure, combined, per calendar year.
- (22) THROUGHPUT is the mass of Organic Waste Material in tons per calendar year as received by the Co-Composting Operation and processed through composting, excluding recycled materials.

- (c) (23) WOODWASTE is lumber, and the woody material portion of mixed demolition wastes and mixed construction wastes. Large woody materials, such as branches, tree trunks, and stumps exceeding four (4) inches in diameter are Woodwaste.
- (24) WINDROW COMPOSTING PROCESS is the process in which Organic Waste Material is placed in elongated Piles and are mechanically turned on a periodic basis.

(d) Requirements

The owner or operator of a Co-Composting Operation shall:

- (1) Conduct the Active Phase within the confines of an Enclosure which meets the following conditions:
 - (A) The inward face velocity of air through each natural draft opening in which air can enter the Enclosure shall be a minimum of 100 feet per minute, unless the natural draft opening is equipped with a closure device that seals the natural draft opening in the event that the airflow direction changes.
 - (B) The area of all natural draft openings in the Enclosure through which air can enter the Enclosure shall not exceed two (2) percent of the surface area of the Enclosure's four (4) walls, floor, and ceiling.
 - (C) The Enclosure may be opened for brief time periods, not to exceed a total of 30 minutes per day for purposes of access or maintenance. These time periods do not need to be included in the face velocity determination or as a natural draft opening for the two (2) percent criteria.
 - (D) No measurable increase over background levels, measured in accordance with paragraph (g)(5), of ammonia or hydrocarbon downwind outside the Enclosure shall occur at any natural draft opening including any natural draft opening that occurs briefly for access or maintenance. A portable ammonia analyzer, colorimetric test, hydrocarbon analyzer, or another alternative method approved by the Executive Officer as being equivalent or better shall be used for these measurements. The portable ammonia analyzer shall be operated per manufacturer's instructions and calibrated with certified zero and ten (10) parts per million ammonia standards. The portable hydrocarbon analyzer shall be a flame ionization detector operated per manufacturer's instructions and calibrated with certified zero and ten (10) parts per million methane standards. The owner or operator shall monitor each natural draft opening and the background levels at least daily and record monitoring results.

- (d) (2) Conduct the Active Phase until meeting at least one of the following criteria:
 - (A) For a minimum of 22 consecutive calendar days, beginning when Organic Waste Material is mixed together for composting.
 - (B) The Active Phase Pile has a Compost Maturity Index of 4.5 or greater as measured by the Solvita Maturity Test in accordance with subparagraph (g)(4)(A).
 - (C) The Active Phase Pile has completed the Pathogen Reduction Process.
- (3) Conduct the Curing Phase using an Aeration System vented to an emission control system and until meeting at least one of the following criteria:
 - (A) For a minimum of 40 consecutive calendar days after the end of the Active Phase.
 - (B) The Curing Phase Pile has a Compost Maturity Index of 6.0 or greater as measured by the Solvita Maturity Test in accordance with subparagraph (g)(4)(A).
 - (C) The Curing Phase Pile respiration rate is below ten (10) milligrams of oxygen consumed per gram of volatile solids per day as measured by direct respirometry in accordance with subparagraph (g)(4)(B).
- (4) Vent the exhaust from the Enclosure and the Aeration System to an emission control system designed and operated that, either:
 - (A) Meets a Control Efficiency equal to or greater than 80 percent, by weight, for VOC emissions and equal to or greater than 80 percent, by weight, for ammonia emissions, as compared to one of:
 - (i) Inlet emission rates for VOC and ammonia, respectively, to the emission control system;
 - (ii) Baseline Emission Factors of 1.78 pounds of VOC per ton of Throughput and 2.93 pounds of ammonia per ton of Throughput, respectively; or
 - (iii) Operation-specific Baseline Emission Factors for VOC and ammonia, respectively, if submitted by the owner or operator and approved by the Executive Officer to represent the uncontrolled emission factors of the Co-Composting Operation; or
 - (B) Does not exceed 0.35 lbs VOC emissions per ton of Throughput and does not exceed 0.58 lbs ammonia emissions per ton of Throughput.
- (5) Demonstrate compliance with paragraph (d)(4) by source testing in accordance with paragraph (g)(1):
 - (A) Within one (1) year of startup of the emission control system; and

- (d) (5) (B) Every two (2) years thereafter.
 - (6) In lieu of complying with paragraphs (d)(1) through (d)(5), the owner or operator of an Existing Small-Capacity Co-Composting Operation may select the Existing Small-Capacity Co-Composting Operation Alternative in accordance with subdivision (e).
 - (7) In lieu of complying with paragraphs (d)(1) through (d)(5), the owner or operator of a Publicly-Owned Small-Capacity Co-Composting Operation may select the Publicly-Owned Small-Capacity Co-Composting Operation Alternative in accordance with subdivision (f).
- (e) Existing Small-Capacity Co-Composting Operation Alternative
- The owner or operator selecting the Existing Small-Capacity Co-Composting Operation Alternative shall:
- (1) Cover each Active Phase Pile with Finished Compost or Compost Overs within 24 hours of initial Pile formation such that the top of the cover is at least six (6) inches thick.
 - (2) Within six (6) hours before turning for at least the first 15 days after initial Active Phase Pile formation, apply water or other liquid approved by the Executive Officer to the surface area of each Active Phase Pile until the top one-half of the Active Phase Pile is sufficiently wet to a depth of at least three (3) inches.
 - (A) The owner or operator shall determine if an Active Phase Pile is sufficiently wet by the squeeze ball test pursuant to subparagraph (e)(2)(B) or an alternative approved by the Executive Officer, California Air Resource Board (CARB), or United States Environmental Protection Agency (U.S. EPA).
 - (B) Squeeze Ball Test

The owner or operator shall take a sample of material while wearing a protective glove from the top one-half of the Active Phase Pile, at least three (3) inches below the outer surface. The owner or operator shall squeeze the sample into a ball using hand pressure. An Active Phase Pile is sufficiently wet if the sample forms a ball when compressed, but the ball may break when tapped.
 - (C) If the ball crumbles upon release of hand pressure, the owner or operator shall apply additional water to the Active Phase Pile prior to turning until the Active Phase Pile is sufficiently wet.

- (e) (2) (D) If a rain event occurs within six (6) hours before turning an Active Phase Pile and the Active Phase Pile is sufficiently wet, the owner or operator may turn the Active Phase Pile without adding additional approved liquid. If the Active Phase Pile is not sufficiently wet, the owner or operator shall apply additional approved liquid to the Active Phase Pile pursuant to subparagraph (e)(2)(C) before turning.
- (3) In lieu of complying with the requirement of paragraph (e)(2), the owner or operator may turn Active Phase Piles using a windrow turner equipped with liquid spraying technology that applies approved liquid during the entire turning process.
- (4) Conduct the Active Phase until meeting at least one of the following criteria:
 - (A) For a minimum of 22 consecutive calendar days, beginning when Organic Waste Material is mixed together for composting.
 - (B) The Active Phase Pile has a Compost Maturity Index of 4.5 or greater as measured by the Solvita Maturity Test in accordance with subparagraph (g)(4)(A).
 - (C) The Active Phase Pile has completed the Pathogen Reduction Process.
- (5) Conduct the Curing Phase until meeting at least one of the following criteria:
 - (A) For a minimum of 40 consecutive calendar days after the end of the Active Phase.
 - (B) The Curing Phase Pile has a Compost Maturity Index of 6.0 or greater as measured by the Solvita Maturity Test in accordance with subparagraph (g)(4)(A).
 - (C) The Curing Phase Pile respiration rate is below ten (10) milligrams of oxygen consumed per gram of volatile solids per day as measured by direct respirometry in accordance with subparagraph (g)(4)(B).
- (f) Publicly-Owned Small-Capacity Co-Composting Operation Alternative
The owner or operator selecting the Publicly-Owned Small-Capacity Co-Composting Operation Alternative shall:
 - (1) Conduct the Active Phase and Curing Phase using an Aeration System that is vented to an emission control system that either:
 - (A) Meets Control Efficiency equal to or greater than 80 percent, by weight, for VOC emissions and equal to or greater than 80 percent, by weight, for ammonia emissions, as compared to one of:
 - (i) Inlet emission rates for VOC and ammonia, respectively, to the emission control system;

- (f)
 - (1)
 - (A)
 - (ii) Baseline Emission Factors of 1.78 pounds of VOC per ton of Throughput and 2.93 pounds of ammonia per ton of Throughput, respectively; or
 - (iii) Operation-specific Baseline Emission Factors for VOC and ammonia, respectively, if submitted by the owner or operator and approved by the Executive Officer to represent the uncontrolled emission factors of the Co-Composting Operation; or
 - (B) Does not exceed 0.35 lbs VOC emissions per ton of Throughput and does not exceed 0.58 lbs ammonia emissions per ton of Throughput.
 - (2) Demonstrate compliance with paragraph (f)(1), as applicable, by source testing in accordance with paragraph (g)(1):
 - (A) Within one (1) year of startup of the emission control system; and
 - (B) Every two (2) years thereafter.
 - (3) Install, operate, and maintain the emission control system in accordance with the manufacturer's operation and maintenance manual or other similar written materials supplied by the manufacturer or distributor to ensure that the emission control system remains in proper operating condition.
 - (4) Conduct the Active Phase until meeting at least one of the following criteria:
 - (A) For a minimum of 22 consecutive calendar days, beginning when Organic Waste Material is mixed together for composting.
 - (B) The Active Phase Pile has a Compost Maturity Index of 4.5 or greater as measured by the Solvita Maturity Test in accordance with subparagraph (g)(4)(A).
 - (C) The Active Phase Pile has completed the Pathogen Reduction Process.
 - (5) Conduct the Curing Phase until meeting at least one of the following criteria:
 - (A) For a minimum of 40 consecutive calendar days after the end of the Active Phase.
 - (B) The Curing Phase Pile has a Compost Maturity Index of 6.0 or greater as measured by the Solvita Maturity Test in accordance with subparagraph (g)(4)(A).
 - (C) The Curing Phase Pile respiration rate is below ten (10) milligrams of oxygen consumed per gram of volatile solids per day as measured by direct respirometry in accordance with subparagraph (g)(4)(B).

(g) Test Methods and Protocol**(1) Source Testing**

The owner or operator of a Co-Composting Operation required to perform source testing shall:

- (A) Prior to conducting source testing to demonstrate compliance, submit a source test protocol for approval to the Executive Officer in accordance with the guidelines provided in Attachment A;
 - (B) Submit an updated or new source test protocol if there are any changes to the Co-Composting Operation or if the Executive Officer requests an updated or new source test protocol;
 - (C) Conduct source testing pursuant to the valid source test protocol approved by the Executive Officer; and
 - (D) Submit the source test report to the Executive Officer within 60 days of completing all sampling for source testing.
- (2) The owner or operator of the Co-Composting Operation shall use a laboratory approved by the Executive Officer for all required testing..
- (3) The following methods shall be used to determine compliance with this rule:
- (A) South Coast AQMD Method 207.1 – Determination of Ammonia Emissions from Stationary Sources.
 - (B) South Coast AQMD Method 25.3 – Determination of Low Concentration Non-Methane Non-Ethane Organic Compound Emissions from Clean Fueled Combustion Sources.
 - (C) South Coast AQMD Method 1.1 – Sample and Velocity Traverses for Stationary Sources.
 - (D) South Coast AQMD Method 1.2 – Sample and Velocity Traverse for Stationary Sources with Small Stacks or Ducts.
 - (E) South Coast AQMD Method 2.1 – Determination of Stack Gas Velocity and Volumetric Flow Rate (S-Type Pitot Tube).
 - (F) South Coast AQMD Method 2.2 – Direct Measurement of Gas Volume through Pipes and Small Ducts.
 - (G) South Coast AQMD Method 2.3 – Determination of Gas Velocity and Volumetric Flow Rate From Small Stacks or Ducts.
 - (H) South Coast AQMD Method 4.1 – Determination of Moisture Content in Stack Gases.

- (g) (4) Triplicate samples shall be taken for the following test methods:
- (A) Test Methods for the Examination of Composting and Compost (TMECC) 05.08-E – Solvita Maturity Index (April 7, 2002) or its successor.
 - (B) TMECC 05.08-A – Specific Oxygen Uptake Rate (April 7, 2002) or its successor.
- (5) Background Ammonia and Hydrocarbon Levels
- The owner or operator of a Co-Composting Operation required to measure background levels in accordance with subparagraph (d)(1)(D) shall measure the local ambient concentration of ammonia and hydrocarbon, measured as methane, by holding the inlet of the measuring device between five (5) and six (6) feet above ground, away and upwind from the Enclosure.
- (h) Recordkeeping
- The owner or operator of a Co-Composting Operation shall:
- (1) Maintain the following records, as applicable:
 - (A) A copy of the annual Co-Composting Operation report submitted in accordance with subdivision (i);
 - (B) Records of dates and amounts of composting conducted;
 - (C) Application of Finished Compost, Compost Overs, and approved liquids, in accordance with subdivision (e);
 - (D) Source test reports, in accordance with subparagraph (g)(1)(D);
 - (E) Operation and maintenance of any emission control system, in accordance with subdivisions (d) or (f); and
 - (F) Manufacturer’s operation and maintenance manual or similar, in accordance with subdivisions (d) or (f).
 - (2) Maintain records for the prior five (5) years of operation. The most recent two (2) years shall be retained on-site, which shall be immediately available upon request by the Executive Officer. The remaining three (3) years of records shall be made available to the Executive Officer within one (1) week of request.
- (i) Reporting
- The owner or operator of a Co-Composting Operation shall submit to the Executive Officer annually, no later than July 1st of each calendar year, a report summarizing the Co-Composting Operation of the previous calendar year in a format approved by the Executive Officer. The report shall include annual Throughputs of each Organic Waste Material received and annual Throughputs of Finished Compost and Compost Overs.

(j) Exemptions

- (1) The owner or operator of an Agricultural Operation shall be exempt from the provisions of subdivisions (d) through (i).
- (2) The owner or operator of a Co-Composting Operation with a Throughput of less than 100 tons per calendar year shall be exempt from the provisions of subdivisions (d) through (i), except for subparagraph (h)(1)(B) to record Throughput and paragraph (h)(2) to maintain records.
- (3) The provisions of subdivision (d) shall not apply to source testing for the purpose of developing operation-specific Baseline Emission Factors, provided the owner or operator obtains a valid source test protocol approved by the Executive Officer.

ATTACHMENT A**GUIDELINES FOR THE DEVELOPMENT OF SOURCE TEST PROTOCOLS FOR
VOC AND AMMONIA EMISSIONS FROM CO-COMPOSTING OPERATIONS**

Source test protocols are to consist of testing plans to measure VOC and ammonia emissions due to the composting process. When used for determining the emission control system Control Efficiency, the measurements shall consist of lb/hr measurements at the inlet and exhaust of the emission control system as well as a verification of the Enclosure and are subject to the applicable requirements that follow. When used for determining the Control Efficiency as compared to the Baseline Emissions Factors, emissions are to be reported as % reductions for the Active Phase and Curing Phase in terms of pounds of emissions per ton of Throughput (total raw material as received) and are subject to the applicable requirements that follow. The following are general requirements for all testing as well as specific requirements for the rule sections for each facility-specific protocol which must be prepared by the source test contractor and approved by the South Coast AQMD prior to testing. Source test protocols are facility-specific, reflecting the unique conditions and configuration of each Co-Composting Operation and may vary from these guidelines. Any such deviations from test method(s) must be approved by South Coast AQMD in the source test protocols.

1. Alternative Test Methods

The reference test methods for ammonia, VOC, and flow rate cited in this guideline shall be used to determine compliance with this rule. Alternative test methods may be used if they are determined to be equivalent and approved in writing by the Executive Officer, CARB, or U.S. EPA. For the source test protocols, as defined as the manner in which the reference test methods are employed to obtain a measurement of the emissions, alternatives to the procedures cited in these guidelines may be used if they are determined to be equivalent and approved in writing by the Executive Officer.

2. LAP Requirements

The sampling, analysis, and reporting shall be conducted by a laboratory/source test firm that has been approved under the South Coast AQMD Laboratory Approval Program (LAP) for the cited South Coast AQMD reference test methods, where LAP approval is available. For South Coast AQMD reference test methods for which no LAP program is available, the LAP approval requirement shall become effective one (1) year after the date that the LAP program becomes available for that South Coast AQMD reference test method.

3. Operating Conditions

The testing must be conducted under representative operating conditions with respect to seasonal conditions, compost composition, process Throughput, processing of the materials, and Pile geometries. The following operating parameters shall be recorded during testing and reported with the test results:

- a) A thorough description of the composting process and process diagram of each processing area and including residence times in each of the composting process areas.
- b) Process Throughput as determined by facility's billing scales or other calibrated measuring device that represents the tons of the material as received that is present at the facility during the time of the testing. When using the South Coast AQMD Baseline Emission Factors, the process Throughput is to include all of the raw Organic Waste Materials that are composted excluding material that is recycled from previous similar processing. Several Throughputs may be necessary if applicable to the different processing areas or Pile ages.
- c) Compost composition (percent and type of Organic Waste Material i.e. Biosolids, Manure, Greenwaste, etc.).
- d) Age of all Piles that were tested and all Piles present at the facility during testing, with age expressed in either calendar days or Compost Maturity Index as measured by the Solvita Maturity Test in accordance with subparagraph (e)(4)(A).
- e) Detailed dimensions of all Piles so that a surface area for each Pile type can be calculated.
- f) A description of the biofilter system, including a process diagram and type of biofilter media.
- g) Age of the biofilter media.
- h) A thorough description of the humidification and moisture maintenance system for the biofilter.
- i) Identification of peripheral monitoring equipment, such as moisture or temperature sensors, and data from them during testing.

4. *Ammonia Sampling*

South Coast AQMD Method 207.1 shall be used to obtain the ammonia samples from each source of emissions to be tested. When sampling from a flux chamber, a sample line of minimal length should be connected to a midjet sampling train consisting of; two (2) midjet impingers each filled with 15 mL of 0.1N sulfuric acid, an empty impinger, and an impinger filled with tared silica gel. The samples shall be analyzed for ammonium content as ammonia by ion chromatography or ion selective electrode.

5. *VOC Sampling*

Duplicate integrated gas samples shall be taken from each source of emissions to be tested using South Coast AQMD Method 25.3. South Coast AQMD Method 25.3 apparatus should be connected to sample directly inside the flux chamber or duct as applicable. Compost emissions are considered as water soluble sources where the 50 ppm applicability limit of South Coast AQMD Method 25.3 does not apply.

6. *Specific Requirements for Testing Co-Composting Operations Control Equipment Performance*

For surface types of emissions, such as with open faced biofilter exhausts, the exhaust emission rate shall be determined as in accordance with Section (8) below.

For an emission control system inlet or exhaust that is vented through a testable duct, the gas velocity within the duct shall be measured according to South Coast AQMD Methods 1.1, 2.1, and 3.1. The flow rate shall also be corrected to dry standard conditions using the moisture content as determined by South Coast AQMD Method 4.1. This flow rate may then be used to determine mass emission rates.

Control Efficiency shall be calculated as follows:

$$CE = 100 \times (1 - (E / I)) \quad \text{(Equation 1)}$$

Where:

CE = Control Efficiency (%)
E = Total Exhaust Emission Rate (lb/hr)
I = Total Inlet Emission Rate to Emission Control System (lb/hr)

7. *Specific Requirements for Co-Composting Operations (Baseline Emission Factors)*

A proposed measurement from the Active Phase and Curing Phase, including surface emissions of all Piles where the materials are composted, and outlets (vents or surfaces) of emission control systems must be included in the protocol. If the emissions are vented to atmosphere from a vent stack such as from an otherwise uncontrolled aerated static Pile or other vent to atmosphere, then the stack concentration, determined using methods specified in Sections (4) and (5) and flow rate measurements, as specified in the previous Section (6), are required. For all surface types of emissions, such as from compost Piles and biofilter surfaces, the procedure for measuring surface emissions specified in Section (8) is required. A measurement for fugitive emissions from aerated static Pile surfaces must also be included.

Each type of Pile must be tested. If the facility includes several identical Piles, then only the largest Pile need be tested. If the facility has more than three (3) different age Piles that are otherwise identical in processing and composition, then at a minimum three (3) ages can be tested including newer, middle-aged, and older Piles from the Active Phase. A newer Pile in the Active Phase has not yet achieved peak temperature and is typically less than seven (7) days old or has a Compost Maturity Index (CMI) of 1.5 or less as measured by the Solvita Maturity Test in accordance with subparagraph (e)(4)(A). A middle-aged Pile in the Active Phase has achieved peak temperature and is typically between seven (7) and 14 days old or has a CMI between 1.5 and 3.0. An older Pile in the Active Phase has decreasing temperature and is typically between 14 and 22 days old or has a CMI between 3.0 and 4.5. In any case, the surface area of all Piles at the facility must be included in the determination of Pile dimensions as specified in Section (3).

If the facility elects to use an alternative to the South Coast AQMD's Baseline Emissions Factors, then a separate test must be conducted to establish this baseline on the uncontrolled Co-Composting Operation (e.g., windrow method) with the same compost mix. Following the source test to determine alternative Baseline Emission Factors, facilities would have the option to use the South Coast AQMD's Baseline Emissions Factors or the alternative Baseline Emissions Factors.

Control Efficiency shall be calculated as follows:

$$CE = 100 \times (1 - (TE / B)) \quad (\text{Equation 2})$$

Where:

CE = Control Efficiency (%)
 TE = Total Emissions of Active Phase and Curing Phase (lb/ton Throughput)
 B = South Coast AQMD Baseline Emission Factor or Alternative Baseline Emission Factor if Tested (lb/ton Throughput)

8. *Procedure for Measuring Surface Emissions*

The procedure for measuring surface emissions such as the compost Pile and biofilter surfaces that cannot be tested by conventional methods through a stack or duct, is a modified form of the procedures found in the U.S. EPA *Measurement of Gaseous Emission Rates from Land Surfaces Using an Emission Isolation Flux Chamber User's Guide* (U.S. EPA Guide). The modifications to the procedures in the U.S. EPA Guide are specified in the following requirements.

The flux chamber encompasses a fixed surface area of 1.4 ft² and contains a sweep air system to obtain a homogeneous air sample by employing a mixing fan and sweep gas (10% helium in air at 5 liters/min recommended). The sweep gas must contain a non-reactive and non-present tracer such as the aforementioned 10% helium so that a correction for the contribution of the surface flow rate can be calculated.

A minimum of six (6) sample locations per Pile or a sufficient number at each Pile tested must be obtained in order to achieve a representative sample of the Pile surface emissions. A minimum of four (4) Piles at each Co-Composting Operation (a newer Pile, a middle-aged Pile, an older Pile, and a pile in Curing Phase), or a sufficient number of Piles at the Co-Composting Operation must be tested to represent the Co-Composting Operation surface emissions. These locations can be composited for each Pile to reduce testing costs. For example, for one (1) hour sampling, six (6) random positions on the Pile should be tested for ten (10) minutes each. Alternatively, a lesser number of sample locations may be sampled provided that an evaluation of spatial variation demonstrates that the number of sample locations are sufficient.

The emissions shall be reported in units of lb/hr-ft², lb/hr, and lb/ton of Throughput. The following calculations shall apply to the test results:

$$\text{Surface Flow Correction Factor} = C_t / C_s \quad (\text{Equation 3})$$

Where:

C_t = Concentration of Tracer in Sweep Gas
 C_s = Concentration of Sweep Gas in Flux Chamber Sample

$$\text{Corrected Flux Chamber Results (lb/hr-ft}^2\text{)} = UFC \times SFCF \quad (\text{Equation 4})$$

Where:

UFC = Uncorrected Flux Chamber Results (lb/hr-ft²)

SFCF = Surface Flow Correction Factor

$$lb/hr = lb/hr\text{-}ft^2 \times \text{Total Compost Surface Area in Category} \quad (\text{Equation 5})$$

$$lb/ton \text{ Throughput} = lb/hr \times (24 \text{ hr/day}) / PT \quad (\text{Equation 6})$$

Where:

PT = Process Throughput (total ton/day as received)

$$\text{Total Emissions (lb/ton Throughput)} = \sum P \quad (\text{Equation 7})$$

Where:

P = Active Phase and Curing Phase sources of the Facility Compost Emissions (lb/ton Throughput)

For a facility where not every age of Pile was tested, the surface areas from each Pile in the facility must be included and sorted into appropriate age (newer, middle-aged, older in the Active Phase) and emissions categories (Active Phase and Curing Phase) from those that were measured.